

Reservoirs (Scotland) Act 2011

PART 1

RESERVOIRS

CHAPTER 3

RISK DESIGNATION

22 Risk designation and periodic review: matters to be taken into account

- (1) The matters SEPA is required by sections 18(2), 19(2), 20(2) and 21(2) to take into account are—
 - (a) the potential adverse consequences of an uncontrolled release of water from the reservoir,
 - (b) the probability of such a release.
- (2) For the purposes of subsection (1)(a), potential adverse consequences include—
 - (a) potential damage to—
 - (i) human health,
 - (ii) the environment,
 - (iii) cultural heritage,
 - (iv) medical facilities, power supplies, transport, the supply of water for consumption and anything connected with such matters,
 - (v) other social or economic interests,
 - (b) such other potential damage as SEPA considers relevant.
- (3) The matters which SEPA may take into account in assessing under subsection (1)(b) the probability of an uncontrolled release of water from a reservoir include—
 - (a) the purpose for which the reservoir is (or is to be) used,
 - (b) the materials used to construct the reservoir,
 - (c) the way in which the reservoir was or is being constructed,
 - (d) the maintenance of the reservoir.

Status: Point in time view as at 01/01/2015. This version of this provision has been superseded.

Changes to legislation: There are currently no known outstanding effects for the

Reservoirs (Scotland) Act 2011, Section 22. (See end of Document for details)

(4) The Scottish Ministers may, after consulting SEPA and the Institution of Civil Engineers, by regulations make further provision about the matters SEPA is to take into account under sections 18(2), 19(2), 20(2) and 21(2).

Commencement Information

I1 S. 22(4) in force at 1.1.2015 by S.S.I. 2014/348, art. 2, Sch.

Status:

Point in time view as at 01/01/2015. This version of this provision has been superseded.

Changes to legislation:

There are currently no known outstanding effects for the Reservoirs (Scotland) Act 2011, Section 22.