Directive 97/24/EC of the European Parliament and of the Council of 17 June 1997 on certain components and characteristics of two or three-wheel motor vehicles (repealed)

DIRECTIVE 97/24/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

of 17 June 1997

on certain components and characteristics of two or three-wheel motor vehicles (repealed)

F1

Textual Amendments

F1 Repealed by Regulation (EU) No 168/2013 of the European Parliament and of the Council of 15 January 2013 on the approval and market surveillance of two- or three-wheel vehicles and quadricycles (Text with EEA relevance).

CHAPTER 1

TYRES FOR TWO OR THREE-WHEEL MOTOR VEHICLES AND THEIR FITTING

ANNEX I

ADMINISTRATIVE PROVISIONS FOR THE COMPONENT TYPE APPROVAL OF A TYPE OF TYRE

| | Appendix 1 |
|---|---|
| | Appendix 2 |
| | ANNEX II KINGS, AND REQUIREMENTS |
| F | Appendix 1 |
| Appendix 2 Arrangement of tyre markings | |
| | Appendix 3 corresponding permissible maximum mass |
| Appendix 4 | |
| Marking and dimensions of certain types of tyre | |
| | |
| | |

| Appendix 5 |
|---|
| Method of measuring tyre dimensions |
| |
| Appendix 6 |
| Procedure for testing load/speed performance |
| Appendix 7 |
| Variation of load capacity as a function of speed |
| |
| Appendix 8 |
| Method for determining the dynamic growth of tyres |
| ANNEX III |
| REQUIREMENTS FOR VEHICLES WITH REGARD TO THE FITTING OF THEIR TYRES |
| Appendix 1 |
| Appendix 2 |
| CHAPTER 2 |
| LIGHTING AND LIGHT-SIGNALLING DEVICES |

ANNEX I

OF TWO OR THREE-WHEEL MOTOR VEHICLES

GENERAL REQUIREMENTS APPLYING TO THE COMPONENT TYPE-APPROVAL OF A TYPE OF LIGHTING AND LIGHT-SIGNALLING DEVICE FOR TWO OR THREE-WHEEL MOTOR VEHICLES

| A man alia. 1 | |
|---|--|
| Appendix 1 | |
| Colours of Light emitted | |
| Trichomatic co-ordinates | |
| | |
| | |
| | |
| Appendix 2 | |
| | |
| ANNEX II | |
| REQUIREMENTS CONCERNING THE COMPONENT TYPE-APPROVAL OF FRONT POSITION (SIDE) LAMPS, REAR LAMPS, STOP LAMPS, DIRECTION-INDICATOR LAMPS, REAR REGISTRATION-PLATE ILLUMINATING DEVICE, FRONT FOG-LAMPS, REAR FOG-LAMPS, REVERSING LAMPS AND RETRO-REFLECTORS FITTED TO TWO OR THREE-WHEEL MOTOR VEHICLES | |
| Appendix 1 | |
| Minimum horizontal (H) and vertical (V) angles of spatial light distribution | |
| | |
| Appendix 2 | |
| Photometric measurements | |
| Thotometre measurements | |
| Appendix 3 | |
| Photometric measurements of the rear registration-plate illuminating device | |
| Appendix 4 | |
| Appendix 5 | |
| •• | |
| | |
| ANNEX III | |
| REQUIREMENTS RELATING TO THE COMPONENT TYPE-APPROVAL | |

OF DEVICES (HEADLAMPS) USING INCANDESCENT OR HALOGEN

FILAMENT LAMPS EMITTING A PASSING AND/OR DRIVING BEAM FITTED TO TWO OR THREE-WHEEL MOTOR VEHICLES

ANNEX III-A

HEADLAMPS FOR MOPEDS

Appendix 1

Photometric tests on headlamps equipped with category S₃ and S₄ lamps

Appendix 2

Photometric tests on headlamns equipped with category HS, halogen lamns

| Filotometric tests on headiamps equipped with category F132 halogen lamps | |
|---|--|
| Appendix 3 | |
| Appendix 4 | |
| ANNEX III-B | |
| HEADLAMPS FOR MOTORCYCLES AND TRICYCLES EMITTING A SYMMETRICAL PASSING BEAM AND A DRIVING BEAM BY MEANS OF FILAMENT LAMPS | |
| Appendix 1 | |
| Photometric tests | |
| Appendix 2 | |
| Test on the stability of the photometric behaviour of headlamps in operation | |
| | |
| | |
| Appendix 3 | |
| Requirements for lamps incorporating lenses of plastic material and testing of lens or material samples and of complete lamps | |

| Appendix 4 | |
|--|--|
| | |
| Appendix 5 | |
| | |
| ANNEX III-C | |
| HEADLAMPS FOR MOTORCYCLES AND TRICYCLES EMITTING AN ASYMMETRICAL PASSING BEAM AND A DRIVING BEAM AND FITTED WITH HALOGEN FILAMENT LAMPS (HS $_1$ LAMPS) OR FILAMENT LAMPS OF CATEGORY R $_2$ | |
| Appendix 1 | |
| Measuring screen | |
| Appendix 2 | |
| Tests on the stability of the photometric performance of headlamps in operation | |
| | |
| | |
| Appendix 3 | |
| Requirements for lamps incorporating lenses of plastic material and testing of lens or material samples and of complete lamps | |
| | |
| Appendix 4 | |
| | |
| Appendix 5 | |
| | |
| ANNEX III-D | |
| HEADLAMPS FOR MOTORCYCLES AND TRICYCLES EMITTING AN ASYMMETRICAL PASSING BEAM, A DRIVING BEAM AND FITTED WITH HALOGEN FILAMENT LAMPS OTHER THAN ${ m HS_1}$ LAMPS | |

Appendix 1

Measuring screen

Standard European beam

Appendix 2

Tests on the stability of the photometric performance of headlamps in operation

Appendix 3

Requirements for lamps incorporating lenses of plastic material and testing of lens or material samples and of complete lamps

Appendix 3.1

Chronological order of approval tests

Appendix 3.2 Method of measurement of the diffusion and transmission of light Appendix 3.3 Spray testing method Appendix 3.4 Adhesive tape adherence test Appendix 4

ANNEX IV

Appendix 5

INCANDESCENT LAMPS INTENDED FOR USE IN COMPONENT TYPE-APPROVED LAMPS FOR MOPEDS, MOTORCYCLES AND TRICYCLES

Appendix 1

Category R₂ lamps

Appendix 2

Category H₁ lamps

Appendix 3

Category H₂ lamps

Appendix 4

Category H₃ lamps

Appendix 5

Category H₄ lamps

Appendix 6

Category HS₁

Appendix 7

Category HB₃

Appendix 8

Category HB₄

Appendix 9

Category H₇

Appendix 10

Category HS₂

Appendix 11

Category S_1 and S_2

Appendix 12

Category S₃

Appendix 13

Category S₄

Appendix 14

Category P21W

Appendix 15

Category P21/5W

Appendix 16

Category R5W

Appendix 17

Category R10W

Appendix 18

Category T4W

Appendix 19

Category C5W

Appendix 20

Category C21W

Appendix 21

Category W3W

| Appendix 22 | |
|--|--|
| Category W5W | |
| | |
| Appendix 23 | |
| Example of the arrangement of the approval mark | |
| | |
| | |
| Appendix 24 | |
| Luminous centre and shapes of lamp filaments | |
| | |
| | |
| | |
| | |
| | |
| CHAPTER 3 | |
| EXTERNAL PROJECTIONS FROM TWO OR THREE-WHEEL MOTOR VEHICLES | |
| ANNEX I | |
| REQUIREMENTS APPLYING TO EXTERNAL PROJECTIONS FROM TWO-WHEEL MOTOR VEHICLES | |
| Appendix 1 | |
| Testing device and test conditions | |
| | |
| | |
| ANNEX II | |
| REQUIREMENTS APPLYING TO EXTERNAL PROJECTIONS FROM THREE-WHEEL MOTOR VEHICLES, LIGHT QUADRICYCLES AND QUADRICYCLES | |

Appendix

Measurement of projections and gaps

| ANNEX III | |
|--|--|
| Appendix 1 | |
| | |
| Appendix 2 | |
| | |
| CHAPTER 4 | |
| REAR VIEW MIRRORS FOR TWO OR THREE-WHEEL MOTOR VEHICLES | |
| ANNEX I | |
| DEFINITIONS | |
| DLI INTIONS | |
| Appendix | |
| Procedure for the determination of the radius of curvature 'r' of the reflecting surface of the rear view mirror | |
| | |
| ANNEX II | |
| STRUCTURAL AND TESTING REQUIREMENTS APPLYING TO THE COMPONENT TYPE-APPROVAL OF REAR-VIEW MIRRORS | |
| Appendix 1 | |
| Test method for determining reflectiveness | |
| | |
| | |
| Appendix 2 | |
| Component type-approval and marking of rear view mirrors | |
| | |

Appendix 3

| Appendix 4 | |
|--|--|
| | |
| ANNEX III | |
| REQUIREMENTS GOVERNING THE FITTING OF REAR-VIEW MIRRORS TO VEHICLES | |
| Appendix 1 | |
| Appendix 2 | |
| | |
| CHAPTER 5 | |
| MEASURES TO BE TAKEN AGAINST AIR POLLUTION CAUSED BY TWO OR THREE-WHEEL MOTOR VEHICLES | |
| ANNEX I | |
| SPECIFICATIONS FOR MEASURES TO BE TAKEN AGAINST AIR POLLUTION CAUSED BY MOPEDS | |
| Appendix 1 | |
| Type I test | |
| (checking the average emission of pollutants in a congested urban area) | |
| Sub-appendix 1 | |
| Operating cycle on dynamometer (Type I test) | |
| Sub-appendix 2 | |
| Example No 1 of an exhaust-gas collection system | |
| | |
| Sub-appendix 3 | |

| Example No 2 of an exhaust-gas collection system | | |
|--|--|--|
| Sub-appendix 4 | | |
| Method of calibrating the dynamometer | | |
| | | |
| Appendix 2 | | |
| Type II test | | |
| (measuring emissions of carbon monoxide and hydrocarbons at idling speed) | | |
| Appendix 3 | | |
| ANNEX II | | |
| SPECIFICATIONS FOR MEASURES TO BE TAKEN AGAINST AIR POLLUTION CAUSED BY MOTORCYCLES AND MOTOR TRICYCLES | | |
| Appendix 1 | | |
| Type I test (for vehicles tested against the emission limits laid down in Row A of the Table in section 2.2.1.1.5 of this Annex) | | |
| (checking the average emission of pollutants) | | |
| Sub-appendix 1 | | |
| Engine operating cycle for the Type I test | | |
| | | |
| Sub-appendix 2 | | |
| Example No 1 of an exhaust-gas collection system | | |
| Sub-appendix 3 | | |
| Example No 2 of an exhaust-gas collection system | | |
| | | |

| Sub-appendix 4 | |
|--|--|
| Method of calibrating the on-road power absorption by the dynamometer in the case of motorcycles or motor tricycles | |
| | |
| | |
| | |
| | |
| | |
| Appendix 1a | |
| Type I test (for vehicles tested against the emission limits laid down in Row B of the Table in section 2.2.1.1.5 of this Annex) | |
| (checking the average emission of pollutants) | |
| Sub-Appendix 1a | |
| BREAKDOWN OF THE OPERATING CYCLES USED FOR THE TYPE I TEST | |
| Appendix 2 | |
| Type II test | |
| (measuring emissions of carbon monoxide at idling speed) | |
| Appendix 3 | |
| Sub-appendix 1 | |
| Sub-appendix 2 | |
| Sub-appendix 3 | |

ANNEX III

SPECIFICATIONS FOR MEASURES TO BE TAKEN AGAINST VISIBLE AIR POLLUTION CAUSED BY TWO-OR THREE-WHEEL MOTOR VEHICLES EQUIPPED WITH A COMPRESSION-IGNITION ENGINE

Appendix 1

Steady-state operation test over the full-load curve

Appendice 2

Free-acceleration test

Appendix 3 Limit values applicable in steady-state tests Appendix 4 Specifications for opacimeters Appendix 5 Installation and use of the opacimeter ANNEX IV ANNEX V ANNEX VI ANNEX VII Appendix 1 Appendix 2

CHAPTER 6

Appendix 3

FUEL TANKS OF TWO OR THREE-WHEEL MOTOR VEHICLES

| ANNEX I | |
|--|--|
| BUILD REQUIREMENTS | |
| Appendix 1 | |
| | |
| Appendix 2 | |
| Appendix 3 | |
| | |
| ANNEX II | |
| REQUIREMENTS CONCERNING THE FITTING OF FUEL TANKS AND FUEL SUPPLY SYSTEMS TO TWO OR THREE-WHEEL MOTOR VEHICLES | |
| Appendix 1 | |
| | |
| Appendix 2 | |
| | |
| CHAPTER 7 | |
| ANTI-TAMPERING MEASURES FOR TWO-WHEEL MOPEDS AND MOTORCYCLES | |
| ANNEX | |
| Appendix 1 | |
| Appendix 2 | |
| | |

ELECTROMAGNETIC COMPATIBILITY OF TWO OR THREE-WHEEL MOTOR VEHICLES AND ELECTRICAL OR ELECTRONIC SEPARATE TECHNICAL UNITS

CHAPTER 8

ANNEX I

CONDITIONS APPLYING TO VEHICLES AND TO ELECTRICAL AND ELECTRONIC SEPARATE TECHNICAL UNITS

| Appendix 1 |
|--|
| Appendix 2 |
| Appendix 3 |
| Appendix 4 |
| Appendix 5 |
| Appendix 6 |
| ANNEX II |
| MEASURING WIDE-BAND C RADIATION FROM VEHICLES |
| Appendix 1 |
| |
| |

ANNEX III

METHOD OF MEASURING NARROW-BAND ELECTROMAGNETIC RADIATION FROM VEHICLES

ANNEX IV

METHODS OF TESTING VEHICLE IMMUNITY TO ELECTROMAGNETIC RADIATION

| | Appendix 1 |
|----------------------------|--|
| | |
| | Appendix 2 |
| | |
| | Appendix 3 |
| | |
| | ANNEX V |
| | G WIDE-BAND ELECTROMAGNETIC PARATE TECHNICAL UNITS (STU) |
| | Appendix 1 |
| | ANNEX VI |
| | NARROW-BAND ELECTROMAGNETIC PARATE TECHNICAL UNITS (STUs) |
| | ANNEX VII |
| METHODS OF TESTING STU IMM | UNITY TO ELECTROMAGNETIC RADIATION |
| | Appendix 1 |
| | |
| | |
| | |
| | Appendix 2 |
| | |
| | |
| | Appendix 3 |
| | |

| Appendix 4 |
|---|
| ANNEX VIII |
| Appendix 1 |
| Appendix 2 |
| ANNEX IX |
| Appendix 1 |
| Appendix 2 |
| CHAPTER 9 |
| PERMISSIBLE SOUND LEVEL AND EXHAUST SYSTEM OF TWO OR THREE-WHEEL MOTOR VEHICLES |
| ANNEX I |
| SOUND LEVEL LIMITS IN dB(A) AND DATES OF ENTRY INTO FORCE FOR COMPONENT TYPE-APPROVAL REGARDING THE PERMISSIBLE SOUND LEVEL OF A TYPE OF TWO OR THREE-WHEEL MOTOR VEHICLE |
| ANNEX II |
| REQUIREMENTS FOR TWO-WHEEL MOPEDS |
| Appendix 1A |
| Appendix 1B |
| |

| Appendix 2A |
|---|
| Appendix 2B |
| ANNEX III |
| REQUIREMENTS FOR MOTORCYCLES |
| Appendix 1A |
| Appendix 1B |
| Appendix 2A |
| Appendix 2B |
| ANNEX IV |
| REQUIREMENTS FOR THREE-WHEEL MOPEDS AND TRICYCLES |
| Appendix 1A |
| Appendix 1B |
| Appendix 2A |
| Appendix 2B |
| ANNEX V |

PRODUCTION CONFORMITY REQUIREMENTS

ANNEX VI

MARKING REQUIREMENTS

| Appendix |
|---|
| ANNEX VII |
| TEST TRACK SPECIFICATIONS |
| |
| CHAPTER 10 |
| TRAILER COUPLING DEVICES OF TWO OR THREE-WHEEL MOTOR VEHICLES |
| ANNEX I |
| |
| TRAILER COUPLING DEVICES OF TWO OR THREE-WHEEL MOTOR VEHICLES |
| Appendix 1 |
| Ball coupling on two or three-wheel motor vehicles |
| |
| |
| |
| |
| Appendix 2 |
| |
| |
| Appendix 3 |
| |
| |

Appendix 5

Appendix 4

| CHAPTER 11 |
|---|
| SAFETY-BELT ANCHORAGES AND SAFETY-BELTS OF THREE-WHEEL MOPEDS, TRICYCLES AND QUADRICYCLES |
| ANNEX I |
| ANNEX II |
| |
| ANNEX III |
| PROCEDURE TO BE FOLLOWED IN ORDER TO DETERMINE THE POSITION OF THE H POINT AND THE TRUE BACKREST RAKE ANGLE AND TO CHECK THEIR RELATIONSHIP WITH THE POSITION OF THE R POINT AND THE INTENDED BACKREST RAKE ANGLE |
| Appendix |
| |
| ANNEX IV |
| TRACTION DEVICE |
| |
| ANNEX V |
| Appendix 1 |
| Appendix 2 |
| ANNEX VI |

REQUIREMENTS FOR SAFETY-BELTS

| Appendix 1 |
|---|
| Appendix 2 |
| Appendix 3 |
| Appendix 4 |
| CHAPTER 12 |
| GLAZING, WINDSCREEN WIPERS, WASHERS, DE-ICERS AND DE-MISTERS OF BODIED THREE-WHEEL MOPEDS, TRICYCLES AND QUADRICYCLES |
| ANNEX I |
| GLAZING |
| Appendix 1 |
| Appendix 2 |
| Appendix 3 |
| Appendix 4 |
| |

WINDSCREEN WIPERS, WASHERS AND DE-ICERS AND DE-MISTERS OF BODIED THREE-WHEEL MOPEDS, TRICYCLES OR QUADRICYCLES

ANNEX II

Appendix 1

Procedure to be followed in order to determine the fields of vision on the windscreens of bodied three-wheel mopeds, tricycles and quadricycles in relation to the V points

Appendix 8

Appendix 2 Mixture for testing windscreen wipers and washers Appendix 3 Appendix 4 Appendix 5 Appendix 6 Appendix 7