

I

(Acts whose publication is obligatory)

COMMISSION REGULATION (EC) No 558/95

of 10 March 1995

amending Council Regulation (EEC) No 3626/82 on the implementation in the Community of the Convention on International Trade in Endangered Species of Wild Fauna and Flora

THE COMMISSION OF THE EUROPEAN COMMUNITIES,
Having regard to the Treaty establishing the European Community,

Having regard to Council Regulation (EEC) No 3626/82 of 3 December 1982 on the implementation in the Community of the Convention on International Trade in Endangered Species of Wild Fauna and Flora ⁽¹⁾, as last amended by Regulation (EEC) No 1534/93 ⁽²⁾, and in particular Article 4 thereof,

Whereas at the ninth session of the conference of the parties to the Convention on International Trade in Endangered Species of Wild Fauna and Flora, held in Fort Lauderdale from 7 to 18 November 1994, amendments were made to Appendices I and II to the Convention; whereas amendments were made to Appendix III to the Convention; whereas Appendices I, II and III of Annex A to Regulation (EEC) No 3626/82 should now be amended to incorporate the amendments accepted by the Member States, parties to the Convention, and parts 1 and 2 of Annex C to that Regulation should be altered;

Whereas the measures provided for in this Regulation are in accordance with the opinion of the Committee on the Convention on International Trade in Endangered Species of Wild Fauna and Flora,

HAS ADOPTED THIS REGULATION:

Article 1

Appendices I, II and III of Annex A and parts 1 and 2 of Annex C to Regulation (EEC) No 3626/82 are hereby replaced by the Annexes to this Regulation.

Article 2

This Regulation shall enter into force on the day of its publication in the *Official Journal of the European Communities*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 10 March 1995.

For the Commission

Ritt BJERREGAARD

Member of the Commission

⁽¹⁾ OJ No L 384, 31. 12. 1982, p. 1.

⁽²⁾ OJ No L 151, 23. 6. 1993, p. 22.

ANNEX A

Appendices I and II⁽¹⁾ ⁽²⁾

Interpretation

1. Species included in these appendices are referred to :
 - (a) by the name of the species ; or
 - (b) as being all of the species included in a higher taxon or designated part thereof.
2. The abbreviation 'spp.' is used to denote all species of a higher taxon.
3. Other references to taxa higher than species are for the purposes of information or classification only.
4. The abbreviation 'p.e.' is used to denote species that are possibly extinct.
5. An asterisk (*) placed against the name of a species or higher taxon indicates that one or more geographically separate populations, subspecies or species of that species or taxon are included in Appendix I and are excluded from Appendix II.
6. Two asterisks (**) place against the name of a species or higher taxon indicate that one or more geographically separate populations, subspecies or species of that species or taxon are included in Appendix II and are excluded from Appendix I.
7. The symbol (–) followed by a number placed against the name of a species or higher taxon denotes that designated geographically separate populations, species, groups of species or families of that species or taxon are excluded from the appendix concerned, as follows :
 - 101 Population of West Greenland,
 - 102 Populations of Bhutan, India, Nepal and Pakistan,
 - 103 Population of Australia,
 - 104 Population of the United States of America,
 - 105 — *Chile*: part of the population of Parinacota Province, Ia. Region of Tarapacá,
— *Peru*: the whole population,
 - 106 Populations of Afghanistan, Bhutan, India, Myanmar, Nepal and Pakistan,
 - 107 Cathartidae,
 - 108 *Melopsittacus undulatus*, *Nymphicus hollandicus* and *Psittacula krameri*,
 - 109 Population of Ecuador, subject to zero export quotas in 1995 and 1996 and then annual export quotas as approved by the CITES Secretariat and the IUCN/SSC Crocodile Specialist Group,
 - 110 Populations of Botswana, Ethiopia, Kenya, Malawi, Mozambique, South Africa, the United Republic of Tanzania, Zambia and Zimbabwe, and populations of the following countries subject to the specific annual export quotas :

	1995	1996	1997
– Madagascar	4 700	5 200	5 200
– (ranchd specimens :	4 500	5 000	5 000
– wild nuisance specimens :	200	200	200
– Uganda	2 500	2 500	2 500

⁽¹⁾ The entries '(C1)' and '(C2)' after the name of a species or a higher taxon show that one or more subspecies or species of that species or taxon appear in part 1 or 2 of Annex C to the Regulation.

⁽²⁾ The translations of the Latin names are given as a guide only.

Apart from ranched specimens, the United Republic of Tanzania will authorize the export of no more than 1 100 wild specimens (including 100 hunting trophies) in 1995 and 1996, and a number to be approved by the CITES Secretariat and the IUCN/SSC Crocodile Specialist Group in 1997,

- 111 Populations of Australia, Indonesia and Papua New Guinea,
 - 112 Population of Chile,
 - 113 All species that are not succulent,
 - 114 *Aloe vera*; also referenced as *Aloe barbadensis*.
8. The symbol (+) followed by a number placed against the name of a species or higher taxon denotes that only designated geographically separate populations, subspecies or species of that species or taxon are included in the appendix concerned, as follows :
- + 201 Populations of Bhutan, India, Nepal and Pakistan,
 - + 202 Populations of Buthan, China, Mexico and Mongolia,
 - + 203 Populations of Cameroon and Nigeria,
 - + 204 Population of Asia,
 - + 205 Populations of Central and North America,
 - + 206 Populations of Bangladesh, India and Thailand,
 - + 207 Population of India,
 - + 208 Population of Australia,
 - + 209 Population of South Africa,
 - + 210 — *Chile*: part of the population of Parinacota Province, Ia. Region of Tarapacá,
— *Peru*: the whole population,
 - + 211 Populations of Afghanistan, Bhutan, India, Myanmar, Nepal and Pakistan,
 - + 212 Population of Mexico,
 - + 213 Populations of Algeria, Burkina Faso, Cameroon, the Central African Republic, Chad, Mali, Mauritania, Morocco, the Niger, Nigeria, Senegal and the Sudan,
 - + 214 Population of Seychelles,
 - + 215 Population of Europe, except the area which formerly constituted the Union of Soviet Socialist Republics,
 - + 216 All species of New Zealand,
 - + 217 Population of Chile.
9. The symbol (=) followed by a number placed against the name of a species or higher taxon denotes that the name of that species or taxon shall be interpreted as follows :
- = 301 Also referenced as *Phalanger maculatus*,
 - = 302 Includes family *Tupaiaidae*,
 - = 303 Formerly included in family *Lemuridae*,
 - = 304 Formerly included as subspecies of *Callithrix jacchus*,
 - = 305 Includes generic synonym *Leontideus*,
 - = 306 Formerly included in species *Saguinus oedipus*,
 - = 307 Formerly included in *Alouatta palliata*,
 - = 308 Includes synonym *Cercopithecus roloway*,
 - = 309 Formerly included in genus *Papio*,
 - = 310 Includes generic synonym *Simias*,
 - = 311 Includes synonym *Colobus badius kirkii*,
 - = 312 Includes synonym *Colobus badius rufomitratu*,
 - = 313 Includes generic synonym *Rhinopithecus*,
 - = 314 Also referenced as *Presbytis entellus*,
 - = 315 Also referenced as *Presbytis geei* and *Semnopithecus geei*,
 - = 316 Also referenced as *Presbytis pileata* and *Semnopithecus pileatus*,
 - = 317 Includes synonyms *Bradypus boliviensis* and *Bradypus griseus*,

- =318 Includes synonyms *Priodontes giganteus*,
- =319 Includes synonym *Physeter macrocephalus*,
- =320 Includes synonym *Eschrichtius glaucus*,
- =321 Formerly included in genus *Balaena*,
- =322 Formerly included in genus *Dusicyon*,
- =323 Includes synonym *Dusicyon fulvipes*,
- =324 Includes generic synonym *Fennecus*,
- =325 Also referenced as *Selenarctos thibetanus*,
- =326 Also referenced as *Aonyx microdon* or *Paraonyx microdon*,
- =327 Formerly included in genus *Lutra*,
- =328 Formerly included in genus *Lutra*; includes synonyms *Lutra annectens*, *Lutra enudris*, *Lutra incarum* and *Lutra platensis*,
- =329 Includes synonym *Eupleres major*,
- =330 Also referenced as *Hyaena brunnea*,
- =331 Also referenced as *Felis caracal* and *Lynx caracal*,
- =332 Formerly included in genus *Felis*,
- =333 Also referenced as *Felis pardina* or *Felis lynx pardina*,
- =334 Formerly included in genus *Panthera*,
- =335 Also referenced in species *Equus asinus*,
- =336 Formerly included in species *Equus hemionus*,
- =337 Also referenced as *Equus caballus przewalskii*,
- =338 Also referenced as *Choeropsis liberiensis*,
- =339 Also referenced as *Cervus porcinus annamiticus*,
- =340 Also referenced as *Cervus porcinus calamianensis*,
- =341 Also referenced as *Cervus porcinus kublii*,
- =342 Also referenced as *Cervus dama mesopotamicus*,
- =343 Includes synonym *Bos frontalis*,
- =344 Includes synonym *Bos grunniens*,
- =345 Includes generic synonym *Novibos*,
- =346 Includes generic synonym *Anoa*,
- =347 Also referenced as *Damaliscus dorcas dorcas*,
- =348 Formerly included in species *Naemorbedus goral*,
- =349 Also referenced as *Capricornis sumatraensis*,
- =350 Includes synonym *Oryx tao*,
- =351 Includes synonym *Ovis aries ophion*,
- =352 Also referenced as *Rupicapra rupicapra ornata*,
- =353 Also referenced as *Pterocnemia pennata*,
- =354 Also referenced as *Sula abbotti*,
- =355 Also referenced as *Ciconia ciconia boyciana*,
- =356 Includes synonyms *Anas chlorotis* and *Anas nesiotis*,
- =357 Also referenced as *Anas platyrhynchos laysanensis*,
- =358 Probably a hybrid between *Anas platyrhynchos* and *Anas superciliosa*,
- =359 Also referenced as *Aquila heliaca adalberti*,
- =360 Also referenced as *Chondrohierax wilsonii*,
- =361 Also referenced as *Falco peregrinus babylonicus* and *Falco peregrinus pelegrinoides*,
- =362 Also referenced as *Crax mitu mitu*,
- =363 Formerly included in genus *Aburria*,
- =364 Formerly included in species *Crossoptilon crossoptilon*,
- =365 Formerly included in species *Polyplectron malacense*,

- = 366 Includes synonym *Rheinardia nigrescens*,
- = 367 Also referenced as *Tricholimnas sylvestris*,
- = 368 Also referenced as *Choriotis nigriceps*,
- = 369 Also referenced as *Houbaropsis bengalensis*,
- = 370 Also referenced as *Amazona dufresniana rhodocorytha*,
- = 371 Often traded under the incorrect designation *Ara caninde*,
- = 372 Also referenced as *Cyanoramphus novaezelandiae cookii*,
- = 373 Also referenced as *Opopsitta diophthalma coxeni*,
- = 374 Also referenced as *Pezoporus occidentalis*,
- = 375 Formerly included in species *Psephotus chrysopterygius*,
- = 376 Also referenced as *Psittacula krameri echo*,
- = 377 Formerly included in genus *Gallirex*; also referenced as *Tauraco porphyreolophus*,
- = 378 Also referenced as *Otus gurneyi*,
- = 379 Also referenced as *Ninox novaeseelandiae royaná*,
- = 380 Formerly included in genus *Glaucis*,
- = 381 Includes generic synonym *Ptilolaemus*,
- = 382 Formerly included in genus *Rhinoplax*,
- = 383 Also referenced as *Pitta brachyura nympha*,
- = 384 Also referenced as *Muscicapa ruecki* or *Niltava ruecki*,
- = 385 Also referenced as *Dasyornis brachypterus longirostris*,
- = 386 Also referenced as *Meliphaga cassidix*,
- = 387 Formerly included in genus *Spinus*,
- = 388 Formerly included as *Kachuga tecta tecta*,
- = 389 Includes generic synonyms *Nicoria* and *Geoemyda* (part),
- = 390 Also referenced as *Geochelone elephantopus*; also referenced in genus *Testudo*,
- = 391 Also referenced in genus *Testudo*,
- = 392 Also referenced in genus *Aspideretes*,
- = 393 Formerly included in *Podocnemis* spp.,
- = 394 Includes *Alligatoridae*, *Crocodylidae* and *Gavialidae*,
- = 395 Also referenced as *Crocodylus mindorensis*,
- = 396 Formerly included in *Chamaeleo* spp.,
- = 397 Also referenced as *Constrictor constrictor occidentalis*,
- = 398 Includes synonym *Python molurus pimbura*,
- = 399 Includes synonym *Pseudoboa cloelia*,
- = 400 Also referenced as *Hydrodynastes gigas*,
- = 401 Includes generic synonym *Megalobatrachus*,
- = 402 *Sensu* D'Abrera,
- = 403 Also referenced as *Conchodromus dromas*,
- = 404 Also referenced in genera *Dysnomia* and *Plagiola*,
- = 405 Includes generic synonym *Proptera*,
- = 406 Also referenced in genus *Carunculina*,
- = 407 Also referenced as *Megaloniaias nickliniana*,
- = 408 Also referenced as *Cyrtonaias tampicoensis tecomatensis* and *Lampsilis tampicoensis tecomatensis*,
- = 409 Includes generic synonym *Micromya*,
- = 410 Includes generic synonym *Papuina*,

- =411 Includes only the family *Helioporidae* with one species *Heliopora coerulea*,
 - =412 Also referenced as *Podophyllum emodi* and *Sinopodophyllum hexandrum*,
 - =413 Also referenced in genus *Echinocactus*,
 - =414 Also referenced as *Lobeira macdougallii* or *Nopalxochia macdougallii*,
 - =415 Also referenced as *Echinocereus lindsayi*,
 - =416 Also referenced as *Wilcoxia schmollii*,
 - =417 Also referenced in genus *Coryphantha*,
 - =418 Also referenced as *Solisia pectinata*,
 - =419 Also referenced as *Backebergia militaris*,
 - =420 Also referenced in genus *Toumeyia*,
 - =421 Includes synonym *Ancistrocactus tobuschii*,
 - =422 Also referenced in genus *Neolloydia* or in genus *Echinomastus*,
 - =423 Also referenced in genus *Toumeyia* or in genus *Pediocactus*,
 - =424 Also referenced in genus *Neolloydia*,
 - =425 Also referenced as *Saussurea lappa*,
 - =426 Includes *Euphorbia cylindrifolia* ssp. *tuberifera*,
 - =427 Also referenced as *Euphorbia capsaintemariensis* var. *tulearensis*,
 - =428 Also referenced as *Engelhardia pterocarpa*,
 - =429 Includes *Aloe compressa* var. *rugosquamosa* and *Aloe compressa* var. *schistophila*,
 - =430 Includes *Aloe haworthioides* var. *aurantiaca*,
 - =431 Includes *Aloe laeta* var. *maniaensis*,
 - =432 Includes families *Apostasiaceae* and *Cypripediaceae* as subfamilies *Apostasioideae* and *Cypripedioideae*,
 - =433 Also referenced as *Sarracenia rubra alabamensis*,
 - =434 Also referenced as *Sarracenia rubra jonesii*,
 - =435 Includes synonym *Stangeria paradoxa*,
 - =436 Also referenced as *Taxus baccata* ssp. *wallichiana*,
 - =437 Includes synonym *Welwitschia bainesii*.
10. The symbol (°) followed by a number placed against the name of a species or higher taxon shall be interpreted as follows:
- °501 Specimens of the domesticated form are not subject to the provisions of the Convention.
 - °502 Annual export quotas for live specimens and hunting trophies are granted as follows:
 - Botswana: 5,
 - Namibia: 150,
 - Zimbabwe: 50.

The trade in such specimens is subject to the provisions of Article III of the Convention;
 - °503 For the exclusive purpose of allowing international trade in live animals to appropriate and acceptable destinations and hunting trophies;
 - °504 For the exclusive purpose of allowing international trade in wool sheared from live vicuñas of the populations included in Appendix II (see +210) and in the existant stock in Peru of 3 249 kg of wool, and in cloth and items made thereof. The reverse side of the cloth must bear the logotype adopted by the range States of the species, which are signatories to the Convenio para la Conservación y Manejo de la Vicuña, and the selvages either the words 'VICUÑANDES — CHILE' or the words 'VICUÑANDES — PERÚ', depending on the country of origin;
 - °505 Fossils are not subject to the provisions of the Convention;
 - °506 No exports of adult plants of *Pachypodium brevicaule* from Madagascar are permitted until the tenth meeting of the Conference of the Parties;
 - °507 Seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers are not subject to the provisions of the Convention.

11. In accordance with Article I (b) (iii), of the Convention, the symbol (#) followed by a number placed against the name of a species or higher taxon included in Appendix II designates parts or derivatives which are specified in relation thereto for the purposes of the Convention as follows:
- #1 Designates all parts and derivatives, except:
 - (a) seeds, spores and pollen (including pollinia); and
 - (b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;
 - #2 Designates all parts and derivatives, except:
 - (a) seeds and pollen;
 - (b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers; and
 - (c) chemical derivatives;
 - #3 Designates roots and readily recognizable parts thereof;
 - #4 Designates all parts and derivatives, except:
 - (a) seeds and pollen;
 - (b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;
 - (c) fruits and parts and derivatives thereof of naturalized or artificially propagated plants; and
 - (d) separate stem joints (pads) and parts and derivatives thereof of naturalized or artificially propagated plants of the genus *Opuntia* subgenus *Opuntia*;
 - #5 Designates saw-logs, sawn wood and veneers;
 - #6 Designates logs, wood-chips and unprocessed broken material;
 - #7 Designates all parts and derivatives, except:
 - (a) seeds and pollen (including pollinia);
 - (b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers;
 - (c) cut flowers of artificially propagated plants; and
 - (d) fruits and parts and derivatives thereof of artificially propagated plants of the genus *Vanilla*;
 - #8 Designates all parts and derivatives, except:
 - (a) seeds and pollen;
 - (b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers; and
 - (c) finished pharmaceutical products.
12. As none of the species or higher taxa of Flora included in Appendix I is annotated to the effect that its hybrids shall be treated in accordance with the provisions of Article III of the Convention, this means that artificially propagated hybrids produced from one or more of these species or taxa may be traded with a certificate of artificial propagation, and that seeds and pollen (including pollinia), cut flowers, seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers of these hybrids are not subject to the provisions of the Convention.

	Appendix I	Appendix II
	FAUNA Animals CHORDATA MAMMALIA Mammals	
Monotremata Monotremes		
<i>Tachyglossidae</i> Echidnas or spiny ant-eaters		<i>Zaglossus</i> spp. (C2) All long-nosed echidnas (New Guinea echidnas), including egg-laying ant-eaters or long-snouted echidnas
Dasyuromorphia Marsupials		
<i>Dasyuridae</i> Marsupial mice	<i>Sminthopsis longicaudata</i> Long-tailed dunnart or long-tailed marsupial-mouse or long-tailed sminthopsis <i>Sminthopsis psammophila</i> Sandhill dunnart or sandhill sminthopsis or large desert marsupial-mouse	
<i>Thylacinidae</i> Thylacines	<i>Thylacinus cynocephalus</i> p.e. Tasmanian wolf or Thylacine or Tasmanian tiger	
Peramelemorphia		
<i>Peramelidae</i> Bandicoots	<i>Chaeropus ecaudatus</i> p.e. Pig-footed bandicoot <i>Macrotis lagotis</i> Rabbit bandicoot or greater bilby or dalgite or rabbit-eared bandicoot <i>Macrotis leucura</i> White-tailed rabbit bandicoot or lesser rabbit (eared) bandicoot or yallara or lesser bilby <i>Perameles bougainville</i> (Western) barred bandicoot or (little) marl	
Diprotodontia		
<i>Phalangeridae</i> Phalangers and phalanger cuscuses		<i>Phalanger orientalis</i> Grey cuscus or common phalange <i>Spiloguscus maculatus</i> = 301 Spotted cuscus or spotted phalange
<i>Burramyidae</i> Pygmy possums		<i>Burramys parvus</i> Mountain pygmy possum or burramys or Broom's pygmy possum
<i>Vombatidae</i> Wombats	<i>Lasiorhinus krefftii</i> Queensland or Northern hairy-nosed wombat	
<i>Macropodidae</i> Wallabies and kangaroos	<i>Lagorchestes hirsutus</i> Rufous or Western hare-wallaby or wurrup or ormala <i>Lagostrophus fasciatus</i> Band-hare-wallaby or munning <i>Onychogalea fraenata</i> Bridled nail-tailed wallaby or merrin or bridled wallaby <i>Onychogalea lunata</i> Crescent nail-tailed wallaby or wurrung	<i>Dendrolagus bennettianus</i> (C2) Bennett's tree kangaroo or dusty tree kangaroo or tcharibbeena <i>Dendrolagus inustus</i> (C2) Grizzled grey tree kangaroo <i>Dendrolagus lumholtzi</i> (C2) Lumholt's tree kangaroo or boongary <i>Dendrolagus ursinus</i> (C2) Black tree kangaroo or Vogelkop tree-kangaroo

	Appendix I	Appendix II
<i>Potoroidae</i>	<i>Bettongia</i> spp. All rat-kangaroos or bettongs <i>Caloprymnus campestris</i> p.e. Desert rat-kangaroo or plains rat-kangaroo or bluff-nosed rat-kangaroo	
Chiroptera Bats <i>Pteropodidae</i>	<i>Acerodon jubatus</i> Golden-capped fruit bat <i>Acerodon lucifer</i> p.e. Pandry giant fruit bat <i>Pteropus insularis</i> Truk fruit-bat <i>Pteropus mariannus</i> Mariana fruit bat <i>Pteropus molossinus</i> Ponape fruit bat <i>Pteropus phaeocephalus</i> Mortlock fruit bat <i>Pteropus pilosus</i> Large paula fruit bat <i>Pteropus samoensis</i> Samoan fruit bat <i>Pteropus tonganus</i> Insular flying fox	<i>Acerodon</i> spp. Flying foxes <i>Pteropus</i> spp. (*) Flying foxes
Primates Primates <i>Lemuridae</i> Lemurs <i>Megaladapidae</i> <i>Cheirogaleidae</i> <i>Indridae</i> Indris, sifakas and avahis <i>Daubentoniidae</i> Aye-ayes <i>Callitrichidae</i> Tamarins and marmosets	<i>Lemuridae</i> spp. All lemurs or sportive lemurs or gentle lemurs <i>Megaladapidae</i> spp. = 303 <i>Cheirogaleidae</i> spp. All dwarf and mouse lemurs <i>Indridae</i> spp. All indris, sifakas, avahis and woolly lemurs <i>Daubentonia madagascariensis</i> Aye-aye <i>Callimico goeldii</i> Goeldi's marmoset, Goeldi's tamarin or Goeldi's monkey <i>Callithrix aurita</i> = 304 White-eared marmoset, buffy-tufted-ear marmoset <i>Callithrix flaviceps</i> = 304 Buff-headed marmoset <i>Leontopithecus</i> spp. = 305 Golden (lion) tamarins or golden marmosets or maned tamarins <i>Saguinus bicolor</i> Pied or bare-faced tamarin <i>Saguinus geoffroyi</i> = 306 Geoffroy's tamarin <i>Saguinus leucopus</i> White-footed tamarin <i>Saguinus oedipus</i> Cotton-headed tamarin or cotton-top marmoset or pinche marmoset or Liszt monkey or cotton-top tamarin (Geoffroy tamarin included), rufous-naped tamarin <i>Alouatta colbensis</i> = 307 <i>Alouatta palliata</i> Mantled howler monkey <i>Alouatta pigra</i> = 307 Guatemalan howler monkey <i>Ateles geoffroyi frontatus</i> Black-browed spider monkey <i>Ateles geoffroyi panamensis</i> Red (bellied) spider monkey or Panama spider monkey <i>Brachyteles arachnoides</i> Woolly spider monkey, muriqui <i>Cacajao</i> spp. All uakaris	<i>Primates</i> spp. (*) = 302 All Primates (C2)
<i>Cebidae</i> New world monkeys		

	Appendix I	Appendix II
<i>Cercopithecidae</i> Old world monkeys	<i>Chiropotes albinasus</i> White-nosed saki, red-nosed saki <i>Lagothrix flavicauda</i> Yellow tailed woolly monkey <i>Saimiri oerstedii</i> Red-backed squirrel monkey or Central American squirrel monkey <i>Cercocebus galeritus galeritus</i> Tana River mangabey (monkey) <i>Cercopithecus diana</i> = 308 Diana monkey (Roloway monkey included) Diana guenon <i>Macaca silenus</i> Lion-tailed macaque or wanderoo <i>Mandrillus leucophaeus</i> = 309 Drill <i>Mandrillus sphinx</i> = 309 Mandrill <i>Nasalis concolor</i> = 310 Proboscis monkey <i>Nasalis larvatus</i> Proboscis monkey <i>Presbytis potenziani</i> Mentawai leaf monkey or long-tailed langur <i>Procolobus pennantii kirkii</i> = 311 Kirk's or Zanzibar or red colobus <i>Procolobus rufomitratu</i> s = 312 Tana River red colobus <i>Pygathrix</i> spp. = 313 Douc langur and snub-nosed monkey's <i>Semnopithecus entellus</i> = 314 Entellus, truc, hanuman grey or common langur <i>Trachypithecus geei</i> = 315 Golden langur <i>Trachypithecus pileatus</i> = 316 Capped langur or capped monkey or bonneted langur	
<i>Hylobatidae</i> Gibbons	<i>Hylobatidae</i> spp. All gibbons	
<i>Hominidae</i>	<i>Gorilla gorilla</i> Gorilla <i>Pan</i> spp. Chimpanzees <i>Pongo pygmaeus</i> Orang-utan	
<i>Xenarthra</i> Edentates		
<i>Myrmecophagidae</i> Ant-eaters		<i>Myrmecophaga tridactyla</i> (C1) Giant ant-eater
<i>Bradypodidae</i> Sloths		<i>Bradypus variegatus</i> = 317 Bolivian three-toed sloth or brown-throated sloth
<i>Dasypodidae</i> Armadillos	<i>Priodontes maximus</i> = 318 Giant armadillo	
<i>Pholidota</i> Pangolins or scaly ant-eaters		
<i>Manidae</i> Pangolins		<i>Manis</i> spp. (C1) Pangolins
<i>Lagomorpha</i> Lagomorphs (double-toothed rodents)		
<i>Leporidae</i> Rabbits and hares	<i>Caprolagus hispidus</i> Assam rabbit or hispid hare <i>Romerolagus diazi</i> Volcano rabbit or Teporingo	

	Appendix I	Appendix II
Rodentia Rodents		
<i>Sciuridae</i> Squirrels and marmots	<i>Cynomys mexicanus</i> Mexican prairie dog or Mexican prairie marmot	
<i>Muridae</i> Rats and mice	<i>Leporillus conditor</i> Greater stick-nest rat or house-building rat <i>Pseudomys praeconis</i> — Shark Bay (false) mouse <i>Xeromys myoides</i> — False water-rat <i>Zyomys pedunculatus</i> Central thick-tailed rat or Macdonnell Range rock-rat	<i>Ratufa</i> spp. All giant quirrels (C1)
<i>Chinchillidae</i> Chinchillas	<i>Chinchilla</i> spp. ° 501 All chinchillas	(C1)
Cetacea Cetaceans (whales, dolphins and porpoises)		Cetacea spp. (*) All whales, dolphins and porpoises
<i>Platanistidae</i> River dolphins	<i>Lipotes vexillifer</i> White flag dolphin or white fin dolphin or Chinese river dolphin or Baiji or Chinese lake dolphin or Yangtze River dolphin <i>Platanista</i> spp. Susus or Ganges and Indus river dolphins	
<i>Ziphiidae</i>	<i>Berardius</i> spp. — Four-toothed whales <i>Hyperoodon</i> spp. — Bottlenose whales	
<i>Physeteridae</i>	<i>Physeter catodon</i> = 319 Sperm whales or spermacet whale or cachalot or pot-whale	
<i>Delphinidae</i> Dolphins	<i>Sotalia</i> spp. All South American river dolphins <i>Sousa</i> spp. All humpbacked dolphins	
<i>Phocoenidae</i>	<i>Neophocaena phocaenoides</i> (Indian) finless porpoise or finless black porpoise or black finless porpoise <i>Phocoena sinus</i> Cochito or vaguita or Gulf of California harbour porpoise or Gulf porpoise	
<i>Eschrichtidae</i> Grey whales	<i>Eschrichtius robustus</i> = 320 Grey whale or gray whale or California gray or devil fish or hard head or mussel digger or gray back or rip sack	
<i>Balaenopteridae</i> Rorquals	<i>Balaenoptera acutorostrata</i> (") — 101 Minke whale or lesser rorqual or little piked whale <i>Balaenoptera borealis</i> Sei whale or Rudolphi's rorqual or pollack whale or coalfish whale <i>Balaenoptera edeni</i> Bryde's whale or Tropical whale <i>Balaenoptera musculus</i> Blue whale or Sibbald's rorqual or sulphur bottom whale <i>Balaenoptera physalus</i> (True) fin whale or (common) finback or common rorqual or finner or herring whale or razorback or fin-backed whale <i>Megaptera novaeangliae</i> Humpback (whale) or humpbacked whale or hump whale or bunch or hunchbacked whale	
<i>Balaenidae</i> Right whales	<i>Balaena mysticetus</i> Bowhead whale <i>Eubalaena</i> spp. = 321 — Right whales	
<i>Neobalaenidae</i>	<i>Caperea marginata</i> Pygmy right whale	
Carnivora Carnivores		
<i>Canidae</i> Dogs, wolves and foxes	<i>Canis lupus</i> (") + 201 Grey wolf or wolf or gray wolf or common wolf or timber wolf	<i>Canis lupus</i> (") — 102 Grey wolf (C2)
		<i>Cerdocyon thous</i> = 322 Crab eating fox

	Appendix I	Appendix II
		<i>Chrysocyon brachyurus</i> (C2) Maned wolf
		<i>Cuon alpinus</i> Asiatic wild dog or dhole or Indian wild dog
		<i>Pseudalopex culpaeus</i> = 322 Colpeo fox or colpeo, red fox or Andean wolf
		<i>Pseudalopex griseus</i> = 323 Chico grey or chilla or Argentine grey fox, little fox or Pampa fox
		<i>Pseudalopex gymnocercus</i> = 322 Pampas fox
	<i>Speothos venaticus</i> Bush dog or savannah dog	<i>Vulpes cana</i> Dog fox, corsac or steppe fox of Afghan fox, Blandford's fox or hoary fox
		<i>Vulpes zerda</i> = 324 Fennex fox
<i>Ursidae</i> Bears		<i>Ursidae</i> spp. (*) All bears (C2: <i>Ursus maritimus</i> Polar bear)
	<i>Ailuropoda melanoleuca</i> Giant panda	
	<i>Ailurus fulgens</i> Lesser panda or red panda or cat-bear	
	<i>Helarctos malayanus</i> Sun bear	
	<i>Melursus ursinus</i> Sloth bear	
	<i>Tremarctos ornatus</i> Spectacled bear or Andean bear	
	<i>Ursus arctos</i> (**) + 202 Brown bear or grizzly bear	
	<i>Ursus arctos isabellinus</i> Himalayan brown bear or red bear	
	<i>Ursus thibetanus</i> = 325 Asiatic black bear of Himalayan (black) bear	
<i>Mustelidae</i> Weasels, badgers, skunks and others	<i>Aonyx congicus</i> (**) + 203 = 326 Cameroon clawless otter or small-toothed clawless otter or small-clawed otter	<i>Conepatus humboldtii</i> Patagonian (hog-nosed) skunk
	<i>Enhydra lutris nereis</i> Southern sea otter or Californian sea otter	
	<i>Lontra felina</i> = 327 Marine otter or chungungo or sea cat or chingungo	
	<i>Lontra longicaudis</i> = 328 Long-tailed otter (La Plata otter or South American otter or lobito de rio and Central American otter included)	
	<i>Lontra provocax</i> = 327 Southern river otter or Huillin	
	<i>Lutra lutra</i> Eurasian or European (river) otter or Old World otter or common otter	
	<i>Mustela nigripes</i> Black-footed ferret	<i>Lutrinae</i> spp. (*) All otters
	<i>Pteronura brasiliensis</i> Giant otter or Brazilian otter	
<i>Viverridae</i> Genets, civets and mongooses		<i>Cryptoprocta ferox</i> Fossa (cat) (C1)
		<i>Cynogale bennettii</i> Otter civet (C1)
		<i>Eupleres goudotii</i> = 329 Fanalouc or fanalouc (mongoose) or Malagasy mongoose or slender fanalouc (C1)

	Appendix I	Appendix II
		<i>Fossa fossana</i> (C1) Malagasy civet, fanaloka (civet)
		<i>Hemigalus derbyanus</i> Banded palm civet or Hardwick's civet banded musang
		<i>Prionodon linsang</i> (C1) (Banded) linsang
	<i>Prionodon pardicolor</i> Spotted linsang or tiger-civet	
<i>Hyaenidae</i> Hyaenas		<i>Parahyaena brunnea</i> = 330 Brown hyaena
<i>Felidae</i> Cats or felines		<i>Felidae</i> spp. (*) (C2: <i>Felis silvestris</i> All cats Wild cat <i>Herpailurus yagouarondi</i> (*) Jaguarundi <i>Leptailurus serval</i> Serval <i>Lynx canadensis</i> Canadian lynx <i>Lynx lynx</i> Eurasian lynx <i>Oncifelis colocolo</i> Pampas cat <i>Prionailurus bengalensis</i> (*) Leopard cat <i>Puma concolor</i> (*) Puma or cougar)
	<i>Acinonyx jubatus</i> ° 502 Cheetah or hunting leopard	
	<i>Caracal caracal</i> (**) + 204 = 331 Asian caracal (lynx) or desert lynx	
	<i>Catopuma temminckii</i> = 332 Asiatic golden cat or Temminck's (golden) cat	
	<i>Felis nigripes</i> Black-footed cat or small-spotted cat	
	<i>Herpailurus yagouarondi</i> (**) + 205 = 332 Jaguarundi	
	<i>Leopardus pardalis</i> = 332 Ocelot	
	<i>Leopardus tigrinus</i> = 332 Little spotted cat	
	<i>Leopardus wiedii</i> = 332 Margay	
	<i>Lynx pardinus</i> = 333 Iberian lynx	
	<i>Neofelis nebulosa</i> Clouded leopard	
	<i>Oncifelis geoffroyi</i> = 332 Geoffroy's cat	
	<i>Oreailurus jacobita</i> = 332 Andean or mountain cat	
	<i>Panthera leo persica</i> Asiatic lion or Indian lion	
	<i>Panthera onca</i> Jaguar	
	<i>Panthera pardus</i> Leopard	
	<i>Panthera tigris</i> Tiger	

	Appendix I	Appendix II
	<i>Pardofelis marmorata</i> = 332 Marbled cat	
	<i>Prionailurus bengalensis bengalensis</i> ("") + 206 = 332 Bengal leopard cat	
	<i>Prionailurus planiceps</i> = 332 Flat-headed cat	
	<i>Prionailurus rubiginosus</i> ("") + 207 = 332 Rusty-spotted cat	
	<i>Puma concolor coryi</i> = 332 Florida puma or Florida cougar or Florida panther	
	<i>Puma concolor costaricensis</i> = 332 Costa Rican puma or Central American puma	
	<i>Puma concolor cougar</i> = 332 Eastern puma or Eastern cougar or Easter panther	
	<i>Uncia uncia</i> = 334 Snow leopard	
<i>Otariidae</i> Eared seals		<i>Arctocephalus</i> spp. ("") All (southern) fur seals
	<i>Arctocephalus townsendi</i> Guadalupe fur seal or Lower Californian fur seal	
<i>Phocidae</i> True seals		<i>Mirounga leonina</i> (C1) Southern Elephant-seal
	<i>Monachus</i> spp. All monk seals	
<i>Proboscidea</i> Proboscideans		
<i>Elephantidae</i> Elephants	<i>Elephas maximus</i> Asian elephant or Indian elephant	
	<i>Loxodonta africana</i> African elephant	
<i>Sirenia</i> Sea cows		
<i>Dugongidae</i> Dugongs	<i>Dugong dugon</i> ("") - 103 Dugong or sea cow	<i>Dugong dugon</i> ("") + 208 (C1) Dugong or sea cow
<i>Trichechidae</i> Manatees	<i>Trichechus inunguis</i> Amazonian or South American manatee	
	<i>Trichechus manatus</i> West Indian or North American or Caribbean manatee	
		<i>Trichechus senegalensis</i> (C1) West African manatee
<i>Perissodactyla</i> Odd-toed ungulates		
<i>Equidae</i> Horses	<i>Equus africanus</i> = 335 African wild ass	
	<i>Equus grevyi</i> Grevy's zebra	
	<i>Equus hemionus hemionus</i> Mangolian wild ass or dziggetai or kulan	
		<i>Equus hemionus</i> ("") (C1) Asiatic wild ass or Asian wild ass
		<i>Equus kiang</i> = 336 Kiang
		<i>Equus onager</i> ("") = 336
	<i>Equus onager khur</i> = 336 Indian wild ass or khar or ghor-khar	

	Appendix I	Appendix II
	<i>Equus przewalskii</i> = 337 Przewalski's horse or Mongolian wild horse	<i>Equus zebra hartmannae</i> (C1) Hartmann's mountain zebra
<i>Tapiridae</i> Tapirs	<i>Equus zebra zebra</i> Cape mountain zebra <i>Tapiridae</i> spp. (*) Tapirs	<i>Tapirus terrestris</i> (C1) South American or Brazilian tapir
<i>Rhinocerotidae</i> Rhinoceroses	<i>Rhinocerotidae</i> spp. (*) All rhinoceroses or rhinos	<i>Ceratotherium simum simum</i> (*) + 209° 503 (C2) Southern white rhinoceros
<i>Artiodactyla</i> Even-toed ungulates		
<i>Suidae</i> Old world pigs or swine	<i>Babyrousa babyrussa</i> Babirusa or deer hog or Babiroussa <i>Sus salvanius</i> Pygmy hog	
<i>Tayassuidae</i>		<i>Tayassuidae</i> (*) spp. — 104 Peccaries
<i>Hippopotamidae</i> Hippopotamuses	<i>Catagonus wagneri</i> Chacoan peccary, chaco peccary	<i>Hexaprotodon liberiensis</i> = 338 (C2) Pygmy hippopotamus <i>Hippopotamus amphibius</i> (C2) Hippopotamus
<i>Camelidae</i> Camels and lamas		<i>Lama guanicoe</i> Guanaco <i>Vicugna vicugna</i> (*) + 210° 504 (C2) Vicuna or vicugna
<i>Moschidae</i>	<i>Vicugna vicugna</i> (*) — 105 Vicuna or vicugna <i>Moschus</i> spp. (*) + 211 Musk deer	<i>Moschus</i> spp. (*) — 106 Musk deer
<i>Cervidae</i>	<i>Axis porcinus annamiticus</i> = 339 Ganges or Thai hog deer <i>Axis porcinus calamianensis</i> = 340 Calamian (hog) deer or Philippine deer <i>Axis porcinus kubli</i> = 341 Kuhl's (hog) deer or Bawean (hog) deer <i>Blastocerus dichotomus</i> Marsh deer or Guasu pucu <i>Dama mesopotamica</i> = 342 Persian fallow deer or Mesopotamian fallow deer <i>Cervus duvaucelii</i> Swamp deer or barasingha	<i>Cervus elaphus bactrianus</i> Bactrian (red) deer or Bokharan deer or Bactrian wapiti
	<i>Cervus elaphus hanglu</i> Kashmir stag or hanglu or Kashmir deer <i>Cervus eldi</i> Brow-antlered deer or Eld's deer or thamin <i>Hippocamelus</i> spp. Andean, Chilean or Peruvian huemal or taruca or Chilean or Peruvian quemal or Andean huemul or Chilean or Peruvian huemul <i>Megamuntiacus vuquanghensis</i> <i>Muntiacus crinifrons</i> Black muntjac <i>Ozotoceros bezoarticus</i> Pampas deer	

	Appendix I	Appendix II
		<i>Pudu mephistophiles</i> (C2) Northern pudu
<i>Antilocapridae</i>	<i>Pudu pudu</i> Southern or Chilean pudu	
	<i>Antilocapra americana</i> + 212 Pronghorn	
<i>Bovidae</i> Cattle, sheep, goats, antelopes, etc.	<i>Addax nasomaculatus</i> Addax	<i>Ammotragus lervia</i> Barbary sheep, Aoudad or Uaddan
	<i>Bison bison atabascae</i> Wood bison	
	<i>Bos gaurus</i> = 343 Gaur or saladang or seladang, Indian wild ox or Indian bison	
	<i>Bos mutus</i> = 344 ° 501 Wild yak	
	<i>Bos sauveli</i> = 345 Kouprey	
	<i>Bubalus depressicornis</i> = 346 Lowland anoa	
	<i>Bubalus mindorensis</i> = 346 Tamaraw or tamarou	
	<i>Bubalus quarlesi</i> = 346 Mountain anoa	
	<i>Capra falconeri</i> Markhor	<i>Budorcas taxicolor</i> Takin (Bovid)
	<i>Cephalophus jentinki</i> Jentink's duiker	<i>Cephalophus dorsalis</i> Bay duiker
		<i>Cephalophus monticola</i> Blue duiker (antelope)
		<i>Cephalophus ogilbyi</i> Ogilby's duiker
		<i>Cephalophus silvicultor</i> Yellow-backed duiker
		<i>Cephalophus zebra</i> Banded or zebra duiker
		<i>Damaliscus pygargus pygargus</i> = 347 Bontebok (antelope)
	<i>Gazella dama</i> Dama gazelle	
	<i>Hippotragus niger variiani</i> Giant sable antelope	
	<i>Naemorhedus baileyi</i> = 348 Red goral	<i>Kobus leche</i> Lechwe (antelope)
	<i>Naemorhedus caudatus</i> = 348	
	<i>Naemorhedus goral</i> Goral	
	<i>Naemorhedus sumatraensis</i> = 349 Serow	
	<i>Oryx dammah</i> = 350 Scimitar-horned or white oryx	
	<i>Oryx leucoryx</i> Arabin oryx	
		<i>Ovis ammon</i> (*) (C2) Argali or Marco Polo Sheep

	Appendix I	Appendix II
	<p><i>Ovis ammon hodgsonii</i> Great Tibetan sheep, nyan or Tibetan argali</p> <p><i>Ovis orientalis ophion</i> = 351 Cyprian mouflon</p> <p><i>Ovis vignei</i> Urial or shapu or shapo</p> <p><i>Pantbolops hodgsonii</i> Chiru or orong or Tibetan antelope</p> <p><i>Pseudoryx nghetinhensis</i></p> <p><i>Rupicapra pyrenaica ornata</i> = 352 Abruzzi chamois</p>	<p><i>Ovis canadensis</i> + 212 Mountain or bighorn sheep, Mexican bighorn sheep</p> <p><i>Saiga tatarica</i> Saiga antelope</p>
	<p><i>AVES</i> Birds</p>	
<i>Struthioniformes</i> <i>Struthionidae</i>	<i>Struthio camelus</i> + 213 North African Ostrich	
<i>Rheiformes</i> Reas		
<i>Rheidae</i> Rheas	<i>Rhea pennata</i> = 353 Lesser or Darwin's rhea or Puna rhea	<i>Rhea americana</i> Argentina (greater) rhea or Argentina (common) rhea
<i>Tinamiformes</i> Tinamous		
<i>Tinamidae</i> Tinamous	<i>Tinamus solitarius</i> Solitary tinamou	
<i>Sphenisciformes</i> Penguins		
<i>Spheniscidae</i> Penguins	<i>Spheniscus humboldti</i> Humboldt penguin	<i>Spheniscus demersus</i> (C1) Black-footed penguin or jackass penguin
<i>Podicipediformes</i> Grebes		
<i>Podicipedidae</i> Grebes	<i>Podilymbus gigas</i> Atitlan (pied-billed) grebe or giant pied-billed grebe	
<i>Procellariiformes</i> Tube-nosed swimmers		
<i>Diomedidae</i> Albatrosses	<i>Diomedea albatrus</i> Short-tailed albatross or Steller's albatross	
<i>Pelecaniformes</i> Pelicans and kin		
<i>Pelecanidae</i> Pelicans	<i>Pelecanus crispus</i> Dalmatian pelican	
<i>Sulidae</i> Boobies and gannets	<i>Papasula abbotti</i> = 354 Abbott's booby	
<i>Fregatidae</i> Frigate birds	<i>Fregata andrewsi</i> Christmas Islands frigate bird	
<i>Ciconiiformes</i> Wading birds (herons and kin)		
<i>Balaenicipitidae</i>		
<i>Ciconiidae</i> Storks	<i>Ciconia boyciana</i> = 355 Japanese white stork or white oriental stork	

	Appendix I	Appendix II
		<i>Ciconia nigra</i> (C1) Black stork
<i>Threskiornithidae</i> Ibises and spoonbills	<i>Jabiru mycteria</i> Jabiru stork <i>Mycteria cinerea</i> Milky stork, milky wood stork	<i>Eudocimus ruber</i> Scarlet ibis <i>Geronticus calvus</i> Bald ibis or Southern bald ibis
	<i>Geronticus eremita</i> Hermit ibis or Northern bald ibis <i>Nipponia nippon</i> Japanese crested ibis	
<i>Phoenicopteridae</i>		<i>Platalea leucorodia</i> (C1) White or Eurasian spoonbill <i>Phoenicopteridae</i> spp. (C1 : <i>Phoenicopterus andinus</i> Andean flamingo <i>Phoenicopterus chilensis</i> Chilean flamingo <i>Phoenicopterus jamesi</i> James' flamingo <i>Phoenicopterus ruber ruber</i> Caribbean flamingo or American flamingo or Cuban flamingo or rosy flamingo or West Indian flamingo or Roseate flamingo)
<i>Anseriformes</i> Waterfowl		
<i>Anatidae</i> Ducks, geese and swans	<i>Anas aucklandica</i> = 356 Auckland Island flightless teal <i>Anas laysanensis</i> = 357 Laysan duck or Laysan teal <i>Anas oustaleti</i> = 358 Marianas (Island) duck or Oustalet's grey duck or Marianas mallard duck <i>Branta canadensis leucopareia</i> Aleutian Canada goose <i>Branta sandvicensis</i> Hawaiian goose or néné <i>Cairina scutulata</i> White-winged wood duck <i>Rhodonessa caryophyllacea</i> p.e. Pink-headed duck	<i>Anas bernieri</i> (C2) Madagascar teal <i>Anas formosa</i> Baikal teal <i>Branta ruficollis</i> (C1) Red-breasted goose <i>Coscoroba coscoroba</i> (C1) Coscoroba (swan) <i>Cygnus melanocorypha</i> Black-necked swan <i>Dendrocygna arborea</i> Black-billed whistling duck, Cuban-tree duck or West Indian whistling duck <i>Oxyura leucocephala</i> White-headed duck <i>Sarkidiornis melanotos</i> Comb duck or knob-billed goose

	Appendix I	Appendix II
Falconiformes Birds of prey		Falconiformes spp. (*) - 107 (C1) Diurnal birds of prey (except New world vultures)
Cathartidae New world vultures	<i>Gymnogyps californianus</i> California condor <i>Vultur gryphus</i> Andean condor	
Accipitridae True hawks	<i>Aquila adalberti</i> = 359 Spanish imperial eagle <i>Aquila heliaca</i> Imperial eagle <i>Chondrohierax uncinatus wilsonii</i> = 360 Cuba(n) hook-billed kite <i>Haliaeetus albicilla</i> White-tailed (sea) eagle or grey sea eagle <i>Haliaeetus leucocephalus</i> American bald eagle <i>Harpia harpyja</i> Harpy eagle <i>Pithecophaga jefferyi</i> Monkey-eating or Philippine eagle	
Falconidae Falcons and caracaras	<i>Falco araea</i> Seychelles kestrel <i>Falco jugger</i> Laggar falcon <i>Falco newtoni</i> + 214 Aldabra kestrel <i>Falco pelegrinoides</i> = 361 Barbary falcon <i>Falco peregrinus</i> Peregrine falcon <i>Falco punctatus</i> Mauritius kestrel <i>Falco rusticolus</i> Gyr falcon	
Galliformes Fowl-like birds		
Megapodiidae Mound or builders	<i>Macrocephalon maleo</i> Maleo or maleo megapode	
Cracidae Curassows and guans	<i>Crax blumenbachii</i> Red-billed curassow or mutum <i>Mitu mitu mitu</i> = 362 (Eastern) Razor-billed curassow, mitu <i>Oreophasis derbianus</i> Horned guan <i>Penelope albipennis</i> White-winged guan <i>Pipile jacutinga</i> = 363 Black-fronted piping guan or black-faced piping guan or black faced curassow or jacutinga <i>Pipile pipile pipile</i> = 363 Trinidad white-headed curassow or Trinidad white-headed piping guan	
Phasianidae Pheasants, partridges, quails and peacocks	<i>Catreus wallichii</i> Cheer pheasant <i>Colinus virginianus ridgwayi</i> Masked bobwhite <i>Crossoptilon crossoptilon</i> White eared-pheasant	<i>Argusianus argus</i> (C1) Great argus pheasant

	Appendix I	Appendix II
	<i>Crossoptilon barmani</i> = 364 Tibetan eared-pheasant	
	<i>Crossoptilon mantchuricum</i> Brown-eared pheasant	
	<i>Lophophorus impejanus</i> Himalayan impejan pheasant	
	<i>Lophophorus lhuysii</i> Chinese monal	
	<i>Lophophorus sclateri</i> Sclater's monal	
	<i>Lophura edwardsi</i> Edward's pheasant	
	<i>Lophura imperialis</i> Imperial pheasant	
	<i>Lophura swinhoii</i> Swinhoe's pheasant	
	<i>Polyplectron emphanum</i> Palawan peacock-pheasant	
	<i>Rheinardia ocellata</i> = 366 Crested argus	
	<i>Syrnaticus ellioti</i> Elliot's pheasant	
	<i>Syrnaticus humiae</i> Hume's pheasant or (Hume's) bar-tailed pheasant	
	<i>Syrnaticus mikado</i> Mikado pheasant	
	<i>Tetraogallus caspius</i> Caspian snowcock	
	<i>Tetraogallus tibetanus</i> Tibetan snowcock	
	<i>Tragopan blythii</i> Blyth's tragopan	
	<i>Tragopan caboti</i> Cabot's tragopan	
	<i>Tragopan melanocephalus</i> Western (horned) tragopan	
	<i>Tympanuchus cupido attwateri</i> Attwater's (greater) prairie chicken	
		<i>Gallus sonneratii</i> (C1) Grey jungle fowl, Sonnerat's jungle fowl
		<i>Ithaginis cruentus</i> (C1) Blood pheasant
		<i>Pavo muticus</i> Green peafowl
		<i>Polyplectron bicalcaratum</i> (C1) Grey or common peacock-pheasant
		<i>Polyplectron germaini</i> (C1) Germain's peacock-pheasant
		<i>Polyplectron malacense</i> (C1) Malay(sian) peacock-pheasant
		<i>Polyplectron schleiermacheri</i> = 365 (C1) Bornean peacock-pheasant
Gruiformes Cranes, rails and kin		<i>Turnix melanogaster</i> Black-breasted button quail
Turnicidae Button-quails		<i>Pedionomus torquatus</i> Plains wanderer
Pedionomidae Plains wanderer		

	Appendix I	Appendix II
<i>Gruidae</i> Cranes	<p><i>Grus americana</i> Whooping crane</p> <p><i>Grus canadensis nesiotus</i> Cuba sandhill crane</p> <p><i>Grus canadensis pulla</i> Mississippi sandhill crane</p> <p><i>Grus japonensis</i> Manchurian or red-crowned crane or Japanese crane</p> <p><i>Grus leucogeranus</i> Siberian white crane or snow crane</p> <p><i>Grus monacha</i> Hooded crane</p> <p><i>Grus nigricollis</i> Black-necked crane or Tibetan crane</p> <p><i>Grus vipio</i> White naped crane or white-necked crane</p>	<p><i>Gruidae</i> spp. (*) (C1: <i>Grus canadensis pratensis</i> All cranes Florida sandhill crane)</p>
<i>Rallidae</i> Rails	<p><i>Gallirallus sylvestris</i> = 367 Lord Howe rail or Lord Howe Island wood hen</p>	<p><i>Gallirallus australis hectori</i> (C2) New Zealand wood rail or Eastern or Buff Weka rail</p>
<i>Rhynochetidae</i> Kagu	<p><i>Rhynochetos jubatus</i> Kagu.</p>	
<i>Otididae</i> Bustards	<p><i>Ardeotis nigriceps</i> = 368 Great Indian bustard</p> <p><i>Chlamydotis undulata</i> Houbara bustard</p> <p><i>Eupodotis bengalensis</i> = 369 Bengel florican or Bengal bustard</p>	<p><i>Otididae</i> spp. (*) (C1: <i>Otis tarda</i> Bustards Great bustard)</p>
<i>Charadriiformes</i> Waders, gulls and auks		
<i>Scolopacidae</i> Sandpipers	<p><i>Numenius borealis</i> Eskimo curlew</p> <p><i>Numenius tenuirostris</i> Slender-billed or long-billed curlew</p> <p><i>Tringa guttifer</i> Nordmann's or spotted greenshank</p>	
<i>Laridae</i> Gulls and terns	<p><i>Larus relictus</i> Relict gull or khar turunt tsakhiai</p>	
<i>Columbiformes</i> Pigeons, sandgrouse		
<i>Columbidae</i> Pigeons and doves	<p><i>Caloenas nicobarica</i> Nicobar dove or pigeon</p> <p><i>Ducula mindorensis</i> Mindoro imperial pigeon or Mindoro zone-tailed pigeon</p>	<p><i>Gallicolumba luzonica</i> (C2) Luzon bleeding heart pigeon or bleeding heart dove</p> <p><i>Goura</i> spp. (C1) All crowned pigeons</p>

	Appendix I	Appendix II
<i>Psittaciformes</i> Parrots and kin		<i>Psittaciformes</i> spp. (*) — 108 (C2) Parrots and related birds (except : budgerigar, cockatiel and rose-ringed parakeet)
<i>Psittacidae</i> Parrots	<p><i>Amazona arausiaca</i> Red-necked amazon or jacquot or blue faced amazon or lesser Dominican amazon</p> <p><i>Amazona barbadensis</i> Yellow-shouldered amazon.</p> <p><i>Amazona brasiliensis</i> Red-tailed amazon</p> <p><i>Amazona guildingii</i> St Vincent parrot or St Vicent amazon</p> <p><i>Amazona imperialis</i> Imperial amazon or imperial parrot</p> <p><i>Amazona leucocephala</i> Cuban amazon or Bahamas amazon or Bahaman amazon or Cayman amazon</p> <p><i>Amazona pretrei</i> Red-spectacled amazon or red-spectacled parrot</p> <p><i>Amazona rhodocorytha</i> = 370 Red-crowned amazon or red-browed parrot or red-crowned parrot</p> <p><i>Amazona tucumana</i> Tucuman amazon</p> <p><i>Amazona versicolor</i> St Lucia amazon or St Lucia parrot</p> <p><i>Amazona vinacea</i> Vinaceous amazon or vinaceous (breasted) parrot</p> <p><i>Amazona vittata</i> Puerto Rican amazon or Puerto Rico parrot or Puerto Rican parrot or red-fronted amazon</p> <p><i>Anodorhynchus</i> spp. — Blue macaws</p> <p><i>Ara ambigua</i> — Buffon's macaw</p> <p><i>Ara glaucogularis</i> = 371 Blue throated macaw, Wagler's macaw or Caninde macaw</p> <p><i>Ara macao</i> — Scarlet macaw</p> <p><i>Ara maracana</i> — Illiger's macaw</p> <p><i>Ara militaris</i> — Military macaw</p> <p><i>Ara rubrogenys</i> — Red-fronted macaw</p> <p><i>Aratinga guarouba</i> Golden parakeet or golden conure or Queen of Bavaria or Queen of Bavaria's conure</p> <p><i>Cacatua goffini</i> Goffin's cockatoo</p> <p><i>Cacatua haematuropygia</i> Red-vented cockatoo</p> <p><i>Cacatua moluccensis</i> Moluccan cockatoo</p> <p><i>Cyanopsitta spixii</i> Little blue macaw or Spix's macaw</p> <p><i>Cyanoramphus auriceps forbesi</i> Forbes parakeet or Forbes' kakariki or Chatham Island yellow-fronted parakeet</p> <p><i>Cyanoramphus cookii</i> = 372 Norfolk Island parakeet</p> <p><i>Cyanoramphus novaeseelandiae</i> Red-fronted parakeet or red-fronted kakariki or New Zealand parakeet</p> <p><i>Cyclopsitta diophthalma coxeni</i> = 373 Coxen blue-browed fig parrot or Coxen two-eyed fig parrot or Coxen double-eyed fig parrot</p> <p><i>Eos histrio</i> Red and blue lory</p> <p><i>Geopsittacus occidentalis</i> p.e. = 374 (Australian) night parrot</p>	

	Appendix I	Appendix II
	<p><i>Neophema chrysogaster</i> Orange-bellied parakeet or orange-bellied parrot</p> <p><i>Ognorhynchus icterotis</i> Yellow-eared conure</p> <p><i>Pezoporus wallicus</i> Ground parrot or ground parakeet or swamp parakeet</p> <p><i>Pionopsitta pileata</i> Pileated parrot or red-capped parrot</p> <p><i>Probosciger aterrimus</i> Palm cockatoo, great black cockatoo, Cape York cockatoo</p> <p><i>Psephotus chrysopterygius</i> Golden-shouldered parakeet</p> <p><i>Psephotus dissimilis</i> = 375 Hooded parrot</p> <p><i>Psephotus pulcherrimus</i> p.e. Paradise parrot or beautiful parakeet</p> <p><i>Psittacula echo</i> = 376 Mauritius ring-necked parakeet</p> <p><i>Pyrrhura cruentata</i> Blue-throated conure or ochre-marked parakeet or red-rumped conure</p> <p><i>Rhynchopsitta</i> spp. Thick-billed parrot and maroon-fronted parrot</p> <p><i>Strigops habroptilus</i> Kakapo or owl parrot</p>	
Cuculiformes Cuckoos and kin		
Musophagidae Turacos or plantain eaters		<p><i>Musophaga porphyreolophus</i> = 377 (C1) Purple-crested turaco</p> <p><i>Tauraco</i> spp. (C1 : <i>Tauraco corythaix</i> Turacos Helmeted or knysna turaco <i>Tauraco fischeri</i> Fischer's turaco <i>Tauraco livingstonii</i> Livingstone's turaco <i>Tauraco persa</i> Guinea turaco <i>Tauraco schalowi</i> Schalow's turaco <i>Tauraco schuetti</i> Black-billed turaco)</p>
Strigiformes Owls		Strigiformes spp. (*) (C1) Owls
Tytonidae Barn owls	<i>Tyto soumagnei</i> Madagascar owl, Soumagne's owl or Madagascar red owl	
Strigida Typical owls	<i>Athene blewitti</i> Forest spotted or Forest littel owl	
	<i>Mimizuku gurneyi</i> = 378 Giant scops owl	
	<i>Ninox novaeseelandiae undulata</i> = 379 Norfolk Island boobook owl	
	<i>Ninox squamipila natalis</i> Christmas Island (hawk) owl	
Apodiformes Swifts and hummingbirds		
Trochilidae Hummingbirds		Trochilidae spp. (*) Hummingbirds
	<i>Rampodon dobrnii</i> = 380 Hook-billed hermit	
Trogoniformes Trogons		
Trogonidae Trogons	<i>Pharomachrus mocinno</i> Resplendent quetzal	

	Appendix I	Appendix II
Coraciiformes Kingfishers and kin		
Bucerotidae Hornbills	<p><i>Aceros nipalensis</i> Rufous-necked hornbill</p> <p><i>Aceros subruficollis</i> Plain-pouched hornbill</p> <p><i>Buceros bicornis</i> Great pied hornbill or great Indian hornbill</p> <p><i>Buceros vigil</i> = 382 Helmeted hornbill</p>	<p><i>Aceros</i> spp. (*) (C1: <i>Aceros narcondami</i> Narcondam hornbill)</p> <p><i>Anorrhinus</i> spp. = 381 Bushy-crested hornbill</p> <p><i>Anthracoceros</i> spp. Hornbills</p> <p><i>Buceros</i> spp. (*) (C1: <i>Buceros hydrocorax hydrocorax</i> Luzon rufous hornbill or Philippine hornbill <i>Buceros rhinoceros rhinoceros</i> Malayan rhinoceros hornbill)</p> <p><i>Penelopides</i> spp. Hornbills</p>
Piciformes Woodpeckers, toucans and kin		
Ramphastidae		<p><i>Pteroglossus aracari</i> Black-necked aracari</p> <p><i>Pteroglossus viridis</i> Green aracari</p> <p><i>Ramphastos sulfuratus</i> Keel-billed toucan</p> <p><i>Ramphastos toco</i> Toco toucan</p> <p><i>Ramphastos tucanus</i> Red-billed toucan</p> <p><i>Ramphastos vitellinus</i> Channel-billed toucan</p>
Picidae Woodpeakers	<p><i>Campephilus imperialis</i> Imperial woodpecker</p> <p><i>Dryocopus javensis richardsi</i> Tristram's or white-bellied black woodpecker</p>	
Passeriformes Songbirds or perching birds		
Cotingidae Cotingas	<p><i>Cotinga maculata</i> Banded or spotted cotinga</p> <p><i>Xipholena atropurpurea</i> White-winged cotinga</p>	<p><i>Rupicola</i> spp. (C2) Cock-of-the-rocks</p>
Pittidae Pittas	<p><i>Pitta gurneyi</i> Gurney's pitta</p> <p><i>Pitta kochi</i> Koch's pitta</p>	<p><i>Pitta guajana</i> Banded pitta or blue-tailed pitta</p> <p><i>Pitta nympha</i> = 383 (C2) Japanese fairy pitta or Fairy blue-winged pitta</p>

	Appendix I	Appendix II
<i>Atrichornithidae</i> Scrub-birds	<i>Atrichornis clamosus</i> Noisy scrub-bird or Western scrub-bird	
<i>Hirundinidae</i> Swallows and martins	<i>Pseudochelidon sirintarae</i> White-eyed river martin	
<i>Muscicapidae</i> Old world flycatchers		<i>Cyornis ruckii</i> = 384 Rueck's blue flycatcher or Rueck's niltava
	<i>Dasyornis broadbenti litoralis</i> p.e. Western rufous bristlebird or lesser rufous bristlebird or rufous-headed bristlebird	
	<i>Dasyornis longirostris</i> = 385 Western (rufous) bristlebird or long-billed bristlebird	
	<i>Picathartes gymnocephalus</i> Bare-headed rockfowl	
	<i>Picathartes oreas</i> Grey-necked rockfowl	
<i>Zosteropidae</i> White-eyes	<i>Zosterops albogularis</i> White-breasted silver-eye	
<i>Meliphagidae</i> Honeyeaters	<i>Lichenostomus melanops cassidix</i> = 386 Helmeted honeyeater or subcrested honeyeater	
<i>Emberizidae</i> Cardinals		<i>Gubernatrix cristata</i> Yellow cardinal, green cardinal <i>Paroaria capitata</i> Yellow-billed cardinal <i>Paroaria coronata</i> Red-crested cardinal
<i>Icteridae</i>	<i>Agelaius flavus</i> Safron-cowled blackbird	
<i>Fringillidae</i> Finches or New World seedeaters	<i>Carduelis cucullata</i> = 387 Red siskin	<i>Carduelis yarrellii</i> = 387 Yellow-faced siskin <i>Poephila cincta cincta</i> Black-throated finch or Parson finch
<i>Estrildidae</i>		
<i>Sturnidae</i> Starlings	<i>Leucopsar rothschildi</i> Rothschild's mynah or Rothschild's starling or Bali mynah or white starling	
<i>Paradisaeidae</i> Birds of paradise		<i>Paradisaeidae</i> spp. (C1) Birds of paradise
	REPTILIA Reptiles	
<i>Testudinata</i> Chelonians, tortoises, terrapins and turtles		
<i>Dermatemydidae</i>		<i>Dermatemys mawii</i> Central American river turtle
<i>Emydidae</i> Freshwater turtles	<i>Batagur baska</i> Common batagur or river terrapin or tuntong	
	<i>Clemmys mublenbergi</i> Bog turtle or Muhlenberg's turtle	<i>Clemmys insculpta</i> Wood turtle
	<i>Geoclemys hamiltonii</i> Black pond turtle or Hamilton's terrapin or spotted pond turtle	
	<i>Kachuga tecta</i> = 388 Indian tent turtle or India roof(ed) turtle or India sawback turtle or dura turtle	
	<i>Melanochelys tricarinata</i> = 389 Three-keeled turtle or Bengal three-keeled land terrapin or Asian three-keeled turtle or three-keeld land tortoise	
	<i>Morenia ocellata</i> Burmese swamp turtle or Bengal eyed terrapin or Burmese peacock turtle	
	<i>Terrapene coahuila</i> Aquatic box turtle or water bow turtle or coahuila turtle	<i>Terrapene</i> spp. (*) Aquatic box turtles

	Appendix I	Appendix II
<i>Testudinidae</i> Land tortoises		<i>Testudinidae</i> spp. (*) (C2) Land tortoises (C1 : <i>Testudo graeca</i> Spur-thighed or common or Greek tortoise <i>Testudo hermanni</i> Hermann's tortoise <i>Testudo marginata</i> Marginated tortoise)
	<i>Geochelone nigra</i> = 390 Galapagos giant tortoise	
	<i>Geochelone radiata</i> = 391 (Madagascar) radiated tortoise	
	<i>Geochelone yniphora</i> = 391 Madagascar tortoise or angulated tortoise or angonoka	
	<i>Gopherus flavomarginatus</i> Bolson tortoise or Mexican giant gopher tortoise	
	<i>Psammobates geometricus</i> = 391 Geometric tortoise	
	<i>Testudo kleinmanni</i> Egyptian tortoise	
<i>Cheloniidae</i> Sea turtles	<i>Cheloniidae</i> spp. (True) sea turtles	
<i>Dermochelyidae</i> Leather-back turtles	<i>Dermochelys coriacea</i> Leather-back turtles or luth turtle or leathery turtle	
<i>Trionychidae</i> Soft-shelled turtles		<i>Lissemys punctata</i> India flap-shell(ed) turtle or flap-shell(ed) spotted turtle
	<i>Trionyx ater</i> = 392 Black soft-shell(ed) turtle or black mud turtle or Cuatro Cienages soft-shell(ed) turtle	
	<i>Trionyx gangeticus</i> = 392 Ganges soft-shell(ed) turtle or Indian soft-shell(ed) turtle	
	<i>Trionyx hurum</i> = 392 Peacock-marked soft shell(ed) turtle or brown soft-shell(ed) turtle or peacock softshell(ed) turtle	
	<i>Trionyx nigricans</i> = 392 Dark coloured soft-shell(ed) turtle or sacred black mud turtle	
<i>Pelomedusidae</i> Sidenecke turtles		<i>Erymnochelys madagascariensis</i> = 393 (C2) Madagascar sidenecke turtle
		<i>Peltocephalus dumeriliana</i> = 393 (C2) Big headed Amazon River turtle
		<i>Podocnemis</i> spp. (C2) River turtles or sideneck turtles
<i>Chelidae</i> Snake-necked turtles	<i>Pseudemadura umbrina</i> Short-necked (swamp) turtle or (western) swamp turtle	
<i>Crocodylia</i> Cocodilians		<i>Crocodylia</i> spp. (*) = 394 (C2) Cocodiles, Caiman, Alligator and Ghavials
<i>Alligatoridae</i> Alligators and caimans	<i>Alligator sinensis</i> China alligator or Chinese alligator	
	<i>Caiman crocodilus apaporiensis</i> Rio Apaporis (spectacled) caiman or Apaporis river caiman	
	<i>Caiman latirostris</i> Broad-nosed caiman or broad-snoute caiman	
	<i>Melanosuchus niger</i> (*) - 109 Black caiman	
<i>Crocodylidae</i> True crocodiles and false gavial	<i>Crocodylus acutus</i> American crocodile	
	<i>Crocodylus cataphractus</i> African slender-snouted crocodile or African sharp-nosed crocodile	
	<i>Crocodylus intermedius</i> Orinoco crocodile	
	<i>Crocodylus moreletii</i> Morelet's crocodile	

	Appendix I	Appendix II
	<i>Crocodylus niloticus</i> (") - 110 Nile crocodile	
	<i>Crocodylus novaeguineae mindorensis</i> = 395 Philippine or Mindoro crocodile	
	<i>Crocodylus palustris</i> Mugger (crocodile) or marsh crocodile or broad-snouted crocodile	
	<i>Crocodylus porosus</i> (") - 111 Saltwater crocodile or estuarine crocodile	
	<i>Crocodylus rhombifer</i> Cuban crocodile	
	<i>Crocodylus siamensis</i> Siamese crocodile	
	<i>Osteolaemus tetraspis</i> (African) dwarf crocodile	
	<i>Tomistoma schlegelii</i> False gaviai or tomistoma (crocodile) or false gharial	
<i>Gavialidae</i> Gavials	<i>Gavialis gangeticus</i> (Indian) gaviai or gharial	
<i>Rhynchocephalia</i> Rhynchocephalia		
<i>Sphenodontidae</i> Tuatara	<i>Sphenodon</i> spp. Tuatara	
<i>Sauria</i> Lizards		
<i>Gekkonidae</i> Geckos		<i>Cyrtodactylus serpensinsula</i> Serpent Island gecko
		<i>Phelsuma</i> spp. (C2) Day geckos
		<i>Uromastyx</i> spp. (C2) Spiny-tailed lizards or mastigures or spiny-tailed agamids or dabb lizards or palm lizards
		<i>Bradypodion</i> spp. = 396 Dwarf chameleons
		<i>Chamaeleo</i> spp. Chameleons (C1: <i>Chamaeleo chamaeleon</i> Common chameleon or Mediterranean chameleon)
		<i>Amblyrhynchus cristatus</i> (C2) Galapagos marine iguana
	<i>Brachylophus</i> spp. Banded and Fiji crested iguanas	
	<i>Cyclura</i> spp. Ground iguanas or West Indian rock iguanas	
	<i>Sauromalus varius</i> San Esteban Island Chuckwalla	
<i>Lacertidae</i>	<i>Gallotia simonyi</i> Hierro giant lizard	<i>Podarcis lilfordi</i> — Lilford's wall lizard
		<i>Podarcis pityusensis</i> — Ibiza wall lizard
<i>Cordylidae</i>		<i>Cordylus</i> spp. — Girdled lizard
		<i>Pseudocordylus</i> spp. Crag lizards
<i>Teiidae</i> Teiid lizards		<i>Cnemidophorus hyperythrus</i> (C1) Orange-throated whiptail (lizard) or orange-throated race runner
		<i>Crocodilurus lacertinus</i> Dragon lizard or dragon lizardet
		<i>Dracaena</i> spp. — Caiman lizards
		<i>Tupinambis</i> spp. — Tegus or tegu lizards

	Appendix I	Appendix II
<i>Scincidae</i> Skinks		<i>Corucia zebrata</i> Prehensile — tailed skink
<i>Xenosauridae</i> Crocodile lizards		<i>Shinisaurus crocodilurus</i> Chinese crocodile lizard
<i>Helodermatidae</i> Gila monster or beaded lizards		<i>Heloderma</i> spp. (C1) Gila monster and beaded lizard or poisonous lizards
<i>Varanidae</i> Monitors	<i>Varanus bengalensis</i> Bengal or Indian monitor <i>Varanus flavescens</i> Yellow monitor or ruddy snub-nosed monitor or yellow land lizard or (Indian) oralgrain lizard <i>Varanus griseus</i> Desert or grey monitor <i>Varanus komodoensis</i> Komodo dragon or Komodo (Island) monitor or ora	<i>Varanus</i> spp. (*) (C2) Monitors or goannas
<i>Serpentes</i> Snakes		
Boidae Snakes (boas and pythons)		Boidae spp. (*) (C2: <i>Boa constrictor</i> Boa constrictor <i>Eunectes</i> spp. Anacondas <i>Python</i> spp. (*) Pythons <i>Eryx jaculus</i> (Spotted) sand boa <i>Morelia amethystina</i> Amethyst python <i>Morelia boeleni</i> Boelen's python <i>Morelia oenpelliensis</i> <i>Morelia spilota</i> Carpet python)
	<i>Acrantophis</i> spp. — Madagascar boas <i>Boa constrictor occidentalis</i> = 397 Argentine boa constrictor <i>Bolyeria multocarinata</i> — Round Island boa <i>Casarea dussumieri</i> Keel-scaled boa or Round Island boa <i>Epicrates inornatus</i> Yellow tree of Puerto Rica boa or Culebra grande <i>Epicrates monensis</i> Virgin Island tree boa or Mona Island boa <i>Epicartes subflavus</i> — Jamaica(n) boa <i>Python molurus molurus</i> = 398 Indian (rock) python or tiger python <i>Sanzinia madagascariensis</i> Sanzinia or Madagascar tree boa	
<i>Colubridae</i> Colubrid snakes (water snakes, grass snakes and tree snakes)		<i>Clelia delia</i> = 399 Mussurana (snake) or usurana
		<i>Cyclagras gigas</i> = 400 (C2) South American false cobra or South American water cobra or beach cobra or surucucu
		<i>Elachistodon westermanni</i> Indian egg-eating snake or Indian egg-eater or Westermann's snake
		<i>Ptyas mucosus</i> Common rat snake
		<i>Hoplocephalus hungaroides</i> Broad-headed snake
		<i>Naja naja</i> Asiatic cobra
<i>Elapidae</i> Front-fanged snakes		<i>Ophiophagus hannah</i> King cobra

	Appendix I	Appendix II
<i>Viperidae</i> Vipers	<i>Vipera ursinii</i> + 215 Orsini's viper, meadow viper	<i>Vipera wagneri</i> Wagner's viper
	AMPHIBIA Amphibians	
Caudata Tailed amphibians		
<i>Ambystomidae</i> Mole amphibians		<i>Ambystoma dumerilii</i> * Lake Patzcuaro salamander or achoque <i>Ambystoma mexicanum</i> Axolote (salamander)
<i>Cryptobranchidae</i> Giant salamanders	<i>Andrias</i> spp. = 401 Giant salamanders	
Anura Tail-less amphibians (frogs and toads)		
<i>Bufo</i> True toads	<i>Atelopus varius zeteki</i> Zetek's frog or (Panamanian) golden frog or golden arrow poison frog <i>Bufo periglenes</i> Golden toad or orange toad <i>Bufo superciliaris</i> Cameroon toad <i>Nectophrynoides</i> spp. Viviparous African toad	<i>Bufo retiformis</i> (C2) Sonoran green toad
<i>Myobatrachidae</i>		<i>Rheobatrachus</i> spp. Gastric brooding frogs
<i>Dendrobatidae</i>		<i>Dendrobates</i> spp. Poison arrow frogs <i>Phyllobates</i> spp. Poison dart frogs
<i>Ranidae</i>		<i>Mantella aurantiaca</i> <i>Rana hexadactyla</i> Six-fingered frog <i>Rana tigerina</i> Indian bullfrog
<i>Microhylidae</i>	<i>Dyscophus antongilii</i> Madagascar tomato frog	
	PISCES Fish	
Ceratodiformes		
<i>Ceratodontidae</i> Ceratodes		<i>Neoceratodus forsteri</i> Australian lungfish or ceratodus or Queensland lungfish
Coelacanthiformes		
<i>Latimeriidae</i>	<i>Latimeria chalumnae</i> Coelacanth	
Acipenseriformes Sturgeon and paddlefishes		
<i>Acipenseridae</i> Sturgeons	<i>Acipenser brevirostrum</i> Shortnose sturgeon <i>Acipenser sturio</i> Common sturgeon or Baltic sturgeon	<i>Acipenser oxyrinchus</i> Atlantic sturgeon
<i>Polyodontidae</i>		<i>Polyodon spathula</i> American paddlefish

	Appendix I	Appendix II
Osteoglossiformes Bonytongues and kin		
<i>Osteoglossidae</i> Bony-tongues	<i>Scleropages formosus</i> Asiatic bony-tongue or Asian bony-tongue or kelesa or golden dragon fish or golden arowana	<i>Arapaima gigas</i> Arapaima or pirarucu (C1)
Cypriniformes Carp and carp-like-fish		
<i>Cyprinidae</i> Carp	<i>Probarbus jullieni</i> Ikan temoleh or pla eesok (Thai) or ikaa temelian (Malay)	<i>Caecobarbus geertsi</i> African blind barb fish or Congo blind barb
<i>Catostomidae</i>	<i>Chasmistes cujus</i> — Cui-ui	
Siluriformes Catfish		
<i>Pangasiidae</i> Schilbeid catfish	<i>Pangasianodon gigas</i> Giant catfish	
Perciformes Perch-like fish		
<i>Sciaenidae</i> Drumfish or croakers	<i>Cynoscion macdonaldi</i> Totoaba or MacDonald weakfish	
ARTHROPODA INSECTA Insects		
Lepidoptera Butterflies and moths		
<i>Papilionidae</i> Swallowtails and parnassian	<i>Ornithoptera alexandrae</i> Queen Alexandra's birdwing <i>Papilio chikae</i> — Luzon peacock swallowtail <i>Papilio homerus</i> — Homerus swallowtail <i>Papilio hospiton</i> — Corsican swallowtail	<i>Bhutanitis</i> spp. — Bhutan glories <i>Ornithoptera</i> spp. (*) = 402 (C2) Birdwing butterflies
		<i>Parnassius apollo</i> (C1) Apollo butterfly or mountain apollo <i>Teinopalpus</i> spp. Kaiser-I-hind, Golden Kaiser-I-hind <i>Trogonoptera</i> spp. = 402 (C2) Birdwing butterflies <i>Troides</i> spp. = 402 (C2) Birdwing butterflies
ARACHNIDA		
Scorpiones <i>Scorpionidae</i>		<i>Pandinus dictator</i> — Scorpion <i>Pandinus gambiensis</i> — Scorpion <i>Pandinus imperator</i> — Emperor scorpion
Araneae <i>Theraphosidae</i>		<i>Brachypelma</i> spp. — Tarantulas
ANNELIDA HIRUDINOIDEA		
Arhynchobdellae <i>Hirudinidae</i> Leeches		<i>Hirudo medicinalis</i> Medicinal leech

	Appendix I	Appendix II
	<p><i>MOLLUSCA</i> Molluscs <i>BIVALVIA</i></p>	
<p><i>Veneroida</i> <i>Tridacnidae</i> Giant clams <i>Unionoida</i> Naiads or freshwater bivalves <i>Unionidae</i> Freshwater mussels</p>	<p><i>Conradilla caelata</i> Birdwing pearl mussel or rimosa naiad</p> <p><i>Dromus dromas</i> = 403 Dromedary pearly mussel or Dromedary naiad <i>Epioblasma curtisi</i> = 404 Curtis pearly mussel or Curtis' naiad <i>Epioblasma florentina</i> = 404 Yellow-blossom pearly mussel or yellow-blossom naiad <i>Epioblasma sampsoni</i> = 404 Sampson's pearly mussel or Sampson's naiad <i>Epioblasma sulcata perobliqua</i> = 404 White catspaw mussel or white cat's paw mussel <i>Epioblasma torulosa gubernaculum</i> = 404 Green-blossomed pearly mussel or green-blossomed naiad</p> <p><i>Epioblasma torulosa torulosa</i> = 404 Tuberculed blossom pearly mussel or tuberculed-blossom naiad <i>Epioblasma turgidula</i> = 404 Turgid blossom pearly mussel or turgid-blossom naiad <i>Epioblasma walkeri</i> = 404 Brown blossom pearly mussel or brown-blossom naiad or tan rifle shell <i>Fusconaia cuneolus</i> Fine-rayed pigtoe pearly mussel or fine-rayed pigtoe <i>Fusconaia edgariana</i> Shiny pigtoe pearly mussel</p> <p><i>Lampsilis bigginsi</i> — Higgin's eye pearly mussel <i>Lampsilis orbiculata orbiculata</i> Pink mucket pearly mussel <i>Lampsilis satur</i> — Plain pocketbook pearly mussel <i>Lampsilis virescens</i> Alabama lamp pearly mussel or Alabama lamp naiad</p> <p><i>Plethobasus cicatricosus</i> White wartyback pearly mussel <i>Plethobasus cooperianus</i> Orange-fronted pimpleback mussel</p> <p><i>Pleurobema plenum</i> — Rough pigtoe mussel <i>Potamilus capax</i> = 405 Fat pocketbook pearly mussel <i>Quadrula intermedia</i> Cumberland monkey face pearly mussel <i>Quadrula sparsa</i> Appalachian monkey face pearly mussel <i>Toxolasma cylindrella</i> = 406 Pale lilliput pearly mussel or pale lilliput naiad <i>Unio nickliniana</i> = 407 Nicklin's pearly mussel <i>Unio tampicoensis tecomatensis</i> = 408 Tampico pearly mussel (sub-species)</p>	<p><i>Tridacnidae</i> spp. Giant clams</p> <p><i>Cyprogena aberti</i> Edible pearl mussel or edible naiad</p> <p><i>Epioblasma torulosa rangiana</i> = 404 Tan-blossom naiad or tan-blossomed pearly mussel</p> <p><i>Fusconaia subrotunda</i> Long solid mussel or long solid naiad <i>Lampsilis brevicula</i> Ozark lamp pearly mussel or ozark lamp naiad</p> <p><i>Lexingtonia dolabelloides</i> Slab sided naiad or slab sided pearly mussel</p> <p><i>Pleurobema clava</i> — Club pearly mussel</p>

	Appendix I	Appendix II
	<i>Villosa trabalis</i> = 409 Cumberland bean pearly mussel	
	GASTROPODA	
<i>Stylommatophora</i> Land snails		
<i>Achatinellidae</i>	<i>Achatinella</i> spp. Little agate snails, oahu tree snails	
<i>Camaenidae</i> American land snails		<i>Papustyla pulcherrima</i> = 410 Manus green tree snail or emerald green snail
<i>Paryphantiidae</i>		<i>Paryphanta</i> spp. + 216 New Zealand amber snails
<i>Mesogastropoda</i>		
<i>Strombidae</i>		<i>Strombus gigas</i> — Queen conch
	CNIDARIA	
	ANTHOZOA	
<i>Coenothecalia</i>		<i>Coenothecalia</i> spp. = 411 °505
<i>Stolonifera</i>		
<i>Tubiporidae</i>		<i>Tubiporidae</i> spp. °505 Organpipe corals
<i>Antipatharia</i>		<i>Antipatharia</i> spp. (C2) Black corals or antipatharians
<i>Scleractinia</i> Stony corals		<i>Scleractinia</i> spp. °505 Stong corals
	HYDROZOA	
<i>Milleporina</i>		
<i>Milleporidae</i>		<i>Milleporidae</i> spp. °505 Wello fire corals
<i>Stylasterina</i>		
<i>Stylasteridae</i>		<i>Stylasteridae</i> spp. °505
	FLORA	
<i>Agavaceae</i>	<i>Agave arizonica</i> <i>Agave parviflora</i>	<i>Agave victoriae-reginae</i> #1
	<i>Nolina interrata</i>	
<i>Amaryllidaceae</i>		<i>Galanthus</i> spp. #1 <i>Sternbergia</i> spp. #1
<i>Apocynaceae</i>	<i>Pachypodium ambongense</i> <i>Pachypodium baronii</i> <i>Pachypodium decaryi</i>	<i>Pachypodium</i> spp. (°) °506 #1 (C2) Elephant's trunks or halfmen
<i>Araliaceae</i>		<i>Rauwolfia serpentina</i> #2 <i>Panax quinquefolius</i> #3 American ginseng or celery-leaved panax
<i>Araucariaceae</i> Monkey puzzle family	<i>Araucaria araucana</i> (°) + 217 Monkey-puzzle tree or hardy monkey-puzzle	<i>Araucaria araucana</i> (°) — 112 #1 Monkey-puzzle tree or hardy monkey-puzzle
<i>Asclepiadaceae</i>		<i>Ceropegia</i> spp. #1 Rosary vines <i>Frerea indica</i> #1 Milkweed
<i>Berberidaceae</i>		<i>Podophyllum hexandrum</i> = 412 #2
<i>Bromeliaceae</i>		<i>Tillandsia harrisii</i> #1 <i>Tillandsia kammii</i> #1

	Appendix I	Appendix II
<i>Byblidaceae</i>		<i>Tillandsia kautskyi</i> #1 <i>Tillandsia mauryana</i> #1 <i>Tillandsia sprengeliana</i> #1 <i>Tillandsia suerei</i> #1 <i>Tillandsia xerographica</i> #1 <i>Byblis</i> spp. #1 Byblis or rainbow plants
<i>Cactaceae</i> Cactus family	<i>Ariocarpus</i> spp. Living rock cactus <i>Astrophytum asterias</i> = 413 Star cactus, sea-urchin cactus <i>Aztekium ritteri</i> Aztec cactus <i>Coryphanhaa werdermannii</i> <i>Discocactus</i> spp. <i>Discocactus macdougallii</i> = 414 <i>Echinocereus ferreirianus</i> var. <i>lindsayi</i> = 415 <i>Echinocereus schmollii</i> = 416 <i>Escobaria minima</i> = 417 <i>Escobaria sneedii</i> = 417 <i>Mammillaria pectinifera</i> = 418 <i>Mammillaria solisioides</i> <i>Melocactus conoideus</i> <i>Melocactus deinacanthus</i> <i>Melocactus glaucescens</i> <i>Melocactus paucispinus</i> <i>Obregonia denegrii</i> <i>Pachycereus militaris</i> = 419 <i>Pediocactus bradyi</i> = 420 <i>Pediocactus despainii</i> <i>Pediocactus knowltonii</i> = 420 <i>Pediocactus paradinei</i> <i>Pediocactus peeblesianus</i> = 420 <i>Pediocactus sileri</i> <i>Pediocactus winkleri</i> <i>Pelecyphora</i> spp. <i>Sclerocactus brevibamatus</i> = 421 <i>Sclerocactus erectocentrus</i> = 422 <i>Sclerocactus glaucus</i> <i>Sclerocactus mariposensis</i> = 422 <i>Sclerocactus mesae-verdae</i> <i>Sclerocactus papyracanthus</i> = 423 <i>Sclerocactus pubispinus</i> <i>Sclerocactus wrightiae</i> <i>Strombocactus disciformis</i> <i>Turbinicarpus</i> spp. = 424 <i>Uebelmannia</i> spp.	<i>Cactaceae</i> spp. (*) #4 Cacti

	Appendix I	Appendix II
Caryocaraceae		<i>Caryocar costaricense</i> #1
Cephalotaceae		<i>Cephalotus follicularis</i> #1 Albany pitcher plant
Compositae (<i>Asteraceae</i>) Composite family	<i>Saussurea costus</i> = 425 Costas	
Crassulaceae	<i>Dudleya stolonifera</i> <i>Dudleya traskiae</i>	
Cupressaceae Cypress family	<i>Fitzroya cupressoides</i> Chilean false larch, alerce <i>Pilgerodendron uviferum</i>	
Cyatheaceae		Cyatheaceae spp. #1 Tree ferns
Cycadaceae	<i>Cycas beddomei</i>	Cycadaceae spp. (*) #1 Cycads
Diapensiaceae		<i>Shortia galacifolia</i> #1
Dicksoniaceae Dicksonia family		Dicksoniaceae spp. #1 Tree ferns
Didiereaceae		Didiereaceae spp. #1
Dioscoreaceae Yams		<i>Dioscorea deltoidea</i> #1 Elephant's foot
Droseraceae		<i>Dionaea muscipula</i> #1 Venus fly-trap
Ericaceae		<i>Kalmia cuneata</i> #1
Euphorbiaceae Euphorbias	<i>Euphorbia ambovombensis</i> <i>Euphorbia cremersii</i> <i>Euphorbia cylindrifolia</i> = 426 <i>Euphorbia decaryi</i> <i>Euphorbia francoisii</i> <i>Euphorbia moratii</i> <i>Euphorbia parvicyathophora</i> <i>Euphorbia quartziticola</i> <i>Euphorbia tulearensis</i> = 427	<i>Euphorbia</i> spp. - 113 #1 Euphorbias
Fouquieriaceae	<i>Fouquieria fasciculata</i> <i>Fouquieria purpusii</i>	<i>Fouquieria columnaris</i> #1
Juglandaceae Walnut, hickory and pecan family		<i>Oreomunnea pterocarpa</i> = 428 #1
Leguminosae (<i>Fabaceae</i>)	<i>Dalbergia nigra</i> Brazilian rosewood, palisander	<i>Pericopsis elata</i> #5 Afrormosia <i>Platymiscium pleiostachyum</i> #1 Quira macawood <i>Pterocarpus santalinus</i> #6

	Appendix I	Appendix II
Liliaceae Lily family	<i>Aloe albida</i> <i>Aloe albiflora</i> <i>Aloe alfredii</i> <i>Aloe bakeri</i> <i>Aloe bellatula</i> <i>Aloe calcairophila</i> <i>Aloe compressa</i> = 429 <i>Aloe delphinensis</i> <i>Aloe descoingsii</i> <i>Aloe fragilis</i> <i>Aloe haworthioides</i> = 430 <i>Aloe helenae</i> <i>Aloe laëta</i> = 431 <i>Aloe parallelifolia</i> <i>Aloe parvula</i> <i>Aloe pillansii</i> <i>Aloe polyphylla</i> Spiral aloe <i>Aloe raubii</i> <i>Aloe suzannae</i> <i>Aloe thorncroftii</i> <i>Aloe versicolor</i> <i>Aloe vossii</i>	<i>Aloe</i> spp. (*) - 114 #1 Aloes
Meliaceae Mahogany family		<i>Swietenia humilis</i> #1 Honduras mahogany or baywood <i>Swietenia mahagoni</i> #5 Caribbean mahogany, Spanish mahogany, Small leaf mahogany
Nepenthaceae	<i>Nepenthes khasiana</i> Indian pitcher plant <i>Nepenthes rajah</i> Giant tropical pitcher	<i>Nepenthes</i> spp. (*) #1 Pitcher plants
Orchidaceae Orchid family	<i>Cattleya trianaei</i> ° 507 Winter cattleya or Christmas Orchid <i>Dendrobium cruentum</i> ° 507 <i>Laelia jongheana</i> ° 507 <i>Laelia lobata</i> ° 507 <i>Paphiopedilum</i> spp. ° 507 <i>Peristeria elata</i> ° 507 Holy Ghost or dove orchid or dove flower or Holy Ghost flower <i>Phragmipedium</i> spp. ° 507 <i>Renanthera imschootiana</i> ° 507 Red vanda <i>Vanda coerulea</i> ° 507 Blue vanda	<i>Orchidaceae</i> spp. (*) = 432 #7 (C1 : 105 species) Orchids
Palmae (Arecaceae) Palm family		<i>Chrysalidocarpus decipiens</i> #1 Butterfly palm <i>Neodypsis decaryi</i> #1
Pinaceae Pine family	<i>Abies guatemalensis</i> Guatamalan fir or pinabete	

	Appendix I	Appendix II
Podocarpaceae	<i>Podocarpus parlatoresi</i>	
Portulacaceae Purslane family		<i>Anacampseros</i> spp. #1 Purselanes <i>Lewisia cotyledon</i> #1 <i>Lewisia maguirei</i> #1 <i>Lewisia serrata</i> #1 <i>Lewisia tweedyi</i> #1
Primulaceae Primrose family		<i>Cyclamen</i> spp. #1 Cyclamens (C1: <i>Cyclamen balearicum</i> (C2) <i>Cyclamen creticum</i> <i>Cyclamen graecum</i> incl. <i>Cyclamen mindleri</i>)
Proteaceae Protea family	<i>Orothamnus zeyheri</i> Marsh-rose <i>Protea odorata</i>	
Rosaceae		<i>Prunus africana</i> #1
Rubiaceae Madder family	<i>Balmea stormiae</i> Ayugue	
Sarraceniaceae	<i>Sarracenia alabamensis alabamensis</i> = 433 <i>Sarracenia jonesii</i> = 434 <i>Sarracenia oreophila</i>	<i>Darlingtonia californica</i> #1 Cobra pitcher <i>Sarracenia</i> spp. (*) #1 Pitcher plants, bog-bugle, eve's cups, frog bonnets
Stangeriaceae Cycad family	<i>Stangeria eriopus</i> = 435 Hottentot's head	
Taxaceae		<i>Taxus wallichiana</i> = 436 #8
Theaceae		<i>Camellia chrysantha</i> #1
Thymeleaceae (Aquillariaceae)		<i>Aquilaria malaccensis</i> #1
Welwitschiaceae		<i>Welwitschia mirabilis</i> = 437 #1
Zamiaceae Cycad family	<i>Ceratozamia</i> spp. <i>Chigua</i> spp. <i>Encephalartos</i> spp. <i>Microcycas calocoma</i>	<i>Zamiaceae</i> spp. (*) #1
Zingiberaceae Ginger family		<i>Hedychium philippinense</i> #1 Philippine garland-flower
Zygophyllaceae Lignum-vitae family		<i>Guaiacum officinale</i> #1 Lignum-vitae, commoner Lignum-vitae, wood of life, tree of life, Guayac <i>Guaiacum sanctum</i> #1 Lignum-vitae or holy wood or tree of life

Appendix III ⁽¹⁾ ⁽²⁾

Interpretation

1. References to taxa higher than species are for the purpose of information or classification only.
2. The symbol (=) followed by a number placed against the name of a species denotes that the name of that species shall be interpreted as follows:

- =438 Also referred as *Vampyrops lineatus*,
- =439 Formerly included as *Tamandua tetradactyla* (in part),
- =440 Includes synonym *Cabassous gymnurus*,
- =441 Includes generic synonym *Coendou*,
- =442 Includes generic synonym *Cuniculus*,
- =444 Formerly included as *Nasua nasua*,
- =445 Includes synonym *Galictis allamandi*,
- =446 Includes generic synonym *Viverra*,
- =447 Formerly included as *Viverra megaspila*,
- =448 Formerly included as *Herpestes auropunctatus*,
- =449 Formerly included as *Herpestes fuscus*,
- =450 Formerly included as *Bubalus bubalis* (domesticated form),
- =451 Also referenced as *Boocercus eurycerus*; includes generic synonym *Taurotragus*,
- =452 Also referenced as *Ardeola ibis*,
- =453 Also referenced as *Egretta alba*,
- =454 Also referenced as *Hagedashia hagedash*,
- =455 Also referenced as *Lampribus rara*,
- =456 Also referenced as *Spatula clypeata*,
- =457 Also referenced as *Nyroca nyroca*,
- =458 Includes synonym *Dendrocygna fulva*,
- =459 Also referenced as *Cairina hartlaubii*,
- =460 Also referenced as *Crax pauxi*,
- =461 Formerly included as *Arborophila brunneopectus* (in part),
- =462 Also referenced as *Turturoena iriditorques*; formerly included as *Columba malberbii* (in part),
- =463 Also referenced as *Nesoenas mayeri*,
- =464 Formerly included as *Treron australis* (in part),
- =465 Also referenced as *Calopelia brehmeri*; includes synonym *Calopelia puella*,
- =466 Also referenced as *Tympanistria tympanistria*,
- =467 Also referenced as *Tchitrea bourbonnensis*,
- =468 Formerly included as *Serinus gularis* (in part),
- =469 Also referenced as *Estrilda subflava* or *Sporaeginthus subflavus*,
- =470 Formerly included as *Lagonosticta larvata* (in part),
- =471 Includes generic synonym *Spermestes*,
- =472 Also referenced as *Euodice cantans*; formerly included as *Lonchura malabarica* (in part),
- =473 Also referenced as *Hypargos nitidulus*,
- =474 Formerly included as *Parmoptila woodhousei* (in part),
- =475 Includes synonyms *Pyrenestes frommi* and *Pyrenestes rothschildi*,
- =476 Also referenced as *Estrilda bengala*,
- =477 Also referenced as *Malimbus rubriceps* or *Anaplectes melanotis*,
- =478 Also referenced as *Coliuspasser ardens*,
- =479 Formerly included as *Euplectes orix* (in part),
- =480 Also referenced as *Coliuspasser macrourus*,
- =481 Also referenced as *Ploceus superciliosus*,

⁽¹⁾ The entries '(C1)' and '(C2)' after the name of a species or a higher taxon show that one or more subspecies or species of that species or taxon appear in part 1 or 2 of Annex C to the Regulation.

⁽²⁾ The translations of the Latin names are given as a guide only.

- =482 Includes synonym *Ploceus nigriceps*,
 - =483 Also referenced as *Sitagra luteola*,
 - =484 Also referenced as *Sitagra melanocephala*,
 - =485 Formerly included as *Ploceus velatus*,
 - =486 Also referenced as *Hypochoera chalybeata*; includes synonyms *Vidua amauropteryx*, *Vidua centralis*, *Vidua neumanni*, *Vidua okavangoensis* and *Vidua ultramarina*,
 - =487 Formerly included as *Vidua paradisaea* (in part),
 - =488 Also referenced as *Pelusios subniger*,
 - =489 Formerly included in genus *Natrix*.
3. The names of the countries placed against the names of species are those of the Parties submitting these species for inclusion in this appendix.
 4. Any animal, whether live or dead, of a species listed in this appendix, is covered by the provisions of the Convention, as is any readily recognizable part or derivative thereof.
 5. In accordance with Article I (b) (ii) and (iii), of the Convention, and with Regulations Conf. 4.24 and Conf. 6.18, the symbol (#) followed by a number placed against the name of a plant species included in Appendix III designates parts or derivatives which are specified in relation thereto for the purposes of the Convention as follows:
 - #1 Designates all readily recognizable parts and derivatives, except:
 - (a) seeds, spores and pollen (including pollinia); and
 - (b) seedling or tissue cultures obtained *in vitro*, in solid or liquid media, transported in sterile containers.

	Species	Country
	FAUNA	
	Animals	
	CHORDATA	
	MAMMALIA	
	Mammals	
Chiroptera Bats		
<i>Phyllostomidae</i> New World leaf-nosed bats	<i>Platyrrhinus lineatus</i> = 438 False vampire bat	Uruguay
Edentata Edentates		
<i>Myrmecophagidae</i> Ant-eaters	<i>Tamandua mexicana</i> = 439 Collared ant-eater (C1 : <i>Tamandua mexicana chapadensis</i>)	Guatemala
<i>Megalonychidae</i> Sloths	<i>Choloepus hoffmanni</i> Hoffmann's sloth	Costa Rica
<i>Dasyproctidae</i> Armadillos	<i>Cabassous centralis</i> Northern naked-tailed armadillo <i>Cabassous tatouay</i> = 440 Eleven-banded or broad-banded armadillo	Costa Rica Uruguay
Rodentia Rodents		
<i>Sciuridae</i> Squirrels and marmots	<i>Epixerus ebii</i> Ebian's palm squirrel <i>Marmota caudata</i> Long-tailed marmot <i>Marmota himalayana</i> Himalayan marmot <i>Sciurus deppei</i> Deppe's squirrel	Ghana India India Costa Rica
<i>Anomaluridae</i> Scaly-tailed squirrels	<i>Anomalurus beecrofti</i> Beecroft's flying squirrel <i>Anomalurus derbianus</i> Long Derby's flying squirrel <i>Anomalurus pelii</i> Pel's flying squirrel <i>Idiurus macrotis</i> Long-eared flying squirrel	Ghana Ghana Ghana Ghana
<i>Hystricidae</i> Old World porcupines	<i>Hystrix cristata</i> North African porcupine	Ghana
<i>Erethizontidae</i> New World porcupines	<i>Sphiggurus mexicanus</i> = 441 Mexican porcupine <i>Sphiggurus spinosus</i> = 441 South American tree-porcupine	Honduras Uruguay
<i>Agoutidae</i>	<i>Agouti paca</i> = 442 Paca or spotted cavy	Honduras
<i>Dasyproctidae</i>	<i>Dasyprocta punctata</i> Agouti	Honduras
Carnivora Carnivores		
<i>Canidae</i> Dogs, wolves and foxes	<i>Canis aureus</i> Golden jackel, Northern jackel <i>Vulpes bengalensis</i> Bengal fox	India India
<i>Procyonidae</i> Raccoons	<i>Bassaricyon gabbii</i> Bushy-tailed olingo <i>Bassariscus sumichrasti</i> Central American cacomistle <i>Nasua narica</i> = 444 Coati	Costa Rica Costa Rica Honduras

	Species	Country
	<i>Nusua nasua solitaria</i> south Brazilian coati	Uruguay
	<i>Potos flavus</i> Kinkajou	Honduras
<i>Mustelidae</i> Weasels, badgers, skunks and others	<i>Eira barbara</i> Tayra	Honduras
	<i>Galictis vittata</i> = 445 Grison	Costa Rica
	<i>Martes flavigula</i> Yellow-throated marten	India
	<i>Martes foina intermedia</i> Himalayan beech marten	India
	<i>Martes gwatkinsii</i>	India
	<i>Mellivora capensis</i> Ratel or honey-badger	Botswana, Ghana
	<i>Mustela altaica</i> Mountain weasel, pale weasel	India
	<i>Mustela kathiab</i> Yellow-bellied weasel	India
	<i>Mustela sibirica</i> Siberian weasel, Hymalayan weasel	India
<i>Viverridae</i> Genets, civets and mongooses	<i>Arctictis binturong</i> Binturong	India
	<i>Civettictis civetta</i> = 446 African civet or civet cat	Botswana
	<i>Paguma larvata</i> Masked palm civet	India
	<i>Paradoxurus hermaphroditus</i> Common palm civet	India
	<i>Paradoxurus jerdoni</i> Jerdon's palm civet	India
	<i>Viverra civettina</i> = 447 Large spotted civet	India
	<i>Viverra zibetha</i> Large Indian civet	India
	<i>Viverricula indica</i> Small Indian civet	India
<i>Herpestidae</i>	<i>Herpestes brachyurus fusca</i> = 449 Indian brown mongoose	India
	<i>Herpestes edwardsii</i> Indian grey mongoose	India
	<i>Herpestes javanicus auropunctata</i> = 448 Small Indian mongoose	India
	<i>Herpestes smithii</i> Ruddy mongoose	India
	<i>Herpestes urva</i> Crab-eating mongoose	India
	<i>Herpestes vitticollis</i> Stripe-necked mongoose	India
<i>Hyaenidae</i> Hyaenas	<i>Proteles cristatus</i> Aardwolf	Botswana
<i>Odobenidae</i> Walruses	<i>Odobenus rosmarus</i> Atlantic walrus	Canada
<i>Artiodactyla</i> Even-toed ungulates		
<i>Tragulidae</i> Chevrotains	<i>Hyemoschus aquaticus</i> Water chevrotain	Ghana
<i>Cervidae</i> True deer	<i>Cervus elaphus barbarus</i> Barbary deer	Tunisia
	<i>Mazama americana cerasina</i> Costa Rican red brocket	Guatemala
	<i>Odocoileus virginianus mayensis</i> Key deer or Toy deer	Guatemala
<i>Bovidae</i> Cattle, sheep goats, antelopes, etc.	<i>Antilope cervicapra</i> Blackbuck or Indian antelope	Nepal
	<i>Bubalus arnee</i> = 450 Asiatic water buffalo, or arna	Nepal
	<i>Damaliscus lunatus</i> Swift topi or sassaby	Ghana
	<i>Gazella cuvieri</i> Cuvier's gazelle	Tunisia
	<i>Gazella dorcas</i> Dorcas gazelle	Tunisia

	Species	Country
	<i>Gazella leptoceros</i> Slender-horned or Loder's gazelle	Tunisia
	<i>Tetracerus quadricornis</i> Four-horned antelope or chousingha	Nepal
	<i>Tragelaphus eurycerus</i> = 451 Bongo	Ghana
	<i>Tragelaphus spekii</i> Sitatunga or marshbuck	Ghana
	AVES Birds	
Ciconiiformes Wading birds (herons and kin)		
<i>Ardeidae</i> Herons and bitterns	<i>Ardea goliath</i> Goliath heron	Ghana
	<i>Bubulcus ibis</i> = 452 Cattle egret (C1)	Ghana
	<i>Casmerodius albus</i> = 453 Common or great egret (C1)	Ghana
	<i>Egretta garzetta</i> Little egret (C1)	Ghana
<i>Ciconiidae</i> Storks	<i>Ephippiorhynchus senegalensis</i> Saddle-billed stork	Ghana
	<i>Leptoptilos crumeniferus</i> Marabou (adjutant) stork	Ghana
<i>Threskiornithidae</i> Ibises and spoonbills	<i>Bostrychia bagedash</i> = 454 Hadada ibis	Ghana
	<i>Bostrychia rara</i> = 455 Spotted-breasted ibis	Ghana
	<i>Threskiornis aethiopicus</i> Sacred ibis	Ghana
Anseriformes Waterfowl		
<i>Anatidae</i> Ducks, geese and swans	<i>Alopochen aegyptiacus</i> Egyptian goose (C1)	Ghana
	<i>Anas acuta</i> Common pintail	Ghana
	<i>Anas capensis</i> Cape teal	Ghana
	<i>Anas clypeata</i> = 456 Northern shoveller	Ghana
	<i>Anas crecca</i> Common teal	Ghana
	<i>Anas penelope</i> Eurasian wigeon	Ghana
	<i>Anas querquedula</i> Garganey (C1)	Ghana
	<i>Aythya nyroca</i> = 457 Ferruginous duck (C1)	Ghana
	<i>Cairina moschata</i> Muscovy duck	Honduras
	<i>Dendrocygna autumnalis</i> Red-billed whistling duck	Honduras
	<i>Dendrocygna bicolor</i> = 458 Fulvous whistling duck	Ghana, Honduras
	<i>Dendrocygna viduata</i> White faced tree duck	Ghana
	<i>Nettapus auritus</i> African pygmy goose	Ghana
	<i>Plectropterus gambensis</i> Spur-winged goose	Ghana
	<i>Pteronetta hartlaubii</i> = 459 Hartlaub's duck	Ghana
Falconiformes <i>Cathartidae</i>	<i>Sarcorampus papa</i> King vulture	Honduras
Galliformes Gamebirds or fowl-like birds		
<i>Cracidae</i> Curassows and guans	<i>Crax alberti</i> Blue-billed curassow	Colombia

	Species	Country
<i>Phasianidae</i> Pheasants, partridges, quails and peacocks	<i>Crax daubentoni</i> — Yellow-knobbed curassow	Colombia
	<i>Crax globulosa</i> — Wattled curassow	Colombia
	<i>Crax rubra</i>	(C2) Colombia, Honduras,
	Great curassow	Costa Rica, Guatemala
	<i>Ortalis vetula</i>	(C2) Guatemala, Honduras
	Plain chachalaca	
	<i>Pauxi pauxi</i> = 460 — Helmeted curassow	Colombia
	<i>Penelope purpurascens</i> — Crested guan	Honduras
	<i>Penelopina nigra</i>	(C2) Guatemala
	Highland guan	
	<i>Agelastes meleagrides</i>	Ghana
	White-breasted guinea fowl	
	<i>Agriocharis ocellata</i>	Guatemala
	Ocellated turkey	
	<i>Arborophila charltonii</i>	Malaysia
	Chestnut-breasted tree partridge	
	<i>Arborophila orientalis</i> = 461	Malaysia
	Brown-breasted tree partridge	
	<i>Caloperdix ocellata</i>	Malaysia
	Ferruginous wood partridge	
	<i>Lophura erythrophthalma</i>	Malaysia
	Crestless fireback pheasant	
	<i>Lophura ignita</i>	Malaysia
	Crested fireback pheasant	
	<i>Melanoperdix nigra</i>	Malaysia
	Black wood partridge	
	<i>Polyplectron inopinatum</i>	Malaysia
Rothschild's peacock-pheasant, mountain peacock-pheasant		
<i>Rhizothera longirostris</i>	Malaysia	
Long-billed wood partridge		
<i>Rollulus rouloul</i>	Malaysia	
Crested wood partridge or roulroul		
<i>Tragopan satyra</i>	Nepal	
Horned tragopan or pheasant, satyr tragopan		
<i>Charadriiformes</i>		
<i>Burhinidae</i>		
Thick-knees	<i>Burhinus bistriatus</i>	Guatemala
	Double-striped thick-knee	
<i>Columbiformes</i>		
Pigeons, sandgrouse and dodos		
<i>Columbidae</i>		
Pigeons	<i>Columba guinea</i>	Ghana
	Speckled pigeon or Guinea pigeon	
	<i>Columba iriditorques</i> = 462	Ghana
	Bronze-naped pigeon	
	<i>Columba livia</i>	(C1) Ghana
	Rock dove	
	<i>Columba mayeri</i> = 463	Mauritius
	Pink pigeon	
	<i>Columba uncinata</i>	Ghana
	African wood pigeon or Afer pigeon	
	<i>Oena capensis</i>	Ghana
	Masked, cape or namaqua dove	
	<i>Streptopelia decipiens</i>	Ghana
	Mourning dove	
	<i>Streptopelia roseogrisea</i>	Ghana
	Pink-headed dove	
	<i>Streptopelia semitorquata</i>	Ghana
	Red-eyed dove	
	<i>Streptopelia senegalensis</i>	Ghana
	Senegal, palm or laughing dove	
	<i>Streptopelia turtur</i> — Turtle dove	Ghana
	<i>Streptopelia vinacea</i> — Vinaceous dove	Ghana
	<i>Treron calva</i> = 464 — African green pigeon	Ghana
	<i>Treron waalia</i> — Yellow-bellied green pigeon	Ghana
	<i>Turtur abyssinicus</i> — Black-billed wood dove	Ghana
	<i>Turtur afer</i> — Blue-spotted wood dove	Ghana
	<i>Turtur brehmeri</i> = 465 — Blue-headed wood dove	Ghana
	<i>Turtur tympanistria</i> = 466 — Tambourine dove	Ghana

	Species	Country
Psittaciformes — Parrots and kin		
<i>Psittacidae</i> Parrots	<i>Psittacula krameri</i> Ring-necked parakeet	Ghana
Cuculiformes Cuckoos and kin		
<i>Musophagidae</i> Turacos or plantain eaters	<i>Corythaeola cristata</i> Great blue turaco	Ghana
	<i>Crinifer piscator</i> — Western grey plantain-eater	Ghana
	<i>Musophaga violacea</i> — Violet turaco	Ghana
Piciformes		
<i>Capitonidae</i> <i>Ramphastidae</i> — Toucans	<i>Semnornis ramphastinus</i> — Toucan barbet	Colombia
	<i>Baillonioides bailloni</i> — Saffron toucanet	Argentina
	<i>Pteroglossus castanotis</i> — Chestnut-eared aracari	Argentina
	<i>Ramphastos dicolorus</i> — Red-breasted toucan	Argentina
	<i>Selenidera maculirostris</i> — Spot-billed toucanet	Argentina
Passeriformes Song birds or perching birds		
<i>Cotingidae</i> Cotingas	<i>Cephalopterus ornatus</i> — Amazonian umbrella bird	Colombia
	<i>Cephalopterus penduliger</i> — Long-wattled umbrella bird	Colombia
<i>Muscicapidae</i> Old World flycatchers	<i>Bebrornis rodericanus</i> — Rodrigues warbler	Mauritius
	<i>Terpsiphone bourbonensis</i> = 467 — Mascarene paradise flycatcher	Mauritius
<i>Fringillidae</i> Finches or New World seed-eaters	<i>Serinus canicapillus</i> = 468 West African seed-eater	Ghana
	<i>Serinus leucopygius</i> Grey-fronted canary or grey singing finch	Ghana
	<i>Serinus mozambicus</i> Yellow-fronted canary or green singing finch	Ghana
<i>Estrildidae</i> Waxbills and kin	<i>Amadina fasciata</i> Cut-throat weaver, cut-throat or ribbon finch	Ghana
	<i>Amandava subflava</i> = 469 Zebra waxbill, golden or orange-breasted waxbill	Ghana
	<i>Estrilda astrild</i> — Common waxbill or St Helena waxbill	Ghana
	<i>Estrilda caerulea</i> — Lavender finch or lavender waxbill	Ghana
	<i>Estrilda melpoda</i> Orange-cheeked waxbill	Ghana
	<i>Estrilda troglodytes</i> — Grey, red-eared, pink-cheeked or black-rumped waxbill	Ghana
	<i>Lagonosticta rara</i> Black-bellied firefinch	Ghana
	<i>Lagonosticta rubricata</i> — Blue-billed firefinch	Ghana
	<i>Lagonosticta rufopicta</i> Bar-breasted firefinch	Ghana
	<i>Lagonosticta senegalensis</i> — Senegal or red-billed firefinch	Ghana
	<i>Lagonosticta vinacea</i> = 470 Black-faced or masked firefinch	Ghana
	<i>Lonchura bicolor</i> = 471 — Black-and-white, black-breasted or rufous-backed mannikin	Ghana
	<i>Lonchura cantans</i> = 472 — Silverbill, white-throated munia	Ghana
	<i>Lonchura cucullata</i> = 471 — Bronze mannikin	Ghana
	<i>Lonchura fringilloides</i> = 471 — Magpie mannikin	Ghana
	<i>Mandingoa nitidula</i> = 473 — Green-backed twinspot	Ghana
	<i>Nesocharis capistrata</i> — Grey-headed oliveback	Ghana
	<i>Nigrita bicolor</i> — Chestnut-breasted negro finch	Ghana
	<i>Nigrita canicapilla</i> — Grey-crowned negro-finch	Ghana
	<i>Nigrita fusconota</i> — White-breasted negro-finch	Ghana
	<i>Nigrita luteifrons</i> — Pale-fronted negro-finch	Ghana
	<i>Ortygospiza atricollis</i> — African quailfinch	Ghana
	<i>Parmoptila rubifrons</i> = 474 — Jameson's antpecker	Ghana
	<i>Pholidornis rusbiae</i> — Tit-hylia	Ghana

	Species	Country
Ploceidae Weaver-birds	<i>Pyrenestes ostrinus</i> = 475 Black-bellied seedcracker	Ghana
	<i>Pytilia hypogrammica</i> — Yellow-winged or red-faced pytilia	Ghana
	<i>Pytilia phoenicoptera</i> — Crimson-winged pytilia or aurora finch	Ghana
	<i>Spermophaga haematina</i> — Blue-billed weaver or western bluebill	Ghana
	<i>Uraeginthus bengalus</i> = 476 — Cordon-bleu	Ghana
	<i>Amblyospiza albifrons</i> — Grosbeak weaver	Ghana
	<i>Anaplectus rubriceps</i> = 477 — Red-headed weaver	Ghana
	<i>Anomalospiza imberbis</i> — Cuckoo weaver	Ghana
	<i>Bubalornis albirostris</i> — White-billed buffalo weaver	Ghana
	<i>Euplectes afer</i> Yellow-crowned bishop, golden bishop, Napoleon weaver	Ghana
	<i>Euplectes ardens</i> = 478 — Red-collared widow-bird or whydah	Ghana
	<i>Euplectes franciscanus</i> = 479 — Orange bishop	Ghana
	<i>Euplectes hordeaceus</i> Black-winged red bishop	Ghana
	<i>Euplectes macrourus</i> = 480 — Yellow-mantled widow-bird, yellow-backed or yellow-mantled whydah	Ghana
	<i>Malimbus cassini</i> Black-throated malimbe	Ghana
	<i>Malimbus malimbicus</i> — Crested malimbe	Ghana
	<i>Malimbus nitens</i> Blue-billed malimbe	Ghana
	<i>Malimbus rubricollis</i> — Red-necked weaver	Ghana
	<i>Malimbus scutatus</i> Red-vented malimbe	Ghana
	<i>Pachyphantes superciliosus</i> = 481 — Compact weaver	Ghana
	<i>Passer griseus</i> Grey-headed sparrow	Ghana
	<i>Petronia dentata</i> — Bush-sparrow	Ghana
	<i>Plocepasser superciliosus</i> Chestnut-crowned sparrow-weaver	Ghana
	<i>Ploceus albinucha</i> — Maxwell's black weaver	Ghana
	<i>Ploceus aurantius</i> Orange weaver	Ghana
	<i>Ploceus cucullatus</i> = 482 — Rufous-necked, black-headed, spotted-backed or village weaver	Ghana
	<i>Ploceus heuglini</i> Heuglin's masked weaver	Ghana
	<i>Ploceus luteolus</i> = 483 — Little weaver	Ghana
	<i>Ploceus melanocephalus</i> = 484 Black-headed weaver	Ghana
	<i>Ploceus nigerrimus</i> — Vieillot's black weaver	Ghana
	<i>Ploceus nigricollis</i> Black-necked weaver	Ghana
	<i>Ploceus pelzelni</i> — Slender-billed weaver	Ghana
	<i>Ploceus preussi</i> — Yellow-capped weaver	Ghana
	<i>Ploceus tricolor</i> — Yellow-mantled weaver	Ghana
	<i>Ploceus vitellinus</i> = 485 Vitelline masked-weaver	Ghana
	<i>Quelea erythroptera</i> — Red-headed quelea	Ghana
	<i>Sporopipes frontalis</i> — Speckle-fronted weaver	Ghana
	<i>Vidua chalybeata</i> = 486 — Village indigo-bird, steel finch, Senegal combassou	Ghana
	<i>Vidua interjecta</i> Uelle paradise whydah	Ghana
	<i>Vidua larvaticola</i> — Bako indigo-bird	Ghana
	<i>Vidua macroura</i> — Pin-tailed whydah	Ghana
	<i>Vidua orientalis</i> = 487 — Broad-tailed paradise whydah	Ghana
	<i>Vidua raricola</i> Jambandu indigo-bird	Ghana
	<i>Vidua togoensis</i> — Togo paradise whydah	Ghana
	<i>Vidua wilsoni</i> — Pale-winged indigo-bird, Wilson's indigo-bird	Ghana
	<i>Gracula religiosa</i> — Hill myna	Thailand

	Species	Country
	REPTILIA Reptiles	
Testudinata Chelonians (tortoises, terrapins and turtles)		
<i>Trionychidae</i> Soft-shelled turtles	<i>Trionyx triunguis</i> Nile soft-shelled turtle	Ghana
<i>Pelomedusidae</i> Side-neck turtles	<i>Pelomedusa subrufa</i> Helmeted turtle	Ghana
	<i>Pelusios adansonii</i> — Adanson's mud turtle	Ghana
	<i>Pelusios castaneus</i> West African mud turtle	Ghana
	<i>Pelusios gabonensis</i> = 488 — Stripe-backed side-neck turtle	Ghana
	<i>Pelusios niger</i> Black side-neck turtle	Ghana
Serpentes — Snakes		
<i>Colubridae</i> Colubrid snakes (water snakes, grass snakes, tree snakes)	<i>Atretium schistosum</i> — Olive keelback water snake	India
	<i>Cerberus rhynchops</i> Dog-faced water snake	India
	<i>Xenochrophis piscator</i> = 489 Checkered water snake	India
<i>Elapidae</i> Front-fanged snakes	<i>Micrurus diastema</i> Atlantic coral snake	Honduras
	<i>Micrurus nigrocinctus</i> Black-banded coral snake	Honduras
<i>Viperidae</i> Vipers	<i>Agkistrodon bilineatus</i> Cantil	Honduras
	<i>Bothrops asper</i> Yellow-jawed tomygoff or Barba amarilla or Fer-de-lance	Honduras
	<i>Bothrops nasutus</i> Horned hog-nose viper	Honduras
	<i>Bothrops nummifer</i> Jumping viper	Honduras
	<i>Bothrops ophryomegas</i> Corniz	Honduras
	<i>Bothrops schlegelii</i> Horned palm viper or eyelash viper	Honduras
	<i>Crotalus durissus</i> Neotropical rattlesnake	Honduras
	<i>Vipera russellii</i> Russell's viper	India
	FLORA Plants	
<i>Gnetaceae</i>	<i>Gnetum montanum</i> # 1	Nepal
<i>Magnoliaceae</i> Magnolia family	<i>Talauma hodgsonii</i> # 1 Safan	Nepal
<i>Papaveraceae</i> Poppy family	<i>Meconopsis regia</i> # 1	Nepal
<i>Podocarpaceae</i> Podocarpus family	<i>Podocarpus neriifolius</i> # 1 Yellow wood	Nepal
<i>Tetracentraceae</i>	<i>Tetracentron sinense</i> # 1	Nepal

ANNEX C

LIST OF SPECIES

Given special treatment by the Community

N.B.:

An asterisk (*) placed after the name of a species or a higher taxon shows that one or more geographically separate populations, sub-species or species, of that species or taxon, are already included in Appendix I to the Convention.

PART 1

SPECIES REFERRED TO IN ARTICLE 3 (1)

FAUNA

MAMMALIA

EDENTATA

*Myrmecophagidae**Myrmecophaga tridactyla**Tamandua mexicana chapadensis*

PHOLIDOTA

*Manidae**Manis* spp. (*)

RODENTIA

*Sciuridae**Ratufa* spp.

CETACEA spp. (*) (1)

CARNIVORA

*Viverridae**Cynogale bennettii**Euperes goudotii* = 329*Fossa fossana**Prionodon linsang*

PINNIPEDIA

*Phocidae**Mirounga leonina*

SIRENIA

*Dugongidae**Dugong dugon* (*) + 208*Trichechidae**Trichechus senegalensis*

PERISSODACTYLA

*Equidae**Equus hemionus* (*)*Equus zebra hartmannae**Tapiridae**Tapirus terrestris*

(1) With the exception of specimens of the species listed in Appendix II to the convention, and the products and derivatives thereof, taken by the people of Greenland under licence granted by the competent authority of Greenland or Denmark.

Statement on Article 2:

The Council and the Commission state that, in view of the predominantly cultural nature of the making of certain handicraft articles in Greenland from species of *Cetacea* and of the low volume of such activity, it shall not be regarded as predominantly commercial, and that the granting of appropriate export and import licences may therefore be regarded as consistent with the relevant provisions of the Regulation. The management authorities in Denmark will, in consultation with the Commission monitor such exports and imports, which must not significantly exceed the present low level.

AVES

SPHENISCIFORMES

Spheniscidae*Spheniscus demersus*

CICONIIFORMES

Ardeidae*Bubulcus ibis* = 452*Casmerodius albus* = 453*Egretta garzetta***Ciconiidae***Ciconia nigra***Threskiornithidae***Platalea leucorodia***Phoenicopteridae***Phoenicopterus andinus**Phoenicopterus chilensis**Phoenicopterus jamesi**Phoenicopterus ruber ruber*

ANSERIFORMES

Anatidae*Branta ruficollis**Coscoroba coscoroba**Alopochen aegyptiacus**Anas querquedula**Aythya nyroca* = 457

FALCONIFORMES spp. (*) - 107

GALLIFORMES

Phasianidae*Argusianus argus**Gallus sonneratii**Ithaginis cruentus**Polyplectron bicalcaratum**Polyplectron germaini**Polyplectron malacense**Polyplectron schleiermacheri* = 365

GRUIFORMES

Gruidae*Grus canadensis pratensis***Otididae***Otis tarda*

COLUMBIFORMES

Columbidae*Columba livia**Goura* spp.

CUCULIFORMES

Musophagidae*Musophaga porphyreolopha* = 377*Tauraco corythaix**Tauraco fischeri**Tauraco livingstonii**Tauraco persa**Tauraco schalowi**Tauraco schuettii*

STRIGIFORMES spp. (*)

CORACIIFORMES

Bucerotidae*Aceros narcondami**Buceros hydrocorax hydrocorax**Buceros rhinoceros rhinoceros*

PASSERIFORMES

Paradisaeidae spp.

REPTILIA

TESTUDINATA

Testudinidae*Testudo graeca**Testudo hermanni**Testudo marginata*

SAURIA

Chamaeleonidae*Chamaeleo chamaeleon***Teiidae***Cnemidophorus hyperythrus***Helodermatidae***Heloderma* spp.

PISCES

OSTEOGLOSSIFORMES

Osteoglossidae*Arapaima gigas*

INSECTA

LEPIDOPTERA

Papilionidae

Parnassius apollo

FLORA

ORCHIDACEAE ° 507

Cypripedium calceolus
Epipactis atrorubens
Epipactis dunensis
Epipactis helleborine
Epipactis leptochila
Epipactis microphylla
Epipactis muelleri
Epipactis palustris
Epipactis phyllanthus
Epipactis purpurata
Cephalanthera cucullata
Cephalanthera damasonium
Cephalanthera epipactoides
Cephalanthera longifolia
Cephalanthera rubra
Limodorum abortivum
Epipogium aphyllum
Neottia nidus-avis
Listera ovata
Listera cordata
Spiranthes aestivalis
Spiranthes romanzoffiana
Spiranthes spiralis
Goodyera repens
Gennaria diphylla
Herminium monorchis
Neottianthe cucullata
Platanthera bifolia
Chamorchis alpina
Gymnadenia conopsea
Gymnadenia odoratissima
Pseudorchis albida
Pseudorchis frivaldii
Nigritella nigra
Coeloglossum viride
Dactylorhiza cordigera
Dactylorhiza elata
Dactylorhiza fistulosa (syn. *D. majalis*)
Dactylorhiza fuchsii
Dactylorhiza iberica
Dactylorhiza incarnata
Dactylorhiza latifolia (syn. *D. sambucina*)
Dactylorhiza maculata (incl. *D. fuchsii*)
Dactylorhiza romana (syn. *D. sulphurea*)
Dactylorhiza russowii
Dactylorhiza saccifera
Dactylorhiza traunsteineri
Corallo rhiza trifida
Liparis loeselii
Malaxis monophyllos (syn. *Microstylis monophyllos*)
Hammarbya paludosa
Neotinea maculata
Traunsteinera globosa
Orchis anatolica
Orchis boryi

Orchis collina (syn. *O. saccata*)
Orchis coriophora
Orchis italica
Orchis lactea
Orchis laxiflora
Orchis longicornu
Orchis mascula
Orchis militaris
Orchis morio
Orchis pallens
Orchis papilionacea
Orchis patens
Orchis provincialis
Orchis punctulata
Orchis purpurea
Orchis quadripunctata
Orchis sancta
Orchis simia
Orchis spitzelii
Orchis tridentata
Orchis ustulata
Aceras anthropophorum
Himantoglossum hircinum
Barlia robertiana
Anacamptis pyramidalis
Serapias cordigera
Serapias lingua
Serapias neglecta
Serapias parviflora
Serapias vomeracea
Ophrys apifera
Ophrys arachnitiformis
Ophrys argolica
Ophrys bertolonii
Ophrys bombyliflora
Ophrys doerfleri (syn. *O. cretica*)
Ophrys ferrum-equinum
Ophrys fusca
Ophrys holosericea (syn. *O. fuciflora*)
Ophrys insectifera
Ophrys lunulata
Ophrys lutea
Ophrys pallida
Ophrys reinholdii
Ophrys scolopax
Ophrys sphagodes
Ophrys spruneri
Ophrys tenthredinifera
Ophrys umbilicata (syn. *O. carmeli*)
Ophrys vernixia (syn. *O. speculum*)

PRIMULACEAE

Cyclamen balearicum
Cyclamen creticum
Cyclamen graecum (incl. *Cyclamen mindleri*)

PART 2

SPECIES REFERRED TO IN ARTICLE 3 (2)

FAUNA

MAMMALIA

MONOTREMATA

*Tachyglossidae**Zaglossus* spp.

DASYUROMORHIA

*Macropodidae**Dendrolagus bennettianus**Dendrolagus inustus**Dendrolagus lumholtzi**Dendrolagus ursinus*

PRIMATES spp. (*) = 302

CARNIVORA

*Canidae**Canis lupus* (*) - 102*Chrysocyon brachyurus**Ursidae**Ursus maritimus**Felidae**Felis silvestris**Herpailurus yagouarondi* (*)*Leptailurus serval**Lynx canadensis**Lynx lynx**Oncifelis colocolo**Prionailurus bengalensis* (*)*Puma concolor* (*)

PERISSODACTYLA

*Rhinocerotidae**Ceratotherium simum simum* (*) + 209 ° 503

ARTIODACTYLA

*Hippopotamidae**Hexaprotodon liberiensis* = 338*Hippopotamus amphibius**Camelidae**Vicugna vicugna* (*) + 210 ° 504*Cervidae**Pudu mephistophiles**Bovidae**Ovis ammon* (*)

AVES

ANSERIFORMES

*Anatidae**Anas bernieri*

GRUIFORMES

*Rallidae**Gallirallus australis hectori*

COLUMBIFORMES

*Golumbidae**Callicolumba luzonica*

PSITTACIFORMES spp. (*) - 108

GALLIFORMES

*Cracidae**Crax rubra**Ortalis vetula**Penelopina nigra*

PASSERIFORMES

*Cotingidae**Rupicola* spp.*Pittidae**Pitta nympha* = 383

REPTILIA

TESTUDINATA

Testudinidae spp. (*) (except for *Testudo graeca*, *Testudo bermanni* and *Testudo marginata* which are included in part 1 of Annex C)

Pelomedusidae

Erymnochelys madagascariensis = 393

Peltocephalus dumeriliana = 393

Podocnemis spp.

CROCODYLIA spp. (*) = 394

SAURIA

Gekkonidae

Phelsuma spp.

Agamidae

Uromastyx spp.

Iguanidae

Amblyrhynchus cristatus

Conolophus spp.

Varanidae

Varanus spp. (*)

SERPENTES

Boidae

Boa constrictor

Eunectes spp.

Python spp. (*)

Eryx jaculus

Morelia amethistina

Morelia boeleni

Morelia oenpelliensis

Morelia spilota

Colubridae

Cyclagras gigas = 400

AMPHIBIA

ANURA

Bufo spp.

Bufo retiformis

INSECTA

LEPIDOPTERA

Papilionidae

Ornithoptera spp. (*) = 402

Trogonoptera spp. = 402

Troides spp. = 402

ANTHOZOA

ANTIPATHARIA spp.

FLORA

APOCYNACEAE

Pachypodium brevicaule ° 506 #1

PRIMULACEAE

Cyclamen spp. #1 (with the exception of *C. graecum*, *C. creticum* and *C. balearicum* which are included in part 1 of Annex C)