
STATUTORY RULES OF NORTHERN IRELAND

1999 No. 121

ROAD TRAFFIC AND VEHICLES

**Traffic Signs (Temporary Obstructions)
Regulations (Northern Ireland) 1999**

Made - - - - - *15th March 1999*

Coming into operation *26th April 1999*

**TRAFFIC SIGNS (TEMPORARY OBSTRUCTIONS)
REGULATIONS (NORTHERN IRELAND) 1999**

Part I

Preliminary

1. Citation and commencement
2. Interpretation

Part II

Significance of Traffic Signs

3. Keep right sign
4. Flat traffic delineator and traffic cone
5. Road vehicle sign
6. Traffic pyramid, traffic triangle and warning lamp

Part III

Size, Colour and Type of Traffic Signs

7. Keep right sign
8. Flat traffic delineator
9. Road vehicle sign
10. Traffic cone
11. Traffic pyramid
12. Traffic triangle
13. Warning lamp

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Part IV

Placing of Traffic Signs

- 14. Authorisation to place traffic signs
- 15. Conditions of authorisation

Part V

Savings

- 16. Savings
- 17. Nothing in the Motorways Traffic Regulations (Northern Ireland) 1984) shall...

Part VI

Miscellaneous

- 18. Revocation
Signature

SCHEDULE **The Road Vehicle Sign**

1

- 1. A road vehicle sign shall be a flexible sheet on...
- 2. The triangle shall be equilateral. The area marked A in...
- 3. The area marked B in the diagram may be coloured...
- 4. The background shall be coloured yellow which shall be fluorescent...
- 5. The total area of the sheet, including the red triangle,...

SCHEDULE

2

The Traffic Pyramid —

First Diagram

- 1. The areas marked A, B and C in the diagram...
- 2. The pyramid shall not be directly illuminated either internally or...
- 3. The base may be of any colour or it may...

The Traffic Pyramid —

Second Diagram

- 1. The areas marked A and B in the diagram indicate...
- 2. Each outer edge of the triangular face shall be the...
- 3. The pyramid shall not be directly illuminated either internally or...

SCHEDULE

3

The Traffic Triangle —

First Diagram

- 1. The areas marked A, B and C in the diagram...
- 2. The corners shall be radiused.
- 3. All sides shall be the same length.
- 4. The reflectorised areas of the surface may be internally illuminated...

The Traffic Triangle —

Second Diagram

- 1. The areas marked A, B and C in the diagram...

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

2. The corners shall be radiused.
 3. All sides shall be the same length.
 4. The reflectorised areas of the surface may be internally illuminated...
- Explanatory Note