
STATUTORY RULES OF NORTHERN IRELAND

2002 No. 34

HEALTH AND SAFETY

**Carriage of Dangerous Goods (Amendment)
Regulations (Northern Ireland) 2002**

Made - - - - - *8th February 2002*

Coming into operation *1st April 2002*

The Department of Enterprise, Trade and Investment⁽¹⁾, being the Department concerned⁽²⁾, in exercise of the powers conferred on it by Articles 17(1), (2), (4), (5), (6), 40(2) to (4) and 55(2) of, and paragraphs 1(1), (2), (4), 2, 5(2), 6, 11, 13 and 15 of Schedule 3 to, the Health and Safety at Work (Northern Ireland) Order 1978⁽³⁾ and of every other power enabling it in that behalf and for the purpose of giving effect without modifications to proposals submitted to it by the Health and Safety Executive for Northern Ireland⁽⁴⁾ under Article 13(1A) of that Order after the carrying out by the said Executive of consultations in accordance with Article 46(3) of that Order, hereby makes the following Regulations:

Citation and commencement

1. These Regulations may be cited as the Carriage of Dangerous Goods (Amendment) Regulations (Northern Ireland) 2002 and shall come into operation on 1st April 2002.

Amendment to the Pressure Systems and Transportable Gas Containers Regulations (Northern Ireland) 1991

2. The Pressure Systems and Transportable Gas Containers Regulations (Northern Ireland) 1991⁽⁵⁾ shall be amended in accordance with Schedule 1.

(1) Formerly the Department of Economic Development; *see* S.I. 1999/283 (N.I. 1), Article 3(5)

(2) *See* Article 2(2) of S.I. 1978/1039 (N.I. 9)

(3) S.I. 1978/1039 (N.I. 9)

(4) Article 13 was amended by Article 4 of, and Article 46 was amended by Article 6(1) of, and paragraphs 8 and 18 of Schedule 1 to, S.I. 1998/2795 (N.I. 18)

(5) S.R. 1991 No. 471; to which there are amendments not relevant to these Regulations

Amendments to the Carriage of Dangerous Goods (Classification, Packaging and Labelling) and Use of Transportable Pressure Receptacles Regulations (Northern Ireland) 1997

3. The Carriage of Dangerous Goods (Classification, Packaging and Labelling) and Use of Transportable Pressure Receptacles Regulations (Northern Ireland) 1997(6) shall be amended in accordance with Schedule 2.

Amendments to the Carriage of Dangerous Goods by Road Regulations (Northern Ireland) 1997

4. The Carriage of Dangerous Goods by Road Regulations (Northern Ireland) 1997(7) shall be amended in accordance with Schedule 3.

Amendments to the Carriage of Dangerous Goods by Road (Driver Training) Regulations (Northern Ireland) 1997

5. The Carriage of Dangerous Goods by Road (Driver Training) Regulations (Northern Ireland) 1997(8) shall be amended in accordance with Schedule 4.

Amendments to the Health and Safety (Fees) Regulations (Northern Ireland) 1998

6. The Health and Safety (Fees) Regulations (Northern Ireland) 1998(9) shall be amended in accordance with Schedule 5.

Amendments to the Carriage of Dangerous Goods by Rail Regulations (Northern Ireland) 1998

7. The Carriage of Dangerous Goods by Rail Regulations (Northern Ireland) 1998(10) shall be amended in accordance with Schedule 6.

Amendments to the Packaging, Labelling and Carriage of Radioactive Material by Rail Regulations (Northern Ireland) 1998

8. The Packaging, Labelling and Carriage of Radioactive Material by Rail Regulations (Northern Ireland) 1998(11) shall be amended in accordance with Schedule 7.

Sealed with the Official Seal of the Department of Enterprise, Trade and Investment on 8th February 2002.

L.S.

Michael J. Bohill
A senior officer of the
Department of Enterprise, Trade and Investment

(6) S.R. 1997 No. 247; relevant amending Regulations are S.R. 1997 No. 360 and S.R. 1999 No. 150
(7) S.R. 1997 No. 248; relevant amending Regulations are S.R. 1999 No. 150
(8) S.R. 1997 No. 249; relevant amending Regulations are S.R. 1999 No. 150
(9) S.R. 1998 No. 125; relevant amending Regulations are S.R. 1999 No. 150 and S.R. 2000 No. 119
(10) S.R. 1998 No. 131; relevant amending Regulations are S.R. 1999 No. 150
(11) S.R. 1998 No. 132; relevant amending Regulations are S.R. 1999 No. 150

SCHEDULE 1

Regulation 2

Amendment to the Pressure Systems and Transportable Gas Containers Regulations (Northern Ireland) 1991

In Part II of Schedule 2, paragraph 5 shall be omitted.

SCHEDULE 2

Regulation 3

Amendments to the Carriage of Dangerous Goods (Classification, Packaging and Labelling) and Use of Transportable Pressure Receptacles Regulations (Northern Ireland) 1997

1. In regulation 2(1)—
 - (a) for the definition of “goods named individually” there shall be substituted the following definition—

““goods named individually” in relation to the Approved Carriage List means those goods which are articles or substances specifically listed by name;” and
 - (b) in the definition of “tank container” the words “(or 1000 litres in the case of tanks used for the carriage of a gas)” shall be omitted.
2. In regulation 3—
 - (a) for paragraph (1)(g) there shall be substituted the following sub-paragraph—

“(g) the goods are being carried in machinery or equipment which is not named individually in the Approved Carriage List and which contains dangerous goods in its internal or operational equipment;”;
 - (b) after paragraph (1)(j) there shall be inserted the following sub-paragraph—

“(jj) as a result of an emergency, the goods are being carried with the intention of saving human life or protecting the environment, provided that all measures are taken to ensure that such carriage is carried out safely;”;
 - (c) after paragraph (7) there shall be inserted the following paragraph—

“(7A) These Regulations shall not apply to or in relation to the carriage of any of the following dangerous goods—

 - (a) UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S.
UN 2603 CYCLOHEPTATRIENE
UN 3248 MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S.,
of packing group II;
 - (b) UN 1228 MERCAPTANS, LIQUID, FLAMMABLE, TOXIC, N.O.S. or
MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, TOXIC, N.O.S.
UN 1986 ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.
UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S.
UN 1988 ALDEHYDES, FLAMMABLE, TOXIC, N.O.S.
UN 2310 PENTANE-2,4-DIONE
UN 2478 ISOCYANATES, FLAMMABLE, TOXIC, N.O.S. or
ISOCYANATE SOLUTION, FLAMMABLE, TOXIC, N.O.S.

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

UN 2841 DI-n-AMYLAMINE

UN 3248 MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S.,
of packing group III; and

- (c) UN 1544 ALKALOIDS, SOLID, N.O.S. or ALKALOID SALTS, SOLID, N.O.S.

UN 1570 BRUCINE

UN 1654 NICOTINE

UN 1655 NICOTINE COMPOUND, SOLID, N.O.S. or NICOTINE PREPARATION, SOLID, N.O.S.

UN 1656 NICOTINE HYDROCHLORIDE or NICOTINE HYDROCHLORIDE SOLUTION

UN 1657 NICOTINE SALICYLATE

UN 1658 NICOTINE SULPHATE, SOLID, or NICOTINE SULPHATE SOLUTION

UN 1659 NICOTINE TARTRATE

UN 1692 STRYCHNINE or STRYCHNINE SALTS

UN 1851 MEDICINE, LIQUID, TOXIC, N.O.S.

UN 3140 ALKALOIDS, LIQUID, N.O.S. or ALKALOID SALTS, LIQUID, N.O.S.

UN 3144 NICOTINE COMPOUND, LIQUID, N.O.S. or NICOTINE PREPARATION, LIQUID, N.O.S.

UN 3172 TOXINS EXTRACTED FROM LIVING SOURCES, N.O.S.

UN 3249 MEDICINE, SOLID, TOXIC, N.O.S.,

where those goods are pharmaceutical products ready for use, packaged for retail sale, and intended for personal or household use, and in this paragraph, “pharmaceutical products” include medicines, drugs and cosmetics.”.

3. After regulation 4(2) there shall be inserted the following paragraph—

“(3) Where the Executive approves a revision referred to in paragraph (2), during the period between the publication by the Executive of a notice specifying that revision and the date on which that revision takes effect a person may comply with the requirements of these Regulations as if any reference to any of the approved documents were a reference to—

- (a) the approved document prior to that revision; or
- (b) the approved document as revised.”.

4. In regulation 8, for paragraph (2) there shall be substituted the following paragraph—

“(2) The particulars required under paragraph (1)(a) shall be the following particulars ascertained in accordance with regulation 5 namely—

- (a) the designation of the goods;
- (b) the UN number (in all cases preceded by the letters “UN”);
- (c) the danger sign;
- (d) any subsidiary hazard signs; and
- (e) where those goods are being carried in salvage packagings, the word “salvage”,

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

and in this paragraph “salvage packagings” means packagings conforming to the design type for salvage packagings approved under regulation 6(1)(e).”.

5. In paragraph (2) of regulation 18, for the words from “it is satisfied” to the end of the paragraph there shall be substituted the words “it is satisfied that neither the health and safety of persons who are likely to be affected by the exemption nor the environment will be prejudiced in consequence of it.”.

6. In column (2) of Schedule 1—

- (a) in paragraph (b) of the entry corresponding to the classification “Flammable gas”, for the words “is packed in an aerosol dispenser where that dispenser contains either” there shall be substituted the words “is packed in an aerosol, or is a gas packed in a small receptacle, where that aerosol or receptacle contains either”; and
- (b) in paragraph (a) of the entry corresponding to the classification “Flammable liquid”, after the word “temperature” there shall be inserted the words “at or”.

7. In Schedule 3, for the table there shall be substituted the following table—

<i>“Column 1 Goods/Classification</i>	<i>Column 2 Packing group</i>	<i>Column 3 Maximum quantity per receptacle (or maximum receptacle volume, in the case of a gas)</i>
Non-flammable, non-toxic, gas, except one with a fire intensifying subsidiary hazard	—	120ml (or 1 litre in aerosols)
Flammable gas or a non- flammable, non-toxic gas with a fire intensifying subsidiary hazard	—	1 litre in aerosols
Toxic gas	—	120ml in aerosols
Flammable liquid,	II	1 litre
	III	5 litres
except for the following—		
UN 1162 DIMETHYLDICHLOROSILANE		
UN 1196 ETHYLTRICHLOROSILANE		
UN 2198 TRIMETHYLCHLOROSILANE		
UN 2985 CHLOROSILANES, FLAMMABLE, CORROSIVE, N.O.S.		
UN 3064 NITROGLYCERIN, SOLUTION IN ALCOHOL		
Flammable solid,	II	500g
	III	3kg

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

“Column 1 Goods/Classification	Column 2 Packing group	Column 3 Maximum quantity per receptacle (or maximum receptacle volume, in the case of a gas)
except for the following—		
UN 2034 NAPHTHALENE, MOLTEN		
UN 2448 SULPHUR, MOLTEN		
UN 2555 NITROCELLULOSE WITH WATER		
UN 2556 NITROCELLULOSE WITH ALCOHOL		
UN 2557 NITROCELLULOSE MIXTURE WITH or WITHOUT PLASTICIZER, WITH OR WITHOUT PIGMENT		
UN 2907 ISOSORBIDE DINITRATE MIXTURE		
UN 3176 FLAMMABLE SOLID, ORGANIC, MOLTEN, N.O.S.		
UN 3221 SELF-REACTIVE LIQUID TYPE B		
UN 3222 SELF-REACTIVE SOLID TYPE B		
UN 3223 SELF-REACTIVE LIQUID TYPE C		
UN 3224 SELF-REACTIVE SOLID TYPE C		
UN 3225 SELF-REACTIVE LIQUID TYPE D		
UN 3226 SELF-REACTIVE SOLID TYPE D		
UN 3227 SELF-REACTIVE LIQUID TYPE E		
UN 3228 SELF-REACTIVE SOLID TYPE E		

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

“Column 1 Goods/Classification	Column 2 Packing group	Column 3 Maximum quantity per receptacle (or maximum receptacle volume, in the case of a gas)
UN 3229 SELF-REACTIVE LIQUID TYPE F		
UN 3230 SELF-REACTIVE SOLID TYPE F		
UN 3231 SELF-REACTIVE LIQUID TYPE B, TEMPERATURE CONTROLLED		
UN 3232 SELF- REACTIVE SOLID TYPE B, TEMPERATURE CONTROLLED		
UN 3233 SELF-REACTIVE LIQUID TYPE C, TEMPERATURE CONTROLLED		
UN 3234 SELF- REACTIVE SOLID TYPE C, TEMPERATURE CONTROLLED		
UN 3235 SELF-REACTIVE LIQUID TYPE D, TEMPERATURE CONTROLLED		
UN 3236 SELF- REACTIVE SOLID TYPE D, TEMPERATURE CONTROLLED		
UN 3237 SELF-REACTIVE LIQUID TYPE E, TEMPERATURE CONTROLLED		
UN 3238 SELF- REACTIVE SOLID TYPE E, TEMPERATURE CONTROLLED		
UN 3239 SELF- REACTIVE LIQUID TYPE F, TEMPERATURE CONTROLLED		
UN 3240 SELF- REACTIVE SOLID TYPE		

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

“Column 1 Goods/Classification	Column 2 Packing group	Column 3 Maximum quantity per receptacle (or maximum receptacle volume, in the case of a gas)
F, TEMPERATURE CONTROLLED		
UN 3256 ELEVATED TEMPERATURE LIQUID, FLAMMABLE, N.O.S. with flash point above 60·5°C, at or above its flash point		
UN 3270 NITROCELLULOSE MEMBRANE FILTERS		
UN 3319 NITROGLYCERIN MIXTURE, DESENSITIZED, SOLID, N.O.S.		
UN 3344 PENTAERYTHRITE TETRA-NITRATE MIXTURE, DESENSI- TIZED, SOLID, N.O.S.		
Substance (liquid or solid) which in contact with water emits flammable gas, except for the following—	II III	500g 1kg
UN 1418 MAGNESIUM POWDER or MAGNESIUM ALLOYS POWDER		
UN 1436 ZINC POWDER or ZINC DUST		
UN 3135 WATER- REACTIVE SOLID, SELF- HEATING, N.O.S.		
UN 3209 METALLIC SUBSTANCE, WATER- REACTIVE, SELF- HEATING, N.O.S.		
UN 3292 BATTERIES, CONTAINING SODIUM, or CELLS, CONTAINING SODIUM		
Oxidizing substance (liquid or solid),	II	500g

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

“Column 1 Goods/Classification	Column 2 Packing group	Column 3 Maximum quantity per receptacle (or maximum receptacle volume, in the case of a gas)
	III	1kg
except for UN 2426 AMMONIUM NITRATE, LIQUID (hot concentrated solution)		
Organic peroxide (solid, of Type B or C as defined in the appropriate approved method, and not requiring temperature control)	–	100g
Organic peroxide (liquid, of Type B or C as defined in the appropriate approved method, and not requiring temperature control)	–	25ml
Organic peroxide (solid, of Type D, E or F as defined in the appropriate approved method, and not requiring temperature control)	–	500g
Organic peroxide (liquid, of Type D, E or F as defined in the appropriate approved method, and not requiring temperature control)	–	125ml
Toxic substance,	II	500g (solid)
		100ml (liquid)
	III	3kg (solid)
		1 litre (liquid)
except for the following—		
UN 1569 BROMOACETONE		
UN 1600 DINITROTOLUENES, MOLTEN		
UN 1693 TEAR GAS SUBSTANCE, LIQUID OR SOLID, N.O.S.		

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

“Column 1 Goods/Classification	Column 2 Packing group	Column 3 Maximum quantity per receptacle (or maximum receptacle volume, in the case of a gas)
UN 1697 CHLOROACETOPHENONE		
UN 1700 TEAR GAS CANDLES		
UN 1701 XYLYL BROMIDE		
UN 1737 BENZYL BROMIDE		
UN 1738 BENZYL CHLORIDE		
UN 2016 AMMUNITION, TOXIC, NON-EXPLOSIVE		
UN 2017 AMMUNITION, TEAR-PRODUCING, NON- EXPLOSIVE		
UN 2312 PHENOL, MOLTEN		
UN 3124 TOXIC SOLID, SELF-HEATING, N.O.S.		
UN 3250 CHLOROACETIC ACID, MOLTEN		
Corrosive substance,	II	1kg (solid) 500ml (liquid)—if glass, porcelain or stoneware receptacles are used they must be enclosed in compatible and rigid intermediate packagings
	III	2kg (solid) 1 litre (liquid)
except for the following—		
UN 1724 ALLYLTRICHLOROSILANE, STABILIZED		
UN 1728 AMYLTRICHLOROSILANE		
UN 1747 BUTYLTRICHLOROSILANE		

"Column 1 Goods/Classification	Column 2 Packing group	Column 3 Maximum quantity per receptacle (or maximum receptacle volume, in the case of a gas)
UN 1753 CHLOROPHENYLTRICHLORO- SILANE		
UN 1762 CYCLOHEXENYLTRICHLORO- SILANE		
UN 1763 CYCLOHEXYLTRICHLORO- SILANE		
UN 1766 DICHLOROPHENYLTRICHLORO- SILANE		
UN 1767 DIETHYLDICHLOROSILANE		
UN 1769 DIPHENYLDICHLOROSILANE		
UN 1771 DODECYLTRICHLOROSILANE		
UN 1781 HEXADECYLTRICHLOROSILANE		
UN 1784 HEXYLTRICHLOROSILANE		
UN 1799 NONYLTRICHLOROSILANE		
UN 1800 OCTADECYLTRICHLOROSILANE		
UN 1801 OCTYLTRICHLOROSILANE		
UN 1804 PHENYLTRICHLOROSILANE		
UN 1810 PHOSPHORUS OXYCHLORIDE		
UN 1816 PROPYLTRICHLOROSILANE		
UN 1838 TITANIUM TETRACHLORIDE		
UN 2028 BOMBS, SMOKE, NON-EXPLOSIVE		
UN 2401 PIPERIDINE		

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

“Column 1 Goods/Classification	Column 2 Packing group	Column 3 Maximum quantity per receptacle (or maximum receptacle volume, in the case of a gas)
UN 2434 DIBENZYL DICHLOROSILANE		
UN 2435 ETHYLPHENYL DICHLORO- SILANE		
UN 2437 METHYLPHENYL DICHLORO- SILANE		
UN 2442 TRICHLOROACETYL CHLORIDE		
UN 2576 PHOSPHORUS OXYBROMIDE, MOLTEN		
UN 2826 ETHYL CHLOROTHIOFORMATE		
UN 2986 CHLOROSILANES, CORROSIVE, FLAMMABLE, N.O.S.		
UN 2987 CHLOROSILANES, CORROSIVE N.O.S.		
UN 3301 CORROSIVE LIQUID, SELF-HEATING, N.O.S.		
UN 1941 DIBROMODIFLUOROMETHANE	III	5 litres
UN 1990 BENZALDEHYDE	III	5 litres
UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	III	5 kg
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.	III	5 litres”

8. In paragraph 3 of Schedule 9, for the words “Paragraphs 3, 4, 5(1)(a) and 10(1) of Schedule 8” there shall be substituted the words “Paragraphs 3, 4, 5(1)(a), (2)(a) and 10(1) of Schedule 8”.

SCHEDULE 3

Regulation 4

**Amendments to the Carriage of Dangerous Goods
by Road Regulations (Northern Ireland) 1997**

1. For head (vi) of regulation 2(4)(b), there shall be substituted the following head—

“(vi) the nominal capacity of any tank containing compressed gases (other than those dissolved in a solvent) or liquids or both.”.
2. After regulation 5(2), there shall be inserted the following paragraph—

“(3) Where the Executive approves a revision referred to in paragraph (2), during the period between the publication by the Executive of a notice specifying that revision and the date on which that revision takes effect a person may comply with the requirements of these Regulations as if any reference to any of the approved documents were a reference to—

 - (a) the approved document prior to that revision; or
 - (b) the approved document as revised.”.
3. For paragraph (1) of regulation 8, there shall be substituted the following paragraph—

“(1) An operator of a container or vehicle shall not cause or permit to be carried therein any dangerous goods in bulk unless—

 - (a) the word Yes appears in column 8 of the Approved Carriage List in relation to those goods; and
 - (b) suitable measures have been taken to ensure that none of the contents escape.”.
4. In regulation 9(1), for the words “the letter Y” there shall be substituted the words “the word Yes”.
5. In regulation 10—
 - (a) in paragraph (2)(c), before the words “Schedule 7” there shall be inserted the words “Part I of”;
 - (b) for paragraph (4) there shall be substituted the following paragraphs—

“(4) The operator of a large container which is being used for the carriage of dangerous goods shall ensure that—

 - (a) any requirements specified in Part I of Schedule 7 relating to those goods are complied with, as if the large container were a vehicle;
 - (b) the requirements specified in Part II of Schedule 7 are complied with; and
 - (c) before the container is loaded it is checked to ensure that—
 - (i) it is free from any residue of a previous load, and
 - (ii) the interior floor and walls are free from protrusions.

(4A) The operator of a large container which has corner fittings for the purpose of securing or handling it and which is of a size such that the area enclosed by the outer bottom corners is either—

 - (a) if the container is fitted with top corner fittings, at least 7 square metres; or
 - (b) in any other case, at least 14 square metres,

and which is being used for the carriage of dangerous goods, shall ensure that that container complies with the requirements of the International Convention for Safe Containers 1972 signed at Geneva on 2nd December 1972 and ratified by the United Kingdom on 8th March 1978 (published by the International Maritime Organization, 4th edition, 1996).

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

- (4B) The operator of a large container which—
- (a) is 6 or more metres long; or
 - (b) is—
 - (i) 2·991 metres long, and
 - (ii) 2·438, 2·5 or 2·6 metres wide,
- and which is being used for the carriage of dangerous goods, shall ensure that that container complies with the requirements of those International Union of Railways UIC leaflets particularised in paragraph (4C).

- (4C) The leaflets referred to in paragraph (4B) are—
- (a) 590—10th edition, 1st January 1979 (as amended on 1st July 1979, and in 1981, 1985, and 1994 and updated on 1st January 1989);
 - (b) 592-2—5th edition, 1st July 1996;
 - (c) 592-3—1st edition, 1st July 1977 (as amended in 1979 and 1985); and
 - (d) 592-4—1st edition, 1985 (as amended in 1987, 1989, 1990, 1991, 1992 and 1995 and reprinted on 1st July 1995).”;

- (c) after paragraph (5) there shall be inserted the following paragraphs—

“(6) The operator of a tank container which has corner fittings for the purpose of securing or handling it and which is of a size such that the area enclosed by the outer bottom corners is either—

- (a) if the container is fitted with top corner fittings, at least 7 square metres; or
- (b) in any other case, at least 14 square metres,

and which is being used for the carriage of dangerous goods shall ensure that the frame of that container complies with the requirements of the International Convention for Safe Containers 1972 signed at Geneva on 2nd December 1972 and ratified by the United Kingdom on 8th March 1978 (published by the International Maritime Organization, 4th edition, 1996).

(7) In this regulation, “corner fittings” means an arrangement of apertures and faces at either the top or the bottom or both at the top and the bottom of the container for the purposes of handling, stacking and securing or any of those purposes.”.

6. For paragraph (7) of regulation 12, there shall be substituted the following paragraph—

“(7) The driver and the operator of a vehicle which—

- (a) is being used for the carriage of infectious substances, toxic goods or any of the following goods—

UN 2212 BLUE ASBESTOS (crocidolite) or BROWN ASBESTOS (amosite, mysorite)

UN 2315 POLYCHLORINATED BIPHENYLS

UN 2590 WHITE ASBESTOS (chrysotile, actinolite, anthophyllite or tremolite)

UN 3151 POLYHALOGENATED BIPHENYLS, LIQUID or POLYHALOGENATED TERPHENYLS, LIQUID

UN 3152 POLYHALOGENATED BIPHENYLS, SOLID or POLYHALOGENATED TERPHENYLS, SOLID

UN 3245 GENETICALLY MODIFIED MICRO-ORGANISMS; or

- (b) is empty, uncleaned, having been used for the carriage of any such goods,

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

shall ensure that no food and no fodder or feeding stuffs for animals, birds or fish is carried in that vehicle unless that food, fodder or feeding stuff is effectively separated from any such goods by—

- (i) complete partitions as high as the packages containing such goods;
- (ii) packages containing goods other than those mentioned in sub-paragraph (a); or
- (iii) a space of at least 0.8m,

or is otherwise adequately protected, by additional packaging or complete coverage of those goods, from the risk of contamination by those goods.”.

7. In regulation 13—

(a) at the end of paragraph (2)(a)(i), there shall be inserted the words “preceded, where those goods are waste, by the word “waste”,”;

(b) at the end of paragraph (2)(a), there shall be inserted the following heads—

“(vi) where any of the following goods—

UN 1202 DIESEL FUEL or GAS OIL or HEATING OIL, LIGHT

UN 1203 PETROL or MOTOR SPIRIT or GASOLINE

UN 1223 KEROSENE

are being carried in a multi-compartment road tanker, the particular tank compartment in which each of those goods is being carried, and

(vii) where those goods are being carried in salvage packagings, the words “salvage packagings”,”;

(c) in paragraph (2)(b)(i)(aa) and (bb), for the word “packages” there shall be substituted the word “receptacles” in each place where it occurs;

(d) for head (iv) of paragraph (2)(b), there shall be substituted the following head—

“(iv) the names and addresses of all consignees, if known;”;

(e) after paragraph (4) there shall be inserted the following paragraph—

“(5) In this regulation, “salvage packagings” means packagings conforming to the design type for salvage packagings approved under regulation 6(1)(e) of the CDGCPL Regulations and “waste” means goods for which no direct use is envisaged but which are carried for reprocessing, dumping, elimination by incineration or other methods of disposal.”.

8. In regulation 14—

(a) after paragraph (3)(e), there shall be inserted the following sub-paragraph—

“(f) where the goods being carried are in a large container and intended for carriage by sea, a container packing certificate comprising the information set out in paragraph 12.3.7 of the International Maritime Dangerous Goods Code, as revised or re-issued from time to time by the International Maritime Organization (Current Edition: Volumes I and II ISBN 92-801-5090-1 and Supplement ISBN 92-801-5093-6).”;

(b) for heads (i) to (v) of paragraph (4)(a) there shall be substituted the following heads—

“(i) subject to paragraph (4A), the proper shipping name of the goods, their classification code and also their UN number,

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

- (ii) the nature of the danger inherent in the goods and the safety measures to be taken to avert any such danger including the use of personal protective equipment by the driver,
 - (iii) the general actions to be taken including warning other road users and pedestrians of the danger and calling the fire brigade,
 - (iv) the additional actions needed to deal with and prevent escalation of minor leakage or spillage, provided this can be achieved without personal risk, and
 - (v) the necessary equipment for any action required by this paragraph; and”;
- (c) for paragraph (4)(b) there shall be substituted the following paragraph—
- “(b) any further information specified in Schedule 9 or Schedule 9A relating to the dangerous goods being carried.”;
- (d) after paragraph (4) there shall be inserted the following paragraphs—
- “(4A) Notwithstanding paragraph (4)(a)(i), where mixed loads of packaged goods are carried, emergency information may be provided for each group of dangerous goods which present the same dangers in which case neither the proper shipping name of the individual goods nor their UN number need be mentioned in the emergency information.
 - (4B) The emergency information referred to in paragraph (3)(e) and specified in paragraphs (4) and (4A) shall be in the form set out in Schedule 9A.”; and
- (e) after paragraph (5) there shall be inserted the following paragraph—
- “(6) The operator of any vehicle which is to be used for the carriage of dangerous goods shall ensure that the driver of that vehicle understands the emergency information specified in paragraphs (4) to (4B) and Schedule 9A and is capable of properly carrying out any instructions contained therein.”.
9. In regulation 17(6), for the words “the mass or volume of dangerous goods carried in packages” there shall be substituted the words “the total mass or volume of packaged dangerous goods”.
10. In regulation 23—
- (a) for sub-paragraphs (a) and (b) of paragraph (2) there shall be substituted the following sub-paragraphs—
 - “(a) at least one portable fire extinguisher with—
 - (i) a minimum capacity of 2kg of dry powder, or
 - (ii) other suitable extinguishant and an equivalent test fire rating of at least 5A and 34B as defined in British Standard BSEN 3-1:1996,suitable for fighting a fire in the engine or cab of the vehicle, and such that, if it is used to fight a fire involving the load, it does not aggravate the fire and, if possible, controls it; and
 - (b) at least one portable fire extinguisher with—
 - (i) a minimum capacity of 6kg of dry powder, or
 - (ii) other suitable extinguishant and an equivalent test fire rating of at least 21A and 183B as defined in British Standard BSEN 3-1:1996,suitable for fighting a tyre or brake fire or a fire involving the load, and such that, if it is used to fight a fire in the engine or cab of the vehicle, it does not aggravate the fire.”;
 - (b) in regulation 23(3)(c), for the words “or other suitable extinguishant with” there shall be substituted the words “or by a fire extinguisher with other suitable extinguishant and”;

(c) in paragraph (6), for the words “Paragraph (2)(a)” there shall be substituted the words “Paragraph (2)”.

11. In regulation 24(1)—

(a) in sub-paragraph (b), there shall be omitted the words “in an isolated position”; and

(b) in sub-paragraph (b)(i), there shall be omitted the words “in the open”.

12. In paragraph (2) of regulation 25, for the words from “it is satisfied” to the end of the paragraph there shall be substituted the words “it is satisfied that neither the health and safety of persons who are likely to be affected by the exemption nor the environment will be prejudiced in consequence of it.”.

13. After regulation 25, there shall be inserted the following regulation—

“Training for persons engaged in the carriage of dangerous goods

25A.—(1) The operator, consignor and any other person involved in the carriage of dangerous goods by road shall ensure that he and those of his employees whose responsibilities are concerned with such carriage receive training so as to enable them to discharge those responsibilities.

(2) Each employer shall keep a record for a minimum of 5 years of any training provided by him in accordance with paragraph (1) and shall make available a copy of that record to the employee concerned.”.

14. In regulation 27(2)(c), for the word “Organisation” there shall be substituted the word “Organization”.

15. In Schedule 2—

(a) at the end of paragraph 2, there shall be inserted the following sub-paragraph—

“(g) (i) UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S.

UN 2603 CYCLOHEPTATRIENE

UN 3248 MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S.
of packing group II,

(ii) UN 1228 MERCAPTANS, LIQUID, FLAMMABLE, TOXIC, N.O.S. or
MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, TOXIC, N.O.S.

UN 1986 ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.

UN 1988 ALDEHYDES, FLAMMABLE, TOXIC, N.O.S.

UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S.

UN 2310 PENTANE-2,4-DIONE

UN 2478 ISOCYANATES, FLAMMABLE, TOXIC, N.O.S. or
ISOCYANATE SOLUTION, FLAMMABLE, TOXIC, N.O.S.

UN 2841 DI-n-AMYLAMINE

UN 3248 MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S.,
of packing group III, and

(iii) UN 1544 ALKALOIDS, SOLID, N.O.S. or ALKALOID SALTS,
SOLID, N.O.S.

UN 1570 BRUCINE

UN 1654 NICOTINE

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

UN 1655 NICOTINE COMPOUND, SOLID, N.O.S. or
NICOTINE PREPARATION, SOLID, N.O.S.

UN 1656 NICOTINE HYDROCHLORIDE or NICOTINE
HYDROCHLORIDE SOLUTION

UN 1657 NICOTINE SALICYLATE

UN 1658 NICOTINE SULPHATE, SOLID, or NICOTINE
SULPHATE SOLUTION

UN 1659 NICOTINE TARTRATE

UN 1692 STRYCHNINE or STRYCHNINE SALTS

UN 1851 MEDICINE, LIQUID, TOXIC, N.O.S.

UN 3140 ALKALOIDS, LIQUID, N.O.S. or ALKALOID SALTS,
LIQUID, N.O.S.

UN 3144 NICOTINE COMPOUND, LIQUID, N.O.S. or
NICOTINE PREPARATION, LIQUID, N.O.S.

UN 3172 TOXINS EXTRACTED FROM LIVING SOURCES,
N.O.S.

UN 3249 MEDICINE, SOLID, TOXIC, N.O.S.,

where those goods are pharmaceutical products ready for use, packaged for retail sale, and intended for personal or household use, and in this sub-paragraph, “pharmaceutical products” include medicines, drugs and cosmetics.”;

(b) in paragraph 3—

(i) at the end of sub-paragraph (b)(ii), the word “or” shall be omitted; and

(ii) at the end of paragraph 3, there shall be inserted the word “or” followed by the following sub-paragraph—

“(d) machinery or equipment which is not named individually in the Approved Carriage List and which contains dangerous goods in its internal or operational equipment.”; and

(c) after paragraph 3, there shall be inserted the following paragraph—

“3A. These Regulations shall not apply to or in relation to the carriage of dangerous goods as a result of an emergency, where those goods are being carried with the intention of saving human life or protecting the environment, provided that all measures are taken to ensure that such carriage is carried out safely.”.

16. In Schedule 4—

(a) following the title, there shall be inserted the following words—
“Part I

*Restrictions on the Carriage of Certain Heated, Flammable
or Temperature-controlled Goods and on the Carriage
of Certain Dangerous Goods in Small Containers”;*

(b) in paragraph 3(5)—

(i) for head (c) there shall be substituted the following head—

“(c) thermal insulation and single mechanical refrigeration, provided that for self-reactive substances with a flash point lower than the sum of the

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

- emergency temperature plus 5°C explosion-proof electrical fittings, Ex IIB T3, are used within the coolant compartment to prevent ignition of flammable vapours from the self-reactive substances;”, and
- (ii) for sub-head (iii) of head (e) there shall be substituted the following sub-head—
- “(iii) for self-reactive substances with a flash point lower than the sum of the emergency temperature plus 5°C explosion-proof electrical fittings, Ex IIB T3, are used within the coolant compartment to prevent ignition of flammable vapours from the self-reactive substances;”;
- (c) after paragraph 7, there shall be inserted the following paragraph—
- “7A. Packages containing any of the following goods shall not be carried in a small container—
- UN 1510 TETRANITROMETHANE
UN 2015 HYDROGEN PEROXIDE, STABILIZED or HYDROGEN PEROXIDE, AQUEOUS SOLUTION, STABILIZED.”;
- (d) in paragraph 8(5)—
- (i) for head (c) there shall be substituted the following head—
- “(c) thermal insulation and single mechanical refrigeration, provided that for self-reactive substances with a flash point lower than the sum of the emergency temperature plus 5°C explosion-proof electrical fittings, Ex IIB T3, are used within the coolant compartment to prevent ignition of flammable vapours from the organic peroxides;”, and
- (ii) for sub-head (iii) of head (e), there shall be substituted the following sub-head—
- “(iii) for self-reactive substances with a flash point lower than the sum of the emergency temperature plus 5°C explosion-proof electrical fittings, Ex IIB T3, are used within the coolant compartment to prevent ignition of flammable vapours from the organic peroxides.”;
- (e) after paragraph 10 there shall be inserted the following paragraphs—
- “11. Packages containing any of the following goods shall not be carried in a small container—
- UN 3101 ORGANIC PEROXIDE TYPE B, LIQUID
UN 3102 ORGANIC PEROXIDE TYPE B, SOLID.

Refrigerated liquefied gases

12. Refrigerated liquefied gases shall not be carried in a small container.”; and
- (f) after paragraph 12 there shall be inserted the following Part—

“Part II

Carriage of Certain goods in Intermediate Bulk Containers

Oxidizing substances

13. Composite intermediate bulk containers containing any of the following goods, where those goods are in solid form, shall be carried in a closed vehicle or a closed container—

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

UN 1479 OXIDIZING SOLID, N.O.S. of packing group I
UN 1491 POTASSIUM PEROXIDE
UN 1504 SODIUM PEROXIDE
UN 2466 POTASSIUM SUPEROXIDE
UN 2547 SODIUM SUPEROXIDE.

Toxic substances

14. Composite or wooden intermediate bulk containers containing any of the following goods, where those goods are in solid form and of packing group I, shall be carried in a closed vehicle or a closed container—

UN 1544 ALKALOIDS, SOLID, N.O.S., or ALKALOID SALTS, SOLID, N.O.S.
UN 1557 ARSENIC COMPOUND, SOLID, N.O.S.
UN 1570 BRUCINE
UN 1601 DISINFECTANT, SOLID, TOXIC, N.O.S.
UN 1655 NICOTINE COMPOUND, SOLID, N.O.S. or NICOTINE PREPARATION, SOLID, N.O.S.
UN 1692 STRYCHNINE or STRYCHNINE SALTS
UN 1693 TEAR GAS SUBSTANCE, SOLID, N.O.S.
UN 1699 DIPHENYLCHLOROARSINE
UN 2025 MERCURY COMPOUND, SOLID, N.O.S.
UN 2026 PHENYLMERCURIC COMPOUND, N.O.S.
UN 2570 CADMIUM COMPOUND
UN 2630 SELENATES or SELENITES
UN 2811 TOXIC SOLID, ORGANIC, N.O.S.
UN 3143 DYE, SOLID, TOXIC, N.O.S.
UN 3146 ORGANOTIN COMPOUND, SOLID, N.O.S.
UN 3172 TOXINS EXTRACTED FROM LIVING SOURCES, N.O.S.
UN 3276 NITRILES, TOXIC, N.O.S.
UN 3278 ORGANOPHOSPHORUS COMPOUND, TOXIC, N.O.S.
UN 3280 ORGANIC ARSENIC COMPOUND, N.O.S.
UN 3281 METAL CARBONYLS, N.O.S.
UN 3282 ORGANOMETALLIC COMPOUND, TOXIC, N.O.S.
UN 3283 SELENIUM COMPOUND, N.O.S.
UN 3288 TOXIC SOLID, INORGANIC, N.O.S.
Halogenated substances, with a flashpoint above 61°C, with the exception of UN 1694 BROMOBENZYL CYANIDES
Inorganic cyanides
Pesticides, solid, toxic.

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

15. Composite intermediate bulk containers containing the goods UN 2930 TOXIC SOLID, FLAMMABLE, ORGANIC, N.O.S. of packing group I shall be carried in a closed vehicle or a closed container.

Corrosive substances

16. Composite or wooden intermediate bulk containers containing any of the following goods, where those goods are in solid form and of packing group I, shall be carried in a closed vehicle or a closed container—

UN 1759 CORROSIVE SOLID, N.O.S.

UN 1905 SELENIC ACID

UN 2430 ALKYLPHENOLS, SOLID, N.O.S.

UN 2923 CORROSIVE SOLID, TOXIC, N.O.S.

UN 3259 AMINES, SOLID, CORROSIVE, N.O.S. or POLYAMINES, SOLID, CORROSIVE, N.O.S.

UN 3260 CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

UN 3261 CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.

UN 3262 CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.

UN 3263 CORROSIVE SOLID, BASIC, ORGANIC, N.O.S..

17. Composite intermediate bulk containers containing the goods UN 2921 CORROSIVE SOLIDS, FLAMMABLE, N.O.S. of packing group I shall be carried in a closed vehicle or a closed container.”.

17. In Schedule 5—

- (a) paragraph 3(2) shall be omitted;
- (b) in paragraph 10(1)—
 - (i) after the word “goods” there shall be inserted the words “in their solid form”, and
 - (ii) the words “Solid wastes containing either of these goods.” shall be omitted;
- (c) in paragraph 12, the words “or solid wastes containing those toxic substances specified in paragraphs 10 and 11” shall be omitted;
- (d) paragraphs 13 and 15 shall be omitted;
- (e) for paragraph 17 there shall be substituted the following paragraph—

“17. Only those corrosive goods which are listed in paragraphs 14, 16 and 17A may be carried in bulk in a vehicle.”;
- (f) after paragraph 17, there shall be inserted the following paragraph—

“17A. A vehicle carrying the following goods in bulk—
UN 2794 BATTERIES, WET, FILLED WITH ACID
UN 2795 BATTERIES, WET, FILLED WITH ALKALI
UN 2800 BATTERIES, WET, NON-SPILLABLE
UN 3028 BATTERIES, DRY, CONTAINING POTASSIUM HYDROXIDE
SOLID

where those goods have been used, shall—

- (a) have a load compartment or load compartments made of steel—

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

- (i) exhibiting a rate of progressive reduction of 0.1mm or less per year under the effects of the corrosive substances contained in those goods, or
- (ii) exhibiting a rate of progressive reduction of more than 0.1mm per year under the effects of the corrosive substances contained in those goods, provided that the load compartments have walls of a thickness sufficient to resist, or a plastic lining or layer resistant to, those substances;
- (b) be designed to take account of any residual currents and impact from those goods;
- (c) be constructed so as to prevent leakage of corrosive substances from its load compartments during carriage;
- (d) have any open load compartments covered by a cover resistant to the corrosive substances contained in those goods;
- (e) not have damaged load compartments;
- (f) not be loaded above the top of the walls of its load compartments; and
- (g) have outer surfaces free of the corrosive substances contained in the goods listed in this paragraph,

and in this paragraph “load compartments” means those parts of the vehicle in which goods are, or are to be, carried.”; and

- (h) after paragraph 18, there shall be inserted the following paragraph—

“Elevated temperature substances carried in bulk

19.—(1) UN 3257 ELEVATED TEMPERATURE LIQUID N.O.S. shall be carried in a vehicle which conforms to a design approved for the time being in writing by the Executive for the carriage of such goods.

(2) UN 3258 ELEVATED TEMPERATURE SOLID N.O.S. shall be carried in a vehicle which conforms to a design approved for the time being in writing by the Executive for the carriage of such goods.”.

- 18. In Schedule 6—

- (a) paragraph 3(2) shall be omitted;
- (b) in paragraph 11—
 - (i) the words “UN 1884 BARIUM OXIDE” and “UN 1564 BARIUM COMPOUNDS, TOXIC, N.O.S. of packing group III” shall be omitted, and
 - (ii) for the word “Waste” there shall be substituted the word “Solid”;
- (c) paragraph 13 shall be omitted;
- (d) in paragraph 14(1) at the end of the list of goods there shall be inserted the following entry—

“Solid corrosive substances of packing group III.”;
- (e) paragraph 15 shall be omitted; and
- (f) for paragraph 17 there shall be substituted the following paragraphs—

“17. A container carrying the following goods—
UN 2794 BATTERIES, WET, FILLED WITH ACID
UN 2795 BATTERIES, WET, FILLED WITH ALKALI

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

UN 2800 BATTERIES, WET, NON-SPILLABLE

UN 3028 BATTERIES, DRY, CONTAINING POTASSIUM HYDROXIDE SOLID,

where those goods have been used, shall—

- (a) have load compartments made of—
 - (i) steel exhibiting a rate of progressive reduction of 0.1 mm or less per year under the effects of the corrosive substances contained in those goods,
 - (ii) steel exhibiting a rate of progressive reduction of more than 0.1 mm per year under the effects of the corrosive substances contained in those goods, provided that the load compartments have walls of a thickness sufficient to resist, or a plastic lining or layer resistant to, those substances, or
 - (iii) where that container is a small container, plastic capable when fully loaded of withstanding a drop onto its bottom surface from a height of 0.8 m onto a hard surface without breakage, when both the small container and its contents are at -18°C ;
- (b) be designed to take account of any residual currents and impact from those goods;
- (c) be constructed so as to prevent leakage of corrosive substances from its load compartments during carriage;
- (d) have any open load compartments covered by a cover resistant to the corrosive substances contained in those goods;
- (e) not have damaged load compartments;
- (f) not be loaded above the top of the walls of its load compartments; and
- (g) have outer surfaces free of the corrosive substances contained in those goods,

and in this paragraph “load compartments” means those parts of the container in which goods are, or are to be, carried.

Miscellaneous dangerous goods

18. A container carrying any of the following goods—

UN 2211 POLYMERIC BEADS, EXPANDABLE

UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

- (a) may be open, provided it is sheeted and has adequate ventilation; or
- (b) if small, may be closed with complete walls.”.

19. In Schedule 7—

- (a) before the title, there shall be inserted the words “PART I”;
- (b) in paragraph 1, for the words “flammable gases or toxic gases” there shall be substituted the words “liquefied gases, refrigerated liquefied gases and UN 1001 ACETYLENE, dissolved”;
- (c) paragraph 8 shall be omitted; and
- (d) at the end, there shall be inserted the following Part—

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

“Part II

Suitability of Large Containers

13. Large containers used for the carriage of dangerous goods shall be structurally serviceable and free from unacceptable deterioration in any component.

14. In this Part—

“major defects” means—

- (a) dents or bends, greater than 19mm in depth but regardless of length, in structural members;
- (b) cracks or breaks in structural members;
- (c) more than one splice or an improper splice, such as a lapped splice, in top or bottom end rails or door headers;
- (d) more than two splices in any one top or bottom side rail;
- (e) any splice in a door sill or corner post;
- (f) door hinges and hardware that are seized, twisted, broken, missing or otherwise inoperative;
- (g) non-closing gaskets and seals;
- (h) any distortion of the overall configuration sufficient to prevent proper alignment of handling equipment, mounting and securing on a chassis or vehicle;

“structural components” include top and bottom side rails, top and bottom end rails, door sill and header, floor cross members, corner posts and corner fittings;

“structurally serviceable” means free from major defects in its structural components; and

“unacceptable deterioration in any component” includes rusted metal in sidewalls or disintegrated fibreglass, regardless of the material or construction, but does not include normal wear (including oxidization (rust), slight dents, scratches, and other damage that does not affect serviceability or weather-tightness).”.

20. After Schedule 9, there shall be inserted the following Schedule—

“SCHEDULE 9A

Regulation 14(4B)

Form of Emergency Information

Load

1. Include—
 - (a) the proper shipping name of the goods;
 - (b) the classification code of the goods; and
 - (c) the UN number of the goods.
2. Include a description of the goods limited to—

- (a) the physical state including colour; and
- (b) any odour, to assist in the identification of leakage and spillage.

Nature of the danger

- 3. Include a short description of the expected dangers—
 - (a) the main danger;
 - (b) any additional dangers including possible delayed effects and dangers to the environment;
 - (c) the behaviour of the goods when exposed to fire or heat including decomposition, explosion and the development of toxic fumes; and
 - (d) where applicable, that the goods react dangerously with water.

Personal protection

- 4. Include details of any personal protective equipment provided for the driver.

General actions to be taken by the driver

- 5. Include the following instructions—
 - (a) stop the engine of the vehicle;
 - (b) subject to paragraph 8, extinguish any open flames;
 - (c) no smoking;
 - (d) warn other road users and pedestrians—
 - (i) of the danger, and
 - (ii) to keep upwind; and
 - (e) notify the police and fire brigade as soon as possible.

Additional actions to be taken by the driver

- 6. Include the instructions, and list the equipment, necessary for the driver to perform any additional actions required for the goods being carried.
- 7. Provide the instructions necessary for the driver to be able to deal with and prevent the escalation of any minor spillage or leakage, so far as this can be achieved without personal risk.

Fire

- 8. Provide the instructions required by the driver in case of fire, including how to deal with minor vehicle fires and a direction not to attempt to deal with any fire involving the load.

First Aid

- 9. Include first aid instructions for the driver in the event of contact with the goods.

Additional information

- 10. Include, where applicable, any additional information which would be of assistance in an emergency.”.
- 21. In Schedule 10—

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

- (a) in paragraph 17 of Part I, for the words “at least one side” there shall be substituted the words “each side and at the rear and front”;
- (b) after paragraph 24 of Part I, there shall be inserted the following paragraph—

“Elevated temperature substances

25. A container, tank or vehicle carrying any of the following dangerous goods—

UN 3257 ELEVATED TEMPERATURE LIQUID, N.O.S.

UN 3258 ELEVATED TEMPERATURE SOLID, N.O.S.

shall display on each side and at the rear a sign conforming in form and colour to figure 6, with sides of at least 250 mm.”; and

- (c) at the end, there shall be inserted the following figure—

“Figure 6

Elevated temperature substances



The background colour of the sign shall be white, and the colour of the border and the thermometer symbol shall be red.”.

- 22. In Schedule 11—

- (a) in paragraph 1(4)(e), the words “non-combustible, deeply” shall be omitted; and
- (b) in paragraph 18, for the words from “Where” to “Schedule,” there shall be substituted the following words—

“Where the following dangerous goods—

UN 2212 BLUE ASBESTOS (crocidolite) or BROWN ASBESTOS (amosite, mysorite)

UN 2315 POLYCHLORINATED BIPHENYLS

UN 2590 WHITE ASBESTOS (chrysotile, actinolite, anthophyllite, tremolite)

UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

UN 3151 POLYHALOGENATED BIPHENYLS, LIQUID or POLYHALOGENATED TERPHENYLS, LIQUID

UN 3152 POLYHALOGENATED BIPHENYLS, SOLID or POLYHALOGENATED TERPHENYLS, SOLID,”.

SCHEDULE 4

Regulation 5

**Amendments to the Carriage of Dangerous Goods by Road
(Driver Training) Regulations (Northern Ireland) 1997**

1. In regulation 1(2), at the end of the definition of “transport category” there shall be inserted the words “and shall be construed in accordance with regulation 2(5) of those Regulations”.

2. In regulation 2—

(a) in paragraph (1)(a)(ii)—

(i) in sub-head (*ee*) for the words “none of the goods are in transport category 0” there shall be substituted the words “the goods are in transport category 1”;

(ii) in sub-head (*ff*) for the words “none of the goods are in transport category 0 or 1” there shall be substituted the words “the goods are in transport category 2”, and

(iii) in sub-head (*gg*) for the words “none of the goods are in transport category 0, 1 or 2” there shall be substituted the words “the goods are in transport category 3”; and

(b) after paragraph (5), there shall be inserted the following paragraph—

“(6) These Regulations shall not apply to or in relation to the carriage of any of the following dangerous goods—

(a) UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S.

UN 2603 CYCLOHEPTATRIENE

UN 3248 MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S., of packing group II;

(b) UN 1228 MERCAPTANS, LIQUID, FLAMMABLE, TOXIC, N.O.S. or MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, TOXIC, N.O.S.

UN 1986 ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.

UN 1988 ALDEHYDES, FLAMMABLE, TOXIC, N.O.S.

UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S.

UN 2310 PENTANE-2,4-DIONE

UN 2478 ISOCYANATES, FLAMMABLE, TOXIC, N.O.S. or ISOCYANATE SOLUTION, FLAMMABLE, TOXIC, N.O.S.

UN 2841 DI-n-AMYLAMINE

UN 3248 MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S., of packing group III; and

(c) UN 1544 ALKALOIDS, SOLID, N.O.S. or ALKALOID SALTS, SOLID, N.O.S.

UN 1570 BRUCINE

UN 1654 NICOTINE

UN 1655 NICOTINE COMPOUND, SOLID, N.O.S. or NICOTINE PREPARATION, SOLID, N.O.S.

UN 1656 NICOTINE HYDROCHLORIDE or NICOTINE HYDROCHLORIDE SOLUTION

UN 1657 NICOTINE SALICYLATE

UN 1658 NICOTINE SULPHATE, SOLID, or NICOTINE SULPHATE SOLUTION

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

UN 1659 NICOTINE TARTRATE
UN 1692 STRYCHNINE or STRYCHNINE SALTS
UN 1851 MEDICINE, LIQUID, TOXIC, N.O.S.
UN 3140 ALKALOIDS, LIQUID, N.O.S. or ALKALOID SALTS,
LIQUID, N.O.S.
UN 3144 NICOTINE COMPOUND, LIQUID, N.O.S. or NICOTINE
PREPARATION, LIQUID, N.O.S.
UN 3172 TOXINS EXTRACTED FROM LIVING SOURCES, N.O.S.
UN 3249 MEDICINE, SOLID, TOXIC, N.O.S.,

where those goods are pharmaceutical products ready for use, packaged for retail sale, and intended for personal or household use, and in this paragraph, “pharmaceutical products” include medicines, drugs and cosmetics.”.

3. In regulation 4—

- (a) at the end of paragraph (2), there shall be inserted the following sub-paragraph—
 - “(c) in regulation 2(1)(b), the vocational training certificate shall be appropriate to the carriage of radioactive material.”;
 - (b) at the end of paragraph (5) (but before the full stop), there shall be inserted the words “, except that in the case of the subject specified in paragraph 3(c) of Schedule 3, the training need not be accompanied by practical exercises”;
 - (c) in paragraph (6)—
 - (i) for the words “for periods of up to 5 years by the Secretary of State” there shall be substituted the words “by the Secretary of State for periods of up to 5 years from the date of expiry of the original certificate or of any extension of it granted in accordance with this paragraph,” and
 - (ii) for sub-paragraph (b), there shall be substituted the following sub-paragraph—
 - “(b) passed an examination (the syllabus of which shall cover the course referred to in sub-paragraph (a)) which has been approved by the Secretary of State; and”;
 - (d) after paragraph (6), there shall be inserted the following paragraph—
 - “(6A) The course referred to in paragraph (6)(a) shall be given in the form of a theoretical course accompanied by practical exercises and shall cover new technical, legal and substance-related developments in at least the subjects specified in—
 - (a) paragraph 1 of Schedule 3;
 - (b) in the case of a vocational training certificate referred to in paragraph (2)(a), paragraph 3 of Schedule 3;
 - (c) in the case of a vocational training certificate referred to in paragraph (2)(b), paragraph 2 of Schedule 3; and
 - (d) in the case of a vocational training certificate referred to in paragraph (2)(c), paragraph 4 of Schedule 3,
- except that in the case of the subject specified in paragraph 3(c) of Schedule 3, the training need not be accompanied by practical exercises.”.

4. In paragraph (2) of regulation 9, for the words from “it is satisfied” to the end of the paragraph there shall be substituted the words “it is satisfied that neither the health and safety of persons who are likely to be affected by the exemption nor the environment will be prejudiced in consequence of it.”.

5. In Schedule 1—
 - (a) after paragraph (c), there shall be inserted the following paragraph—

“(cc) the goods concerned are being carried in machinery or equipment which is not named individually in the Approved Carriage List and which contains dangerous goods in its internal or operational equipment;”; and
 - (b) after paragraph (j) there shall be inserted the following paragraph—

“(k) as a result of an emergency the vehicle concerned is being driven with the intention of saving human life or protecting the environment, provided that all measures are taken to ensure that such carriage is carried out safely.”.
6. In Schedule 3—
 - (a) in paragraph 1—
 - (i) after the word “training” there shall be inserted the words “or refresher course”, and
 - (ii) after the words “regulation 4(3)(a)” there shall be inserted the words “or (6)(a)”;
 - (b) in paragraph 2, after the word “training” there shall be inserted the words “or refresher course”; and
 - (c) for paragraph 3, there shall be substituted the following paragraphs—

“3. For drivers of road tankers or vehicles carrying dangerous goods in tank containers, the training or refresher course required to be approved must also cover—

 - (a) the behaviour of such vehicles on roads, including the movement of the loads they are carrying;
 - (b) specific requirements of the vehicles;
 - (c) general theoretical knowledge of the various loading and discharge systems; and
 - (d) specific additional provisions applicable to the use of the vehicles (including certificates of approval, approval marking, marking and labelling).

4. For drivers of vehicles carrying radioactive material, the training or refresher course required to be approved must also cover—

 - (a) specific hazards relating to ionizing radiation;
 - (b) specific requirements concerning packing, handling, mixed loading and stowage of radioactive material; and
 - (c) specific measures to be taken in the event of an accident involving radioactive material.”.
 7. Schedule 4 shall be omitted.

SCHEDULE 5

Regulation 6

Amendments to the Health and Safety (Fees) Regulations (Northern Ireland) 1998

1. After regulation 11A there shall be inserted the following regulation—

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

“Fees for applications for approvals under the Carriage of Dangerous Goods by Road (Driver Training) Regulations (Northern Ireland) 1997

11B.—(1) A fee shall be payable by the applicant to the Secretary of State on each application for an original approval or a renewal of any approval of—

- (a) training under regulation 4(3)(a); or
- (b) a refresher course under regulation 4(6)(a),

of the Carriage of Dangerous Goods by Road (Driver Training) Regulations (Northern Ireland) 1997.

(2) The fee payable under paragraph (1) on application for such approval as is mentioned in column 1 of Schedule 8B shall be respectively that specified in the corresponding entry in column 2 or 3 of that Schedule.”.

2. After Schedule 8A, there shall be inserted the following Schedule—

“SCHEDULE 8B

Regulation 11B

Fees for Applications for Approval of Training or Refresher Courses under the Carriage of Dangerous Goods by Road (Driver Training) Regulations (Northern Ireland) 1997

Column 1 <i>Subject matter of approval</i>	Column 2 <i>Fee for an original approval</i>	Column 3 <i>Fee for renewal of approval</i>
(a) Approval of training	£1,000	£600
(b) Approval of a refresher course	£1,000	£600”

SCHEDULE 6

Regulation 7

Amendments to the Carriage of Dangerous Goods by Rail Regulations (Northern Ireland) 1998

1. In regulation 1(2)—

- (a) after the definition of “Carriage Information”, there shall be inserted the following definition—

“the CDG Road Regulations” means the Carriage of Dangerous Goods by Road Regulations (Northern Ireland) 1997;???

- (b) in the definition of “emergency action code”, after the words “displayed on” there shall be inserted the words “containers, wagons;”; and
- (c) the definitions of “fragile package” and “multi-load” shall be omitted.

2. In regulation 2—

- (a) at the end of paragraph (1), there shall be inserted the following sub-paragraphs—

“(k) the goods are being carried by private individuals, packaged for retail sale, and intended for the personal or domestic use of those individuals or for leisure or sporting activities;

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

- (l) the goods are being carried in machinery or equipment which is not named individually in the Approved Carriage List and which contains dangerous goods in its internal or operational equipment;
- (m) the goods are being carried by, or under the supervision of, the emergency services;
- (n) the goods are being carried as a result of an emergency, with the intention of saving human life or protecting the environment, provided that all measures are taken to ensure that such carriage is carried out safely;
- (o) the goods are—
 - (i) UN 1228 MERCAPTANS, LIQUID, FLAMMABLE, TOXIC, N.O.S. or MERCAPTAN MIXTURE, LIQUID, FLAMMABLE, TOXIC, N.O.S.
UN 1986 ALCOHOLS, FLAMMABLE, TOXIC, N.O.S.
UN 1988 ALDEHYDES, FLAMMABLE, TOXIC, N.O.S.
UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S.
UN 2310 PENTANE-2,4-DIONE
UN 2478 ISOCYANATES, FLAMMABLE, TOXIC, N.O.S. or ISOCYANATE SOLUTION, FLAMMABLE, TOXIC, N.O.S.
UN 2841 DI-n-AMYLAMINE
UN 3248 MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S.,
of packing group III,
 - (ii) UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S.
UN 2603 CYCLOHEPTATRIENE
UN 3248 MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S.,
of packing group II, or
 - (iii) UN 1544 ALKALOIDS, SOLID, N.O.S. or ALKALOID SALTS, SOLID, N.O.S.
UN 1570 BRUCINE
UN 1654 NICOTINE
UN 1655 NICOTINE COMPOUND, SOLID, N.O.S. or NICOTINE PREPARATION, SOLID, N.O.S.
UN 1656 NICOTINE HYDROCHLORIDE or NICOTINE HYDROCHLORIDE SOLUTION
UN 1657 NICOTINE SALICYLATE
UN 1658 NICOTINE SULPHATE, SOLID, or NICOTINE SULPHATE SOLUTION
UN 1659 NICOTINE TARTRATE
UN 1692 STRYCHNINE or STRYCHNINE SALTS
UN 1851 MEDICINE, LIQUID, TOXIC, N.O.S.
UN 3140 ALKALOIDS, LIQUID, N.O.S. or ALKALOID SALTS, LIQUID, N.O.S.
UN 3144 NICOTINE COMPOUND, LIQUID, N.O.S. or NICOTINE PREPARATION, LIQUID, N.O.S.

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

UN 3172 TOXINS EXTRACTED FROM LIVING SOURCES,
N.O.S.

UN 3249 MEDICINE, SOLID, TOXIC, N.O.S.,

and are pharmaceutical products ready for use, packaged for retail sale, and intended for personal or household use, and in this sub-paragraph, “pharmaceutical products” include medicines, drugs and cosmetics;

(p) the carriage fulfils the conditions referred to in paragraph (1A).”;

(b) after paragraph (1), there shall be inserted the following paragraph—

“(1A) The conditions referred to in paragraph (1)(p) are—

(a) the carriage is by any person whose main activity is not the carriage of dangerous goods;

(b) the carriage is for—

(i) survey, repair or maintenance activities, or

(ii) deliveries to building or civil engineering sites; and

(c) the carriage is of goods which are dangerous goods (other than radioactive material)—

(i) in packages where the total mass or volume of packaged dangerous goods does not exceed the number specified in column 3 of Table 2 in Schedule 1 to the CDG Road Regulations opposite the entry in column 1 of that Table for the appropriate transport category of those goods,

(ii) in a receptacle in any package where the mass or volume of dangerous goods in that receptacle does not exceed the number specified in column 2 of Table 2 in Schedule 1 to the CDG Road Regulations opposite the entry in column 1 of that Table for the appropriate transport category of those goods, or

(iii) in a receptacle which is a package, where the mass or volume of that package does not exceed the number specified in column 2 of Table 2 in Schedule 1 to the CDG Road Regulations opposite the entry in column 1 of that Table for the appropriate transport category of those goods,

and in this paragraph “mass or volume” has the meaning assigned to it in regulation 2(3) of the CDG Road Regulations, “total mass or volume of packaged dangerous goods” has the meaning assigned to it in regulation 2(4) (a) of the CDG Road Regulations, and “transport category” has the meaning assigned to it in regulation 2(1), as applied in accordance with regulation 2(5), of the CDG Road Regulations.”; and

(c) after paragraph (5), there shall be inserted the following paragraph—

“(5A) Regulations 11 to 13 shall not apply to or in relation to the carriage of dangerous goods in any package where that package contains goods which appear in or have a classification which is specified in column 1 of Schedule 3 to the CDGCPL Regulations—

(a) insofar as they are within the packing group, if any, specified in the corresponding entry in column 2 of that Schedule; and

(b) are contained in individual receptacles containing quantities not exceeding those specified in the corresponding entry in column 3 of that Schedule (or, in the case of a gas, contained in individual receptacles not exceeding the volumes specified in that column),

provided that the total gross mass of any package containing any receptacles as are referred to above shall not exceed 30 kilograms.”.

3. After regulation 3(2), there shall be inserted the following paragraph—
 - “(3) Where the Executive approves a revision referred to in paragraph (2), during the period between the publication by the Executive of a notice specifying that revision and the date on which that revision takes effect a person may comply with the requirements of these Regulations as if any reference to either of the approved documents were a reference to—
 - (a) the approved document prior to that revision; or
 - (b) the approved document as revised.”.
4. In regulation 5(a), for the words “the letter Y” there shall be substituted the words “the word Yes”.
5. In regulation 7(1), for the words “the letter Y” there shall be substituted the words “the word Yes”.
6. After 7(3) there shall be inserted the following paragraph—
 - “(4) A person shall not carry the following goods—
UN 2304 NAPHTHALENE, MOLTEN
UN 2426 AMMONIUM NITRATE, LIQUID
UN 2447 PHOSPHORUS, WHITE, MOLTEN
UN 2448 SULPHUR, MOLTEN
UN 2576 PHOSPHORUS OXYBROMIDE, MOLTEN
UN 3176 FLAMMABLE SOLID, ORGANIC, MOLTEN, N.O.S.,
otherwise than in tanks.”.
7. After regulation 8(4) there shall be inserted the following paragraphs—
 - “(5) An operator of any large container shall not cause or permit to be carried therein any dangerous goods unless before that container is loaded it is checked to ensure that—
 - (a) it is free from any residue of a previous load; and
 - (b) the interior floor and walls are free from protrusions.
 - (6) An operator of any large container which has corner fittings for the purpose of securing or handling it and which is of a size such that the area enclosed by the outer bottom corners is either—
 - (a) if the container is fitted with top corner fittings, at least 7 square metres; or
 - (b) in any other case, at least 14 square metres,shall not cause or permit to be carried therein any dangerous goods unless that container complies with the requirements of the International Convention for Safe Containers 1972 signed at Geneva on 2nd December 1972 and ratified by the United Kingdom on 8th March 1978 (published by the International Maritime Organization, 4th Edition, 1996).
 - (7) An operator of any large container which—
 - (a) is 6 or more metres long; or
 - (b) is—
 - (i) 2·991 metres long, and
 - (ii) 2·438, 2·5 or 2·6 metres wide,

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

shall not cause or permit to be carried therein any dangerous goods unless that container complies with the requirements of those International Union of Railways UIC leaflets particularised in paragraph (8).

(8) The leaflets referred to in paragraph (7) are—

- (a) 590—10th edition, 1st January 1979 (as amended on 1st July 1979, and in 1981, 1985 and 1994 and updated on 1st January 1989);
- (b) 592-2—5th edition of 1st July 1996;
- (c) 592-3—2nd edition, 1st January 1998; and
- (d) 592-4—1st edition, 1985 (as amended in 1987, 1989, 1990, 1991, 1992 and 1995 and reprinted on 1st July 1995).

(9) An operator of any large container shall not cause or permit to be carried therein any dangerous goods unless the requirements specified in Schedule 3A are complied with.

(10) An operator of any tank container which has corner fittings for the purpose of securing or handling it and which is of a size such that the area enclosed by the outer bottom corners is either—

- (a) if the container is fitted with top corner fittings, at least 7 square metres; or
- (b) in any other case, at least 14 square metres,

shall not cause or permit to be carried therein any dangerous goods unless the frame of that tank container complies with the requirements of the International Convention for Safe Containers 1972 signed at Geneva on 2nd December 1972 and ratified by the United Kingdom on 8th March 1978 (published by the International Maritime Organization, 4th edition, 1996).

(11) In this regulation, “corner fittings” means an arrangement of apertures and faces at either the top or the bottom or both at the top and the bottom of the container for the purposes of handling, stacking and securing or any of those purposes.”.

8. In regulation 9(11)—

- (a) for the word “transport” there shall be substituted the word “carry”; and
- (b) before the word “tests” there shall be inserted the words “examination and”.

9. In regulation 11—

- (a) at the end of paragraph (2)(a)(i), there shall be inserted the words “preceded, where those goods are waste, by the word “waste”,”;
- (b) for heads (iv) and (v) of paragraph (2)(a), there shall be substituted the following heads—
 - “(iv) the packing group, where appropriate,
 - (v) the mass or volume of those goods, and
 - (vi) where those goods are being carried in salvage packagings, the words “salvage packagings”,”;
- (c) for head (iii) of paragraph (2)(b), there shall be substituted the following head—
 - “(iii) the names and addresses of all consignees, if known,”; and
- (d) after paragraph (4), there shall be inserted the following paragraph—

“(5) In this regulation, “salvage packagings” means packagings conforming to the design type for salvage packagings approved under regulation 6(1)(e) of the CDGCPL Regulations and “waste” means goods for which no direct use is envisaged but which are carried for reprocessing, dumping, elimination by incineration or other methods of disposal.”.

10. In regulation 12, after paragraph (1), there shall be inserted the following paragraph—

“(1A) Any operator of a large container which is being used for the carriage of dangerous goods, where those goods are intended for carriage by sea, shall ensure that any train operator who has undertaken to carry that large container is provided with a container packing certificate comprising the information set out in paragraph 12.3.7 of the International Maritime Dangerous Goods Code, as revised or reissued from time to time by the International Maritime Organization (Current Edition: Volumes I and II ISBN 92-801-5090-1 and Supplement ISBN 92-801-5093-6).”.

11. In regulation 18—

- (a) in paragraph (2), before the word “container” there shall be inserted the word “large”; and
- (b) for paragraph (4), there shall be substituted the following paragraphs—

“(4) A person shall not cause or permit any food, or any fodder or feeding stuffs for animals, birds or fish, to be carried in any container, tank container, tank wagon or wagon which is—

- (a) being used for the carriage of packages labelled as containing toxic goods, INFECTIOUS SUBSTANCES, or any of the following goods—

UN 2212 BLUE ASBESTOS (crocidolite) or BROWN ASBESTOS (amosite or mysorite)

UN 2315 POLYCHLORINATED BIPHENYLS

UN 2590 WHITE ASBESTOS (chrysotile, actinolite, anthophyllite or tremolite)

UN 3151 POLYHALOGENATED BIPHENYLS, LIQUID or POLYHALOGENATED TERPHENYLS, LIQUID

UN 3152 POLYHALOGENATED BIPHENYLS, SOLID or POLYHALOGENATED TERPHENYLS, SOLID

UN 3245 GENETICALLY MODIFIED MICRO-ORGANISMS; or

- (b) empty, uncleaned, having been used for the carriage of any goods or substances mentioned in sub-paragraph (a),

unless that food, fodder or feeding stuff is effectively separated from any such substances or goods by—

- (i) complete partitions as high as the packages containing such goods;
- (ii) packages containing goods other than those goods or substances mentioned in sub-paragraph (a); or
- (iii) a space of at least 0.8m,

or is otherwise adequately protected, by additional packaging or complete coverage of those goods, from the risk of contamination by those goods.

- (5) The operator of any container or wagon which has been used for the carriage of packages labelled as containing toxic goods, INFECTIOUS SUBSTANCES or any of the following goods—

UN 2212 BLUE ASBESTOS (crocidolite) or BROWN ASBESTOS (amosite or mysorite)

UN 2315 POLYCHLORINATED BIPHENYLS

UN 2590 WHITE ASBESTOS (chrysotile, actinolite, anthophyllite or tremolite)

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

UN 3151 POLYHALOGENATED BIPHENYLS, LIQUID or POLYHALOGENATED TERPHENYLS, LIQUID

UN 3152 POLYHALOGENATED BIPHENYLS, SOLID or POLYHALOGENATED TERPHENYLS, SOLID

UN 3245 GENETICALLY MODIFIED MICRO-ORGANISMS,

shall ensure that—

- (a) after unloading it is checked for any residue of the load; and
- (b) where those goods have leaked and been spilled in the container or wagon—
 - (i) all other goods and articles carried therein are examined for possible contamination,
 - (ii) the container or wagon concerned is not reused until after it has been thoroughly cleaned and, if necessary, decontaminated or, in the case of UN 3245 GENETICALLY MODIFIED MICRO-ORGANISMS or INFECTIOUS SUBSTANCES, disinfected, and
 - (iii) any wooden parts of the container or wagon which have come into contact with UN 3245 GENETICALLY MODIFIED MICRO-ORGANISMS or INFECTIOUS SUBSTANCES of risk group 3 or 4 are removed and burnt.”.

12. After regulation 24, there shall be inserted the following regulation—

“Prohibition on carriage of uninhibited sulphur trioxide

24A. A person shall not cause or permit to be carried in a tank UN 1829 SULPHUR TRIOXIDE, at least 99·95% pure, without inhibitor.”.

13. In regulation 25(2), for the words from “it is satisfied” to the end of the paragraph there shall be substituted the words “it is satisfied that neither the health and safety of persons who are likely to be affected by the exemption nor the environment will be prejudiced in consequence of it.”.

14. In regulation 27(2)(c), for the word “Organisation” there shall be substituted the word “Organization”.

15. In paragraph 1 of Schedule 1—

- (a) at the start of sub-paragraph (1)(c), there shall be inserted the words “subject to sub-paragraph (7A),”;
- (b) in sub-paragraph (2), for the words “sub-paragraph (3)” there shall be substituted the words “sub-paragraphs (3) and (7A)”;
- (c) following sub-paragraph (7) there shall be inserted the following sub-paragraph—

“(7A) Notwithstanding sub-paragraphs (1)(c) and (2), the train operator or the operator of a tank container or tank wagon may carry by rail uncleaned tank containers and tank wagons in respect of which the relevant certificate has expired for the sole purpose of undergoing the examination and tests with a view to renewing that certificate.”.

16. In Schedule 2—

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

- (a) for sub-paragraph (2) of paragraph 1, there shall be substituted the following sub-paragraph—

“(2) Carriage in bulk of the goods UN 3175 SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. shall be in—

- (a) sheeted, open—
 (i) large containers, or
 (ii) wagons,
 with adequate ventilation; or
(b) moveable-roof wagons,

and suitable measures shall be taken to ensure that those goods cannot escape.”;

- (b) in paragraph 2(c), for the word “other” there shall be substituted the words “sheeted, open”;

- (c) in paragraph 3(1), for the list of goods, there shall be substituted the following list—

“UN 1394 ALUMINIUM CARBIDE
UN 1398 ALUMINIUM SILICON POWDER, UNCOATED
UN 1402 CALCIUM CARBIDE
UN 1405 CALCIUM SILICIDE, of packing group III (other than in pieces)
UN 1435 ZINC ASHES
UN 1436 ZINC POWDER or ZINC DUST
UN 2813 WATER-REACTIVE SOLID, N.O.S.
UN 2844 CALCIUM MANGANESE SILICON (other than in pieces)
UN 2950 MAGNESIUM GRANULES, COATED
UN 2968 MANEB, STABILIZED and MANEB PREPARATION, STABILIZED
UN 3208 METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S.
UN 3209 METALLIC SUBSTANCE, WATER-REACTIVE, SELF-HEATING, N.O.S.
of packing group III”;

- (d) in paragraph 3(2), after the words “RE-MELTING BY-PRODUCTS” there shall be inserted the words “of packing group II”;

- (e) after paragraph 3(2), there shall be inserted the following sub-paragraphs—

“(3) Carriage in bulk of any of the following goods—

UN 1405 CALCIUM SILICIDE, in pieces, of packing group II or III
UN 2844 CALCIUM MANGANESE SILICON, in pieces
UN 3170 ALUMINIUM SMELTING BY-PRODUCTS or ALUMINIUM RE-MELTING BY-PRODUCTS, of packing group III,

shall be in—

- (a) large containers or wagons designed and constructed so that the openings for loading and unloading can be closed hermetically; or
(b) moveable-roof wagons, sheeted, open wagons, or sheeted, open large containers.

(4) Carriage in bulk of UN 1408 FERROSILICON with 30% or more but less than 90% silicon by mass shall be in moveable-roof wagons, sheeted, open wagons, or sheeted, open large containers.”;

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

- (f) in paragraph 4(2), for the word “incombustible” there shall be substituted the word “non-combustible”;
- (g) after paragraph 4(2), there shall be inserted the following sub-paragraph—
 - “(3) Carriage in bulk of OXIDIZING SUBSTANCES shall be in—
 - (a) open—
 - (i) wagons, or
 - (ii) large containers,
covered with an impermeable and non-combustible sheet; or
 - (b) moveable-roof wagons.”;
- (h) paragraph 5 shall become sub-paragraph (1) of paragraph 5, and at the end there shall be inserted the words “, for example, by the provision of a sufficiently stout inner lining” and the following sub-paragraph—
 - “(2) Carriage in bulk of solids which are TOXIC SUBSTANCES of packing group III and UN 3243 SOLIDS CONTAINING TOXIC LIQUID, N.O.S. shall be in—
 - (a) sheeted open—
 - (i) wagons, or
 - (ii) large containers; or
 - (b) moveable-roof wagons.”;
- (i) paragraph 7 shall become sub-paragraph (1) of paragraph 7, and at the end there shall be inserted the words “, for example, by the provision of a sufficiently stout inner lining” and the following sub-paragraphs—
 - “(2) Carriage in bulk of solids which are CORROSIVE SUBSTANCES of packing group III, UN 1974 LEAD SULPHATE, UN 2506 AMMONIUM HYDROGEN SULPHATE, UN 2509 POTASSIUM HYDROGEN SULPHATE or UN 3244 SOLIDS CONTAINING CORROSIVE LIQUID, N.O.S. shall be in—
 - (a) sheeted, open—
 - (i) wagons, or
 - (ii) large containers; or
 - (b) moveable-roof wagons.
 - (3) Carriage in bulk of any of the following goods—
 - UN 2794 BATTERIES, WET, FILLED WITH ACID
 - UN 2795 BATTERIES, WET, FILLED WITH ALKALI
 - UN 2800 BATTERIES, WET, NON-SPILLABLE
 - UN 3028 BATTERIES, DRY, CONTAINING POTASSIUM HYDROXIDE SOLID,where those goods have been used, shall be in wagons or large containers—
 - (a) with a load compartment or load compartments made of steel—
 - (i) exhibiting a rate of progressive reduction of 0.1mm or less per year under the effects of the corrosive substances contained in those goods, or
 - (ii) exhibiting a rate of progressive reduction of more than 0.1mm per year under the effects of the corrosive substances contained in those goods, provided that the load compartments have walls of a thickness

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

sufficient to resist, or a plastic lining or layer resistant to, those substances;

- (b) designed to take account of any residual currents and impact from those goods;
- (c) constructed so as to prevent leakage of corrosive substances from its load compartments during carriage;
- (d) with any open load compartments covered by a cover resistant to the corrosive substances contained in those goods;
- (e) without damaged load compartments;
- (f) not loaded above the top of the walls of its load compartments; and
- (g) with outer surfaces free of the corrosive substances contained in those goods,

and in this sub-paragraph “load compartments” means those parts of the wagon or large container in which goods are, or are to be, carried.”; and

- (j) for paragraph 8, there shall be substituted the following paragraph—

“8.—(1) Carriage in bulk of any of the following goods—

UN 1841 ACETALDEHYDE AMMONIA

UN 1931 ZINC DITHIONITE

UN 2969 CASTOR BEANS, MEAL, POMACE or FLAKE

UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.,

shall be in—

- (a) sheeted, open—
 - (i) wagons, or
 - (ii) large containers; or
- (b) moveable-roof wagons.

(2) Carriage in bulk of UN 2211 POLYMERIC BEADS, EXPANDABLE shall be in—

- (a) sheeted, open—
 - (i) wagons, or
 - (ii) large containers; or
- (b) moveable-roof wagons, with adequate ventilation.

(3) Carriage in bulk of UN 3257 ELEVATED TEMPERATURE LIQUID N.O.S. or UN 3258 ELEVATED TEMPERATURE SOLID N.O.S. shall be in a wagon or large container which conforms to a design approved for the time being in writing by the Executive for the carriage of such goods.”.

17. In Schedule 3—

- (a) in paragraph 1, for the words from “the following” to “AIR” there shall be substituted the words “refrigerated liquefied gases.”;
- (b) in paragraph 3(1), the words “, provided the packages are not fragile packages” shall be omitted;
- (c) in the list of dangerous goods in paragraph 5(2), after the words “UN 3170 ALUMINIUM SMELTING BY-PRODUCTS OR ALUMINIUM RE-MELTING BY-PRODUCTS”

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

there shall be inserted the words “UN 3208 METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S.”;

- (d) for sub-paragraph (1) of paragraph 6, there shall be substituted the following sub-paragraph—

“(1) The carriage of packages containing OXIDIZING SUBSTANCES (other than UN 1510 TETRANITROMETHANE, or UN 2015 HYDROGEN PEROXIDE, STABILIZED OR AQUEOUS SOLUTION STABILIZED) in small containers is permitted.”;

- (e) in paragraph 7—

(i) for the words “UN 3102 ORGANIC PEROXIDE TYPE B, LIQUID” there shall be substituted the words “UN 3102 ORGANIC PEROXIDE TYPE B, SOLID”, and

(ii) the words “, provided the packages are not fragile packages” shall be omitted;

- (f) for sub-paragraph (2) of paragraph 8, there shall be substituted the following sub-paragraph—

“(2) The carriage in bulk in small containers of solid TOXIC SUBSTANCES of packing group III is permitted provided the containers are of the closed type with complete walls.”;

- (g) for sub-paragraph (3) of paragraph 8, there shall be substituted the following sub-paragraph—

“(3) The carriage in bulk in small containers of UN 3243 SOLIDS CONTAINING TOXIC LIQUID, N.O.S. is permitted provided the containers are of the closed type with complete walls and are leak-proof or made leak-proof, for example by the provision of a sufficiently stout inner lining.”;

- (h) paragraph 9(2) shall be omitted; and

- (i) in paragraph 10—

(i) in sub-paragraph (1), the words from “provided” to “lining” shall be omitted, and

(ii) for sub-paragraph (2), there shall be substituted the following sub-paragraphs—

“(2) The carriage in bulk in small containers of any of the following goods—
solid CORROSIVE SUBSTANCES of packing group III

UN 1794 LEAD SULPHATE with more than 3% free acid

UN 2506 AMMONIUM HYDROGEN SULPHATE

UN 2509 POTASSIUM HYDROGEN SULPHATE,

is permitted provided the containers are of the closed type with complete walls and a suitable lining.

(3) The carriage in bulk in small containers of UN 3244 SOLIDS CONTAINING CORROSIVE LIQUID, N.O.S. is permitted provided the containers are of the closed type with complete walls and are leak-proof or made leak-proof, for example by the provision of a sufficiently stout inner lining.

(4) A small container used for the carriage of the following goods in bulk—

UN 2794 BATTERIES, WET, FILLED WITH ACID

UN 2795 BATTERIES, WET, FILLED WITH ALKALI

UN 2800 BATTERIES, WET, NON-SPILLABLE

UN 3028 BATTERIES, DRY, CONTAINING POTASSIUM HYDROXIDE SOLID,

where those goods have been used, shall—

- (a) have load compartments made of—
 - (i) steel exhibiting a rate of progressive reduction of 0·1mm or less per year under the effects of the corrosive substances contained in those goods,
 - (ii) steel exhibiting a rate of progressive reduction of more than 0·1mm per year under the effects of the corrosive substances contained in those goods, provided that the load compartments have walls of a thickness sufficient to resist, or a plastic lining or layer resistant to, those substances, or
 - (iii) plastic capable when fully loaded of withstanding a drop onto its bottom surface from a height of 0·8m onto a hard surface without breakage, when both the container and its contents are at -18°C ;
- (b) be designed to take account of any residual currents and impact from those goods;
- (c) be constructed so as to prevent leakage of corrosive substances from its load compartments during carriage;
- (d) have any open load compartments covered by a cover resistant to the corrosive substances contained in those goods;
- (e) not have damaged load compartments;
- (f) not be loaded above the top of the walls of its load compartments; and
- (g) have outer surfaces free of the corrosive substances contained in those goods,

and in this sub-paragraph “load compartments” means those parts of the small container in which goods are, or are to be, carried.”.

18. After Schedule 3, there shall be inserted the following Schedule—

“SCHEDULE 3A

Regulation 8(9)

Suitability of Large Containers

1. Large containers used for the carriage of dangerous goods shall be structurally serviceable and free from unacceptable deterioration in any component.

2. In this Schedule—

“major defects” means—

- (a) dents or bends, greater than 19mm in depth but regardless of length, in structural members;
- (b) cracks or breaks in structural members;
- (c) more than one splice or an improper splice, such as a lapped splice, in top or bottom end rails or door headers;
- (d) more than two splices in any one top or bottom side rail;
- (e) any splice in a door sill or corner post;
- (f) door hinges and hardware that are seized, twisted, broken, missing or otherwise inoperative;
- (g) non-closing gaskets and seals;

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

- (h) any distortion of the overall configuration sufficient to prevent proper alignment of handling equipment, mounting and securing on a chassis or wagon;
- “structurally serviceable” means free from major defects in its structural components including top and bottom side rails, top and bottom end rails, door sill and header, floor cross members, corner posts and corner fittings; and
- “unacceptable deterioration in any component” includes rusted metal in sidewalls or disintegrated fibreglass, regardless of the material of construction, but does not include normal wear (including oxidisation (rust), slight dents, scratches, and other damage that does not affect serviceability or weather-tightness).”.

19. In Schedule 5—

- (a) paragraph 5 shall become sub-paragraph (1) of paragraph 5, and at the end there shall be inserted the following sub-paragraph—
- “(2) Nothing in paragraphs 1 to 7 shall require a danger sign for a particular classification or a subsidiary hazard sign for a particular subsidiary hazard to be displayed more than once on the side of any container, tank container, tank wagon or wagon.”;
- (b) after paragraph 5 there shall be inserted the following paragraph—

“Elevated temperature substances

5A. A container, tank container, tank wagon or wagon carrying either of the following dangerous goods—

UN 3257 ELEVATED TEMPERATURE LIQUID, N.O.S.

UN 3258 ELEVATED TEMPERATURE SOLID, N.O.S.,

shall display on each side a sign conforming to figure 3, with sides of at least 250 millimetres.”;

- (c) in paragraph 9, for the number “18” there shall be substituted the number “17”; and
- (d) at the end, there shall be added the following figure—

“Figure 3

Elevated temperature substances



The background colour of the sign shall be white, and the colour of the border and the thermometer symbol shall be red.”.

20. For paragraphs 1 and 2 of, and the Table in, Schedule 6 there shall be substituted the following paragraphs—

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

“1. Explosives (except those in Division 1.4 and Compatibility Group S) shall not be loaded in the same container or wagon together with any package or small container labelled as containing dangerous goods (except explosives).

2. Explosives in Division 1.4 and Compatibility Group S shall not be loaded in the same container or wagon together with any package or small container labelled as containing—

- (a) flammable solids: or
- (b) organic peroxides,

and displaying the subsidiary hazard sign “liable to explosion”.

3. Any package or small container displaying the subsidiary hazard sign “liable to explosion” shall not be loaded in the same container or wagon together with any package or small container labelled as containing any other dangerous goods.

4. In this Schedule, “labelled” means required to display a danger sign or subsidiary hazard sign in accordance with the CDGCPL Regulations.”.

21. For Schedule 7, there shall be substituted the following Schedule—

“SCHEDULE 7

Regulation 18

Requirements for the Loading, Stowage, Unloading and Cleaning of Large Containers and Wagons Carrying Certain Dangerous Goods

Part I

Packages

General requirements

1.—(1) Packages labelled as containing dangerous goods may be loaded—

- (a) in unsheeted, open large containers;
- (b) in sheeted, open large containers;
- (c) in closed large containers;
- (d) in unsheeted, open wagons;
- (e) in sheeted, open wagons; or
- (f) in closed wagons.

(2) Packages labelled as containing dangerous goods whose packagings are made of materials sensitive to moisture shall be loaded in sheeted, open large containers, sheeted, open wagons, closed large containers or closed wagons.

(3) Packages labelled as containing dangerous goods shall be protected against damage that may be caused by other packages.

(4) Packages labelled as containing dangerous goods shall be loaded into large containers or wagons so that they cannot shift dangerously, tip over or fall.

(5) Packages labelled as containing dangerous goods shall not be thrown or subjected to impact.

(6) Packages labelled as containing dangerous goods with a classification code of 4.1 (other than SELF-REACTIVE SUBSTANCES), 4.2, 4.3, 6.2 or 9 shall be loaded in sheeted, open large containers, sheeted, open wagons, closed wagons or closed large containers.

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

(7) Packages labelled as containing SELF-REACTIVE SUBSTANCES or dangerous goods with a classification code of 5.2 shall be loaded in closed large containers or closed wagons with adequate ventilation.

Gases: compressed, liquefied or dissolved under pressure (classification code 2)

2.—(1) Receptacles labelled as containing GASES: COMPRESSED, LIQUEFIED OR DISSOLVED UNDER PRESSURE shall be stowed in large containers or wagons in compliance with the following requirements—

- (a) cylinders with a capacity not exceeding 150 litres shall be laid parallel to or at right angles to the longitudinal axis of the large container or wagon, except that those situated near the end walls shall be laid at right angles to the said axis;
- (b) short cylinders of diameter 30 centimetres or over may be stowed longitudinally with their valve protective devices directed towards the middle of the large container or wagon;
- (c) cylinders which are sufficiently stable or which are carried in suitable devices which prevent them from overturning may be placed upright;
- (d) cylinders which are laid flat shall be so wedged, made fast or otherwise suitably and securely fixed that they cannot shift;
- (e) receptacles labelled as containing refrigerated liquefied gases shall always be placed in the position for which they were designed and protected against any possibility of being damaged by other packages; and
- (f) receptacles designed to be rolled shall be laid with their longitudinal axis parallel to that of the large container or wagon and shall be secured against any lateral movement.

(2) Where pallets loaded with—

- (a) UN 1590 AEROSOLS, made of metal; or
- (b) UN 2037 RECEPTACLES, SMALL, CONTAINING GAS (GAS CARTRIDGES),

(grouped together in units on trays and sealed with a suitable plastic wrapping) are stacked, each tier of pallets shall be evenly distributed over the lower tier, if necessary by the interposition of a material of adequate strength.

Flammable solids (classification code 4.1)

3.—(1) Packages labelled as containing any of the following goods shall be loaded in large containers or wagons which are closely and adequately ventilated—

- UN 3221 SELF-REACTIVE LIQUID TYPE B
- UN 3222 SELF-REACTIVE SOLID TYPE B
- UN 3223 SELF-REACTIVE LIQUID TYPE C
- UN 3224 SELF-REACTIVE SOLID TYPE C
- UN 3225 SELF-REACTIVE LIQUID TYPE D
- UN 3226 SELF-REACTIVE SOLID TYPE D
- UN 3227 SELF-REACTIVE LIQUID TYPE E
- UN 3228 SELF-REACTIVE SOLID TYPE E
- UN 3229 SELF-REACTIVE LIQUID TYPE F
- UN 3230 SELF-REACTIVE SOLID TYPE F.

(2) Large containers and wagons shall be thoroughly cleaned before they are loaded with packages labelled as containing FLAMMABLE SOLIDS.

(3) Packages labelled as containing FLAMMABLE SOLIDS, other than those listed in sub-paragraph (1) shall be loaded in—

- (a) sheeted, open large containers;
- (b) sheeted, open wagons;
- (c) closed large containers; or
- (d) closed wagons.

(4) Packages labelled as containing FLAMMABLE SOLIDS and displaying the subsidiary hazard sign “liable to explosion” shall be loaded so that a free circulation of air within the loading space provides a uniform temperature for the load.

(5) Where the contents of a large container or wagon exceed 5000 kg of packages labelled as containing FLAMMABLE SOLIDS and the packages display the subsidiary hazard sign “liable to explosion”, the load shall be divided into stacks of not more than 5000 kg separated by air spaces of at least 0.05m.

(6) Sub-paragraphs (7) and (8) shall only apply to wagons constructed after 31st December 1996.

(7) Packages labelled as containing FLAMMABLE SOLIDS and displaying the subsidiary hazard sign “liable to explosion”, whether or not loaded in large containers, shall only be carried in wagons which have been fitted with regulation sheet steel spark-guards.

(8) The regulation sheet steel spark-guards referred to in sub-paragraph (7) shall not be fixed directly to the floor of the wagon concerned where that floor is combustible.

Substances which, in contact with water, emit flammable gases (classification code 4.3)

4. Where packages, labelled as containing substances which, in contact with water, emit flammable gases, are being carried in a large container or wagon, measures shall be taken to ensure that those packages do not come into contact with water.

Oxidizing substances (classification code 5.1)

5.—(1) Large containers and wagons shall be thoroughly cleaned and in particular be free of any combustible debris before they are loaded with packages labelled as containing OXIDIZING SUBSTANCES.

(2) The use of straw or any other readily combustible material for stowing packages labelled as containing OXIDIZING SUBSTANCES is prohibited.

(3) Where flexible intermediate bulk containers are used for the carriage of any of the following goods—

- UN 1442 AMMONIUM PERCHLORATE
- UN 1450 BROMATES, INORGANIC, N.O.S. of packing group II
- UN 1452 CALCIUM CHLORATE
- UN 1455 CALCIUM PERCHLORATE
- UN 1458 CHLORATE AND BORATE MIXTURES
- UN 1459 CHLORATE AND MAGNESIUM CHLORIDE MIXTURE
- UN 1461 CHLORATES, INORGANIC, N.O.S.

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

- UN 1473 MAGNESIUM BROMATE
- UN 1475 MAGNESIUM PERCHLORATE
- UN 1481 PERCHLORATES, INORGANIC, N.O.S.
- UN 1484 POTASSIUM BROMATE
- UN 1485 POTASSIUM CHLORATE
- UN 1489 POTASSIUM PERCHLORATE
- UN 1494 SODIUM BROMATE
- UN 1495 SODIUM CHLORATE
- UN 1502 SODIUM PERCHLORATE
- UN 1506 STRONTIUM CHLORATE
- UN 1508 STRONTIUM PERCHLORATE
- UN 1513 ZINC CHLORATE
- UN 2427 POTASSIUM CHLORATE, AQUEOUS SOLUTION
- UN 2428 SODIUM CHLORATE, AQUEOUS SOLUTION
- UN 2429 CALCIUM CHLORATE, AQUEOUS SOLUTION
- UN 2721 COPPER CHLORATE
- UN 2723 MAGNESIUM CHLORATE
- UN 3210 CHLORATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.
- UN 3211 PERCHLORATES, INORGANIC, AQUEOUS SOLUTION, N.O.S.
- UN 3213 BROMATES, INORGANIC, AQUEOUS SOLUTION, N.O.S. of packing group II,
 - (a) they shall be carried in—
 - (i) a closed large container,
 - (ii) an open large container covered with an impermeable and non-combustible sheet,
 - (iii) a closed wagon,
 - (iv) a moveable-roof wagon, or
 - (v) an open wagon covered with an impermeable and non-combustible sheet; and
 - (b) measures shall be taken to ensure that the goods cannot, in the event of a leak, come into contact with wood or any other combustible material.
- (4) Composite intermediate bulk containers containing any of the following goods, where those goods are in solid form, shall be carried in a closed wagon or a closed large container—
 - UN 1479 OXIDIZING SOLID, N.O.S. of packing group I
 - UN 1491 POTASSIUM PEROXIDE
 - UN 1504 SODIUM PEROXIDE
 - UN 2466 POTASSIUM SUPEROXIDE
 - UN 2547 SODIUM SUPEROXIDE.

Organic peroxides (classification code 5.2)

6.—(1) Large containers and wagons shall be thoroughly cleaned before they are loaded with packages labelled as containing ORGANIC PEROXIDES.

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

(2) Packages labelled as containing ORGANIC PEROXIDES shall be so loaded that a free circulation of air within the loading space ensures the uniform temperature of the load.

(3) Where the contents of a large container or wagon exceed 5000 kg of packages labelled as containing ORGANIC PEROXIDES, the load shall be divided into stacks of not more than 5000 kg separated by air spaces of at least 0.05 m.

(4) The use of readily combustible material for stowing packages labelled as containing ORGANIC PEROXIDES in wagons or large containers is prohibited.

(5) Sub-paragraphs (6) and (7) shall only apply to wagons constructed after 31st December 1996.

(6) Packages labelled as containing ORGANIC PEROXIDES and displaying the subsidiary hazard sign “liable to explosion”, whether or not loaded in large containers, shall only be carried in wagons which have been fitted with regulation sheet steel spark-guards.

(7) The regulation sheet steel spark-guards referred to in sub-paragraph (6) shall not be fixed directly to the floor of the wagon concerned where that floor is combustible.

Toxic substances (classification code 6.1)

7.—(1) Composite or wooden intermediate bulk containers containing any of the following goods, where those goods are in solid form and of packing group I, shall be carried in a closed wagon or a closed large container—

UN 1544 ALKALOIDS, SOLID, N.O.S., or ALKALOID SALTS, SOLID, N.O.S.

UN 1557 ARSENIC COMPOUND, SOLID, N.O.S.

UN 1570 BRUCINE

UN 1601 DISINFECTANT, SOLID, TOXIC, N.O.S.

UN 1655 NICOTINE COMPOUND, SOLID, N.O.S. or NICOTINE PREPARATION, SOLID, N.O.S.

UN 1692 STRYCHNINE or STRYCHNINE SALTS

UN 1693 TEAR GAS SUBSTANCE, SOLID, N.O.S.

UN 1699 DIPHENYLCHLOROARSINE

UN 2025 MERCURY COMPOUND, SOLID, N.O.S.

UN 2026 PHENYLMERCURIC COMPOUND, N.O.S.

UN 2570 CADMIUM COMPOUND

UN 2630 SELENATES or SELENITES

UN 2811 TOXIC SOLID, ORGANIC, N.O.S.

UN 3143 DYE, SOLID, TOXIC, N.O.S.

UN 3146 ORGANOTIN COMPOUND, SOLID, N.O.S.

UN 3172 TOXINS EXTRACTED FROM LIVING SOURCES, N.O.S.

UN 3276 NITRILES, TOXIC, N.O.S.

UN 3278 ORGANOPHOSPHORUS COMPOUND, TOXIC, N.O.S.

UN 3280 ORGANIC ARSENIC COMPOUND, N.O.S.

UN 3281 METAL CARBONYLS, N.O.S.

UN 3282 ORGANOMETALLIC COMPOUND, TOXIC, N.O.S.

UN 3283 SELENIUM COMPOUND, N.O.S.

UN 3288 TOXIC SOLID, INORGANIC, N.O.S.

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Halogenated substances, with a flashpoint above 61°C, with the exception of UN 1694 BROMOBENZYL CYANIDES

Inorganic cyanides

Pesticides, solid, toxic.

(2) Composite intermediate bulk containers containing the goods UN 2930 TOXIC SOLID, FLAMMABLE, ORGANIC, N.O.S. of packing group I shall be carried in a closed wagon or a closed large container.

Infectious substances (classification code 6.2)

8. Packages labelled as containing INFECTIOUS SUBSTANCES shall be stowed in such a way as to be easily accessible.

Corrosive substances (classification code 8)

9.—(1) Large containers and wagons shall be thoroughly cleaned and in particular be free of all combustible debris before they are loaded with packages labelled as containing any of the following goods—

UN 1796 NITRATING ACID MIXTURE with more than 50% nitric acid

UN 1802 PERCHLORIC ACID

UN 1826 NITRATING ACID MIXTURE, SPENT with more than 50% nitric acid

UN 2032 NITRIC ACID, RED FUMING

UN 3084 CORROSIVE SOLID, OXIDIZING, N.O.S.

UN 3093 CORROSIVE LIQUID, OXIDIZING, N.O.S.

(2) The use of combustible materials for stowing packages labelled as containing any of the goods listed in sub-paragraph (1) is prohibited.

(3) Composite or wooden intermediate bulk containers containing any of the following goods, where those goods are in solid form and of packing group I, shall be carried in a closed wagon or a closed large container—

UN 1759 CORROSIVE SOLID, N.O.S.

UN 1905 SELENIC ACID

UN 2430 ALKYLPHENOLS, SOLID, N.O.S.

UN 2923 CORROSIVE SOLID, TOXIC, N.O.S.

UN 3259 AMINES, SOLID, CORROSIVE, N.O.S. or POLYAMINES, SOLID, CORROSIVE, N.O.S.

UN 3260 CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

UN 3261 CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.

UN 3262 CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.

UN 3263 CORROSIVE SOLID, BASIC, ORGANIC, N.O.S.

(4) Composite intermediate bulk containers containing the goods UN 2921 CORROSIVE SOLIDS, FLAMMABLE, N.O.S. of packing group I shall be carried in a closed wagon or a closed large container.

Miscellaneous dangerous substances and articles (classification code 9)

10. Packages labelled as containing the goods UN 3245 GENETICALLY MODIFIED MICRO-ORGANISMS shall be stowed in such a way as to be readily accessible.

Part II

Empty, Uncleaned Packagings

Flammable solids (classification code 4.1)

11.—(1) Empty, uncleaned packagings (including intermediate bulk containers), which contain the residues of any of the following goods shall not be accepted for carriage unless those residues are so packed that the content of water or other phlegmatizers added to render them inert cannot diminish—

UN 0154 TRINITROPHENOL (PICRIC ACID), wetted with not less than 10% (mass) water

UN 0155 TRINITROCHLOROBENZENE (PICRYL CHLORIDE), wetted with not less than 10% (mass) water

UN 0209 TRINITROTOLUENE (TNT), wetted with not less than 10% (mass) water

UN 0214 TRINITROBENZENE, wetted with not less than 10% (mass) water

UN 0215 TRINITROBENZOIC ACID, wetted with not less than 30% (mass) water

UN 0220 UREA NITRATE, wetted with not less than 10% (mass) water

UN 0234 SODIUM DINITRO-*o*-CRESOLATE, wetted with not less than 10% (mass) water

UN 1310 AMMONIUM PICRATE, WETTED with not less than 10% (mass) water

UN 1320 DINITROPHENOL, WETTED with not less than 15% (mass) water

UN 1321 DINITROPHENOLATES, WETTED with not less than 15% (mass) water

UN 1322 DINITRORESORCINOL, WETTED with not less than 15% (mass) water

UN 1326 HAFNIUM POWDER, WETTED with not less than 25% (mass) water

UN 1336 NITROGUANIDINE (PICRITE) WETTED with not less than 20% (mass) water

UN 1337 NITROSTARCH, WETTED with not less than 20% (mass) water

UN 1344 TRINITROPHENOL, WETTED with not less than 30% (mass) water

UN 1347 SILVER PICRATE, WETTED with not less than 30% (mass) water

UN 1348 SODIUM DINITRO-*o*-CRESOLATE, WETTED with not less than 15% (mass) water

UN 1349 SODIUM PICRAMATE, WETTED with not less than 20% (mass) water

UN 1352 TITANIUM POWDER, WETTED with not less than 25% (mass) water

UN 1354 TRINITROBENZENE, WETTED with not less than 30% (mass) water

UN 1355 TRINITROBENZOIC ACID, WETTED with not less than 30% (mass) water

UN 1356 TRINITROTOLUENE, WETTED with not less than 30% (mass) water

UN 1357 UREA NITRATE, WETTED with not less than 20% (mass) water

UN 1358 ZIRCONIUM POWDER, WETTED with not less than 25% (mass) water (a visible excess of water must be present) (a) mechanically produced, particle size less than 53 microns; (b) chemically produced, particle size less than 840 microns

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

UN 1517 ZIRCONIUM PICRAMATE, WETTED with not less than 20% (mass) water
UN 1571 BARIUM AZIDE, WETTED with not less than 50% (mass) water
UN 2555 NITROCELLULOSE WITH WATER with not less than 25% (mass) water
UN 2556 NITROCELLULOSE WITH ALCOHOL, with not less than 25% (mass) alcohol and not more than 12.6% nitrogen by dry mass
UN 2557 NITROCELLULOSE, with not more than 12.6% nitrogen by dry mass, MIXTURE WITH or WITHOUT PLASTICIZER, WITH or WITHOUT PIGMENT
UN 2852 DIPICRYL SULPHIDE, WETTED with not less than 10% (mass) water
UN 2907 ISOSORBIDE DINITRATE MIXTURE, with not less than 60% lactose, mannose, starch or calcium hydrogen phosphate or with other phlegmatizers, provided that such phlegmatizers have inerting properties which are at least as effective
UN 3317 2-AMINO-4,6-DINITROPHENOL, WETTED with not less than 20% (mass) water.

(2) Empty, uncleaned packagings which contain the residues of any of the following goods shall not be accepted for carriage unless steps have been taken to prevent their dangerous decomposition—

UN 3221 SELF-REACTIVE LIQUID TYPE B
UN 3222 SELF-REACTIVE SOLID TYPE B
UN 3223 SELF-REACTIVE LIQUID TYPE C
UN 3224 SELF-REACTIVE SOLID TYPE C
UN 3225 SELF-REACTIVE LIQUID TYPE D
UN 3226 SELF-REACTIVE SOLID TYPE D
UN 3227 SELF-REACTIVE LIQUID TYPE E
UN 3228 SELF-REACTIVE SOLID TYPE E
UN 3229 SELF-REACTIVE LIQUID TYPE F
UN 3230 SELF-REACTIVE SOLID TYPE F.

Toxic substances (classification code 6.1)

12. Empty, uncleaned packagings (comprising bags or flexible intermediate bulk containers), which contain the residues of any TOXIC SUBSTANCES shall be placed in boxes or waterproof bags to prevent any leakage of those residues during carriage.

Miscellaneous dangerous substances and articles (classification code 9)

13. Empty, uncleaned packagings (comprising bags) which contain the residues of any MISCELLANEOUS DANGEROUS SUBSTANCES or ARTICLES shall be placed in boxes or waterproof bags to prevent any leakage of those residues during carriage.

Interpretation

14. In this Schedule, “labelled”, in relation to packages or receptacles, means required to display a danger sign or subsidiary hazard sign in accordance with the CDGCPL Regulations.”.

SCHEDULE 7

Regulation 8

**Amendments to the Packaging, Labelling and Carriage of
Radioactive Material by Rail Regulations (Northern Ireland) 1998**

1. In regulation 1(6)(b), the words “, other than in a tank” shall be omitted.
2. In regulation 2—
 - (a) in paragraph (1), for the words “paragraphs (2) and (3)” there shall be substituted the words “paragraphs (2) to (7)”;
 - (b) at the end, there shall be inserted the following paragraphs—
 - “(5) These Regulations shall not apply to, or in relation to, the carriage of radioactive material—
 - (a) by, or under the supervision of, the emergency services;
 - (b) as a result of an emergency, with the intention of saving human life or protecting the environment, provided that all measures are taken to ensure that such carriage is carried out safely.
 - (6) These Regulations do not apply to, or in relation to—
 - (a) the carriage of luminous devices worn by a person or luminous devices as part of a railway vehicle;
 - (b) the carriage in any one railway vehicle of no more than 500 smoke detectors for domestic use with an individual activity not exceeding 40 kBq; or
 - (c) the carriage of gaseous tritium light devices with an individual activity not exceeding 10 GBq when no more than five such devices are carried in the railway vehicle.
 - (7) These Regulations shall not apply to, or in relation to, the carriage of radioactive material in packages where—
 - (a) the carriage is by any person whose main activity is not the carriage of dangerous goods;
 - (b) the carriage is for the purpose of—
 - (i) survey, repair or maintenance activities, or
 - (ii) deliveries to building or civil engineering sites; and
 - (c) each such package is an excepted package.”.
3. At the end of regulation 3, there shall be inserted the following paragraph—

“(3) Where the Executive approves a revision referred to in paragraph (2), during the period between the publication by the Executive of a notice specifying that revision and the date on which that revision takes effect a person may comply with the requirements of these Regulations as if any reference to the Approved Document were a reference to—
 - (a) the Approved Document prior to that revision; or
 - (b) the Approved Document as revised.”.
4. At the end of regulation 18, there shall be inserted the following paragraphs—

“(3) An operator of any large freight container shall not cause or permit to be carried therein any radioactive material in packages unless before that container is loaded it is checked to ensure that—
 - (a) it is free from any residue of a previous load, and
 - (b) the interior floor and walls are free from protrusions.

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

(4) An operator of any large freight container which has corner fittings for the purpose of securing or handling it and which is of a size such that the area enclosed by the outer bottom corners is either—

- (a) if the container is fitted with top corner fittings, at least 7 square metres; or
- (b) in any other case, at least 14 square metres,

shall not cause or permit to be carried therein any radioactive material in packages unless that container complies with the requirements of the International Convention for Safe Containers 1972 signed at Geneva on 2nd December 1972 and ratified by the United Kingdom on 8th March 1978 (published by the International Maritime Organization, 4th edition, 1996).

(5) An operator of any large container which—

- (a) is 6 or more metres long; or
- (b) is—
 - (i) 2·991 metres long, and
 - (ii) 2·438, 2·5 or 2·6 metres wide,

shall not cause or permit to be carried therein any radioactive material in packages unless that container complies with the requirements of those International Union of Railways UIC leaflets particularised in paragraph (6).

(6) The leaflets referred to in paragraph (5) are—

- (a) 590—10th edition, 1st January 1979 (as amended on 1st July 1979, and in 1981, 1985 and 1994 and updated on 1st January 1989);
- (b) 592-2—5th edition of 1st July 1996;
- (c) 592-3—2nd edition, 1st January 1998; and
- (d) 592-4—1st edition, 1985 (as amended in 1987, 1989, 1990, 1991, 1992 and 1995 and reprinted on 1st July 1995).

(7) An operator of any large freight container shall not cause or permit to be carried therein any radioactive material in packages unless the requirements specified in Schedule 10A are complied with.

(8) An operator of any tank container which has corner fittings for the purpose of securing or handling it and which is of a size such that the area enclosed by the outer bottom corners is either—

- (a) if the container is fitted with top corner fittings, at least 7 square metres; or
- (b) in any other case, at least 14 square metres,

shall not cause or permit to be carried therein any radioactive material in packages unless the frame of that tank container complies with the requirements of the International Convention for Safe Containers 1972 signed at Geneva on 2nd December 1972 and ratified by the United Kingdom on 8th March 1978 (published by the International Maritime Organization, 4th edition, 1996).

(9) In this regulation, “corner fittings” means an arrangement of apertures and faces at either the top or the bottom or both at the top and the bottom of the container for the purposes of handling, stacking and securing or any of those purposes.”.

5. In regulation 21—

- (a) in paragraph (a), for the words “combustible solids, liquids or gases” there shall be substituted the words “liquids, gases or combustible solids”;

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

- (b) at the end of paragraph (b), there shall be inserted the words “in industrial packages or unpackaged”.
6. At the end of regulation 24, there shall be inserted the words “or to the packaging requirements of excepted packages of the type referred to in sub-paragraph (a) of the definition in regulation 1(2) of ‘excepted package’ ”.
7. In regulation 27(2)(b) and (3)(a), after the words “ensure that” there shall be inserted the words “, under conditions likely to be encountered in routine carriage,”.
8. In regulation 38(2), for the word “The” where it first appears there shall be substituted the word “Any” and for the word “their” there shall be substituted the word “his”.
9. In paragraph (2) of regulation 41, for the words from “it is satisfied” to the end of the paragraph there shall be substituted the words “it is satisfied that neither the health and safety of persons who are likely to be affected by the exemption nor the environment will be prejudiced in consequence of it”.
10. In regulation 43(2)(c), for the word “Organisation” there shall be substituted the word “Organization”.
11. After Schedule 10, there shall be inserted the following Schedule—

“SCHEDULE 10A
Regulation 18(7)

Suitability of Large Containers

1. Large containers used for the carriage of radioactive material in packages shall be structurally serviceable and free from unacceptable deterioration in any component.

2. In this Schedule—

“major defects” means—

- (a) dents or bends, greater than 19mm in depth regardless of length, in structural members;
- (b) cracks or breaks in structural members;
- (c) more than one splice or an improper splice, such as a lapped splice, in top or bottom end rails or door headers;
- (d) more than two splices in any one top or bottom side rail;
- (e) any splice in a door sill or corner post;
- (f) door hinges and hardware that are seized, twisted, broken, missing or otherwise inoperative;
- (g) non-closing gaskets and seals;
- (h) any distortion of the overall configuration sufficient to prevent proper alignment of handling equipment, mounting and securing on a chassis or wagon;

“structurally serviceable” means free from major defects in its structural components including top and bottom side rails, top and bottom end rails, door sill and header, floor cross members, corner posts and corner fittings; and

“unacceptable deterioration in any component” includes rusted metal in sidewalls or disintegrated fibreglass, regardless of the material or construction, but does not include normal wear (including oxidization (rust), slight dents, scratches, and other damage that does not affect serviceability or weather-tightness).”.

12. In Part II of Schedule 13—

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.


- (a) for paragraph 13, there shall be substituted the following paragraph—
 - “13.—(1) Danger signs conforming to figure 2, 3 or 4 in Part III, according to the appropriate category, shall be displayed on each freight container, tank container and tank wagon which is being used for the carriage of radioactive material, other than in the form of excepted packages.
 - (2) The danger signs referred to in sub-paragraph (1) shall—
 - (a) be affixed to—
 - (i) each side, and at the rear and front of the freight container or tank container, or
 - (ii) each side of the tank wagon;
 - (b) be affixed in a vertical plane; and
 - (c) be clearly visible.”;
- (b) after paragraph 13, there shall be inserted the following paragraph—
 - “13A.—(1) Danger signs conforming to figure 5 in Part III shall be displayed on each wagon which is being used for the carriage of radioactive material, other than in the form of excepted packages.
 - (2) The danger signs referred to in sub-paragraph (1) shall—
 - (a) be affixed to each side of the wagon;
 - (b) be affixed in a vertical plane; and
 - (c) be clearly visible.”;
- (c) in paragraph 14(5)—
 - (i) for the words “freight container, tank container, tank wagon or wagon” in the first place in which they occur there shall be substituted the words “freight container, tank container or tank wagon”, and
 - (ii) for the words “the freight container, tank container, tank wagon or wagon concerned” there shall be substituted the words “a freight container”;
- (d) in paragraph 15—
 - (i) in sub-paragraph (1), for the words “, tank wagon or wagon” there shall be substituted the words “or tank wagon”, and
 - (ii) for sub-paragraph (2), there shall be substituted the following sub-paragraph—
 - “(2) The danger signs referred to in sub-paragraph (1) shall—
 - (a) be affixed to—
 - (i) each side, and at the rear and front of the freight container or tank container, or
 - (ii) each side of the tank wagon;
 - (b) be affixed in a vertical plane; and
 - (c) be clearly visible.”;
- (e) in paragraph 16, for the words “paragraph 15” there shall be substituted the words “paragraph 13A or 15”;
- (f) in paragraph 17, for the words “, tank wagon or wagon” there shall be substituted the words “or tank wagon”; and
- (g) in paragraph 18—

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

- (i) in sub-paragraph (a), for the words “paragraph 15” there shall be substituted the words “paragraph 13A or 15”;
- (ii) in sub-paragraph (b)(i), for the words “paragraph 13” there shall be substituted the words “paragraph 13 or 13A”, and
- (iii) in sub-paragraph (b)(ii), the words “and perpendicular to the longitudinal axis of the freight container, tank container, tank wagon or wagon” shall be omitted.


15. In Part III of Schedule 13, for figures 2 to 5 there shall be substituted the following figures—

“Fig. 2. Category I-WHITE label



The background colour of the label shall be white, the colour of the trefoil and the printing shall be black, and the colour of the category bar shall be red.

Fig. 3. Category II-YELLOW label



The background colour of the upper half of the label shall be yellow and of the lower half white, the colour of the trefoil and the printing shall be black, and the colour of the category bars shall be red.

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

Fig. 4. Category III-YELLOW label



The background colour of the upper half of the label shall be yellow and of the lower half white, the colour of the trefoil and the printing shall be black, and the colour of the category bars shall be red.

Fig. 5. Placard



Minimum dimensions are given: when larger dimensions are used the relative proportions must be maintained. The figure “7” shall not be less than 25 mm high. The background colour of the upper half of the placard shall be yellow and the lower half white, the colour of the trefoil and the printing shall be black. The use of the word “RADIOACTIVE” in the bottom half is optional to allow the alternative use of this placard to display the appropriate United Nations number for the consignment.”.

16. For sub-paragraphs (a) and (b) of paragraph 2 of Schedule 14 there shall be substituted the following sub-paragraphs—

- “(a) the words “RADIOACTIVE MATERIAL, EXCEPTED PACKAGE”;
- (b) the UN number and Proper Shipping Name for the radioactive material, as specified in paragraph 20 of the Approved Document;
- (c) the name and address of the consignor; and
- (d) the name and address of the consignee.”.

EXPLANATORY NOTE

(This note is not part of the Regulations.)

1. These Regulations implement—

- (a) Commission Directive [96/86/EC](#) (O.J. No. L335, 24.12.96, p. 43) adapting to technical progress Council Directive [94/55/EC](#) (O.J. No. L319, 12.12.94, p. 7) on the approximation of the laws of the Member States with regard to the transport of dangerous goods by road;
- (b) Commission Directive [96/87/EC](#) (O.J. No. L335, 24.12.96, p. 45) adapting to technical progress Council Directive [96/49/EC](#) (O.J. No. L235, 17.9.96, p. 25) on the approximation of the laws of the Member States with regard to the transport of dangerous goods by rail;
- (c) Commission Directive [99/47/EC](#) (O.J. No. L169, 5.7.99, p. 1) adapting to technical progress Council Directive [94/55/EC](#) and Commission Directive [96/86/EC](#) on the approximation of the laws of the Member States with regard to the transport of dangerous goods by road; and
- (d) Commission Directive [99/48/EC](#) (O.J. No. L169, 15.7.99, p. 58) adapting to technical progress Council Directive [96/49/EC](#) and Commission Directive [96/87/EC](#) on the approximation of the laws of the Member States with regard to the transport of dangerous goods by rail,

insofar as they relate to the carriage of dangerous goods other than explosives.

2. The Regulations amend—

- (a) the Pressure Systems and Transportable Gas Containers Regulations (Northern Ireland) 1991 (*regulation 2 and Schedule 1*);
- (b) the Carriage of Dangerous Goods (Classification, Packaging and Labelling) and Use of Transportable Pressure Receptacles Regulations (Northern Ireland) 1997 (*regulation 3 and Schedule 2*);
- (c) the Carriage of Dangerous Goods by Road Regulations (Northern Ireland) 1997 (*regulation 4 and Schedule 3*);
- (d) the Carriage of Dangerous Goods by Road (Driver Training) Regulations (Northern Ireland) 1997 (*regulation 5 and Schedule 4*);
- (e) the Health and Safety (Fees) Regulations (Northern Ireland) 1998 (*regulation 6 and Schedule 5*);
- (f) the Carriage of Dangerous Goods by Rail Regulations (Northern Ireland) 1998 (*regulation 7 and Schedule 6*); and
- (g) the Packaging, Labelling and Carriage of Radioactive Material by Rail Regulations (Northern Ireland) 1998 (*regulation 8 and Schedule 7*).

3. The effect of the amendments is to align the Regulations mentioned in paragraph 2 with the latest versions of the ADR and RID agreements, as defined in regulation 2(1) of the Carriage of Dangerous Goods (Classification, Packaging and Labelling) and Use of Transportable Pressure Receptacles Regulations (Northern Ireland) 1997.

4. Apart from minor and drafting amendments, the principal modifications are—

- (a) a general disapplication—

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format.

- (i) where goods are carried in an emergency in order to save life or protect the environment (*Schedule 2, paragraph 2(b); Schedule 3, paragraph 15(c); Schedule 4, paragraph 4(b); Schedule 6, paragraph 2(a) and Schedule 7, paragraph 2(b)*),
 - (ii) in respect of goods which are part of machinery or equipment (*Schedule 2, paragraph 2(a); Schedule 3, paragraph 15(b); Schedule 4, paragraph 5(a) and Schedule 6, paragraph 2(a)*),
 - (iii) for certain pharmaceutical products packaged for retail sale and intended for personal or domestic use (*Schedule 2, paragraph 2(c); Schedule 3, paragraph 15(a); Schedule 4, paragraph 2(b) and Schedule 6, paragraph 2(a)*), and
 - (iv) in respect of certain radioactive materials carried by rail (*Schedule 7, paragraph 2(b)*);
- (b) a new requirement for large containers to meet international standards (*Schedule 3, paragraph 5(b); Schedule 6, paragraph 7 and Schedule 7, paragraph 4*);
 - (c) the carriage in bulk of used batteries to be permitted under certain conditions (*Schedule 3, paragraph 17(g) and Schedule 6, paragraphs 16(i) and 17(i)*);
 - (d) revisions to the content and format of emergency information for the carriage of dangerous goods by road (*Schedule 3, paragraphs 8(d) and 20*);
 - (e) a new training requirement for employees with responsibilities related to the carriage of dangerous goods by road (*Schedule 3, paragraph 13*);
 - (f) training for the drivers of road vehicles which carry dangerous goods to be in the form of a theoretical course in specified subjects accompanied by practical exercises (*Schedule 4, paragraphs 3(d) and 6*);
 - (g) the introduction of additional arrangements for the carriage of certain oxidizing, toxic and corrosive substances in composite intermediate bulk containers (*Schedule 3, paragraph 16(f) and Schedule 6, paragraph 21*);
 - (h) the carriage in bulk of certain high temperature goods to be permitted in special vehicles, wagons and large containers (*Schedule 3, paragraph 17(h) and Schedule 6, paragraph 16(j)*);
 - (i) the introduction of transitional provisions in relation to the publication of a new edition of an Approved Document (*Schedule 2, paragraph 3; Schedule 3, paragraph 3; Schedule 6, paragraph 3 and Schedule 7, paragraph 3*); and
 - (j) the substitution of fixed fees for applications for approvals of training or refresher courses under the Carriage of Dangerous Goods by Road (Driver Training) Regulations (Northern Ireland) 1997 (*Schedule 5*).
- 5.** Copies of relevant documents may be obtained as follows—
- (a) the current edition of the International Maritime Dangerous Goods Code Volumes I and II (ISBN 92-801-5090-1) and Supplement (ISBN 92-801-5093-6) and the International Convention for Safe Containers, 1972 (4th edition, 1996, ISBN 92-801-1411-5) from the International Maritime Organization, 4 Albert Embankment, London SE1 7SR;
 - (b) British Standard BSEN 3-1: 1996 from the British Standards Institution, British Standards House, 389 Chiswick High Road, London W4 4AL; and
 - (c) International Union of Railways UIC leaflets 590, 592-2, 592-3 and 592-4 from Railtrack Freight Commercial, Room 279, Derwent House, RTC Business Park, London Road, Derby DE24 8UP.
- 6.** In Great Britain, the corresponding Regulations are the Carriage of Dangerous Goods (Amendment) Regulations 1999 (S.I.1999/303). Copies of the cost benefit assessment relating to

those Regulations together with a Northern Ireland Supplement prepared by the Department of Enterprise, Trade and Investment are held at the offices of the Health and Safety Executive for Northern Ireland at 83 Ladas Drive, Belfast BT6 9FR from where copies may be obtained on request.

7. A person who contravenes these Regulations or any requirement or prohibition imposed thereunder, is guilty of an offence under Article 31 of the Health and Safety at Work (Northern Ireland) Order 1978 and is liable, on summary conviction, to a fine not exceeding the statutory maximum (currently £5,000) or, on conviction on indictment, to a fine.