

2003 No. 435

AGRICULTURE

PESTICIDES

Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) (No. 3) Regulations (Northern Ireland) 2003

Made - - - - *7th October 2003*

Coming into operation *24th October 2003*

The Department of Agriculture and Rural Development, being a Department designated(a) for the purposes of section 2(2) of the European Communities Act 1972(b) in relation to the common agricultural policy of the European Community, in exercise of the powers conferred on it by the said section 2(2) and of every other power enabling it in that behalf, hereby makes the following Regulations:

Citation, commencement and interpretation

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) (No. 3) Regulations (Northern Ireland) 2003 and shall come into operation on 24th October 2003.

(2) The Interpretation Act (Northern Ireland) 1954(c) shall apply to these Regulations as it applies to an Act of the Northern Ireland Assembly.

Amendment to the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations (Northern Ireland) 2002

2.—(1) The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations (Northern Ireland) 2002(d) shall be amended in accordance with this regulation.

(2) In regulation 2(1), for the definition of “the Residues Directives” there shall be substituted the following definition:

““the Residues Directives” means Council Directive 86/362/EEC(e), Council Directive 86/363/EEC(f) and Council Directive 90/642/EEC(g), in each case amended as at the date

(a) S.I. 2000/2812

(b) 1972 c. 68

(c) 1954 c. 33 (N.I.)

(d) S.R. 2002 No. 20 as amended by S.R. 2002 No. 27, S.R. 2002 No. 250, S.R. 2003 No. 123 and S.R. 2003 No. 379

(e) O.J. No. L221, 7.8.86, p. 37. The last amending instrument is Commission Directive 2003/62/EC (O.J. No. L154, 21.6.2003, p. 70)

(f) O.J. No. L221, 7.8.86, p. 43. The last amending instrument is Commission Directive 2003/60/EC (O.J. No. L155, 24.6.2003, p. 15)

(g) O.J. No. L350, 14.12.90, p. 71. The last amending instrument is Commission Directive 2003/69/EC (O.J. No. L175, 15.7.2003, p. 37)

of the making of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Amendment) (No. 3) Regulations (Northern Ireland) 2003.”

(3) In Schedule 1 there shall be inserted at the appropriate places in Columns 1 and 2 the following entries (with the entries for Amitrole replacing those in relation to which the term ‘Aminotriazole’ appears in Column 1):

Column 1	Column 2
<i>Pesticide</i>	<i>Residues</i>
Acibenzolar-S-methyl	acibenzolar-S-methyl
Amitrole	amitrole
Chlorfenapyr	chlorfenapyr
Cimidon-ethyl	cimidon-ethyl (sum of cimidon-ethyl and its E-isomer)
Cyclanilide	cyclanilide
Cyhalotop butyl	cyhalotop butyl (sum of cyhalotop butyl and its free acids)
Diquat	diquat
Ethofumesate	ethofumesate (sum of ethofumesate and the metabolite 2,3-dihydro-3,3-dimethyl-2-oxo-benzofuran-5-yl methane sulphonate expressed as ethofumesate)
Famoxadone	famoxadone
Fenhexamid	fenhexamid
Fentin acetate	fentin acetate
Fentin hydroxide	fentin hydroxide
Florasulam	florasulam
Flumioxazine	flumioxazine
Iprovalicarb	iprovalicarb
Isoproturon	isoproturon
Metaxyl-M	(1) For cereals – metaxyl-M (2) For other products – metaxyl-M including other mixtures of constituent isomers (sum of isomers)
Picolinafen	picolinafen
Prosulfuron	prosulfuron
Pyraflufen-ethyl	pyraflufen-ethyl
Sulfosulfuron	sulfosulfuron

(4) In Part I of Schedule 2 the column relating to Omethoate shall be deleted.

(5) In Part II of Schedule 2 the maximum residue levels shall be substituted as follows –

(a) for mg/kg of Chlormequat on pears delete “0.5” and insert “0.3”;

(b) for mg/kg of Dimethoate on tea (dried leaves and stalks, fermented or otherwise, *Camellia sinensis*) delete “0.2”;

(c) for mg/kg of Kresoxim-methyl on strawberries (other than wild) delete “0.2” and insert “1”;

(d) for mg/kg of Maneb Mancozeb Meirran Propineb and Zineb on radishes delete “0.2” and insert “2”, and on spring onions delete “0.05*” and insert “1”.

(6) In Part II of Schedule 2 –

(a) there shall be inserted, in the appropriate place to preserve the alphabetical ordering from left to right, columns of maximum permitted levels for residues of the pesticides

Acibenzolar-S-methyl, Chlorfenapyr, Cindon-ethyl, Cyclanilide, Cyhalofop butyl, Diquat, Ethofumesate, Famoxadone, Fenhexamid, Fentin acetate, Fentin hydroxide, Florasulam, Flumioxazine, Iprovalicarb, Isoproturon, Metalaxyl-M, Picolinafen, Prosulfuron, Pyraflufen-ethyl and Sulfosulfuron as specified in the Schedule to these Regulations;

- (b) for the columns relating to the pesticides Aminotriazole (Amitrole), Azoxyystrobin, Clofentezine, Hexaconazole, Lambda-cyhalothrin, Myclobutanil and Prochloraz, there shall be substituted the columns of maximum permitted levels for residues of those pesticides as specified in the Schedule to these Regulations (with the heading 'Aminotriazole (Amitrole)' being replaced by the heading 'Amitrole'); and
- (c) the column the heading of which is so replaced shall be moved to preserve the alphabetical ordering.

Sealed with the Official Seal of the Department of Agriculture and Rural Development on 7th October 2003.

(L.S.)

D. Small

A senior officer of the Department of Agriculture and Rural Development

SCHEDULE

Regulation 2(6)

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acibenzolar-S-methyl</i>	<i>Amitrole</i>	<i>Azoxystrobin</i>	<i>Chlorfenapyr Applying from 1 July 2004</i>	<i>Cinidon-ethyl</i>	<i>Clofentezine</i>	<i>Cyclanilide</i>	<i>Cyhalofop butyl</i>	<i>Diquat</i>	<i>Ethofumesate</i>
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts											
(i) CITRUS FRUIT											
	Grapefruit	0.02*	0.01*	1	0.05*	0.05*	0.5	0.05*	0.02*	0.05*	0.05*
	Lemons	0.02*	0.01*	1	0.05*	0.05*	0.5	0.05*	0.02*	0.05*	0.05*
	Limes	0.02*	0.01*	1	0.05*	0.05*	0.5	0.05*	0.02*	0.05*	0.05*
	Mandarins (inc clementines & similar hybrids)	0.02*	0.01*	1	0.05*	0.05*	0.5	0.05*	0.02*	0.05*	0.05*
	Oranges	0.02*	0.01*	1	0.05*	0.05*	0.5	0.05*	0.02*	0.05*	0.05*
	Pomelos	0.02*	0.01*	1	0.05*	0.05*	0.5	0.05*	0.02*	0.05*	0.05*
	Others	0.02*	0.01*	1	0.05*	0.05*	0.5	0.05*	0.02*	0.05*	0.05*
(ii) TREE NUTS (shelled or unshelled)											
	Almonds	0.02*	0.01*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Brazil nuts	0.02*	0.01*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Cashew nuts	0.02*	0.01*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Chestnuts	0.02*	0.01*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Coconuts	0.02*	0.01*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Hazelnuts	0.1*	0.01*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Macadamia nuts	0.02*	0.01*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Pecans	0.02*	0.01*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Pine nuts	0.02*	0.01*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Pistachios	0.02*	0.01*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Walnuts	0.02*	0.01*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*
	Others	0.02*	0.01*	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*

(iii) POME FRUIT

Apples	0.02*	0.01*	0.05*	0.05*	0.05*	0.5	0.05*	0.02*	0.05*	0.05*
Pears	0.02*	0.01*	0.05*	0.05*	0.05*	0.5	0.05*	0.02*	0.05*	0.05*
Quinces	0.02*	0.01*	0.05*	0.05*	0.05*	0.5	0.05*	0.02*	0.05*	0.05*
Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.5	0.05*	0.02*	0.05*	0.05*

(iv) STONE FRUIT

Apricots	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Cherries	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Peaches (incl nectarines & similar hybrids)	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Plums	0.02*	0.01*	0.05*	0.05*	0.05*	0.2	0.05*	0.02*	0.05*	0.05*
Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*

(v) BERRIES AND SMALL FRUIT

(a) *Table & wine grapes*

Table grapes	0.02*	0.01*	2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Wine grapes	0.02*	0.01*	2	0.05*	0.05*	1	0.05*	0.02*	0.05*	0.05*

(b) *Strawberries* (other than wild)

	0.02*	0.01*	2	0.05*	0.05*	2	0.05*	0.02*	0.05*	0.05*
--	-------	-------	---	-------	-------	---	-------	-------	-------	-------

(c) *Cane Fruit* (other than wild)

Blackberries	0.02*	0.01*	3	0.05*	0.05*	3	0.05*	0.02*	0.05*	0.05*
Dewberries	0.02*	0.01*	0.05*	0.05*	0.05*	0.3	0.05*	0.02*	0.05*	0.05*
Loganberries	0.02*	0.01*	0.05*	0.05*	0.05*	0.3	0.05*	0.02*	0.05*	0.05*
Raspberries	0.02*	0.01*	3	0.05*	0.05*	3	0.05*	0.02*	0.05*	0.05*
Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.3	0.05*	0.02*	0.05*	0.05*

(d) *Other small fruit & berries* (other than wild)

Bilberries	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Cranberries	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Currants (red, black & white)	0.02*	0.01*	0.05*	0.05*	0.05*	0.5	0.05*	0.02*	0.05*	0.05*
Gooseberries	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*

(e) *Wild berries & wild fruit*

	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
--	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acibenzolar-S-methyl</i>	<i>Amitrole</i>	<i>Azoxystrobin</i>	<i>Chlorfenapyr Applying from 1 July 2004</i>	<i>Cinidon-ethyl</i>	<i>Clofentezine</i>	<i>Cyclanilide</i>	<i>Cyhalofop butyl</i>	<i>Diquat</i>	<i>Ethofumesate</i>
(vi) MISCELLANEOUS FRUIT											
	Avocados	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Bananas	0.1	0.01*	2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Dates	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Figs	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Kiwi fruit	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Kumquats	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Litchis	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Mangoes	0.5	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Olives (table consumption)	0.02*	0.05	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Olives (oil extract)	0.02*	0.05	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Papaya	0.02*	0.01*		0.05*	0.05*		0.05*	0.02*	0.05*	0.05*
	Passion fruit	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Pineapples	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Pomegranates	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry											
(i) ROOT AND TUBER VEGETABLES											
	Beetroot	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.1
	Carrots	0.02*	0.01*	0.2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Celeriac	0.02*	0.01*	0.3	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Horseradish	0.02*	0.01*	0.2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Jerusalem artichokes	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Parsnips	0.02*	0.01*	0.2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Parsley root	0.02*	0.01*	0.2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Radishes	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*

Salsify	0.02*	0.01*	0.2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Sweet potatoes	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Swedes	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Turnips	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Yams	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*

(ii) BULB VEGETABLES

Garlic	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Onions	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Shallots	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Spring onions	0.02*	0.01*	2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*

(iii) FRUITING VEGETABLES

(a) <i>Solanacea</i>										
Tomatoes	1	0.01*	2	0.05*	0.05*	0.3	0.05*	0.02*	0.05*	0.05*
Peppers	0.02*	0.01*	2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Chilli peppers										
Aubergines	0.02*	0.01*	2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
(b) <i>Cucurbits-edible peel</i>										
Cucumbers	0.02*	0.01*	1	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Gherkins	0.02*	0.01*	1	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Courgettes	0.02*	0.01*	1	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Others	0.02*	0.01*	1	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
(c) <i>Cucurbits-inedible peel</i>										
Melons	0.02*	0.01*	0.5	0.05*	0.05*	0.1	0.05*	0.02*	0.05*	0.05*
Squashes	0.02*	0.01*	0.5	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Watermelons	0.02*	0.01*	0.5	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Others	0.02*	0.01*	0.5	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
(d) <i>Sweet corn</i>	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*

(iv) BRASSICA VEGETABLES

(a) <i>Flowering Brassicas</i>										
Broccoli	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acibenzolar-S-methyl</i>	<i>Amitrole</i>	<i>Azoxystrobin</i>	<i>Chlorfenapyr Applying from 1 July 2004</i>	<i>Cinidon-ethyl</i>	<i>Clofentezine</i>	<i>Cyclanilide</i>	<i>Cyhalofop butyl</i>	<i>Diquat</i>	<i>Ethofumesate</i>
	Cauliflower	0.02*	0.01*	0.5	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	(b) <i>Head Brassicas</i>										
	Brussels sprouts	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Head cabbage	0.02*	0.01*	0.3	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	(c) <i>Leafy Brassicas</i>										
	Chinese cabbage	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Kale	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	(d) <i>Kohlrabi</i>	0.02*	0.01*	0.2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*

(v) LEAF VEGETABLES AND FRESH HERBS

(a) <i>Lettuce & similar</i>											
	Cress	0.02*	0.01*	3	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Lamb's lettuce	0.02*	0.01*	3	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Lettuce	0.02*	0.01*	3	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Scarole	0.02*	0.01*	3	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Others	0.02*	0.01*	3	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
(b) <i>Spinach & similar</i>											
	Spinach	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Beet leaves (chard)	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
(c) <i>Watercress</i>		0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
(d) <i>Witloof</i>		0.02*	0.01*	0.2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*

(e) <i>Herbs</i>										
Chervil	0.02*	0.01*	3	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Chives	0.02*	0.01*	3	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Parsley	0.02*	0.01*	3	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Celery leaves	0.02*	0.01*	3	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Others	0.02*	0.01*	3	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
<hr/>										
(vi) LEGUME VEGETABLES (fresh)										
Beans (with pods)	0.02*	0.01*	1	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Beans (without pods)	0.02*	0.01*	0.2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Peas (with pods)	0.02*	0.01*	0.5	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Peas (without pods)	0.02*	0.01*	0.2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
<hr/>										
(vii) STEM VEGETABLES										
Asparagus	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Cardoons	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Celery	0.02*	0.01*	5	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Fennel	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Globe artichokes	0.02*	0.01*	1	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Leeks	0.02*	0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Rhubarb	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Others	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
<hr/>										
(viii) FUNGI										
(a) <i>Cultivated mushrooms</i>	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
(b) <i>Wild mushrooms</i>	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
<hr/>										
3. PULSES										
Beans	0.02*	0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.02*	0.2	0.05*
Lentils	0.02*	0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
Peas	0.02*	0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.02*	0.2	0.05*
Others	0.02*	0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
<hr/>										

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Acibenzolar-S-methyl</i>	<i>Amitrole</i>	<i>Azoxystrobin</i>	<i>Chlorfenapyr Applying from 1 July 2004</i>	<i>Cinidon-ethyl</i>	<i>Clofentezine</i>	<i>Cyclanilide</i>	<i>Cyhalofop butyl</i>	<i>Diquat</i>	<i>Ethofumesate</i>
4. OILSEEDS											
	Linseed	0.05*	0.02*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	5	0.1*
	Peanuts	0.05*	0.02*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	0.1	0.1*
	Poppy seed	0.05*	0.02*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	0.1	0.1*
	Sesame seed	0.05*	0.02*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	0.1	0.1*
	Sunflower seed	0.05*	0.02*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	0.1	0.1*
	Rape seed	0.05*	0.02*	0.5	0.1*	0.1*	0.05*	0.05*	0.05*	0.1	0.1*
	Soya bean	0.05*	0.02*	0.5	0.1*	0.1*	0.05*	0.05*	0.05*	0.5	0.1*
	Mustard seed	0.05*	0.02*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	0.1	0.1*
	Cotton seed	0.05*	0.02*	0.05*	0.1*	0.1*	0.05*	0.2	0.05*	0.1	0.1*
	Others	0.05*	0.02*	0.05*	0.1*	0.1*	0.05*	0.05*	0.05*	0.1	0.1*
5. POTATOES											
	Early potatoes	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
	Ware potatoes	0.02*	0.01*	0.05*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.05*	0.02*	0.1	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.05*	0.02*	20	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*	0.1*
8. CEREALS											
	Wheat	0.05*	0.01*	0.3	0.05*	0.1*	0.02*	0.05*	0.02*	0.05*	0.05*
	Rye	0.05*	0.01*	0.3	0.05*	0.1*	0.02*	0.05*	0.02*	0.05*	0.05*
	Barley	0.05*	0.01*	0.3	0.05*	0.1*	0.02*	0.05*	0.02*	10	0.05*

Sorghum	0.05*	0.01*	0.05*	0.05*	0.1*	0.02*	0.05*	0.02*	0.05*	0.05*
Oats	0.05*	0.01*	0.3	0.05*	0.1*	0.02*	0.05*	0.02*	2	0.05*
Triticale	0.05*	0.01*	0.3	0.05*	0.1*	0.02*	0.05*	0.02*	0.05*	0.05*
Maize	0.05*	0.01*	0.05*	0.05*	0.1*	0.02*	0.05*	0.02*	1	0.05*
Buckwheat	0.05*	0.01*	0.05*	0.05*	0.1*	0.02*	0.05*	0.02*	0.05*	0.05*
Millet	0.05*	0.01*	0.05*	0.05*	0.1*	0.02*	0.05*	0.02*	1	0.05*
Rice ⁽¹⁾	0.05*	0.01*	5	0.05*	0.1*	0.02*	0.05*	0.02*	0.05*	0.05*
Other cereals ⁽²⁾	0.05*	0.01*	0.05*	0.05*	0.1*	0.02*	0.05*	0.02*	0.05*	0.05*

9. PRODUCTS OF ANIMAL ORIGIN

Meat, fat & preparations of meat ⁽³⁾	0.02*		0.05*			0.1 ⁽⁵¹⁾				
Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.02*		0.01*			0.05* ⁽¹⁷⁾	0.01*		0.05*	0.1*
Eggs ⁽⁶⁾	0.02*		0.05*			0.05*	0.01*		0.05*	0.1*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Famoxadone</i>	<i>Fenhexamid</i>	<i>Fenit acetate Applying from 1 July 2004</i>	<i>Fenit hydroxide Applying from 1 July 2004</i>	<i>Florasulam</i>	<i>Flumioxazine</i>	<i>Hexaconazole</i>	<i>Iprovalicarb</i>	<i>Isoproturon</i>
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts										
(i) CITRUS FRUIT										
	Grapefruit	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Lemons	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Limes	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Mandarins (inc clementines & similar hybrids)	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Oranges	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Pomelos	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
(ii) TREE NUTS (shelled or unshelled)										
	Almonds	0.02*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*
	Brazil nuts	0.02*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*
	Cashew nuts	0.02*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*
	Chestnuts	0.02*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*
	Coconuts	0.02*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*
	Hazelnuts	0.02*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*
	Macadamia nuts	0.02*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*
	Pecans	0.02*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*
	Pine nuts	0.02*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*
	Pistachios	0.02*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*
	Walnuts	0.02*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*

(iii) POME FRUIT

Apples	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1	0.05*	0.05*
Pears	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1	0.05*	0.05*
Quinces	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*

(iv) STONE FRUIT

Apricots	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Cherries	0.02*	5	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Peaches (incl nectarines & similar hybrids)	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Plums	0.02*	2	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*

(v) BERRIES AND SMALL FRUIT

(a) <i>Table & wine grapes</i>									
Table grapes	2	5	0.05*	0.05*	0.01*	0.05*	0.1	2	0.05*
Wine grapes	2	5	0.05*	0.05*	0.01*	0.05*	0.1	2	0.05*
(b) <i>Strawberries</i> (other than wild)	0.02*	5	0.05*	0.05*	0.01*	0.05*	0.2	0.05*	0.05*
(c) <i>Cane Fruit</i> (other than wild)									
Blackberries	0.02*	10	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Dewberries	0.02*	10	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Loganberries	0.02*	10	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Raspberries	0.02*	10	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Others	0.02*	10	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
(d) <i>Other small fruit & berries</i> (other than wild)									
Bilberries	0.02*	5	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Cranberries	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Currants (red, black & white)	0.02*	5	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Gooseberries	0.02*	5	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
(e) <i>Wild berries & wild fruit</i>	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Famoxadone</i>	<i>Fenhexamid</i>	<i>Fenit acetate Applying from 1 July 2004</i>	<i>Fenit hydroxide Applying from 1 July 2004</i>	<i>Florasulam</i>	<i>Flumioxazine</i>	<i>Hexaconazole</i>	<i>Iprovalicarb</i>	<i>Isoproturon</i>
(vi) MISCELLANEOUS FRUIT										
	Avocados	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Bananas	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.1	0.05*	0.05*
	Dates	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Figs	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Kiwi fruit	0.02*	10	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Kumquats	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Litchis	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Mangoes	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Olives (table consumption)	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Olives (oil extract)	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Papaya	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*		0.05*	0.05*
	Passion fruit	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Pineapples	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Pomegranates	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry										
(i) ROOT AND TUBER VEGETABLES										
	Beetroot	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Carrots	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Celeriac	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Horseradish	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Jerusalem artichokes	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Parsnips	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Parsley root	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Radishes	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*

Salsify	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Sweet potatoes	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Swedes	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Turnips	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Yams	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
<hr/>									
(ii) BULB VEGETABLES									
Garlic	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Onions	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Shallots	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Spring onions	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
<hr/>									
(iii) FRUITING VEGETABLES									
(a) <i>Solanacea</i>									
Tomatoes	0.2	1	0.05*	0.05*	0.01*	0.05*	0.1	1	0.05*
Peppers	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Chilli peppers									
Aubergines	0.2	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
(b) <i>Cucurbits-edible peel</i>									
Cucumbers	0.2	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.1	0.05*
Gherkins	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.1	0.05*
Courgettes	0.2	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.1	0.05*
Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
(c) <i>Cucurbits-inedible peel</i>									
Melons	0.3	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.1	0.05*
Squashes	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Watermelons	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.1	0.05*
Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
(d) <i>Sweet corn</i>									
	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
<hr/>									
(iv) BRASSICA VEGETABLES									
(a) <i>Flowering Brassicas</i>									
Broccoli	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Famoxadone</i>	<i>Fenhexamid</i>	<i>Fenit acetate Applying from 1 July 2004</i>	<i>Fenit hydroxide Applying from 1 July 2004</i>	<i>Florasulam</i>	<i>Flumioxazine</i>	<i>Hexaconazole</i>	<i>Iprovalicarb</i>	<i>Isoproturon</i>
	Cauliflower	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	(b) <i>Head Brassicas</i>									
	Brussels sprouts	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Head cabbage	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	(c) <i>Leafy Brassicas</i>									
	Chinese cabbage	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Kale	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	(d) <i>Kohlrabi</i>	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
(v) LEAF VEGETABLES AND FRESH HERBS										
	(a) <i>Lettuce & similar</i>									
	Cress	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Lamb's lettuce	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Lettuce	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	1	0.05*
	Scarole	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	1	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	(b) <i>Spinach & similar</i>									
	Spinach	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Beet leaves (chard)	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	(c) <i>Watercress</i>	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	(d) <i>Witloof</i>	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*

(e) <i>Herbs</i>									
Chervil	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Chives	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Parsley	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Celery leaves	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
<hr/>									
(vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Beans (without pods)	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Peas (with pods)	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Peas (without pods)	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
<hr/>									
(vii) STEM VEGETABLES									
Asparagus	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Cardoons	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Celery	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Fennel	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Globe artichokes	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Leeks	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Rhubarb	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
<hr/>									
(viii) FUNGI									
(a) <i>Cultivated mushrooms</i>	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
(b) <i>Wild mushrooms</i>	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
<hr/>									
3. PULSES									
Beans	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Lentils	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Peas	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Others	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
<hr/>									

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Famoxadone</i>	<i>Fenhexamid</i>	<i>Fenit acetate Applying from 1 July 2004</i>	<i>Fenit hydroxide Applying from 1 July 2004</i>	<i>Florasulam</i>	<i>Flumioxazine</i>	<i>Hexaconazole</i>	<i>Iprovalicarb</i>	<i>Isoproturon</i>
4. OILSEEDS										
	Linseed	0.05*	0.1*	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*
	Peanuts	0.05*	0.1*	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*
	Poppy seed	0.05*	0.1*	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*
	Sesame seed	0.05*	0.1*	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*
	Sunflower seed	0.05*	0.1*	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*
	Rape seed	0.05*	0.1*	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*
	Soya bean	0.05*	0.1*	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*
	Mustard seed	0.05*	0.1*	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*
	Cotton seed	0.05*	0.1*	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*
	Others	0.05*	0.1*	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*
5. POTATOES										
	Early potatoes	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Ware potatoes	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.05*	0.1*	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.05*	0.1*	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*
8. CEREALS										
	Wheat	0.1	0.05*	0.05*	0.05*	0.01*	0.05*	0.1	0.05*	0.05*
	Rye	0.1	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
	Barley	0.2	0.05*	0.05*	0.05*	0.01*	0.05*	0.1	0.05*	0.05*

Sorghum	0.1	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Oats	0.1	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Triticale	0.1	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Maize	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Buckwheat	0.1	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Millet	0.1	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Rice ⁽¹⁾	0.02*	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*
Other cereals ⁽²⁾	0.1	0.05*	0.05*	0.05*	0.01*	0.05*	0.02*	0.05*	0.05*

9. PRODUCTS OF ANIMAL ORIGIN

Meat, fat & preparations of meat ⁽³⁾	0.05*	0.05*							0.05*
Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.05*	0.05*							0.05*
Eggs ⁽⁶⁾	0.05*	0.05*							0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Lambda-cyhalothrin</i>	<i>Metaxyl-M</i>	<i>Myclobutamil</i>	<i>Picolinafen</i>	<i>Prochloraz</i>	<i>Prosulfuron</i>	<i>Pyraflufen-ethyl</i>	<i>Sulfosulfuron</i>
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
(i) CITRUS FRUIT									
	Grapefruit	0.1	0.5	3	0.05*	10	0.02*	0.02*	0.05*
	Lemons	0.2	0.5	3	0.05*	10	0.02*	0.02*	0.05*
	Limes	0.2	0.5	3	0.05*	10	0.02*	0.02*	0.05*
	Mandarins (inc clementines & similar hybrids)	0.2	0.5	3	0.05*	10	0.02*	0.02*	0.05*
	Oranges	0.1	0.5	3	0.05*	10	0.02*	0.02*	0.05*
	Pomelos	0.1	0.5	3	0.05*	10	0.02*	0.02*	0.05*
	Others	0.02*	0.5	3	0.05*	10	0.02*	0.02*	0.05*
(ii) TREE NUTS (shelled or unshelled)									
	Almonds	0.05*	0.02*	0.05*	0.05*	0.1*	0.02*	0.1*	0.05*
	Brazil nuts	0.05*	0.02*	0.05*	0.05*	0.1*	0.02*	0.1*	0.05*
	Cashew nuts	0.05*	0.02*	0.05*	0.05*	0.1*	0.02*	0.1*	0.05*
	Chestnuts	0.05*	0.02*	0.05*	0.05*	0.1*	0.02*	0.1*	0.05*
	Coconuts	0.05*	0.02*	0.05*	0.05*	0.1*	0.02*	0.1*	0.05*
	Hazelnuts	0.05*	0.02*	0.05*	0.05*	0.1*	0.02*	0.1*	0.05*
	Macadamia nuts	0.05*	0.02*	0.05*	0.05*	0.1*	0.02*	0.1*	0.05*
	Pecans	0.05*	0.02*	0.05*	0.05*	0.1*	0.02*	0.1*	0.05*
	Pine nuts	0.05*	0.02*	0.05*	0.05*	0.1*	0.02*	0.1*	0.05*
	Pistachios	0.05*	0.02*	0.05*	0.05*	0.1*	0.02*	0.1*	0.05*
	Walnuts	0.05*	0.02*	0.05*	0.05*	0.1*	0.02*	0.1*	0.05*
	Others	0.05*	0.02*	0.05*	0.05*	0.1*	0.02*	0.1*	0.05*

(iii) POME FRUIT

Apples	0.1	0.02*	0.5	0.05*	0.05*	0.02*	0.02*	0.05*
Pears	0.1	0.02*	0.5	0.05*	0.05*	0.02*	0.02*	0.05*
Quinces	0.1	0.02*	0.5	0.05*	0.05*	0.02*	0.02*	0.05*
Others	0.1	0.02*	0.5	0.05*	0.05*	0.02*	0.02*	0.05*

(iv) STONE FRUIT

Apricots	0.2	0.02*	0.3	0.05*	0.05*	0.02*	0.02*	0.05*
Cherries	0.1	0.02*	1	0.05*	0.05*	0.02*	0.02*	0.05*
Peaches (incl nectarines & similar hybrids)	0.2	0.02*	0.5	0.05*	0.05*	0.02*	0.02*	0.05*
Plums	0.1	0.02*	0.5	0.05*	0.05*	0.02*	0.02*	0.05*
Others	0.1	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*

(v) BERRIES AND SMALL FRUIT

(a) <i>Table & wine grapes</i>								
Table grapes	0.2	1	1	0.05*	0.05*	0.02*	0.02*	0.05*
Wine grapes	0.2	1	1	0.05*	0.05*	0.02*	0.02*	0.05*
(b) <i>Strawberries</i> (other than wild)	0.5	0.3	1	0.05*	0.05*	0.02*	0.02*	0.05*
(c) <i>Cane Fruit</i> (other than wild)								
Blackberries	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
Dewberries	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
Loganberries	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
Raspberries	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
Others	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
(d) <i>Other small fruit & berries</i> (other than wild)								
Bilberries	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
Cranberries	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
Currants (red, black & white)	0.1	0.02*	1	0.05*	0.05*	0.02*	0.02*	0.05*
Gooseberries	0.1	0.02*	1	0.05*	0.05*	0.02*	0.02*	0.05*
Others	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
(e) <i>Wild berries & wild fruit</i>	0.2	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Lambda-cyhalothrin</i>	<i>Metaxyl-M</i>	<i>Myclobutamil</i>	<i>Picolinafen</i>	<i>Prochloraz</i>	<i>Prosulfuron</i>	<i>Pyraflufen-ethyl</i>	<i>Sulfosulfuron</i>
(vi) MISCELLANEOUS FRUIT									
	Avocados	0.02*	0.02*	0.02*	0.05*	5	0.02*	0.02*	0.05*
	Bananas	0.02*	0.02*	2	0.05*	0.05*	0.02*	0.02*	0.05*
	Dates	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
	Figs	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
	Kiwi fruit	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
	Kumquats	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
	Litchis	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
	Mangoes	0.02*	0.02*	0.02*	0.05*	5	0.02*	0.02*	0.05*
	Olives (table consumption)	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
	Olives (oil extract)	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
	Papaya		0.02*		0.05*	5	0.02*	0.02*	0.05*
	Passion fruit	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
	Pineapples	0.02*	0.02*	0.02*	0.05*	5	0.02*	0.02*	0.05*
	Pomegranates	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
	Others	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*

2. Vegetables, fresh or uncooked, frozen or dry

(i) ROOT AND TUBER VEGETABLES

Beetroot	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
Carrots	0.02*	0.1	0.2	0.05*	0.05*	0.02*	0.02*	0.05*
Celeriac	0.1	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
Horseradish	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
Jerusalem artichokes	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
Parsnips	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
Parsley root	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
Radishes	0.1	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*

Salsify	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
Sweet potatoes	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
Swedes	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
Turnips	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
Yams	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
Others	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*

(ii) BULB VEGETABLES

Garlic	0.02*	0.02*	0.02*	0.05*	0.5	0.02*	0.02*	0.05*
Onions	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
Shallots	0.02*	0.02*	0.02*	0.05*	5	0.02*	0.02*	0.05*
Spring onions	0.05	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
Others	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*

(iii) FRUITING VEGETABLES

(a) <i>Solanacea</i>								
Tomatoes	0.1	0.2	0.3	0.05*	0.05*	0.02*	0.02*	0.05*
Peppers	0.1	0.5	0.5	0.05*	0.05*	0.02*	0.02*	0.05*
Chilli peppers					0.05*			
Aubergines	0.5	0.02*	0.3	0.05*	0.05*	0.02*	0.02*	0.05*
Others	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
(b) <i>Cucurbits-edible peel</i>								
Cucumbers	0.1	0.5	0.1	0.05*	0.05*	0.02*	0.02*	0.05*
Gherkins	0.1	0.02*	0.1	0.05*	0.05*	0.02*	0.02*	0.05*
Courgettes	0.1	0.02*	0.1	0.05*	0.05*	0.02*	0.02*	0.05*
Others	0.1	0.02*	0.1	0.05*	0.05*	0.02*	0.02*	0.05*
(c) <i>Cucurbits-inedible peel</i>								
Melons	0.05	0.05	0.2	0.05*	0.05*	0.02*	0.02*	0.05*
Squashes	0.05	0.02*	0.2	0.05*	0.05*	0.02*	0.02*	0.05*
Watermelons	0.05	0.05	0.2	0.05*	0.05*	0.02*	0.02*	0.05*
Others	0.05	0.02*	0.2	0.05*	0.05*	0.02*	0.02*	0.05*
(d) <i>Sweet corn</i>	0.05	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*

(iv) BRASSICA VEGETABLES

(a) <i>Flowering Brassicas</i>								
Broccoli	0.1	0.05	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Lambda-cyhalothrin</i>	<i>Metaxyl-M</i>	<i>Myclobutamil</i>	<i>Picolinafen</i>	<i>Prochloraz</i>	<i>Prosulfuron</i>	<i>Pyraflufen-ethyl</i>	<i>Sulfosulfuron</i>
	Cauliflower	0.1	0.05	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
	Others	0.1	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
	(b) <i>Head Brassicas</i>								
	Brussels sprouts	0.05	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
	Head cabbage	0.2	0.05	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
	Others	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
	(c) <i>Leafy Brassicas</i>								
	Chinese cabbage	1	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
	Kale	1	0.2	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
	Others	1	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
	(d) <i>Kohlrabi</i>	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*

(v) LEAF VEGETABLES AND FRESH HERBS

	(a) <i>Lettuce & similar</i>								
	Cress	1	0.02*	0.02*	0.05*	5	0.02*	0.02*	0.05*
	Lamb's lettuce	1	0.02*	0.02*	0.05*	5	0.02*	0.02*	0.05*
	Lettuce	1	2	0.02*	0.05*	5	0.02*	0.02*	0.05*
	Scarole	1	0.02*	0.02*	0.05*	5	0.02*	0.02*	0.05*
	Others	1	0.02*	0.02*	0.05*	5	0.02*	0.02*	0.05*
	(b) <i>Spinach & similar</i>								
	Spinach	0.5	0.05	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
	Beet leaves (chard)	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
	Others	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
	(c) <i>Watercress</i>	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
	(d) <i>Witloof</i>	0.02*	0.3	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*

(e) <i>Herbs</i>									
Chervil	1	0.02*	0.02*	0.05*	5	0.02*	0.02*	0.05*	
Chives	1	0.02*	0.02*	0.05*	5	0.02*	0.02*	0.05*	
Parsley	1	0.02*	0.02*	0.05*	5	0.02*	0.02*	0.05*	
Celery leaves	1	0.02*	0.02*	0.05*	5	0.02*	0.02*	0.05*	
Others	1	0.02*	0.02*	0.05*	5	0.02*	0.02*	0.05*	
<hr/>									
(vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)	0.2	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*	
Beans (without pods)	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*	
Peas (with pods)	0.2	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*	
Peas (without pods)	0.2	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*	
Others	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*	
<hr/>									
(vii) STEM VEGETABLES									
Asparagus	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*	
Cardoons	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*	
Celery	0.3	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*	
Fennel	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*	
Globe artichokes	0.02*	0.02*	0.5	0.05*	0.05*	0.02*	0.02*	0.05*	
Leeks	0.3	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*	
Rhubarb	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*	
Others	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*	
<hr/>									
(viii) FUNGI									
(a) <i>Cultivated mushrooms</i>	0.02*	0.02*	0.02*	0.05*	2	0.02*	0.02*	0.05*	
(b) <i>Wild mushrooms</i>	0.5	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*	
<hr/>									
3. PULSES									
Beans	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	
Lentils	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	
Peas	0.02*	0.02*	0.02*	0.05*	3	0.05*	0.02*	0.05*	
Others	0.02*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	
<hr/>									

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Lambda-cyhalothrin</i>	<i>Metaxyl-M</i>	<i>Myclobutamil</i>	<i>Picolinafen</i>	<i>Prochloraz</i>	<i>Prosulfuron</i>	<i>Pyraflufen-ethyl</i>	<i>Sulfosulfuron</i>
4. OILSEEDS									
	Linseed	0.02*	0.05*	0.05*	0.1*	0.5	0.1*	0.05*	0.1*
	Peanuts	0.02*	0.05*	0.05*	0.1*	0.1*	0.1*	0.05*	0.1*
	Poppy seed	0.02*	0.05*	0.05*	0.1*	0.1*	0.1*	0.05*	0.1*
	Sesame seed	0.02*	0.05*	0.05*	0.1*	0.1*	0.1*	0.05*	0.1*
	Sunflower seed	0.02*	0.05*	0.05*	0.1*	0.5	0.1*	0.05*	0.1*
	Rape seed	0.02*	0.05*	0.05*	0.1*	0.5	0.1*	0.05*	0.1*
	Soya bean	0.02*	0.05*	0.05*	0.1*	0.1*	0.1*	0.05*	0.1*
	Mustard seed	0.02*	0.05*	0.05*	0.1*	0.1*	0.1*	0.05*	0.1*
	Cotton seed	0.02*	0.05*	0.05*	0.1*	0.1*	0.1*	0.05*	0.1*
	Others	0.02*	0.05*	0.05*	0.1*	0.1*	0.1*	0.05*	0.1*
5. POTATOES									
	Early potatoes	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
	Ware potatoes	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	1	0.05*	0.05*	0.1*	0.1*	0.1*	0.05*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	10	10	2	0.1*	0.1*	0.1*	0.05*	0.1*
8. CEREALS									
	Wheat	0.02*	0.02*	0.02*	0.05*	0.5	0.02*	0.02*	0.05*
	Rye	0.02*	0.02*	0.02*	0.05*	0.5	0.02*	0.02*	0.05*
	Barley	0.05	0.02*	0.02*	0.05*	1	0.02*	0.02*	0.05*

Sorghum	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
Oats	0.02*	0.02*	0.02*	0.05*	1	0.02*	0.02*	0.05*
Triticale	0.02*	0.02*	0.02*	0.05*	0.5	0.02*	0.02*	0.05*
Maize	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
Buckwheat	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
Millet	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*
Rice ⁽¹⁾	0.02*	0.02*	0.02*	0.05*	1	0.02*	0.02*	0.05*
Other cereals ⁽²⁾	0.02*	0.02*	0.02*	0.05*	0.05*	0.02*	0.02*	0.05*

9. PRODUCTS OF ANIMAL ORIGIN

	0.5 (8)(39)			0.2 ⁽⁴²⁾ 2 ⁽⁴³⁾	
Meat, fat & preparations of meat ⁽³⁾	0.02* (9)(39)		0.01*	0.5 ⁽⁴⁴⁾ 0.1 ^{*(17)}	0.05*
Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.05 ⁽³⁹⁾		0.01*	0.02*	0.05*
Eggs ⁽⁶⁾	0.02 ^{*(39)}		0.01*	0.1*	0.05*

EXPLANATORY NOTE

(This note is not part of the Regulations.)

These Regulations, which are made under section 2(2) of the European Communities Act 1972, further amend the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) Regulations (Northern Ireland) 2002 (“the principal Regulations”).

The Regulations specify maximum levels of pesticide residues which crops, food and feeding stuffs may contain in implementation of Commission Directives 2003/60/EC, 2003/62/EC and 2003/69/EC. New columns of pesticides are added to Part II to Schedule 2 of the principal Regulations for the residues of Acbenzolar-S-methyl, Chlorfenapyr, Cindon-ethyl, Cyflanilide, Cyhalotop butyl, Diquat, Ethofumesate, Farnoxadone, Fenhexamid, Fentin acetate, Fentin hydroxide, Florasulam, Flumioxazine, Iprovalicarb, Isoproturon, Metalaxyl-M, Picothafen, Prothiflufen-ethyl and Sulfosulfuron. Complete revised columns for the residues of pesticides Aminotriazole (Amitrole), Azoxystrobin, Clofentezine, Hexaconazole, Lambda-cyhalothrin, Myclobutanil and Prochloraz have been substituted for existing columns in Part II to Schedule 2 of the principal Regulations. The previous column headed ‘Aminotriazole (Amitrole)’ is replaced by ‘Amitrole’ (regulation 2(6)).

Regulation 2(3) adds the names of further pesticide residue substances to Schedule 1 which specifies the substances used to assess residues.

In completion of the implementation of Commission Directive 2002/71/EC, these Regulations remove pesticide residues for Omethoate, that had previously been set nationally by virtue of powers contained in the Food and Environment Protection Act 1985, from the list contained in Part I to Schedule 2 of the principal Regulations as they have been replaced by Community levels for Dimethoate (regulation 2(4)).

Other minor alterations to implement changes of pesticide residue for other pesticides, namely Chloromequat, Dimethoate, Kresoxim-methyl and Maneb Mancozeb Metiram Propineb Zineb, are made to specified products in regulation 2(5).

The definition of “the Residues Directives” is updated to take account of the Directives being implemented (regulation 2(2)).

© Crown Copyright 2003


Published and printed in the UK by The Stationery Office Limited under the authority and superintendence of Carol Tullo, Controller of

Her Majesty’s Stationery Office being the Government Printer for Northern Ireland and the Officer appointed to print the Acts of the Northern Ireland Assembly

Dd. N1197. C2. 10/03. Gp. 130. 14567.

£4.50

ISBN 0-337-95243-4



9 780337 952432