

SCHEDULE 3

Regulations 2(1), 8(8), (9),(11), (12), (13) (b), 15(c),(18)(a), 10(3)(a) and (b), 10(4) (a), (b) and (c), 11(15)(a),13(4)(f), 14(1) (b), 16(2)(a)and 3(a) and paragraphs 2(3) (a),5(3)(a), 7(3)(a), 10(3)(a),14(3)(a), 18(3)(a), 20(3)(a),24(3)(a), 28(3)(a), 32(3) (a),36(3)(a), 40(3)(a), 44(3)(a), 47(3)(a), 50(4)(a), (6)(a)and (8)(a) of Schedule 1and paragraphs 6, 9 and 10(2)of Schedule 4

CONDITIONS RELATING TO CROPS FROM WHICH SEED IS TO BE HARVESTED

1. The previous cropping of the field shall not have been incompatible with the production of seeds of the species and variety of the crop and the field shall be sufficiently free from plants which are volunteers from previous cropping.

2. Subject to paragraph 3, in the case of maize, rye, other than a hybrid of rye, and a self-pollinating variety of triticale, the crop shall conform to the following standards as regards the minimum distances from neighbouring sources of pollen which may result in undesirable foreign pollination—

(a)	<i>Crop</i>	<i>Minimum distance</i>
(b)	Maize, for the production of basic or CS seed	200 metres
	Rye (other than a hybrid)—	
(i)	for the production of basic seed	300 metres
(ii)	for the production of CS seed	250 metres
(c)	Self-pollinating variety of triticale—	
(i)	for the production of basic seed	50 metres
(ii)	for the production of C1 and C2 seed	20 metres

3. Paragraph 2 shall not apply if there is sufficient protection from any undesirable foreign pollination.

4. In the case of barley, durum wheat, oats, spelt wheat and wheat, the crop shall conform to the following standards as regards the minimum species purity—

<i>Crops to produce</i>	<i>Minimum standard</i>	<i>Higher Voluntary Standard</i>
	<i>(percentage by number)</i>	<i>(percentage by number)</i>
(a) Basic seed	No standard	99.99
(b) C1 seed	No standard	99.99
(c) C2 seed	No standard	99.99

5. Subject to paragraphs 6 and 7, the crop shall have sufficient varietal identity and varietal purity.

6. In the case of an inbred line, the crop shall have sufficient identity and purity as regards its characteristics.

Status: This is the original version (as it was originally made).

7. For the production of seed of a hybrid variety, the requirement for sufficient identity and purity shall also apply to the characteristics of the components including male sterility or fertility restoration.

8. In the case of rye, other than a hybrid, the number of plants of the crop species which are recognisable as obviously not being true to the variety shall not exceed—

- (a) one per 30 square metres for the production of basic seed, and
- (b) one per 10 square metres for the production of CS seed.

9. In the case of maize, the percentage by number of plants which are recognisable as obviously not being true to the variety, the inbred line or the component shall not exceed—

- (a) for the production of basic seed—
 - (i) in the case of an inbred line, 0.1 per cent;
 - (ii) in the case of each component of a simple hybrid, 0.1 per cent; and
 - (iii) in the case of an open pollinated variety, 0.5 per cent;
- (b) for the production of CS seed—
 - (i) a component of a hybrid variety—
 - (aa) in the case of an inbred line, 0.2 per cent;
 - (bb) in the case of a simple hybrid, 0.2 per cent;
 - (cc) in the case of an open pollinated variety, 1 per cent; and
 - (ii) in the case of an open pollinated variety, 1 per cent.

10.—(1) In the case of the production of seed of a hybrid variety of maize—

- (a) sufficient pollen shall be shed by the plants of the male component while the plants of the female component are in flower;
- (b) where appropriate, emasculation shall be carried out; and
- (c) where 5 per cent or more of the female component plants have receptive stigmas, the percentage of female component plants which have shed pollen or are shedding pollen shall not exceed—
 - (i) 1 per cent at any official UK field inspection or a UK field inspection carried out under official supervision, and
 - (ii) 2 per cent at the total of the official UK field inspections or UK field inspections carried out under official supervision.

(2) For the purposes of sub-paragraph (1)(a) and (c) plants shall be considered as having shed pollen or to be shedding pollen where, on 50mm or more of the central axis or laterals of a panicle, the anthers have emerged from their glumes and have shed or are shedding pollen.

11.—(1) The provisions of this paragraph apply to a hybrid of rye.

(2) Subject to paragraph (3), the crop shall conform to the following standards as regards distances from neighbouring sources of pollen which may result in undesirable foreign pollination—

- (a) for the production of basic seed—
 - (i) where male sterility is used, a minimum distance of 1,000 metres;
 - (ii) where male sterility is not used, a minimum distance of 600 metres; and
- (b) for the production of CS seed, a minimum distance of 500 metres.

(3) Sub-paragraph (2) shall not apply if there is sufficient protection from any undesirable foreign pollination.

(4) The crop shall have sufficient identity and purity as regards the characteristics of the components, including male sterility.

(5) The number of plants of the crop species which are recognisable as obviously not being true to the component shall not exceed—

(a) in the case of a crop for the production of basic seed, one per 30 square metres; and

(b) subject to sub-paragraph (6), in the case of a crop for the production of CS seed, 1 per 10 square metres.

(6) In an official UK field inspection or a UK field inspection carried out under official supervision the standard in sub-paragraph (5)(b) shall apply to the female component only.

(7) In the case of basic seed, where male sterility is used, the level of sterility of the male-sterile component shall be at least 98 per cent.

(8) Where appropriate, CS seed shall be produced in mixed cultivation of a female male-sterile component with a male component which restores male fertility.

12.—(1) The provisions of this paragraph apply to a crop to produce a hybrid of barley, durum wheat, oats, self-pollinating triticale, spelt wheat or wheat.

(2) Subject to sub-paragraph (3), the female component of the crop shall be at least 25 metres from a crop of any other variety of the same species except from a crop of the male component.

(3) Sub-paragraph (2) shall not apply if there is sufficient protection from any undesirable foreign pollination.

(4) The crop shall have sufficient identity and purity as regards the characteristics of the components.

(5) Where seed is produced using a chemical hybridisation agent, the crop shall conform to the following standards or other conditions—

(a) the minimum varietal purity of each component shall be—

(i) in the case of barley, durum wheat, oats, spelt wheat or wheat, 99.7 per cent;

(ii) in the case of self-pollinating triticale, 99.0 per cent; and

(b) the minimum hybridity shall be 95 per cent.

(6) In cases where the hybridity is determined during seed testing prior to certification, the determination of the hybridity during a field inspection need not be done.

13. Harmful organisms which reduce the usefulness of the seed, in particular loose smut infection, shall be at the lowest possible level.

14.—(1) A crop from which basic seed is to be produced shall be examined by an official UK field inspection to determine whether the crop meets the conditions set out in this Schedule and in Part 1 of Schedule 4.

(2) A crop from which CS, C1 or C2 seed is to be produced shall be examined by means of an official UK field inspection or a UK field inspection carried out under official supervision or an inspection carried out under official supervision to determine whether the crop meets the conditions set out in this Schedule and in Part 1 of Schedule 4.

(3) Field inspections shall be carried out at a time when the condition and stage of development of the crop permit an adequate examination.

(4) A crop from which HVS level basic, C1 or C2 seed is to be produced shall not be more than one third lodged at the time of inspection.

(5) Subject to sub-paragraphs (6) and (7), at least one field inspection of the crop shall be carried out.

Status: This is the original version (as it was originally made).

(6) Subject to sub-paragraph (7), at least three field inspections shall be carried out in the case of an inbred line or hybrid of maize.

(7) In the case of maize, where the crop to be examined follows a maize crop in either the preceding or current year, at least one special field inspection shall be carried out to check that the condition contained in paragraph 1 has been complied with.

15. For the purpose of determining whether the crop from which pre-basic seed is to be produced meets the conditions laid down in this Schedule, the crop from which such seed is to be produced shall be treated in the same way as a crop from which basic seed is to be produced.