

## 2001 No. 84

### AGRICULTURE PESTICIDES

#### The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2001

*Made*

*7th March 2001*

*Laid before the Scottish Parliament*

*8th March 2001*

*Coming into force*

*1st April 2001*

The Scottish Ministers, in exercise of the powers conferred by section 2(2) of the European Communities Act 1972(a) and of all other powers enabling them in that behalf, hereby make the following Regulations:

#### Citation, commencement and extent

**1.**—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2001 and shall come into force on 1st April 2001.

(2) These Regulations extend to Scotland only.

#### Amendment of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000

**2.**—(1) The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000(b) shall be amended in accordance with this regulation.

(2) After paragraph (2) of regulation 4 there shall be inserted—

“(2A) Where there is a changing date at the top of a column in Part 2 of Schedule 2, and an entry is shown in both italic and non-italic type, the figure in italic type is the level until the changing date, and the figure in non-italic type is the level on and after that date.”.

(3) In Schedule 1 at the appropriate place in alphabetical order in column 1 there shall be inserted together with the corresponding entry in column 2, as follows:—

---

(a) 1972 c.68; section 2(2) was amended by the Scotland Act 1998 (c.46), Schedule 8, paragraph 15. The function conferred upon the Minister of the Crown under section 2(2) of the European Communities Act 1972, insofar as within devolved competence, was transferred to the Scottish Ministers by virtue of section 53 of the Scotland Act 1998.

(b) S.S.I. 2000/22.

	<i>Column 1</i> Pesticide	<i>Column 2</i> Residues
Aldicarb		sum of aldicarb, its sulfoxide and its sulfone, expressed as aldicarb
Aminotrinazole (Amitrole)		Aminotrinazole
Amitraz		amitraz plus its metabolites containing 2,4-dimethylaniline, expressed as amitraz
Aramite		Aramite
Azoxystrobin		Azoxystrobin
Barban		Barban
Bromopropylate		Bromopropylate
Chlorbenside		Chlorbenside
Chlorbutam		Chlorbutam
Chlorfenson		Chlorfenson
Chloroxuron		Chloroxuron
Diallate		Diallate
1,1-dichloro-2,2-bis (4-ethyl-phenyl-) ethane		1,1-dichloro-2,2-bis (4-ethyl-phenyl-) ethane
Fenvalerate and esfenvalerate		fenvalerate and esfenvalerate (sum of isomers)
Flucythrinate		sum of isomers
Folpet		Folpet
Kresoxim-methyl		kresoxim-methyl (for plants)
Methidathion		Methidathion
Methomyl thiadicarb		sum of methomyl and thiadicarb expressed as methomyl
Methoxychlor		Methoxychlor
Phoxin		Phoxin
Profenophos		profenophos.
(4) In Part I of Schedule 2, the entry for the pesticide in column 1 of the following table shall be deleted in relation to the crop in the corresponding entry in column 2 on the date specified in the corresponding entry in relation to that crop in column 3:—		
<i>Column 1</i> Pesticide	<i>Column 2</i> Crop	<i>Column 3</i> Date of deletion
Carbendazim	strawberries (other than wild)	1st July 2001
"	raspberries	1st April 2001
Chloro benzilate	citrus fruit (the whole group)	1st April 2001
Diazinon	early and ware potatoes	1st July 2001
Dicofol	Apricots	1st July 2001
"	peaches (incl nectarines and similar hybrids)	
	plums	
"	currants (red, black and white)	
"	garlic	
"	cultivated mushrooms	
Endosulfan	strawberries (other than wild)	1st July 2001
"	blackberries	
"	currants (red, black and white)	
"	gooseberries	
"	early and ware potatoes	

<i>Column 1</i> Pesticide	<i>Column 2</i> Crop	<i>Column 3</i> Date of deletion
Metalaxyl	citrus fruit (the whole group)	1st July 2001
Thiabendazole	early potatoes	1st July 2001
Triazophos	garlic, onions and shallots	1st July 2001
"	brussels sprouts	
"	head cabbage	
"	early and ware potatoes	
Vinclozolin	celery	1st April 2001.

(5) For Part 2 of Schedule 2 there shall be substituted the Schedule to these Regulations.

(6) In Schedule 3—

- (a) in paragraph 1(vi) opposite the Group of products "Miscellaneous fruit" there shall be inserted "Papaya" in the appropriate place in alphabetical order in column 2;
- (b) in paragraph 2 (iii) opposite the Group of products "Fruiting vegetables" there shall be inserted, under the heading (a) Solanacea, "Chilli peppers" between the entries "Peppers" and "Aubergines" in column 2.

ROSS FINNIE  
A member of the Scottish Executive

St Andrews House  
Edinburgh  
7th March 2001

SCHEDULE								Regulation 2(5)	
SCHEME 2									
PART 2								Regulation 4(1)	
Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Aramite	Atrazine	Azoxystrobin
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)				
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
i) CITRUS FRUIT									
Grapefruit		1	0.2		0.05* no MRL 0.02*	0.01*	0.1*	0.05*	
Lemons		1	0.2		0.05* no MRL 0.02*	0.01*	0.1*	0.05*	
Limes		1	0.2		0.05* no MRL 0.02*	0.01*	0.1*	0.05*	
Mandarins (inc clementines & similar hybrids)		1	0.2		0.05* no MRL 0.02*	0.01*	0.1*	0.05*	
Oranges		1	0.2		0.05*	1	0.01*	0.1*	0.05*
Pomelos		1	0.2		0.05* no MRL 0.02*	0.01*	0.1*	0.05*	
Others		1	0.2		0.05* no MRL 0.02*	0.01*	0.1*	0.05*	
ii) TREE NUTS (shelled or unshelled)									
Almonds		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
Brazil nuts		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
Cashew nuts		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
Chestnuts		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*
Coconuts		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.1*

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Acephate</b>	<b>Aldicarb</b>	<b>Aldrin &amp; dieldrin</b>	<b>Aminotriazole (Amitrole)</b>	<b>Amitraz</b>	<b>Aramite</b>	<b>Atrazine</b>	<b>Azoxystrobin</b>
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)				
	Hazelnuts	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.1*	
	Macadamia nuts	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.1*	
	Pecans	0.02*	0.2	0.05*	0.02*	0.01*	0.1*	0.1*	
	Pine nuts	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.1*	
	Pistachios	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.1*	
	Walnuts	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.1*	
	Others	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.1*	
iii) POME FRUIT									
	Apples	1	0.05*	0.05*	1	0.01*	0.1*	0.05*	
	Pears	1	0.05*	0.05*	1	0.01*	0.1*	0.05*	
	Quinces	1	0.05*	0.05*	1	0.01*	0.1*	0.05*	
	Others	1	0.05*	0.05*	1	0.01*	0.1*	0.05*	
iv) STONE FRUIT									
	Apricots	0.02*	0.05*	0.05*	no MRL 0.02*	0.01*	0.1*	0.05*	
	Cherries	0.02*	0.05*	0.05*	no MRL 0.02*	0.01*	0.1*	0.05*	



Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Aramite	Atrazine	Azoxystrobin
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)				
	Bilberries	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Cranberries	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Currants (red, black & white)	0.02*	0.05*	0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.05*	
	Gooseberries	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Others	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	e) Wild berries & wild fruit	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
vi) MISCELLANEOUS FRUIT									
	Avocados	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Bananas	0.02*	<i>no MRL</i> 0.1	0.05*	0.02*	0.01*	0.1*	2	
	Dates	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Figs	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Kiwi fruit	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Kumquats	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Litchis	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Mangoes	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Aramite	Atrazine	Azoxystrobin
		(changing 1 July 2001)	(changing 1 July 2001)			(changing 1 July 2001)			
	Olives (table consumption)	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Olives (oil extract)	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Papaya		<i>no MRL</i>			<i>no MRL</i>			
			0.05*			0.02*			
	Passion fruit	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Pineapples	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Pomegranates	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry									
i) ROOT AND TUBER VEGETABLES									
	Beetroot	0.02*	<i>no MRL</i>		0.05*	0.02*	0.01*	0.1*	0.05*
			0.05*						
	Carrots	0.02*	<i>no MRL</i>		0.05*	0.02*	0.01*	0.1*	0.05*
			0.1						
	Celeriac	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Horseradish	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Jerusalem artichokes	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Parsnips	0.02*	<i>no MRL</i>		0.05*	0.02*	0.01*	0.1*	0.05*

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Aramite	Atrazine	Azoxystrobin
		(changing 1 July 2001)	(changing 1 July 2001)	0.1		(changing 1 July 2001)			
	Parsley root	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Radishes	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Salsify	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Sweet potatoes	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Swedes	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Turnips	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Yams	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
ii) BULB VEGETABLES									
	Garlic	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Onions	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Shallots	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Spring onions	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Aramite	Atrazine	Azoxystrobin
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)				
<b>iii) FRUITING VEGETABLES</b>									
a) Solanaceae									
Tomatoes		0.5	<i>no MRL</i> 0.05*		0.05*	0.5	0.01*	0.1*	2
Peppers		0.02*	<i>no MRL</i> 0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.05*
Chilli peppers							0.01*		
Aubergines		0.5	0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.05*
Others		0.02*	0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.05*
b) Cucurbits-edible peel									
Cucumbers		0.02*	0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	1
Gherkins		0.02*	0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	1
Courgettes		0.02*	0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	1
Others		0.02*	0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	1
c) Cucurbits-inedible peel									
Melons		0.02*	0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.5
Squashes		0.02*	0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.5
Watermelons		0.02*	0.05*		0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.5

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Aramite	Atrazine	Azoxystrobin
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)				
Others		0.02*	0.05*	0.05*	<i>no MRL</i> 0.02*	0.01*	0.1*	0.5	
d) Sweet corn		0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
<b>iv) BRASSICA VEGETABLES</b>									
a) Flowering Brassicas									
Broccoli		2	<i>no MRL</i> 0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Cauliflower		2	0.2		0.05*	0.02*	0.01*	0.1*	0.05*
Others		2	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
b) Head Brassicas									
Brussels sprouts		2	0.2		0.05*	0.02*	0.01*	0.1*	0.05*
Head cabbage		2	<i>no MRL</i> 0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Others		2	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
c) Leafy Brassicas									
Chinese cabbage		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Kale		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Others		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
d) Kohlrabi		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Aramite	Atrazine	Azoxystrobin
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)				
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>									
a) Lettuce & similar									
Cress		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Lamb's lettuce		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Lettuce		1	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Scarole		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Others		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
b) Spinach & similar									
Spinach		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Beet leaves (chard)		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Others		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
c) Watercress		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
d) Witloof		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
e) Herbs									
Chervil		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
Chives		0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Acephate</b>	<b>Aldicarb</b>	<b>Aldrin &amp; dieldrin</b>	<b>Aminotriazole (Amitrole)</b>	<b>Amitraz</b>	<b>Aramite</b>	<b>Atrazine</b>	<b>Azoxystrobin</b>
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)				
	Parsley	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Celery leaves	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Others	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
vi) LEGUME VEGETABLES (fresh)									
	Beans (with pods)	3	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Beans (without pods)	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Peas (with pods)	3	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Peas (without pods)	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Others		0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
vii) STEM VEGETABLES									
	Asparagus	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Cardoons	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Celery	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Fennel	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Globe artichokes	0.2	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Acephate</b>	<b>Aldicarb</b>	<b>Aldrin &amp; dieldrin</b>	<b>Aminotriazole (Amitrole)</b>	<b>Amitraz</b>	<b>Aramite</b>	<b>Atrazine</b>	<b>Azoxystrobin</b>
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)				
	Leeks	0.02*	<i>no MRL</i> 0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Rhubarb	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Others	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
viii) FUNGI	a) Cultivated mushrooms	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	b) Wild mushrooms	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
3. PULSES	Beans	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Lentils	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Peas	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Others	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
4. OILSEEDS	Linseed	0.02*	<i>no MRL</i> 0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Peanuts	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Poppy seed	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	
	Sesame seed	0.02*	0.05*	0.05*	0.02*	0.01*	0.1*	0.05*	

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Aramite	Atrazine	Azoxystrobin
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)				
	Sunflower seed	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Rape seed	0.02*	<i>no MRL</i> 0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Soya bean	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Mustard seed	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
	Cotton seed	0.02*	<i>no MRL</i> 0.05*		0.05*	<i>no MRL</i> 1	0.01*	0.1*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.01*	0.1*	0.05*
5. POTATOES	Early potatoes	0.02*	<i>no MRL</i> 0.5		0.05*	0.02*	0.01*	0.1*	0.05*
	Ware potatoes	0.02*	<i>no MRL</i> 0.5		0.05*	0.02*	0.01*	0.1*	0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )	0.1*	0.05*	0.02	0.1*	0.1*	0.1*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	<i>no MRL</i> 0.05*		0.1*	50	0.1*	0.1*	0.1*

Group to which food belongs	Groups include the following products						
		Barban	Benalaxyd	Benfuracarb	Binapacryl	Biphenothrin	Bromophos-ethyl
		(changing 1 July July 2001) (changing 1 July 2001)					
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts							
i) CITRUS FRUIT							
Grapefruit		0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*	0.05*	0.1*
Lemons		0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*	0.05*	0.1*
Limes		0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*	0.05*	0.1*
Mandarins (inc clementines & similar hybrids)		0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*	0.05*	0.1*
Oranges		0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*	0.05*	0.1*
Pomelos		0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*	0.05*	0.1*
Others		0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*	0.05*	0.1*
ii) TREE NUTS (shelled or unshelled)							
Almonds		0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Brazil nuts		0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Cashew nuts		0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Chestnuts		0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
Coconuts		0.05*	0.05*	0.05*	0.05*	0.05*	0.1*

Group to which food belongs	Groups include the following products	Barban	Benalaxyd	Benfuracarb	Binapacryl	Biphenothrin	Bromophos-	Bromopro-	Campheclor (Toxaphene)
							ethyl	pylate	
				(changing 1 July 2001)	(changing 1 July 2001)				
	Hazelnuts	0.05*	0.05*	no MRL 0.05*	0.05*		0.05*		0.1*
	Macadamia nuts	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Pecans	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Pine nuts	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Pistachios	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Walnuts	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
iii) POME FRUIT									
	Apples	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Pears	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Quinces	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
iv) STONE FRUIT									
	Apricots	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Cherries	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*



Group to which food belongs	Groups include the following products	Barban	Benalaxyl	Benfuracarb	Binapacryl	Biphenthrin	Bromophos-	Bromopro-	Campheclor (Toxaphene)
							(changing 1 July 2001)	(changing 1 July 2001)	
	Bilberries	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Cranberries	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Currants (red, black & white)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Gooseberries	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	e) Wild berries & wild fruit	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
vi) MISCELLANEOUS FRUIT									
	Avocados	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Bananas	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Dates	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Figs	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Kiwi fruit	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Kumquats	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Litchis	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Mangoes	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*

Group to which food belongs	Groups include the following products	Barban	Benalaxyd	Benfuracarb	Binapacryl	Biphenothrin	Bromophos-	Bromopro-	Campheclor (Toxaphene)
							ethyl	pylate	
				(changing 1 July 2001)	(changing 1 July 2001)				
	Olives (table consumption)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Olives (oil extract)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Papaya		<i>no MRL</i>	<i>no MRL</i>					
			0.05*	0.05*					
	Passion fruit	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Pineapples	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Pomegranates	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
2. Vegetables, fresh or uncooked, frozen or dry									
i) ROOT AND TUBER VEGETABLES									
	Beetroot	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Carrots	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Celeriac	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Horseradish	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Jerusalem artichokes	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Parsnips	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*

Group to which food belongs	Groups include the following products	Barban	Benalaxyl	Benfuracarb	Binapacryl	Biphenothrin	Bromophos-	Bromopro-	Campheclor (Toxaphene)
							ethyl	pylate	
				(changing 1 July 2001)	(changing 1 July 2001)				
	Parsley root	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Radishes	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Salsify	0.05*	<i>no MRL</i> 0.05*	0.05*	0.05*		0.05*		0.1*
	Sweet potatoes	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Swedes	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Turnips	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Yams	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
ii) BULB VEGETABLES									
	Garlic	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Onions	0.05*	0.2	0.05*	0.05*		0.05*		0.1*
	Shallots	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Spring onions	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*

Group to which food belongs	Groups include the following products	Barban	Benalaxyd	Benfuracarb	Binapacryl	Biphenothrin	Bromophos-	Bromopro-	Campheclor (Toxaphene)
							ethyl	pylate	
(changing 1 July 2001) (changing 1 July 2001)									
iii) FRUITING VEGETABLES									
a) Solanaceae									
Tomatoes		0.05*	0.2	0.05*	0.05*		0.05*		0.1*
Peppers		0.05*	0.2	0.05*	0.05*		0.05*		0.1*
Chilli peppers		0.05*							
Aubergines		0.05*	0.05* 0.2	0.05*	0.05*		0.05*		0.1*
Others		0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
b) Cucurbits-edible peel									
Cucumbers		0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
Gherkins		0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
Courgettes		0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
Others		0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
c) Cucurbits-inedible peel									
Melons		0.05*	no MRL 0.1	no MRL 0.05*	0.05*		0.05*		0.1*
Squashes		0.05*	0.05*	no MRL 0.05*	0.05*		0.05*		0.1*
Watermelons		0.05*	no MRL 0.1	no MRL 0.05*	0.05*		0.05*		0.1*

Group to which food belongs	Groups include the following products	Barban	Benalaxyd	Benfuracarb	Binapacryl	Biphenothrin	Bromophos-	Bromopro-	Campheclor (Toxaphene)
							(changing 1 July 2001)	(changing 1 July 2001)	
	Others	0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*		0.05*		0.1*
	d) Sweet corn	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
<b>iv) BRASSICA VEGETABLES</b>									
a) Flowering Brassicas									
	Broccoli	0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*		0.05*		0.1*
	Cauliflower	0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*		0.05*		0.1*
b) Head Brassicas									
	Brussels sprouts	0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*		0.05*		0.1*
	Head cabbage	0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*		0.05*		0.1*
c) Leafy Brassicas									
	Chinese cabbage	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Kale	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	d) Kohlrabi	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*

Group to which food belongs	Groups include the following products	Barban	Benalaxyd	Benfuracarb	Binapacryl	Biphenothrin	Bromophos-	Bromopro-	Campheclor (Toxaphene)
							ethyl	pylate	
(changing 1 July 2001) (changing 1 July 2001)									
v) LEAF VEGETABLES AND FRESH HERBS									
a) Lettuce & similar									
Cress		0.05*	0.05*	0.05*	0.05*	0.05*			0.1*
Lamb's lettuce		0.05*	0.05*	0.05*	0.05*	0.05*			0.1*
Lettuce		0.05*	<i>no MRL</i> 0.5	0.05*	0.05*	0.05*			0.1*
Scarole		0.05*	0.05*	0.05*	0.05*	0.05*			0.1*
Others		0.05*	0.05*	0.05*	0.05*	0.05*			0.1*
b) Spinach & similar									
Spinach		0.05*	0.05*	0.05*	0.05*	0.05*			0.1*
Beet leaves (chard)		0.05*	0.05*	0.05*	0.05*	0.05*			0.1*
Others		0.05*	0.05*	0.05*	0.05*	0.05*			0.1*
c) Watercress		0.05*	0.05*	0.05*	0.05*	0.05*			0.1*
d) Witloof		0.05*	0.05*	0.05*	0.05*	0.05*			0.1*
e) Herbs									
Chervil		0.05*	0.05*	0.05*	0.05*	0.05*			0.1*
Chives		0.05*	0.05*	0.05*	0.05*	0.05*			0.1*

Group to which food belongs	Groups include the following products	Barban	Benalaxyd	Benfuracarb	Binapacryl	Biphenothrin	Bromophos-ethyl	Bromopro-pylate	Campheclor (Toxaphene)
		(changing 1 July 2001)	(changing 1 July 2001)						
	Parsley	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Celery leaves	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
vi) LEGUME VEGETABLES (fresh)									
	Beans (with pods)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Beans (without pods)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Peas (with pods)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Peas (without pods)	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
vii) STEM VEGETABLES									
	Asparagus	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Cardoons	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Celery	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Fennel	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Globe artichokes	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*

Group to which food belongs	Groups include the following products	Barban	Benalaxyl	Benfuracarb	Binapacryl	Biphenothrin	Bromophos-	Bromopro-	Campheclor (Toxaphene)
							ethyl	pylate	
				(changing 1 July 2001)	(changing 1 July 2001)				
	Leeks	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Rhubarb	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
viii) FUNGI	a) Cultivated mushrooms	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	b) Wild mushrooms	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
3. PULSES	Beans	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Lentils	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Peas	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
4. OILSEEDS	Linseed	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Peanuts	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Poppy seed	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Sesame seed	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*

Group to which food belongs	Groups include the following products	Barban	Benalaxyl	Benfuracarb	Binapacryl	Biphenothrin	Bromophos-	Bromopro-	Campheclor (Toxaphene)
							ethyl	pylate	
				(changing 1 July July 2001)	(changing 1 July 2001)				
	Sunflower seed	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Rape seed	0.05*	<i>no MRL</i> 0.05*	0.05*	0.05*		0.05*		0.1*
	Soya bean	0.05*	<i>no MRL</i> 0.05*	<i>no MRL</i> 0.05*	0.05*		0.05*		0.1*
	Mustard seed	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Cotton seed	0.05*	0.05*	<i>no MRL</i> 0.05*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
5. POTATOES	Early potatoes	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
	Ware potatoes	0.05*	0.05*	0.05*	0.05*		0.05*		0.1*
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.1*	0.1*	5	0.1*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.1*	5	0.1*		0.1*		0.1*

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	Carbofuran	Carbosulfan	Cartap	Chlorbenside	Chlorbufam	
			(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)				
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
i) CITRUS FRUIT									
Grapefruit		0.02*	5	<i>no MRL</i> 0.3	<i>no MRL</i> 0.05*	0.01*	0.05*		
Lemons		0.02*	5	<i>no MRL</i> 0.3	<i>no MRL</i> 0.05*	0.01*	0.05*		
Limes		0.02*	5	<i>no MRL</i> 0.3	<i>no MRL</i> 0.05*	0.01*	0.05*		
Mandarins (inc clementines & similar hybrids)		0.02*	5	<i>no MRL</i> 0.3	<i>no MRL</i> 0.05*	0.01*	0.05*		
Oranges		0.02*	5	<i>no MRL</i> 0.3	<i>no MRL</i> 0.05*	0.01*	0.05*		
Pomelos		0.02*	5	<i>no MRL</i> 0.3	<i>no MRL</i> 0.05*	0.01*	0.05*		
Others		0.02*	5	<i>no MRL</i> 0.3	<i>no MRL</i> 0.05*	0.01*	0.05*		
ii) TREE NUTS (shelled or unshelled)									
Almonds		0.02*	0.1*	0.1*	0.05*	0.01*	0.05*		
Brazil nuts		0.02*	0.1*	0.1*	0.05*	0.01*	0.05*		
Cashew nuts		0.02*	0.1*	0.1*	0.05*	0.01*	0.05*		
Chestnuts		0.02*	0.1*	0.1*	0.05*	0.01*	0.05*		
Coconuts		0.02*	0.1*	0.1*	0.05*	0.01*	0.05*		

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Captafol</b>	<b>Carbendazim</b>	<b>Carbofuran</b>	<b>Carbosulfan</b>	<b>Cartap</b>	<b>Chlorbenside</b>	<b>Chlorbufam</b>
			(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)			
	Hazelnuts	0.02*	0.1*	<i>no MRL</i> 0.1*	0.05*		0.01*	0.05*
	Macadamia nuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pecans	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pine nuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pistachios	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Walnuts	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
iii) POME FRUIT								
	Apples	0.02*	2	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
	Pears	0.02*	2	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
	Quinces	0.02*	2	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
	Others	0.02*	2	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
iv) STONE FRUIT								
	Apricots	0.02*	1	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
	Cherries	0.02*	0.1*	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*



<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Captafol</b>	<b>Carbendazim</b>	<b>Carbofuran</b>	<b>Carbosulfan</b>	<b>Cartap</b>	<b>Chlorbenside</b>	<b>Chlorbufam</b>
			(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)			
	Bilberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Cranberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Currants (red, black & white)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Gooseberries	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	e) Wild berries & wild fruit	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
vi) MISCELLANEOUS FRUIT								
	Avocados	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Bananas	0.02*	1	0.1*	0.05*		0.01*	0.05*
	Dates	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Figs	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Kiwi fruit	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Kumquats	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Litchis	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Mangoes	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Captafol</b>	<b>Carbendazim</b>	<b>Carbofuran</b>	<b>Carbosulfan</b>	<b>Cartap</b>	<b>Chlorbenside</b>	<b>Chlorbufam</b>
			(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)			
	Olives (table consumption)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Olives (oil extract)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Papaya		<i>no MRL</i> 0.1*	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*			
	Passion fruit	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pineapples	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Pomegranates	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry								
i) ROOT AND TUBER VEGETABLES								
	Beetroot	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Carrots	0.02*	0.1*	0.3	0.1		0.01*	0.05*
	Celeriac	0.02*	0.1*	<i>no MRL</i> 0.1*	0.05*		0.01*	0.05*
	Horseradish	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Jerusalem artichokes	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Parsnips	0.02*	0.1*	0.3	0.1		0.01*	0.05*

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Captafol</b>	<b>Carbendazim</b>	<b>Carbofuran</b>	<b>Carbosulfan</b>	<b>Cartap</b>	<b>Chlorbenside</b>	<b>Chlorbufam</b>
			(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)			
	Parsley root	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Radishes	0.02*	0.1*	0.5	0.05*	0.01*	0.05*	
	Salsify	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Sweet potatoes	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Swedes	0.02*	0.1*	<i>no MRL</i> 0.2	<i>no MRL</i> 0.05*	0.01*	0.05*	
	Turnips	0.02*	0.1*	<i>no MRL</i> 0.2	<i>no MRL</i> 0.05*	0.01*	0.05*	
	Yams	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Others	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
ii) BULB VEGETABLES								
	Garlic	0.02*	0.1*	0.3	0.05*	0.01*	0.05*	
	Onions	0.02*	0.1*	0.3	<i>no MRL</i> 0.05*	0.01*	0.05*	
	Shallots	0.02*	0.1*	0.3	0.05*	0.01*	0.05*	
	Spring onions	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Others	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	Carbofuran	Carbosulfan	Cartap	Chlorbenside	Chlorbufam	(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)
iii) FRUITING VEGETABLES											
a) Solanaceae											
Tomatoes		0.02*	0.5	0.1*	0.05*		0.01*	0.05*			
Peppers		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*			
Chilli peppers							0.01*	0.05*			
Aubergines		0.02*	0.5	0.1*	0.05*		0.01*	0.05*			
Others		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*			
b) Cucurbits-edible peel											
Cucumbers		0.02*	0.5 1	0.1*	0.05*		0.01*	0.05*			
Gherkins		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*			
Courgettes		0.02*	0.3	0.1*	0.05*		0.01*	0.05*			
Others		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*			
c) Cucurbits-inedible peel											
Melons		0.02*	0.5	no MRL 0.2	no MRL 0.05*		0.01*	0.05*			
Squashes		0.02*	0.5	0.1* 0.2	no MRL 0.05*		0.01*	0.05*			
Watermelons		0.02*	0.1*	0.1* 0.2	no MRL 0.05*		0.01*	0.05*			

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Captafol</b>	<b>Carbendazim</b>	<b>Carbofuran</b>	<b>Carbosulfan</b>	<b>Cartap</b>	<b>Chlorbenside</b>	<b>Chlorbufam</b>
			(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)			
	Others	0.02*	0.1*	0.1* 0.2	<i>no MRL</i> 0.05*	0.01*	0.05*	
d) Sweet corn		0.02*	0.1*	<i>no MRL</i> 0.1*	0.05*	0.01*	0.05*	
iv) BRASSICA VEGETABLES								
a) Flowering Brassicas								
Broccoli		0.02*	0.1*	0.2	<i>no MRL</i> 0.05*	0.01*	0.05*	
Cauliflower		0.02*	0.1*	0.2	<i>no MRL</i> 0.05*	0.01*	0.05*	
Others		0.02*	0.1*	0.2	<i>no MRL</i> 0.05*	0.01*	0.05*	
b) Head Brassicas								
Brussels sprouts		0.02*	0.5	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*	0.01*	0.05*	
Head cabbage		0.02*	3	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*	0.01*	0.05*	
Others		0.02*	3	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*	0.01*	0.05*	
c) Leafy Brassicas								
Chinese cabbage		0.02*	0.1*	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*	0.01*	0.05*	
Kale		0.02*	0.1*	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*	0.01*	0.05*	
Others		0.02*	0.1*	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*	0.01*	0.05*	
d) Kohlrabi		0.02*	0.1*	0.2	0.2 0.05*	0.01*	0.05*	

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Captafol</b>	<b>Carbendazim</b>	<b>Carbofuran</b>	<b>Carbosulfan</b>	<b>Cartap</b>	<b>Chlorbenside</b>	<b>Chlorbufam</b>
			(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)			
v) LEAF VEGETABLES AND FRESH HERBS	a) Lettuce & similar							
	Cress	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Lamb's lettuce	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Lettuce	0.02*	5	0.1*	0.05*	0.01*	0.05*	
	Scarole	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Others	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	b) Spinach & similar							
	Spinach	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Beet leaves (chard)	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Others	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	c) Watercress	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	d) Witloof	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	e) Herbs							
	Chervil	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Chives	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Captafol</b>	<b>Carbendazim</b>	<b>Carbofuran</b>	<b>Carbosulfan</b>	<b>Cartap</b>	<b>Chlorbenside</b>	<b>Chlorbufam</b>
			(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)			
	Parsley	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Celery leaves	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
vi) LEGUME VEGETABLES (fresh)								
	Beans (with pods)	0.02*	0.1*	<i>no MRL</i> 0.1*	0.05*		0.01*	0.05*
	Beans (without pods)	0.02*	0.1*	<i>no MRL</i> 0.1*	0.05*		0.01*	0.05*
	Peas (with pods)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Peas (without pods)	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
vii) STEM VEGETABLES								
	Asparagus	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Cardoons	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Celery	0.02*	2	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*		0.01*	0.05*
	Fennel	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Globe artichokes	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Captafol</b>	<b>Carbendazim</b>	<b>Carbofuran</b>	<b>Carbosulfan</b>	<b>Cartap</b>	<b>Chlorbenside</b>	<b>Chlorbufam</b>
			(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)			
	Leeks	0.02*	0.1*	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*	0.01*	0.05*	
	Rhubarb	0.02*	2	0.1*	0.05*	0.01*	0.05*	
	Others	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
viii) FUNGI	a) Cultivated mushrooms	0.02*	1	0.1*	0.05*	0.01*	0.05*	
	b) Wild mushrooms	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
3. PULSES	Beans	0.02*	2	<i>no MRL</i> 0.1*	0.05*	0.01*	0.05*	
	Lentils	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Peas	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Others	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
4. OILSEEDS	Linseed	0.02*	0.1*	<i>no MRL</i> 0.1*	0.05*	0.01*	0.05*	
	Peanuts	0.02*	0.1*	<i>no MRL</i> 0.1*	0.05*	0.01*	0.05*	
	Poppy seed	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Sesame seed	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	Carbofuran	Carbosulfan	Cartap	Chlorbenside	Chlorbufam
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)				
	Sunflower seed	0.02*	0.1*	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*	0.01*	0.05*	
	Rape seed	0.02*	0.1*	<i>no MRL</i> 0.1*	0.05*	0.01*	0.05*	
	Soya bean	0.02*	0.2	<i>no MRL</i> 0.1*	0.05*	0.01*	0.05*	
	Mustard seed	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Cotton seed	0.02*	0.1*	<i>no MRL</i> 0.1*	<i>no MRL</i> 0.05*	0.01*	0.05*	
	Others	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
5. POTATOES	Early potatoes	0.02*	3 0.1*	<i>no MRL</i> 0.1*	0.05*	0.01*	0.05*	
	Ware potatoes	0.02*	3 0.1*	<i>no MRL</i> 0.1*	0.05*	0.01*	0.05*	
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )	0.1*	0.1*	0.2*	0.1*	0.1*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.1*	10	<i>no MRL</i> 1	0.1*	0.1*	0.1*

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Chlordane</b>	<b>Chlorfenson</b>	<b>Chlormequat</b>	<b>Chlorobenzilate</b>	<b>Chlorothalonil</b>	<b>Chloroxuron</b>	<b>Chlorpyrifos</b>
				(changing 1 July 2001)			(changing 1 July 2001)	
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts								
i) CITRUS FRUIT								
Grapefruit		0.01*	0.05*	0.02*	0.01*	0.05*	0.3	
Lemons		0.01*	0.05*	0.02*	0.01*	0.05*	0.2	
Limes		0.01*	0.05*	0.02*	0.01*	0.05*	0.3	
Mandarins (inc clementines & similar hybrids)		0.01*	0.05*	0.02*	0.01*	0.05*	2	
Oranges		0.01*	0.05*	0.02*	0.01*	0.05*	0.3	
Pomelos		0.01*	0.05*	0.02*	0.01*	0.05*	0.3	
Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.3	
ii) TREE NUTS (shelled or unshelled)								
Almonds		0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
Brazil nuts		0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
Cashew nuts		0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
Chestnuts		0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
Coconuts		0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Chlordane</b>	<b>Chlorfenson</b>	<b>Chlormequat</b>	<b>Chlorobenzilate</b>	<b>Chlorothalonil</b>	<b>Chloroxuron</b>	<b>Chlorpyrifos</b>
				(changing 1 July 2001)		(changing 1 July 2001)		
	Hazelnuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Macadamia nuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Pecans	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Pine nuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Pistachios	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Walnuts	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
iii) POME FRUIT								
	Apples	0.01*	<i>no MRL</i> 0.05*	0.02*	1	0.05*	0.5	
	Pears	0.01*	<i>3</i> 0.05*	0.02*	1	0.05*	0.5	
	Quinces	0.01*	0.05*	0.02*	1	0.05*	0.5	
	Others	0.01*	0.05*	0.02*	1	0.05*	0.5	
iv) STONE FRUIT								
	Apricots	0.01*	0.05*	0.02*	1	0.05*	0.05*	
	Cherries	0.01*	0.05*	0.02*	0.01*	0.05*	0.3	



<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Chlordane</b>	<b>Chlorfenson</b>	<b>Chlormequat</b>	<b>Chlorobenzilate</b>	<b>Chlorothalonil</b>	<b>Chloroxuron</b>	<b>Chlorpyrifos</b>
				(changing 1 July 2001)		(changing 1 July 2001)		
	Bilberries	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Cranberries	0.01*	0.05*	0.02*	2	0.05*	0.05*	
	Currants (red, black & white)	0.01*	0.05*	0.02*	10	0.05*	1	
	Gooseberries	0.01*	0.05*	0.02*	10	0.05*	1	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
e)	Wild berries & wild fruit	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
vi)	MISCELLANEOUS FRUIT							
	Avocados	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Bananas	0.01*	0.05*	0.02*	2	0.05*	3	
	Dates	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Figs	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Kiwi fruit	0.01*	0.05*	0.02*	0.01*	0.05*	2	
	Kumquats	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Litchis	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Mangoes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Chlordane</b>	<b>Chlorfenson</b>	<b>Chlormequat</b>	<b>Chlorobenzilate</b>	<b>Chlorothalonil</b>	<b>Chloroxuron</b>	<b>Chlorpyrifos</b>
		(changing 1 July 2001)			(changing 1 July 2001)			
	Olives (table consumption)	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Olives (oil extract)	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Papaya		<i>no MRL</i>		<i>no MRL</i>			
			0.05*		0.01*			
	Passion fruit	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Pineapples	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Pomegranates	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
2. Vegetables, fresh or uncooked, frozen or dry								
i) ROOT AND TUBER VEGETABLES								
	Beetroot	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Carrots	0.01*	0.05*	0.02*	1	0.05*	0.1	
	Celeriac	0.01*	0.05*	0.02*	0.5	0.05*	0.05*	
	Horseradish	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Jerusalem artichokes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Parsnips	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Chlordane</b>	<b>Chlorfenson</b>	<b>Chlormequat</b>	<b>Chlorobenzilate</b>	<b>Chlorothalonil</b>	<b>Chloroxuron</b>	<b>Chlorpyrifos</b>
				(changing 1 July 2001)		(changing 1 July 2001)		
	Parsley root	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Radishes	0.01*	0.05*	0.02*	0.01*	0.05*	0.2	
	Salsify	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Sweet potatoes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Swedes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Turnips	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Yams	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
ii) BULB VEGETABLES								
	Garlic	0.01*	0.05*	0.02*	0.5	0.05*	0.05*	
	Onions	0.01*	0.05*	0.02*	0.5	0.05*	0.2	
	Shallots	0.01*	0.05*	0.02*	0.5	0.05*	0.05*	
	Spring onions	0.01*	0.05*	0.02*	5	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Chlordane</b>	<b>Chlorfenson</b>	<b>Chlormequat</b>	<b>Chlorobenzilate</b>	<b>Chlorothalonil</b>	<b>Chloroxuron</b>	<b>Chlorpyrifos</b>
				(changing 1 July 2001)		(changing 1 July 2001)		
iii) FRUITING VEGETABLES								
a) Solanacea								
Tomatoes		0.01*	<i>no MRL</i> 0.05*	0.02*	2	0.05*	0.5	
Peppers		0.01*	0.05*	0.02*	2	0.05*	0.5	
Chilli peppers		0.01*		0.02*		0.05*		
Aubergines		0.01*	0.05*	0.02*	2	0.05*	0.5	
Others		0.01*	0.05*	0.02*	2	0.05*	0.5	
b) Cucurbits-edible peel								
Cucumbers		0.01*	0.05*	0.02*	1	0.05*	0.05*	
Gherkins		0.01*	0.05*	0.02*	5	0.05*	0.05*	
Courgettes		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
c) Cucurbits-inedible peel								
Melons		0.01*	0.05*	0.02*	1	0.05*	0.05*	
Squashes		0.01*	0.05*	0.02*	1	0.05*	0.05*	
Watermelons		0.01*	0.05*	0.02*	1	0.05*	0.05*	

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Chlordane</b>	<b>Chlorfenson</b>	<b>Chlormequat</b>	<b>Chlorobenzilate</b>	<b>Chlorothalonil</b>	<b>Chloroxuron</b>	<b>Chlorpyrifos</b>
				(changing 1 July 2001)		(changing 1 July 2001)		
	Others	0.01*	0.05*	0.02*	1	0.05*	0.05*	
	d) Sweet corn	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
iv) BRASSICA VEGETABLES								
a) Flowering Brassicas								
Broccoli		0.01*	0.05*	0.02*	3	0.05*	0.05*	
Cauliflower		0.01*	0.05*	0.02*	3	0.05*	0.05*	
Others		0.01*	0.05*	0.02*	3	0.05*	0.05*	
b) Head Brassicas								
Brussels sprouts		0.01*	0.05*	0.02*	0.5	0.05*	0.05*	
Head cabbage		0.01*	0.05*	0.02*	3	0.05*	1	
Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
c) Leafy Brassicas								
Chinese cabbage		0.01*	0.05*	0.02*	0.01*	0.05*	0.5	
Kale		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
d) Kohlrabi		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Chlordane</b>	<b>Chlorfenson</b>	<b>Chlormequat</b>	<b>Chlorobenzilate</b>	<b>Chlorothalonil</b>	<b>Chloroxuron</b>	<b>Chlorpyrifos</b>						
		(changing 1 July 2001)			(changing 1 July 2001)									
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>														
a) Lettuce & similar														
Cress		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*							
Lamb's lettuce		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*							
Lettuce		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*							
Scarole		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*							
Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*							
b) Spinach & similar														
Spinach		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*							
Beet leaves (chard)		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*							
Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*							
c) Watercress		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*							
d) Witloof		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*							
e) Herbs														
Chervil		0.01*	0.05*	0.02*	5	0.05*	0.05*							
Chives		0.01*	0.05*	0.02*	5	0.05*	0.05*							

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Chlordane</b>	<b>Chlorfenson</b>	<b>Chlormequat</b>	<b>Chlorobenzilate</b>	<b>Chlorothalonil</b>	<b>Chloroxuron</b>	<b>Chlorpyrifos</b>
				(changing 1 July 2001)		(changing 1 July 2001)		
Parsley		0.01*	0.05*	0.02*	5	0.05*	0.05*	
Celery leaves		0.01*	0.05*	0.02*	5	0.05*	0.05*	
Others		0.01*	0.05*	0.02*	5	0.05*	0.05*	
vi) LEGUME VEGETABLES (fresh)								
Beans (with pods)		0.01*	<i>no MRL</i> 0.05*	0.02*	0.01*	0.05*	0.05*	
Beans (without pods)		0.01*	<i>no MRL</i> 0.05*	0.02*	0.05	0.05*	0.05*	
Peas (with pods)		0.01*	<i>no MRL</i> 0.05*	0.02*	2	0.05*	0.05*	
Peas (without pods)		0.01*	<i>no MRL</i> 0.05*	0.02*	0.01* 0.3	0.05*	0.05*	
Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
vii) STEM VEGETABLES								
Asparagus		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Cardoons		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Celery		0.01*	0.05*	0.02*	10	0.05*	0.05*	
Fennel		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Globe artichokes		0.01*	0.05*	0.02*	0.01*	0.05*	1	

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Chlordane</b>	<b>Chlorfenson</b>	<b>Chlormequat</b>	<b>Chlorobenzilate</b>	<b>Chlorothalonil</b>	<b>Chloroxuron</b>	<b>Chlorpyrifos</b>
				(changing 1 July 2001)		(changing 1 July 2001)		
	Leeks	0.01*	0.05*	0.02*	10	0.05*	0.05*	
	Rhubarb	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
viii) FUNGI	a) Cultivated mushrooms	0.01*	<i>no MRL</i> 0.05*	0.02*	2	0.05*	0.05*	
	b) Wild mushrooms	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
3. PULSES	Beans	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Lentils	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Peas	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
4. OILSEEDS	Linseed	0.01*	<i>no MRL</i> 0.1*	0.02*	0.01*	0.05*	0.05*	
	Peanuts	0.01*	0.1*	0.02*	0.05	0.05*	0.05*	
	Poppy seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Sesame seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	

Group to which food belongs	Groups include the following products	Chlordane	Chlorfenson	Chlormequat	Chlorobenzilate	Chlorothalonil	Chloroxuron	Chlorpyrifos
				(changing 1 July 2001)		(changing 1 July 2001)		
	Sunflower seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Rape seed	0.01*	<i>no MRL</i> 0.1*	0.02*	0.01*	0.05*	0.05*	
	Soya bean	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Mustard seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
	Cotton seed	0.01*	<i>no MRL</i> 0.1*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
5. POTATOES	Early potatoes	0.01*	<i>no MRL</i> 0.05*	0.02*	0.01*	0.05*	0.05*	
	Ware potatoes	0.01*	<i>no MRL</i> 0.05*	0.02*	0.01*	0.05*	0.05*	
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )	0.02*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder		0.1*	0.1*	0.1*	50	0.1*	0.1*



<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Chlorpyrifos-methyl</b>	<b>Cyfluthrin</b>	<b>Cypermethrin</b>	<b>Daminozide</b>	<b>DDT</b>	<b>Deltamethrin</b>	<b>Diallate</b>	<b>Diazinon</b>
			(changing 1 July 2001)						(changing 1 July 2001)
	Hazelnuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Macadamia nuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pecans	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pine nuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pistachios	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Walnuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
iii) POME FRUIT	Apples	0.5	0.2	1	0.02*	0.05*	0.1	0.05*	0.5 0.3
	Pears	0.5	0.2	1	0.02*	0.05*	0.1	0.05*	0.5 0.3
	Quinces	0.5	0.2	1	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Others	0.5	0.2	1	0.02*	0.05*	0.1	0.05*	0.5 0.02*
iv) STONE FRUIT	Apricots	0.05*	<i>no MRL</i> 0.5	2	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Cherries	0.05*	0.2	1	0.02*	0.05*	0.1	0.05*	0.5 0.3



<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Chlorpyrifos-methyl</b>	<b>Cyfluthrin</b>	<b>Cypermethrin</b>	<b>Daminozide</b>	<b>DDT</b>	<b>Deltamethrin</b>	<b>Diallate</b>	<b>Diazinon</b>
			(changing 1 July 2001)						(changing 1 July 2001)
	Bilberries	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.2
	Cranberries	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Currants (red, black & white)	0.05*	<i>no MRL</i> 0.02*	0.05*	0.02*	0.05*	0.2	0.05*	0.2
	Gooseberries	0.05*	<i>no MRL</i> 0.02*	0.05*	0.02*	0.05*	0.2	0.05*	0.2
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
e)	Wild berries & wild fruit	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.02*
vi) MISCELLANEOUS FRUIT									
	Avocados	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Bananas	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Dates	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Figs	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Kiwi fruit	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.2
	Kumquats	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Litchis	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Mangoes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Chlorpyrifos-methyl	Cyfluthrin	Cypermethrin	Daminozide	DDT	Deltamethrin	Diallate	Diazinon
			(changing 1 July 2001)						(changing 1 July 2001)
	Olives (table consumption)	0.05*	0.02*	0.05*	0.02*	0.05*	0.1*	0.05*	0.5 0.02*
	Olives (oil extract)	0.05*	0.02*	0.05*	0.02*	0.05*	0.1*	0.05*	0.5 0.02*
	Papaya		<i>no MRL</i> 0.02*						<i>no MRL</i> 0.02*
	Passion fruit	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Pineapples	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Pomegranates	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
2. Vegetables, fresh or uncooked, frozen or dry									
i) ROOT AND TUBER VEGETABLES									
	Beetroot	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Carrots	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.2
	Celeriac	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Horseradish	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Jerusalem artichokes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Parsnips	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Chlorpyrifos-methyl</b>	<b>Cyfluthrin</b>	<b>Cypermethrin</b>	<b>Daminozide</b>	<b>DDT</b>	<b>Deltamethrin</b>	<b>Diallate</b>	<b>Diazinon</b>
			(changing 1 July 2001)						(changing 1 July 2001)
									0.02*
	Parsley root	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Radishes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Salsify	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Sweet potatoes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Swedes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Turnips	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Yams	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
ii) BULB VEGETABLES									
	Garlic	0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Onions	0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Shallots	0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Spring onions	0.05*	0.02*	0.05*	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*

Group to which food belongs	Groups include the following products	Chlorpyrifos-methyl	Cyfluthrin	Cypermethrin	Daminozide	DDT	Deltamethrin	Diallate	Diazinon
			(changing 1 July 2001)						(changing 1 July 2001)
<b>iii) FRUITING VEGETABLES</b>									
a) Solanaceae									
Tomatoes		0.5	0.05	0.5	0.02*	0.05*	0.2	0.05*	0.5
Peppers		0.5	<i>no MRL</i> 0.3	0.5	0.02*	0.05*	0.2	0.05*	0.5
Chilli peppers								0.05*	
Aubergines		0.5	0.02*	0.5	0.02*	0.05*	0.2	0.05*	0.5
Others		0.5	0.02*	0.5	0.02*	0.05*	0.2	0.05*	0.5
b) Cucurbits-edible peel									
Cucumbers		0.05*	<i>no MRL</i> 0.1	0.2	0.02*	0.05*	0.1	0.05*	0.5 0.02*
Gherkins		0.05*	<i>no MRL</i> 0.02*	0.2	0.02*	0.05*	0.1	0.05*	0.5 0.02*
Courgettes		0.05*	<i>no MRL</i> 0.02*	0.2	0.02*	0.05*	0.1	0.05*	0.5 0.02*
Others		0.05*	<i>no MRL</i> 0.02*	0.2	0.02*	0.05*	0.1	0.05*	0.5 0.02*
c) Cucurbits-inedible peel									
Melons		0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
Squashes		0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
Watermelons		0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.5 0.02*

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Chlorpyrifos-methyl</b>	<b>Cyfluthrin</b>	<b>Cypermethrin</b>	<b>Daminozide</b>	<b>DDT</b>	<b>Deltamethrin</b>	<b>Diallate</b>	<b>Diazinon</b>
			(changing 1 July 2001)						(changing 1 July 2001)
	Others	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
d) Sweet corn		0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
iv) BRASSICA VEGETABLES									
a) Flowering Brassicas									
Broccoli		0.05*	<i>no MRL</i> 0.05	0.5	0.02*	0.05*	0.1	0.05*	0.5 0.02*
Cauliflower		0.05*	0.05	0.5	0.02*	0.05*	0.1	0.05*	0.5 0.02*
Others		0.05*	<i>0.02*</i> 0.05	0.5	0.02*	0.05*	0.1	0.05*	0.5 0.02*
b) Head Brassicas									
Brussels sprouts		0.05*	0.2	0.5	0.02*	0.05*	0.1	0.05*	0.5 0.02*
Head cabbage		0.05*	0.2	0.5	0.02*	0.05*	0.1	0.05*	0.5 0.02*
Others		0.05*	0.2	0.5	0.02*	0.05*	0.1	0.05*	0.5 0.02*
c) Leafy Brassicas									
Chinese cabbage		0.05*	<i>no MRL</i> 0.3	1	0.02*	0.05*	0.5	0.05*	0.5 0.02*
Kale		0.05*	<i>no MRL</i> 0.3	1	0.02*	0.05*	0.5	0.05*	0.5 0.02*
Others		0.05*	<i>no MRL</i> 0.3	1	0.02*	0.05*	0.5	0.05*	0.5 0.02*
d) Kohlrabi		0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.5 0.02*

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Chlorpyrifos-methyl</b>	<b>Cyfluthrin</b>	<b>Cypermethrin</b>	<b>Daminozide</b>	<b>DDT</b>	<b>Deltamethrin</b>	<b>Diallate</b>	<b>Diazinon</b>
			(changing 1 July 2001)						(changing 1 July 2001)
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>									
a) Lettuce & similar									
Cress		0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
Lamb's lettuce		0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
Lettuce		0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
Scarole		0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
Others		0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
b) Spinach & similar									
Spinach		0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.5 0.02*
Beet leaves (chard)		0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.5 0.02*
Others		0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.5 0.02*
c) Watercress									
		0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
d) Witloof									
		0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
e) Herbs									
Chervil		0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
Chives		0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Chlorpyrifos-methyl</b>	<b>Cyfluthrin</b>	<b>Cypermethrin</b>	<b>Daminozide</b>	<b>DDT</b>	<b>Deltamethrin</b>	<b>Diallate</b>	<b>Diazinon</b>
			(changing 1 July 2001)						(changing 1 July 2001)
	Parsley	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
	Celery leaves	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
	Others	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.5 0.02*
vi) LEGUME VEGETABLES (fresh)									
	Beans (with pods)	0.05*	0.05	0.5	0.02*	0.05*	0.2	0.05*	0.5 0.02*
	Beans (without pods)	0.05*	0.05	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Peas (with pods)	0.05*	0.05	0.5	0.02*	0.05*	0.1	0.05*	0.5 0.02*
	Peas (without pods)	0.05*	0.05	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Others	0.05*	0.05	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
vii) STEM VEGETABLES									
	Asparagus	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Cardoons	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Celery	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	Fennel	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Globe artichokes	0.05*	0.02*	2	0.02*	0.05*	0.1	0.05*	0.5 0.02*

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Chlorpyrifos-methyl</b>	<b>Cyfluthrin</b>	<b>Cypermethrin</b>	<b>Daminozide</b>	<b>DDT</b>	<b>Deltamethrin</b>	<b>Diallate</b>	<b>Diazinon</b>
			(changing 1 July 2001)						(changing 1 July 2001)
	Leeks	0.05*	<i>no MRL</i> 0.02*	0.5	0.02*	0.05*	0.2	0.05*	0.5 0.02*
	Rhubarb	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
viii) FUNGI	a) Cultivated mushrooms	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.5 0.02*
	b) Wild mushrooms	0.05*	0.02*	1	0.02*	0.05*	0.05*	0.05*	0.02*
3. PULSES	Beans	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.05*	<i>no MRL</i> 0.02*
	Lentils	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.05*	<i>no MRL</i> 0.02*
	Peas	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.05*	<i>no MRL</i> 0.02*
	Others	0.05*	0.02*	0.05*	0.02*	0.05*	1	0.05*	<i>no MRL</i> 0.02*
4. OILSEEDS	Linseed	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*
	Peanuts	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	<i>no MRL</i> 0.05*
	Poppy seed	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*
	Sesame seed	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Chlorpyrifos-methyl	Cyfluthrin	Cypermethrin	Daminozide	DDT	Deltamethrin	Diallate	Diazinon
		(changing 1 July 2001)	(changing 1 July 2001)						
	Sunflower seed	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	no MRL 0.05*
	Rape seed	0.05*	0.05	0.2	0.05*	0.05*	0.1	0.05*	0.05*
	Soya bean	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Mustard seed	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Cotton seed	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*	no MRL 0.05*
	Others	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
5. POTATOES	Early potatoes	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	no MRL 0.02*
	Ware potatoes	0.05*	0.02*	0.05*	0.02*	0.05*	0.5	0.05*	no MRL 0.02*
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	no MRL 0.1*	0.5	0.1*	0.2	5	0.1*	0.05*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	20	30	0.1*	0.05*	5	0.1*	no MRL 0.05*

Group to which food belongs	Groups include the following products	1,1-Dichloro- 2,2- bis-(4-ethyl-phenyl)-ethane						
		1,2 - Dibromoethane	Dichlorprop	Dichlorvos	Dicofol	Dimethoate	Dinoseb	
(changing 1 July 2001)								
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts								
i) CITRUS FRUIT								
	Grapefruit	0.01*	0.05*		2	0.01*	0.05*	
	Lemons	0.01*	0.05*		2	0.01*	0.05*	
	Limes	0.01*	0.05*		2	0.01*	0.05*	
	Mandarins (inc clementines & similar hybrids)	0.01*	0.05*		2	0.01*	0.05*	
	Oranges	0.01*	0.05*		2	0.01*	0.05*	
	Pomelos	0.01*	0.05*		2	0.01*	0.05*	
	Others	0.01*	0.05*		2	0.01*	0.05*	
ii) TREE NUTS (shelled or unshelled)								
	Almonds	0.01*	0.05*		0.05*	0.01*	0.05*	
	Brazil nuts	0.01*	0.05*		0.05*	0.01*	0.05*	
	Cashew nuts	0.01*	0.05*		0.05*	0.01*	0.05*	
	Chestnuts	0.01*	0.05*		0.05*	0.01*	0.05*	
	Coconuts	0.01*	0.05*		0.05*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	1,1-Dichloro- 2,2- bis-(4-ethyl-phenyl)-ethane					
		1,2 - Dibromoethane	Dichlorprop	Dichlorvos	Dicofol	Dimethoate	Dinoseb
(changing 1 July 2001)							
	Hazelnuts	0.01*	0.05*		0.05*	0.01*	0.05*
	Macadamia nuts	0.01*	0.05*		0.05*	0.01*	0.05*
	Pecans	0.01*	0.05*		0.05*	0.01*	0.05*
	Pine nuts	0.01*	0.05*		0.05*	0.01*	0.05*
	Pistachios	0.01*	0.05*		0.05*	0.01*	0.05*
	Walnuts	0.01*	0.05*		0.05*	0.01*	0.05*
	Others	0.01*	0.05*		0.05*	0.01*	0.05*
iii) POME FRUIT							
	Apples	0.01*	0.05*		<i>I</i> 0.02*	0.01*	0.05*
	Pears	0.01*	0.05*		<i>I</i> 0.02*	0.01*	0.05*
	Quinces	0.01*	0.05*		<i>I</i> 0.02*	0.01*	0.05*
	Others	0.01*	0.05*		<i>I</i> 0.02*	0.01*	0.05*
iv) STONE FRUIT							
	Apricots	0.01*	0.05*		<i>no MRL</i> 0.02*	0.01*	0.05*
	Cherries	0.01*	0.05*		<i>no MRL</i> 0.02*	0.01*	0.05*



Group to which food belongs	Groups include the following products	1,1-Dichloro- 2,2- bis-(4-ethyl-phenyl)-ethane					
		1,2 - Dibromoethane	Dichlorprop	Dichlorvos	Dicofol	Dimethoate	Dinoseb
(changing 1 July 2001)							
	Bilberries	0.01*	0.05*		0.02*	0.01*	0.05*
	Cranberries	0.01*	0.05*		0.02*	0.01*	0.05*
	Currants (red, black & white)	0.01*	0.05*		<i>no MRL</i> 0.02*	0.01*	0.05*
	Gooseberries	0.01*	0.05*		0.02*	0.01*	0.05*
	Others	0.01*	0.05*		0.02*	0.01*	0.05*
	e) Wild berries & wild fruit	0.01*	0.05*		0.02*	0.01*	0.05*
vi) MISCELLANEOUS FRUIT							
	Avocados	0.01*	0.05*		0.02*	0.01*	0.05*
	Bananas	0.01*	0.05*		2 0.02*	0.01*	0.05*
	Dates	0.01*	0.05*		0.02*	0.01*	0.05*
	Figs	0.01*	0.05*		<i>no MRL</i> 0.02*	0.01*	0.05*
	Kiwi fruit	0.01*	0.05*		0.02*	0.01*	0.05*
	Kumquats	0.01*	0.05*		0.02*	0.01*	0.05*
	Litchis	0.01*	0.05*		0.02*	0.01*	0.05*
	Mangoes	0.01*	0.05*		0.02*	0.01*	0.05*

Group to which food belongs	Groups include the following products	1,2 -	Dibromoethane	Dichlorprop	Dichlorvos	Dicofol	1,1-Dichloro- 2,2- bis-(4-ethyl-phenyl)-ethane	Dimethoate	Dinoseb
(changing 1 July 2001)									
	Olives (table consumption)		0.01*	0.05*		0.02*	0.01*		0.05*
	Olives (oil extract)		0.01*	0.05*		0.02*	0.01*		0.05*
	Papaya					<i>no MRL</i>			
	Passion fruit		0.01*	0.05*		0.02*	0.01*		0.05*
	Pineapples		0.01*	0.05*		0.02*	0.01*		0.05*
	Pomegranates		0.01*	0.05*		0.02*	0.01*		0.05*
	Others		0.01*	0.05*		0.02*	0.01*		0.05*
2. Vegetables, fresh or uncooked, frozen or dry									
i) ROOT AND TUBER VEGETABLES									
	Beetroot		0.01*	0.05*		0.02*	0.01*		0.05*
	Carrots		0.01*	0.05*		0.02*	0.01*		0.05*
	Celeriac		0.01*	0.05*		0.02*	0.01*		0.05*
	Horseradish		0.01*	0.05*		0.02*	0.01*		0.05*
	Jerusalem artichokes		0.01*	0.05*		0.02*	0.01*		0.05*
	Parsnips		0.01*	0.05*		0.02*	0.01*		0.05*

Group to which food belongs	Groups include the following products	1,2 -	Dibromoethane	Dichlorprop	Dichlorvos	Dicofol	1,1-Dichloro- 2,2- bis-(4-ethyl-phenyl)-ethane	Dimethoate	Dinoseb
(changing 1 July 2001)									
	Parsley root		0.01*	0.05*		0.02*	0.01*		0.05*
	Radishes		0.01*	0.05*		0.02*	0.01*		0.05*
	Salsify		0.01*	0.05*		0.02*	0.01*		0.05*
	Sweet potatoes		0.01*	0.05*		0.02*	0.01*		0.05*
	Swedes		0.01*	0.05*		0.02*	0.01*		0.05*
	Turnips		0.01*	0.05*		0.02*	0.01*		0.05*
	Yams		0.01*	0.05*		0.02*	0.01*		0.05*
	Others		0.01*	0.05*		0.02*	0.01*		0.05*
ii) BULB VEGETABLES									
	Garlic		0.01*	0.05*		no MRL 0.02*	0.01*		0.05*
	Onions		0.01*	0.05*		0.02*	0.01*		0.05*
	Shallots		0.01*	0.05*		0.02*	0.01*		0.05*
	Spring onions		0.01*	0.05*		0.02*	0.01*		0.05*
	Others		0.01*	0.05*		0.02*	0.01*		0.05*

Group to which food belongs	Groups include the following products	1,2 -	Dibromoethane	Dichlorprop	Dichlorvos	Dicofol	1,1-Dichloro- 2,2- bis-(4-ethyl-phenyl)-ethane	Dimethoate	Dinoseb	
(changing 1 July 2001)										
<b>iii) FRUITING VEGETABLES</b>										
a) Solanacea										
Tomatoes		0.01*	0.05*		0.5 0.02*	0.02*	0.01*	0.05*		
Peppers		0.01*	0.05*		0.5 0.02*	0.02*	0.01*	0.05*		
Chilli peppers							0.01*			
Aubergines		0.01*	0.05*		0.02*	0.02*	0.01*	0.05*		
Others		0.01*	0.05*		0.02*	0.02*	0.01*	0.05*		
b) Cucurbits-edible peel										
Cucumbers		0.01*	0.05*		0.5 0.2	0.5	0.01*	0.05*		
Gherkins		0.01*	0.05*		0.5 0.2	0.5	0.01*	0.05*		
Courgettes		0.01*	0.05*		0.5 0.2	0.5	0.01*	0.05*		
Others		0.01*	0.05*		0.5 0.2	0.5	0.01*	0.05*		
c) Cucurbits-inedible peel										
Melons		0.01*	0.05*		0.5	0.5	0.01*	0.05*		
Squashes		0.01*	0.05*		0.5	0.5	0.01*	0.05*		
Watermelons		0.01*	0.05*		0.5	0.5	0.01*	0.05*		

Group to which food belongs	Groups include the following products	1,1-Dichloro- 2,2- bis-(4-ethyl-phenyl)-ethane					
		1,2 - Dibromoethane	Dichlorprop	Dichlorvos	Dicofol	Dimethoate	Dinoseb
(changing 1 July 2001)							
Others		0.01*	0.05*		0.5	0.01*	0.05*
d) Sweet corn		0.01*	0.05*		0.02*	0.01*	0.05*
<b>iv) BRASSICA VEGETABLES</b>							
a) Flowering Brassicas							
Broccoli		0.01*	0.05*		0.02*	0.01*	0.05*
Cauliflower		0.01*	0.05*		0.02*	0.01*	0.05*
Others		0.01*	0.05*		0.02*	0.01*	0.05*
b) Head Brassicas							
Brussels sprouts		0.01*	0.05*		0.02*	0.01*	0.05*
Head cabbage		0.01*	0.05*		0.02*	0.01*	0.05*
Others		0.01*	0.05*		0.02*	0.01*	0.05*
c) Leafy Brassicas							
Chinese cabbage		0.01*	0.05*		0.02*	0.01*	0.05*
Kale		0.01*	0.05*		0.02*	0.01*	0.05*
Others		0.01*	0.05*		0.02*	0.01*	0.05*
d) Kohlrabi		0.01*	0.05*		0.02*	0.01*	0.05*

Group to which food belongs	Groups include the following products	1,2 -	Dibromoethane	Dichlorprop	Dichlorvos	Dicofol	1,1-Dichloro- 2,2- bis-(4-ethyl-phenyl)-ethane	Dimethoate	Dinoseb	
(changing 1 July 2001)										
v) LEAF VEGETABLES AND FRESH HERBS										
a) Lettuce & similar										
Cress		0.01*	0.05*			0.02*	0.01*		0.05*	
Lamb's lettuce		0.01*	0.05*			0.02*	0.01*		0.05*	
Lettuce		0.01*	0.05*			0.02*	0.01*		0.05*	
Scarole		0.01*	0.05*			0.02*	0.01*		0.05*	
Others		0.01*	0.05*			0.02*	0.01*		0.05*	
b) Spinach & similar										
Spinach		0.01*	0.05*			0.02*	0.01*		0.05*	
Beet leaves (chard)		0.01*	0.05*			0.02*	0.01*		0.05*	
Others		0.01*	0.05*			0.02*	0.01*		0.05*	
c) Watercress										
		0.01*	0.05*			0.02*	0.01*		0.05*	
d) Witloof										
		0.01*	0.05*			0.02*	0.01*		0.05*	
e) Herbs										
Chervil		0.01*	0.05*			0.02*	0.01*		0.05*	
Chives		0.01*	0.05*			0.02*	0.01*		0.05*	

Group to which food belongs	Groups include the following products	1,1-Dichloro- 2,2- bis-(4-ethyl-phenyl)-ethane					
		1,2 - Dibromoethane	Dichlorprop	Dichlorvos	Dicofol	Dimethoate	Dinoseb
(changing 1 July 2001)							
	Parsley	0.01*	0.05*		0.02*	0.01*	0.05*
	Celery leaves	0.01*	0.05*		0.02*	0.01*	0.05*
	Others	0.01*	0.05*		0.02*	0.01*	0.05*
vi) LEGUME VEGETABLES (fresh)							
	Beans (with pods)	0.01*	0.05*		0.5 0.02*	0.01*	0.05*
	Beans (without pods)	0.01*	0.05*		0.5 0.02*	0.01*	0.05*
	Peas (with pods)	0.01*	0.05*		0.5 0.02*	0.01*	0.05*
	Peas (without pods)	0.01*	0.05*		0.5 0.02*	0.01*	0.05*
	Others	0.01*	0.05*		0.02*	0.01*	0.05*
vii) STEM VEGETABLES							
	Asparagus	0.01*	0.05*		0.02*	0.01*	0.05*
	Cardoons	0.01*	0.05*		0.02*	0.01*	0.05*
	Celery	0.01*	0.05*		0.02*	0.01*	0.05*
	Fennel	0.01*	0.05*		0.02*	0.01*	0.05*
	Globe artichokes	0.01*	0.05*		no MRL 0.02*	0.01*	0.05*

Group to which food belongs	Groups include the following products	1,1-Dichloro- 2,2- bis-(4-ethyl-phenyl)-ethane					
		1,2 - Dibromoethane	Dichlorprop	Dichlorvos	Dicofol	Dimethoate	Dinoseb
(changing 1 July 2001)							
	Leeks	0.01*	0.05*		0.02*	0.01*	0.05*
	Rhubarb	0.01*	0.05*		0.02*	0.01*	0.05*
	Others	0.01*	0.05*		0.02*	0.01*	0.05*
viii) FUNGI	a) Cultivated mushrooms	0.01*	0.05*	<i>no MRL</i> 0.02*	0.01*		0.05*
	b) Wild mushrooms	0.01*	0.05*	0.02*	0.01*		0.05*
3. PULSES	Beans	0.01*	0.05*	<i>no MRL</i> 0.02*	0.01*		0.05*
	Lentils	0.01*	0.05*	0.02*	0.01*		0.05*
	Peas	0.01*	0.05*	0.02*	0.01*		0.05*
	Others	0.01*	0.05*	0.02*	0.01*		0.05*
4. OILSEEDS	Linseed	0.01*	0.05*	0.05*	0.01*		0.05*
	Peanuts	0.01*	0.05*	0.05*	0.01*		0.05*
	Poppy seed	0.01*	0.05*	0.05*	0.01*		0.05*
	Sesame seed	0.01*	0.05*	0.05*	0.01*		0.05*

Group to which food belongs	Groups include the following products	1,2 -	Dibromoethane	Dichlorprop	Dichlorvos	Dicofol	1,1-Dichloro- 2,2- bis-(4-ethyl-phenyl)-ethane	Dimethoate	Dinoseb
(changing 1 July 2001)									
	Sunflower seed		0.01*	0.05*		0.05*	0.01*		0.05*
	Rape seed		0.01*	0.05*		0.05*	0.01*		0.05*
	Soya bean		0.01*	0.05*		0.05*	0.01*		0.05*
	Mustard seed		0.01*	0.05*		0.05*	0.01*		0.05*
	Cotton seed		0.01*	0.05*		0.1	0.01*		0.05*
	Others		0.01*	0.05*		0.05*	0.01*		0.05*
5. POTATOES	Early potatoes		0.01*	0.05*		0.02*	0.01*		0.05*
	Ware potatoes		0.01*	0.05*		0.02*	0.01*		0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)		0.1*	0.1*	0.1*	20	0.1*	0.2	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder		0.01*	0.1*		50	0.1*		0.1*

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Dioxathion</b>	<b>Diphenylamine</b>	<b>Disulfoton</b>	<b>Endosulfan</b>	<b>Endrin</b>	<b>Ethephon</b>	<b>Ethion</b>
				(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)	
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts								
i) CITRUS FRUIT								
Grapefruit	0.05*	0.05*	0.02*	1 0.5	0.01*	<i>no MRL</i> 0.05*		
Lemons	0.05*	0.05*	0.02*	1 0.5	0.01*	<i>no MRL</i> 0.05*		
Limes	0.05*	0.05*	0.02*	1 0.5	0.01*	<i>no MRL</i> 0.05*		
Mandarins (inc clementines & similar hybrids)	0.05*	0.05*	0.02*	1 0.5	0.01*	<i>no MRL</i> 0.05*		
Oranges	0.05*	0.05*	0.02*	1 0.5	0.01*	<i>no MRL</i> 0.05*		
Pomelos	0.05*	0.05*	0.02*	1 0.5	0.01*	<i>no MRL</i> 0.05*		
Others	0.05*	0.05*	0.02*	1 0.5	0.01*	<i>no MRL</i> 0.05*		
ii) TREE NUTS (shelled or unshelled)								
Almonds	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*		
Brazil nuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*		
Cashew nuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*		
Chestnuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*		
Coconuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*		

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Dioxathion</b>	<b>Diphenylamine</b>	<b>Disulfoton</b>	<b>Endosulfan</b>	<b>Endrin</b>	<b>Ethephon</b>	<b>Ethion</b>
				(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)	
	Hazelnuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Macadamia nuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Pecans	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Pine nuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Pistachios	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Walnuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
	Others	0.05*	0.05*	0.02*	0.1*	0.01*	0.1*	
iii) POME FRUIT								
	Apples	0.05*	0.05*	0.02*	1 0.3	0.01*	3	
	Pears	0.05*	0.05*	0.02*	1 0.3	0.01*	3	
	Quinces	0.05*	0.05*	0.02*	1 0.3	0.01*	3	
	Others	0.05*	0.05*	0.02*	1 0.3	0.01*	3	
iv) STONE FRUIT								
	Apricots	0.05*	0.05*	0.02*	1 0.05*	0.01*	0.05*	
	Cherries	0.05*	0.05*	0.02*	1 0.05*	0.01*	3	



<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Dioxathion</b>	<b>Diphenylamine</b>	<b>Disulfoton</b>	<b>Endosulfan</b>	<b>Endrin</b>	<b>Ethephon</b>	<b>Ethion</b>
				(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)	
	Bilberries	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Cranberries	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Currants (red, black & white)	0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	5	
	Gooseberries	0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
e) Wild berries & wild fruit		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
vi) MISCELLANEOUS FRUIT								
	Avocados	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Bananas	0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*	
	Dates	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Figs	0.05*	0.05*	0.02*	0.05*	0.01*	<i>no MRL</i> 0.05*	
	Kiwi fruit	0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	0.05*	
	Kumquats	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Litchis	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Mangoes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Disulfoton	Endosulfan	Endrin	Ethephon	Ethion
				(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)	
	Olives (table consumption)	0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	<i>no MRL</i> 0.05*	
	Olives (oil extract)	0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	<i>no MRL</i> 0.05*	
	Papaya			<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*		<i>no MRL</i> 0.05*	
	Passion fruit	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Pineapples	0.05*	0.05*	<i>no MRL</i> 0.02*	0.05*	0.01*	<i>no MRL</i> 0.5	
	Pomegranates	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
2. Vegetables, fresh or uncooked, frozen or dry								
i) ROOT AND TUBER VEGETABLES								
	Beetroot	0.05*	0.05*	0.02*	0.2 0.05*	0.01*	0.05*	
	Carrots	0.05*	0.05*	<i>no MRL</i> 0.02*	0.2 0.05*	0.01*	0.05*	
	Celeriac	0.05*	0.05*	0.02*	0.2 0.05*	0.01*	0.05*	
	Horseradish	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Jerusalem artichokes	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Parsnips	0.05*	0.05*	<i>no MRL</i>	0.05*	0.01*	0.05*	

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Dioxathion</b>	<b>Diphenylamine</b>	<b>Disulfoton</b>	<b>Endosulfan</b>	<b>Endrin</b>	<b>Ethephon</b>	<b>Ethion</b>
				(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)	
				0.02*				
Parsley root		0.05*	0.05*	0.02*	0.2	0.01*	0.05*	
Radishes		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
Salsify		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
Sweet potatoes		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
Swedes		0.05*	0.05*	0.02*	0.2	0.01*	0.05*	
Turnips		0.05*	0.05*	0.02*	0.2	0.01*	0.05*	
Yams		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
Others		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
ii) BULB VEGETABLES								
Garlic		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
Onions		0.05*	0.05*	0.02*	1	0.01*	<i>no MRL</i>	
Shallots		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
Spring onions		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
Others		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Disulfoton	Endosulfan	Endrin	Ethephon	Ethion
				(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)	
<b>iii) FRUITING VEGETABLES</b>								
a) Solanacea								
Tomatoes		0.05*	0.05*	0.02*	<i>I</i> 0.5	0.01*	3	
Peppers		0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	3	
Chilli peppers								
Aubergines		0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	0.05*	
Others		0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	0.05*	
b) Cucurbits-edible peel								
Cucumbers		0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	0.05*	
Gherkins		0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	0.05*	
Courgettes		0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	0.05*	
Others		0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	0.05*	
c) Cucurbits-inedible peel								
Melons		0.05*	0.05*	0.02*	<i>I</i> 0.3	0.01*	0.05*	
Squashes		0.05*	0.05*	<i>no MRL</i> 0.02*	<i>I</i> 0.3	0.01*	0.05*	
Watermelons		0.05*	0.05*	0.02*	<i>I</i> 0.3	0.01*	0.05*	

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Dioxathion</b>	<b>Diphenylamine</b>	<b>Disulfoton</b>	<b>Endosulfan</b>	<b>Endrin</b>	<b>Ethephon</b>	<b>Ethion</b>
				(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)	
	Others	0.05*	0.05*	0.02*	<i>I</i> 0.3	0.01*	0.05*	
d) Sweet corn		0.05*	0.05*	0.02*	0.05*	0.01*	<i>no MRL</i> 0.05*	
iv) BRASSICA VEGETABLES								
a) Flowering Brassicas								
Broccoli		0.05*	0.05*	<i>no MRL</i> 0.02*	<i>I</i> 0.05*	0.01*	0.05*	
Cauliflower		0.05*	0.05*	<i>no MRL</i> 0.02*	<i>I</i> 0.05*	0.01*	0.05*	
Others		0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	0.05*	
b) Head Brassicas								
Brussels sprouts		0.05*	0.05*	<i>no MRL</i> 0.02*	<i>I</i> 0.05*	0.01*	0.05*	
Head cabbage		0.05*	0.05*	<i>no MRL</i> 0.02*	<i>I</i> 0.05*	0.01*	0.05*	
Others		0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	0.05*	
c) Leafy Brassicas								
Chinese cabbage		0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	0.05*	
Kale		0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	0.05*	
Others		0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	0.05*	
d) Kohlrabi		0.05*	0.05*	<i>no MRL</i> 0.02*	0.05*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Disulfoton	Endosulfan	Endrin	Ethephon	Ethion	
				(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)		
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>									
a) Lettuce & similar									
Cress		0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	0.05*		
Lamb's lettuce		0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	0.05*		
Lettuce		0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	0.05*		
Scarole		0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	0.05*		
Others		0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	0.05*		
b) Spinach & similar									
Spinach		0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	0.05*		
Beet leaves (chard)		0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	0.05*		
Others		0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	0.05*		
c) Watercress									
		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
d) Witloof									
		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*		
e) Herbs									
Chervil		0.05*	0.05*	<i>no MRL</i> 0.02*	0.05*	0.01*	0.05*		
Chives		0.05*	0.05*	<i>no MRL</i> 0.02*	0.05*	0.01*	0.05*		

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Dioxathion</b>	<b>Diphenylamine</b>	<b>Disulfoton</b>	<b>Endosulfan</b>	<b>Endrin</b>	<b>Ethephon</b>	<b>Ethion</b>
				(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)	
Parsley		0.05*	0.05*	<i>no MRL</i> 0.02*	0.05*	0.01*	0.05*	
Celery leaves		0.05*	0.05*	<i>no MRL</i> 0.02*	0.05*	0.01*	0.05*	
Others		0.05*	0.05*	<i>no MRL</i> 0.02*	0.05*	0.01*	0.05*	
vi) LEGUME VEGETABLES (fresh)								
Beans (with pods)		0.05*	0.05*	<i>no MRL</i> 0.02*	<i>I</i> 0.05*	0.01*	0.05*	
Beans (without pods)		0.05*	0.05*	<i>no MRL</i> 0.02*	<i>I</i> 0.05*	0.01*	0.05*	
Peas (with pods)		0.05*	0.05*	<i>no MRL</i> 0.02*	<i>I</i> 0.05*	0.01*	0.05*	
Peas (without pods)		0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	0.05*	
Others		0.05*	0.05*	<i>no MRL</i> 0.02*	<i>I</i> 0.05*	0.01*	0.05*	
vii) STEM VEGETABLES								
Asparagus		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
Cardoons		0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	0.05*	
Celery		0.05*	0.05*	<i>no MRL</i> 0.02*	<i>I</i> 0.05*	0.01*	0.05*	
Fennel		0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
Globe artichokes		0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	0.05*	

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Dioxathion</b>	<b>Diphenylamine</b>	<b>Disulfoton</b>	<b>Endosulfan</b>	<b>Endrin</b>	<b>Ethephon</b>	<b>Ethion</b>
				(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)	
	Leeks	0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	0.05*	
	Rhubarb	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
viii) FUNGI	a) Cultivated mushrooms	0.05*	0.05*	0.02*	<i>I</i> 0.05*	0.01*	0.05*	
	b) Wild mushrooms	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
3. PULSES	Beans	0.05*	0.05*	<i>no MRL</i> 0.02*	0.05*	0.01*	0.05*	
	Lentils	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Peas	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.01*	0.05*	
4. OILSEEDS	Linseed	0.05*	0.05*	0.02*	<i>no MRL</i> 0.1*	0.01*	0.05*	
	Peanuts	0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	
	Poppy seed	0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	
	Sesame seed	0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Disulfoton	Endosulfan	Endrin	Ethephon	Ethion
				(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)	
	Sunflower seed	0.05*	0.05*	0.02*	<i>no MRL</i> 0.1*	0.01*	0.05*	
	Rape seed	0.05*	0.05*	0.02*	<i>no MRL</i> 0.1*	0.01*	0.05*	
	Soya bean	0.05*	0.05*	0.02*	<i>no MRL</i> 0.5	0.01*	0.05*	
	Mustard seed	0.05*	0.05*	0.02*	<i>no MRL</i> 0.1*	0.01*	0.05*	
	Cotton seed	0.05*	0.05*	0.05 0.02*	0.3	0.01*	0.05*	2
	Others	0.05*	0.05*	0.02*	0.1*	0.01*	0.05*	
5. POTATOES	Early potatoes	0.05*	0.05*	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*	
	Ware potatoes	0.05*	0.05*	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*	
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )	0.1*	0.05*	0.05*	30	0.01*	0.1*	2
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.05*	<i>no MRL</i> 0.05*	<i>no MRL</i> 0.1*	0.1*	0.1*	

Group to which food belongs	Groups include the following products	Fenbutatin					Sum of RR and SS isomers	Sum of RS and SR isomers
		Fenarimol	Oxide	Fenchlorphos	Fenitrothion	Fentin		
		(changing 1 July 2001)	(changing 1 July 2001)					
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts								
i) CITRUS FRUIT								
Grapefruit		0.02*	no MRL 5	0.01*		0.05*	0.05* <sup>(34)</sup>	0.02*
Lemons		0.02*	no MRL 5	0.01*		0.05*	0.05*	0.02*
Limes		0.02*	no MRL 5	0.01*		0.05*	0.05*	0.02*
Mandarins (inc clementines & similar hybrids)		0.02*	no MRL 5	0.01*		0.05*	0.05*	0.02*
Oranges		0.02*	no MRL 5	0.01*		0.05*	0.05*	0.02*
Pomelos		0.02*	no MRL 5	0.01*		0.05*	0.05*	0.02*
Others		0.02*	no MRL 5	0.01*		0.05*	0.05*	0.02*
ii) TREE NUTS (shelled or unshelled)								
Almonds		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*
Brazil nuts		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*
Cashew nuts		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*
Chestnuts		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*
Coconuts		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Fenbutatin					Fenvalerate and Esfenvalerate	
		Fenarimol	Oxide	Fenchlorphos	Fenitrothion	Fentin	Sum of RR and SS isomers	Sum of RS and SR isomers
		(changing 1 July 2001)	(changing 1 July 2001)				(changing 1 July 2001)	
	Hazelnuts	0.02*	0.05*	0.01*		0.05*	0.05*	0.02*
	Macadamia nuts	0.02*	0.05*	0.01*		0.05*	0.05*	0.02*
	Pecans	0.02*	0.05*	0.01*		0.05*	0.05*	0.02*
	Pine nuts	0.02*	0.05*	0.01*		0.05*	0.05*	0.02*
	Pistachios	0.02*	0.05*	0.01*		0.05*	0.05*	0.02*
	Walnuts	0.02*	0.05*	0.01*		0.05*	0.05*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.05*	0.02*
iii) POME FRUIT	Apples	0.3	2	0.01*		0.05*	1	0.02*
	Pears	0.3	2	0.01*		0.05*	1	0.02*
	Quinces	0.3	2	0.01*		0.05*	1	0.02*
	Others	0.3	2	0.01*		0.05*	1	0.02*
iv) STONE FRUIT	Apricots	no MRL 0.5	no MRL 0.05*	0.01*		0.05*	0.05*	0.02*
	Cherries	no MRL 1	no MRL 0.05*	0.01*		0.05*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Fenbutatin				Fentin	Fenvalerate and Esfenvalerate	
		Fenarimol	Oxide	Fenchlorphos	Fenitrothion		Sum of RR and SS isomers	Sum of RS and SR isomers
		(changing 1 July 2001)	(changing 1 July 2001)				(changing 1 July 2001)	
Peaches (incl nectarines & similar hybrids)		<i>no MRL</i> 0.5	<i>no MRL</i> 0.05*	0.01*		0.05*	<i>0.05*</i> 0.02*	0.02*
Plums		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.01*		0.05*	<i>0.05*</i> 0.02*	0.02*
Others		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.01*		0.05*	<i>0.05*</i> 0.02*	0.02*
<b>v) BERRIES AND SMALL FRUIT</b>								
a) Table & wine grapes								
Table grapes		0.3	2	0.01*		0.05*	<i>I</i> 0.1	0.02*
Wine grapes		0.3	2	0.01*		0.05*	<i>I</i> 0.1	0.02*
b) Strawberries (other than wild)		0.3	<i>no MRL</i> 1	0.01*		0.05*	<i>0.05*</i> 0.02*	0.02*
c) Cane Fruit (other than wild)								
Blackberries		0.02*	0.05*	0.01*		0.05*	<i>0.05*</i> 0.02*	0.02*
Dewberries		0.02*	0.05*	0.01*		0.05*	<i>0.05*</i> 0.02*	0.02*
Loganberries		0.02*	0.05*	0.01*		0.05*	<i>0.05*</i> 0.02*	0.02*
Raspberries		<i>no MRL</i> 0.1	0.05*	0.01*		0.05*	<i>0.05*</i> 0.02*	0.02*
Others		0.02*	0.05*	0.01*		0.05*	<i>0.05*</i> 0.02*	0.02*
d) Other small fruit & berries (other than wild)								

Group to which food belongs	Groups include the following products	Fenarimol	Fenbutatin Oxide			Fentin	Fenvalerate and Esfenvalerate	
			Fenchlorphos	Fenitrothion	Sum of RR and SS isomers		Sum of RS and SR isomers	
			(changing 1 July 2001)	(changing 1 July 2001)			(changing 1 July 2001)	
	Bilberries	0.02*	0.05*	0.01*	0.05*		0.05*	0.02*
	Cranberries	0.02*	0.05*	0.01*	0.05*		0.05*	0.02*
	Currants (red, black & white)	1	0.05*	0.01*	0.05*		0.05*	0.02*
	Gooseberries	1	0.05*	0.01*	0.05*		0.05*	0.02*
	Others	0.02*	0.05*	0.01*	0.05*		0.05*	0.02*
	e) Wild berries & wild fruit	0.02*	0.05*	0.01*	0.05*		0.05*	0.02*
vi) MISCELLANEOUS FRUIT								
	Avocados	0.02*	0.05*	0.01*	0.05*		0.05*	0.02*
	Bananas	0.3	no MRL 3	0.01*	0.05*		0.05*	0.02*
	Dates	0.02*	0.05*	0.01*	0.05*		0.05*	0.02*
	Figs	0.02*	0.05*	0.01*	0.05*		0.05*	0.02*
	Kiwi fruit	0.02*	0.05*	0.01*	0.05*		0.05*	0.02*
	Kumquats	0.02*	0.05*	0.01*	0.05*		0.05*	0.02*
	Litchis	0.02*	0.05*	0.01*	0.05*		0.05*	0.02*
	Mangoes	0.02*	0.05*	0.01*	0.05*		0.05*	0.02*

Group to which food belongs	Groups include the following products	Fenbutatin					Fenvalerate and Esfenvalerate	
		Fenarimol	Oxide	Fenchlorphos	Fenitrothion	Fentin	Sum of RR and SS isomers	Sum of RS and SR isomers
		(changing 1 July 2001)	(changing 1 July 2001)				(changing 1 July 2001)	
Olives (table consumption)		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Olives (oil extract)		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Papaya		<i>no MRL</i>	<i>no MRL</i>				<i>no MRL</i>	
		0.02*	0.05*				0.02*	0.02*
Passion fruit		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Pineapples		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Pomegranates		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Others		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
2. Vegetables, fresh or uncooked, frozen or dry								
i) ROOT AND TUBER VEGETABLES								
Beetroot		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Carrots		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Celeriac		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Horseradish		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Jerusalem artichokes		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Parsnips		0.02*	0.05*	0.01*		0.05*	0.05*	

Group to which food belongs	Groups include the following products	Fenbutatin					Fenvalerate and Esfenvalerate	
		Fenarimol	Oxide	Fenchlorphos	Fenitrothion	Fentin	Sum of RR and SS isomers	Sum of RS and SR isomers
		(changing 1 July 2001)	(changing 1 July 2001)				(changing 1 July 2001)	
	Parsley root	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Radishes	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Salsify	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Sweet potatoes	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Swedes	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Turnips	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Yams	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
ii) BULB VEGETABLES								
	Garlic	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Onions	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Shallots	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Spring onions	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.05*	0.02*	0.02*

Group to which food belongs	Groups include the following products	Fenbutatin					Fenvalerate and Esfenvalerate	
		Fenarimol	Oxide	Fenchlorphos	Fenitrothion	Fentin	Sum of RR and SS isomers	Sum of RS and SR isomers
		(changing 1 July 2001)	(changing 1 July 2001)				(changing 1 July 2001)	
<b>iii) FRUITING VEGETABLES</b>								
a) Solanaceae								
Tomatoes		no MRL 0.5	no MRL 1	0.01*		0.05*	I 0.05	0.02*
Peppers		no MRL 0.5	no MRL 0.05*	0.01*		0.05*	0.2 0.02*	0.02*
Chilli peppers								
Aubergines		no MRL 0.02*	no MRL 1	0.01*		0.05*	0.05* 0.02*	0.02*
Others		no MRL 0.02*	no MRL 0.05*	0.01*		0.05*	0.05* 0.02*	0.02*
b) Cucurbits-edible peel								
Cucumbers		no MRL 0.2	0.5*	0.01*		0.05*	0.2 0.02*	0.02*
Gherkins		no MRL 0.2	no MRL 0.05*	0.01*		0.05*	0.05* 0.02*	0.02*
Courgettes		no MRL 0.2	no MRL 0.5	0.01*		0.05*	0.05* 0.02*	0.02*
Others		no MRL 0.2	no MRL 0.05*	0.01*		0.05*	0.05* 0.02*	0.02*
c) Cucurbits-inedible peel								
Melons		no MRL 0.05	no MRL 0.05*	0.01*		0.05*	0.2 0.02*	0.02*
Squashes		no MRL 0.05	no MRL 0.05*	0.01*		0.05*	0.5 0.02*	0.02*
Watermelons		no MRL 0.05	no MRL 0.05*	0.01*		0.05*	0.5 0.02*	0.02*

Group to which food belongs	Groups include the following products	Fenbutatin				Fentin	Fenvalerate and Esfenvalerate	
		Fenarimol	Oxide	Fenchlorphos	Fenitrothion		Sum of RR and SS isomers	Sum of RS and SR isomers
		(changing 1 July 2001)	(changing 1 July 2001)				(changing 1 July 2001)	
Others		no MRL 0.05	no MRL 0.05*	0.01*		0.05*	0.05*	0.02*
d) Sweet corn		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*
							0.02*	0.02*
<b>iv) BRASSICA VEGETABLES</b>								
a) Flowering Brassicas								
Broccoli		0.02*	0.05*	0.01*		0.05*	<i>I</i>	0.02*
Cauliflower		0.02*	0.05*	0.01*		0.05*	<i>I</i>	0.02*
Others		0.02*	0.05*	0.01*		0.05*	<i>I</i>	0.02*
							0.02*	0.02*
b) Head Brassicas								
Brussels sprouts		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*
Head cabbage		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*
Others		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*
							0.02*	0.02*
c) Leafy Brassicas								
Chinese cabbage		0.02*	0.05*	0.01*		0.05*	<i>I</i>	0.02*
Kale		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*
Others		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*
							0.02*	0.02*
d) Kohlrabi		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*
							0.02*	0.02*

Group to which food belongs	Groups include the following products	Fenbutatin					Fenvalerate and Esfenvalerate		
		Fenarimol	Oxide	Fenchlorphos	Fenitrothion	Fentin	Sum of RR and SS isomers	Sum of RS and SR isomers	
		(changing 1 July 2001)	(changing 1 July 2001)				(changing 1 July 2001)		
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>									
a) Lettuce & similar									
Cress		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	
Lamb's lettuce		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	
Lettuce		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	
Scarole		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	
Others		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	
b) Spinach & similar									
Spinach		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	
Beet leaves (chard)		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	
Others		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	
c) Watercress									
		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	
d) Witloof									
		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	
e) Herbs									
Chervil		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	
Chives		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	

Group to which food belongs	Groups include the following products	Fenarimol	Fenbutatin Oxide			Fentin	Fenvalerate and Esfenvalerate	
			Fenchlorphos	Fenitrothion	Sum of RR and SS isomers		Sum of RS and SR isomers	
			(changing 1 July 2001)	(changing 1 July 2001)			(changing 1 July 2001)	
	Parsley	0.02*	0.05*	0.01*	0.05*		0.05*	0.02*
	Celery leaves	0.02*	0.05*	0.01*	0.05*		0.05*	0.02*
	Others	0.02*	0.05*	0.01*	0.05*		0.05*	0.02*
vi) LEGUME VEGETABLES (fresh)								
	Beans (with pods)	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*		0.05*	0.02*
	Beans (without pods)	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*		0.05*	0.02*
	Peas (with pods)	<i>no MRL</i> 0.02*	0.05*	0.01*	0.05*		0.05*	0.02*
	Peas (without pods)	<i>no MRL</i> 0.02*	0.05*	0.01*	0.05*		0.05*	0.02*
	Others	0.02*	0.05*	0.01*	0.05*		0.05*	0.02*
vii) STEM VEGETABLES								
	Asparagus	0.02*	0.05*	0.01*	0.05*		0.05*	0.02*
	Cardoons	0.02*	0.05*	0.01*	0.05*		0.05*	0.02*
	Celery	0.02*	0.05*	0.01*	0.05*		0.05*	0.02*
	Fennel	0.02*	0.05*	0.01*	0.05*		0.05*	0.02*
	Globe artichokes	<i>no MRL</i> 0.02*	0.05*	0.01*	0.05*		0.05*	0.02*

Group to which food belongs	Groups include the following products	Fenbutatin Oxide Fenchlorphos Fenitrothion Fentin				Fenvalerate and Esfenvalerate	
		Fenarimol	(changing 1 July 2001)	(changing 1 July 2001)		Sum of RR and SS isomers	Sum of RS and SR isomers
	Leeks		0.02*	0.05*	0.01*	0.05*	0.05*
	Rhubarb		0.02*	0.05*	0.01*	0.05*	0.05*
	Others		0.02*	0.05*	0.01*	0.05*	0.05*
							(changing 1 July 2001)
viii) FUNGI	a) Cultivated mushrooms		0.02*	0.05*	0.01*	0.05*	0.05*
	b) Wild mushrooms		0.02*	0.05*	0.01*	0.05*	0.05*
						0.02*	0.02*
3. PULSES	Beans		0.02*	0.05*	0.01*	0.05*	0.05*
	Lentils		0.02*	0.05*	0.01*	0.05*	0.05*
	Peas		0.02*	0.05*	0.01*	0.05*	0.05*
	Others		0.02*	0.05*	0.01*	0.05*	0.05*
						0.02*	0.02*
4. OILSEEDS	Linseed		0.02*	0.05*	0.01*	0.05*	0.1
	Peanuts		0.02*	0.05*	0.01*	0.05*	0.1
	Poppy seed		0.02*	0.05*	0.01*	0.05*	0.1
	Sesame seed		0.02*	0.05*	0.01*	0.05*	0.1

Group to which food belongs	Groups include the following products	Fenbutatin					Fenvalerate and Esfenvalerate	
		Fenarimol	Oxide	Fenchlorphos	Fenitrothion	Fentin	Sum of RR and SS isomers	Sum of RS and SR isomers
		(changing 1 July 2001)	(changing 1 July 2001)				(changing 1 July 2001)	
	Sunflower seed	0.02*	0.05*	0.01*		0.05*	0.05*	0.05*
	Rape seed	0.02*	0.05*	0.01*		0.05*	0.05*	0.05*
	Soya bean	0.02*	0.05*	0.01*		0.05*	0.05*	0.05*
	Mustard seed	0.02*	0.05*	0.01*		0.05*	0.05*	0.05*
	Cotton seed	0.02*	<i>no MRL</i> 0.05*	0.01*		0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.01*		0.05*	0.05*	0.05*
5. POTATOES	Early potatoes	0.02*	0.05*	0.01*		0.1	0.05*	0.02*
	Ware potatoes	0.02*	0.05*	0.01*		0.1	0.05*	0.02*
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )	0.05*	0.1*	0.1*	0.5	0.1*	0.05*	0.05*
7. HOPS (dried)	including hop pellets & unconcentrated powder	5	<i>no MRL</i> 0.1*	0.1*		0.5	0.05*	0.05*

Group to which food belongs	Groups include the following products	Flucythrinate	Folpet	Furathiocarb	Glyphosate	Heptachlor	Hexachloro-	Hexachloro-	Hexachloro-
							benzene (HCB)	cyclohexane (HCH)	cyclohexane (HCH)
(changing 1 July 2001)									
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
i) CITRUS FRUIT									
Grapefruit					0.05*	0.1*	0.01*		
Lemons					0.05*	0.1*	0.01*		
Limes					0.05*	0.1*	0.01*		
Mandarins (inc clementines & similar hybrids)					0.05*	0.1*	0.01*		
Oranges					0.05*	0.1*	0.01*		
Pomelos					0.05*	0.1*	0.01*		
Others					0.05*	0.1*	0.01*		
ii) TREE NUTS (shelled or unshelled)									
Almonds					0.05*	0.1*	0.01*		
Brazil nuts					0.05*	0.1*	0.01*		
Cashew nuts					0.05*	0.1*	0.01*		
Chestnuts					0.05*	0.1*	0.01*		
Coconuts					0.05*	0.1*	0.01*		

Group to which food belongs	Groups include the following products	Flucythrinate	Folpet	Furathiocarb	Glyphosate	Heptachlor	Hexachloro-	Hexachloro-	Hexachloro-
							benzene (HCB)	cyclohexane (HCH)	cyclohexane (HCH)
				(changing 1 July 2001)				$\alpha$	$\beta$
	Hazelnuts				0.05*	0.1*	0.01*		
	Macadamia nuts				0.05*	0.1*	0.01*		
	Pecans				0.05*	0.1*	0.01*		
	Pine nuts				0.05*	0.1*	0.01*		
	Pistachios				0.05*	0.1*	0.01*		
	Walnuts				0.05*	0.1*	0.01*		
	Others				0.05*	0.1*	0.01*		
iii) POME FRUIT									
	Apples				0.05*	0.1*	0.01*		
	Pears				0.05*	0.1*	0.01*		
	Quinces				0.05*	0.1*	0.01*		
	Others				0.05*	0.1*	0.01*		
iv) STONE FRUIT									
	Apricots				0.05*	0.1*	0.01*		
	Cherries				0.05*	0.1*	0.01*		



Group to which food belongs	Groups include the following products	Flucythrinate	Folpet	Furathiocarb	Glyphosate	Heptachlor	Hexachloro-	Hexachloro-	Hexachloro-
							benzene (HCB)	cyclohexane (HCH)	cyclohexane (HCH)
				(changing 1 July 2001)				$\alpha$	$\beta$
	Bilberries				0.05*	0.1*	0.01*		
	Cranberries				0.05*	0.1*	0.01*		
	Currants (red, black & white)				0.05*	0.1*	0.01*		
	Gooseberries				0.05*	0.1*	0.01*		
	Others				0.05*	0.1*	0.01*		
	e) Wild berries & wild fruit				0.05*	0.1*	0.01*		
vi) MISCELLANEOUS FRUIT									
	Avocados				0.05*	0.1*	0.01*		
	Bananas				0.05*	0.1*	0.01*		
	Dates				0.05*	0.1*	0.01*		
	Figs				0.05*	0.1*	0.01*		
	Kiwi fruit				0.05*	0.1*	0.01*		
	Kumquats				0.05*	0.1*	0.01*		
	Litchis				0.05*	0.1*	0.01*		
	Mangoes				0.05*	0.1*	0.01*		

Group to which food belongs	Groups include the following products	Flucythrinate	Folpet	Furathiocarb	Glyphosate	Heptachlor	Hexachloro-	Hexachloro-	Hexachloro-
							benzene (HCB)	cyclohexane (HCH)	cyclohexane (HCH)
(changing 1 July 2001)							$\alpha$	$\beta$	
	Olives (table consumption)				0.05*	0.1*	0.01*		
	Olives (oil extract)				0.05*	2	0.01*		
	Papaya				<i>no MRL</i>				
					0.05*				
	Passion fruit				0.05*	0.1*	0.01*		
	Pineapples				0.05*	0.1*	0.01*		
	Pomegranates				0.05*	0.1*	0.01*		
	Others				0.05*	0.1*	0.01*		
2.	Vegetables, fresh or uncooked, frozen or dry								
i)	ROOT AND TUBER VEGETABLES								
	Beetroot				0.05*	0.1*	0.01*		
	Carrots				0.05*	0.1*	0.01*		
	Celeriac				0.05*	0.1*	0.01*		
	Horseradish				0.05*	0.1*	0.01*		
	Jerusalem artichokes				0.05*	0.1*	0.01*		
	Parsnips				0.05*	0.1*	0.01*		

Group to which food belongs	Groups include the following products	Flucythrinate	Folpet	Furathiocarb	Glyphosate	Heptachlor	Hexachloro-	Hexachloro-	Hexachloro-
							benzene (HCB)	cyclohexane (HCH)	cyclohexane (HCH)
(changing 1 July 2001)							$\alpha$	$\beta$	
Parsley root					0.05*	0.1*	0.01*		
Radishes					0.05*	0.1*	0.01*		
Salsify					0.05*	0.1*	0.01*		
Sweet potatoes					0.05*	0.1*	0.01*		
Swedes					0.05*	0.1*	0.01*		
Turnips					0.05*	0.1*	0.01*		
Yams					0.05*	0.1*	0.01*		
Others					0.05*	0.1*	0.01*		
<b>ii) BULB VEGETABLES</b>									
Garlic					0.05*	0.1*	0.01*		
Onions					0.05*	0.1*	0.01*		
Shallots					0.05*	0.1*	0.01*		
Spring onions					0.05*	0.1*	0.01*		
Others					0.05*	0.1*	0.01*		

Group to which food belongs	Groups include the following products	Flucythrinate	Folpet	Furathiocarb	Glyphosate	Heptachlor	Hexachloro-	Hexachloro-	Hexachloro-
							benzene (HCB)	cyclohexane (HCH)	cyclohexane (HCH)
							(changing 1 July 2001)		
iii) FRUITING VEGETABLES								$\alpha$	$\beta$
a) Solanaceae									
Tomatoes					0.05*	0.1*	0.01*		
Peppers					0.05*	0.1*	0.01*		
Chilli peppers									
Aubergines					0.05*	0.1*	0.01*		
Others					0.05*	0.1*	0.01*		
b) Cucurbits-edible peel									
Cucumbers					0.05*	0.1*	0.01*		
Gherkins					0.05*	0.1*	0.01*		
Courgettes					0.05*	0.1*	0.01*		
Others					0.05*	0.1*	0.01*		
c) Cucurbits-inedible peel									
Melons					0.05*	0.1*	0.01*		
Squashes					0.05*	0.1*	0.01*		
Watermelons					0.05*	0.1*	0.01*		

Group to which food belongs	Groups include the following products	Flucythrinate	Folpet	Furathiocarb	Glyphosate	Heptachlor	Hexachloro-	Hexachloro-	Hexachloro-
							benzene (HCB)	cyclohexane (HCH)	cyclohexane (HCH)
				(changing 1 July 2001)				$\alpha$	$\beta$
	Others				0.05*	0.1*	0.01*		
	d) Sweet corn				0.05*	0.1*	0.01*		
iv) BRASSICA VEGETABLES									
a) Flowering Brassicas									
Broccoli				0.1	0.1*	0.01*			
Cauliflower				0.1	0.1*	0.01*			
Others				0.1	0.1*	0.01*			
b) Head Brassicas									
Brussels sprouts				0.05*	0.1*	0.01*			
Head cabbage				0.05*	0.1*	0.01*			
Others				0.05*	0.1*	0.01*			
c) Leafy Brassicas									
Chinese cabbage				0.05*	0.1*	0.01*			
Kale				0.05*	0.1*	0.01*			
Others				0.05*	0.1*	0.01*			
d) Kohlrabi				0.05*	0.1*	0.01*			

Group to which food belongs	Groups include the following products	Flucythrinate	Folpet	Furathiocarb	Glyphosate	Heptachlor	Hexachloro-	Hexachloro-	Hexachloro-
							benzene (HCB)	cyclohexane (HCH)	cyclohexane (HCH)
(changing 1 July 2001)								$\alpha$	$\beta$
v) LEAF VEGETABLES AND FRESH HERBS									
a) Lettuce & similar									
Cress					0.05*	0.1*	0.01*		
Lamb's lettuce					0.05*	0.1*	0.01*		
Lettuce					0.05*	0.1*	0.01*		
Scarole					0.05*	0.1*	0.01*		
Others					0.05*	0.1*	0.01*		
b) Spinach & similar									
Spinach					0.05*	0.1*	0.01*		
Beet leaves (chard)					0.05*	0.1*	0.01*		
Others					0.05*	0.1*	0.01*		
c) Watercress					0.05*	0.1*	0.01*		
d) Witloof					0.05*	0.1*	0.01*		
e) Herbs									
Chervil					0.05*	0.1*	0.01*		
Chives					0.05*	0.1*	0.01*		

Group to which food belongs	Groups include the following products	Flucythrinate	Folpet	Furathiocarb	Glyphosate	Heptachlor	Hexachloro-	Hexachloro-	Hexachloro-
							benzene (HCB)	cyclohexane (HCH)	cyclohexane (HCH)
				(changing 1 July 2001)				$\alpha$	$\beta$
Parsley					0.05*	0.1*	0.01*		
Celery leaves					0.05*	0.1*	0.01*		
Others					0.05*	0.1*	0.01*		
vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)					no MRL 0.05*	0.1*	0.01*		
Beans (without pods)					no MRL 0.05*	0.1*	0.01*		
Peas (with pods)					0.05*	0.1*	0.01*		
Peas (without pods)					0.05*	0.1*	0.01*		
Others					0.05*	0.1*	0.01*		
vii) STEM VEGETABLES									
Asparagus					0.05*	0.1*	0.01*		
Cardoons					0.05*	0.1*	0.01*		
Celery					no MRL 0.05*	0.1*	0.01*		
Fennel					0.05*	0.1*	0.01*		
Globe artichokes					0.05*	0.1*	0.01*		

Group to which food belongs	Groups include the following products	Flucythrinate	Folpet	Furathiocarb	Glyphosate	Heptachlor	Hexachloro-	Hexachloro-	Hexachloro-
							benzene (HCB)	cyclohexane (HCH)	cyclohexane (HCH)
					(changing 1 July 2001)			$\alpha$	$\beta$
	Leeks				0.05*	0.1*	0.01*		
	Rhubarb				0.05*	0.1*	0.01*		
	Others				0.05*	0.1*	0.01*		
viii) FUNGI	a) Cultivated mushrooms				0.05*	0.1*	0.01*		
	b) Wild mushrooms				0.05*	50	0.01*		
3. PULSES	Beans				no MRL 0.05*	2	0.01*		
	Lentils				0.05*	0.1*	0.01*		
	Peas				0.05*	3	0.01*		
	Others				0.05*	0.1*	0.01*		
4. OILSEEDS	Linseed				0.05*	10	0.01*		
	Peanuts				0.05*	0.1*	0.01*		
	Poppy seed				0.05*	0.1*	0.01*		
	Sesame seed				0.05*	0.1*	0.01*		

Group to which food belongs	Groups include the following products	Flucythrinate	Folpet	Furathiocarb	Glyphosate	Heptachlor	Hexachloro-	Hexachloro-	Hexachloro-		
							benzene (HCB)	cyclohexane (HCH)	cyclohexane (HCH)		
					(changing 1 July 2001)						
	Sunflower seed				0.05*	0.1*	0.01*				
	Rape seed				<i>no MRL</i> 0.05*	10	0.01*				
	Soya bean				<i>no MRL</i> 0.05*	20	0.01*				
	Mustard seed				0.05*	10	0.01*				
	Cotton seed				<i>no MRL</i> 0.05*	10	0.01*				
	Others				0.05*	0.1*	0.01*				
5. POTATOES	Early potatoes				0.05*	0.1*	0.01*				
	Ware potatoes				0.05*	0.1*	0.01*				
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*			0.1*	0.1*	0.02*	0.01*	0.2 }	sum of alpha and beta	
7. HOPS (dried)	including hop pellets & unconcentrated powder				5	0.1*	0.01*				

Group to which food belongs	Groups include the following products	Hexachloro-cyclohexane (HCH)	Imazalil	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Malathion	Maleic-hydrazide	Maneb	Mancozeb
		γ				(changing 1 July 2001)			Metiram	Propineb Zineb
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts										
i) CITRUS FRUIT										
Grapefruit		5	0.02*	0.05*	<i>no MRL</i> 0.02*			1*		5
Lemons		5	5	0.05*	<i>no MRL</i> 0.02*			1*		5
Limes		5	0.02*	0.05*	<i>no MRL</i> 0.02*			1*		5
Mandarins (inc clementines & similar hybrids)		5	2	0.05*	<i>no MRL</i> 0.02*			1*		5
Oranges		5	0.02*	0.05*	<i>no MRL</i> 0.02*			1*		5
Pomelos		5	0.02*	0.05*	<i>no MRL</i> 0.02*			1*		5
Others		5	0.02*	0.05*	<i>no MRL</i> 0.02*			1*		5
ii) TREE NUTS (shelled or unshelled)										
Almonds		0.02*	0.02*	0.1*	0.05*			1*		0.1*
Brazil nuts		0.02*	0.02*	0.1*	0.05*			1*		0.1*
Cashew nuts		0.02*	0.02*	0.1*	0.05*			1*		0.1*
Chestnuts		0.02*	0.02*	0.1*	0.05*			1*		0.1*
Coconuts		0.02*	0.02*	0.1*	0.05*			1*		0.1*

Group to which food belongs	Groups include the following products	Hexachloro-cyclohexane (HCH)	Imazalil	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Malathion	Maleic-hydrazide	Maneb	Mancozeb
									Metiram	Propineb Zineb
		γ				(changing 1 July 2001)				
	Hazelnuts		0.02*	0.2	0.1*	0.05*		1*	0.1*	
	Macadamia nuts		0.02*	0.02*	0.1*	0.05*		1*	0.1*	
	Pecans		0.02*	0.02*	0.1*	0.05*		1*	0.1*	
	Pine nuts		0.02*	0.02*	0.1*	0.05*		1*	0.1*	
	Pistachios		0.02*	0.02*	0.1*	0.05*		1*	0.1*	
	Walnuts		0.02*	0.02*	0.1*	0.05*		1*	0.1*	
	Others		0.02*	0.02*	0.1*	0.05*		1*	0.1*	
iii) POME FRUIT										
	Apples	5	10	0.2	0.1			1*	3	
	Pears	5	10	0.2	0.1			1*	3	
	Quinces	5	10	0.2	0.1			1*	3	
	Others	5	10	0.2	0.1			1*	3	
iv) STONE FRUIT										
	Apricots		0.02*	5	0.05*	0.2		1*	2	
	Cherries		0.02*	5	0.05*	0.1		1*	1	



Group to which food belongs	Groups include the following products	Hexachloro-cyclohexane (HCH)							Maneb	Mancozeb
			Imazalil	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Malathion	Maleic-hydrazide	Metiram	Propineb Zineb
		γ				(changing 1 July 2001)				
	Bilberries		0.02*	10	0.05*	0.02*		1*	0.05*	
	Cranberries		0.02*	0.02*	0.05*	0.02*		1*	0.05*	
	Currants (red, black & white)		0.02*	10	0.05*	0.1		1*	5	
	Gooseberries		0.02*	10	0.05*	0.1		1*	5	
	Others		0.02*	0.02*	0.05*	0.02*		1*	0.05*	
	e) Wild berries & wild fruit		0.02*	0.02*	0.05*	0.02*		1*	0.05*	
vi) MISCELLANEOUS FRUIT										
	Avocados		0.02*	0.02*	0.05*	0.02*		1*	0.05*	
	Bananas		2	3	0.05*	0.02*		1*	0.05*	
	Dates		0.02*	0.02*	0.05*	0.02*		1*	0.05*	
	Figs		0.02*	0.02*	0.05*	0.02*		1*	0.05*	
	Kiwi fruit		0.02*	5	0.05*	0.02*		1*	0.05*	
	Kumquats		0.02*	0.02*	0.05*	0.02*		1*	0.05*	
	Litchis		0.02*	0.02*	0.05*	0.02*		1*	0.05*	
	Mangoes		0.02*	0.02*	0.05*	0.02*		1*	0.05*	

Group to which food belongs	Groups include the following products	Hexachloro-cyclohexane (HCH)							Maneb	Mancozeb
			Imazalil	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Malathion	Maleic-hydrazide	Metiram	Propineb Zineb
$\gamma$						(changing 1 July 2001)				
	Olives (table consumption)		0.02*	0.02*	0.2	0.02*		1*		5
	Olives (oil extract)		0.02*	0.02*	0.2	0.02*		1*		5
	Papaya					<i>no MRL</i> 0.02*				
	Passion fruit		0.02*	0.02*	0.05*	0.02*		1*		0.05*
	Pineapples		0.02*	0.02*	0.05*	0.02*		1*		0.05*
	Pomegranates		0.02*	0.02*	0.05*	0.02*		1*		0.05*
	Others		0.02*	0.02*	0.05*	0.02*		1*		0.05*
2. Vegetables, fresh or uncooked, frozen or dry										
i) ROOT AND TUBER VEGETABLES										
	Beetroot		0.02*	0.5	0.05*	0.02*		1*		0.05*
	Carrots		0.02*	0.3	0.05*	0.02*		30		0.2
	Celeriac		0.02*	0.02*	0.05*	0.02*	0.1	1*		0.2
	Horseradish		0.02*	0.1	0.05*	0.02*		1*		0.05*
	Jerusalem artichokes		0.02*	0.02*	0.05*	0.02*		1*		0.05*
	Parsnips		0.02*	0.1	0.05*	0.02*		30		0.05*

Group to which food belongs	Groups include the following products	Hexachloro-cyclohexane (HCH)	Imazalil	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Malathion	Maleic-hydrazide	Maneb	Mancozeb
				γ			(changing 1 July 2001)		Metiram	Propineb Zineb
	Parsley root		0.02*	0.02*	0.05*	0.02*		1*	0.05*	
	Radishes		0.02*	0.3	0.05*	0.02*	0.1		1*	0.2
	Salsify		0.02*	0.02*	0.05*	0.02*			1*	0.2
	Sweet potatoes		0.02*	0.02*	0.05*	0.02*		1*	0.05*	
	Swedes		0.02*	0.02*	0.05*	0.02*		1*	0.05*	
	Turnips		0.02*	0.02*	0.05*	0.02*		1*	0.05*	
	Yams		0.02*	0.02*	0.05*	0.02*		1*	0.05*	
	Others		0.02*	0.02*	0.05*	0.02*		1*	0.05*	
ii) BULB VEGETABLES										
	Garlic		0.02*	5	0.05*	0.02*		10	0.5	
	Onions		0.02*	5	0.05*	0.02*		10	0.5	
	Shallots		0.02*	5	0.05*	0.02*		10	0.5	
	Spring onions		0.02*	5	0.05*	no MRL 0.02*		1*	0.05*	
	Others		0.02*	0.02*	0.05*	0.02*		10	0.05*	

Group to which food belongs	Groups include the following products	Hexachloro-cyclohexane (HCH)	Imazalil	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Malathion	Maleic-hydrazide	Maneb	Mancozeb
		γ	(changing 1 July 2001)						Metiram	Propineb Zineb
iii) FRUITING VEGETABLES										
a) Solanacea										
Tomatoes		0.5	5	0.5	<i>no MRL</i> 0.5			1*		3
Peppers		0.02*	5	1	<i>no MRL</i> 0.1			1*		2
Chilli peppers										
Aubergines		0.02*	5	0.5	<i>no MRL</i> 0.5			1*		2
Others		0.02*	5	0.05*	<i>no MRL</i> 0.02*			1*		2
b) Cucurbits-edible peel										
Cucumbers		0.2	2	0.05*	0.1			1*		0.5
Gherkins		0.2	2	0.05*	0.1			1*		2
Courgettes		0.2	2	0.05*	0.1			1*		2
Others		0.2	2	0.05*	0.1			1*		0.05*
c) Cucurbits-inedible peel										
Melons		2	0.3	0.2	<i>no MRL</i> 0.05			1*		0.5
Squashes		0.02*	0.02*	0.2	<i>no MRL</i> 0.05			1*		0.5
Watermelons		0.02*	0.02*	0.2	<i>no MRL</i> 0.05			1*		0.5

Group to which food belongs	Groups include the following products	Hexachloro-cyclohexane (HCH)							Maneb	Mancozeb
			Imazalil	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Malathion	Maleic-hydrazide	Metiram	Propineb Zineb
		$\gamma$				(changing 1 July 2001)				
	Others		0.02*	0.02*	0.2	<i>no MRL</i> 0.05		1*	0.5	
d) Sweet corn			0.02*	0.02*	0.05*	0.02*		1*	0.05*	
<b>iv) BRASSICA VEGETABLES</b>										
a) Flowering Brassicas										
Broccoli			0.02*	0.05	0.05*	<i>no MRL</i> 0.1		1*	1	
Cauliflower			0.02*	0.05	0.05*	<i>no MRL</i> 0.1		1*	1	
Others			0.02*	0.05	0.05*	<i>no MRL</i> 0.1		1*	1	
b) Head Brassicas										
Brussels sprouts			0.02*	0.5	0.05*	0.05		1*	1	
Head cabbage			0.02*	5	0.05*	0.2		1*	1	
Others			0.02*	0.02*	0.05*	0.02*		1*	1	
c) Leafy Brassicas										
Chinese cabbage			0.02*	5	0.05*	<i>no MRL</i> 0.02*		1*	0.5	
Kale			0.02*	0.02*	0.05*	<i>no MRL</i> 0.02*		1*	0.5	
Others			0.02*	0.02*	0.05*	<i>no MRL</i> 0.02*		1*	0.5	
d) Kohlrabi			0.02*	0.1	0.05*	<i>no MRL</i> 0.02*		1*	0.1*	

Group to which food belongs	Groups include the following products	Hexachloro-cyclohexane (HCH)	Imazalil	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Malathion	Maleic-hydrazide	Maneb	Mancozeb
		γ	(changing 1 July 2001)						Metiram	Propineb Zineb
v) LEAF VEGETABLES AND FRESH HERBS										
a) Lettuce & similar										
Cress		0.02*	10	0.05*	1			1*	5	
Lamb's lettuce		0.02*	10	0.05*	1			1*	5	
Lettuce		0.02*	10	0.05*	1			1*	5	
Scarole		0.02*	10	0.05*	1			1*	5	
Others		0.02*	10	0.05*	1			1*	5	
b) Spinach & similar										
Spinach		0.02*	0.02*	0.05*	no MRL 0.02*			1*	0.05*	
Beet leaves (chard)		0.02*	0.02*	0.05*	no MRL 0.02*			1*	0.05*	
Others		0.02*	0.02*	0.05*	no MRL 0.02*			1*	0.05*	
c) Watercress		0.02*	0.02*	0.05*	0.02*			1*	0.3	
d) Witloof		0.02*	2	0.05*	no MRL 0.02*			1*	0.2	
e) Herbs										
Chervil		0.02*	10	0.05*	1			1*	5	
Chives		0.02*	10	0.05*	1			1*	5	

Group to which food belongs	Groups include the following products	Hexachloro-cyclohexane (HCH)							Maneb	Mancozeb
			Imazalil	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Malathion	Maleic-hydrazide	Metiram	Propineb Zineb
		γ				(changing 1 July 2001)				
	Parsley		0.02*	10	0.05*	1		1*		5
	Celery leaves		0.02*	10	0.05*	1		1*		5
	Others		0.02*	10	0.05*	1		1*		5
vi) LEGUME VEGETABLES (fresh)										
	Beans (with pods)		0.02*	5	0.05*	0.2		1*		1
	Beans (without pods)		0.02*		0.05*	0.02*		1*		0.1
	Peas (with pods)		0.02*	1	0.05*	0.2		1*		1
	Peas (without pods)		0.02*	0.2	0.05*	0.02*		1*		0.1
	Others		0.02*	0.02*	0.05*	0.02*		1*		0.05*
vii) STEM VEGETABLES										
	Asparagus		0.02*	0.02*	0.05*	0.02*		1*		0.05*
	Cardoons		0.02*	0.02*	0.05*	no MRL 0.02*		1*		0.05*
	Celery		0.02*	0.02*	0.05*	no MRL 0.3		1*		0.5
	Fennel		0.02*	0.02*	0.05*	no MRL 0.02*		1*		0.05*
	Globe artichokes		0.02*	0.02*	0.05*	no MRL 0.02*		1*		0.05*

Group to which food belongs	Groups include the following products	Hexachloro-cyclohexane (HCH)							Maneb	Mancozeb
			Imazalil	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Malathion	Maleic-hydrazide	Metiram	Propineb Zineb
		$\gamma$				(changing 1 July 2001)				
	Leeks		0.02*	0.02*	0.05*	<i>no MRL</i> 0.02*		1*		3
	Rhubarb		0.02*	0.2	0.05*	<i>no MRL</i> 0.02*		1*		0.05*
	Others		0.02*	0.02*	0.05*	<i>no MRL</i> 0.02*		1*		0.05*
viii) FUNGI	a) Cultivated mushrooms		0.02*	0.02*	0.05*	<i>no MRL</i> 0.02*		1*		0.05*
	b) Wild mushrooms		0.02*	0.02*	0.05*	0.02*		1*		0.05*
3. PULSES	Beans		0.02*	0.2	0.05*	0.02*		1*		0.05*
	Lentils		0.02*	0.2	0.05*	0.02*		1*		0.05*
	Peas		0.02*	0.2	0.05*	0.02*		1*		0.05*
	Others		0.02*	0.2	0.05*	0.02*		1*		0.05*
4. OILSEEDS	Linseed		0.02*	0.1	0.1*	0.02*		1*		0.1*
	Peanuts		0.02*	0.02*	0.1*	0.02*		1*		0.1*
	Poppy seed		0.02*	0.02*	0.1*	0.02*		1*		0.1*
	Sesame seed		0.02*	0.02*	0.1*	0.02*		1*		0.1*

Group to which food belongs	Groups include the following products	Hexachloro-cyclohexane (HCH)	Imazalil	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Malathion	Maleic-hydrazide	Maneb	Mancozeb
				γ			(changing 1 July 2001)		Metiram	Propineb Zineb
	Sunflower seed		0.02*	0.02*	0.1*	0.02*		1*	0.1*	
	Rape seed		0.02*	0.5	0.1*	0.02*		1*	0.5	
	Soya bean		0.02*	0.02*	0.1*	0.02*		1*	0.1*	
	Mustard seed		0.02*	0.02*	0.1*	0.02*		1*	0.1*	
	Cotton seed		0.02*	0.02*	0.1*	0.02*		1*	0.1*	
	Others		0.02*	0.02*	0.1*	0.02*		1*	0.1*	
5. POTATOES	Early potatoes		0.02*	0.02*	0.05*	0.02*		1*	0.05*	
	Ware potatoes		5	0.02*	0.05*	0.02*		50	0.05*	
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.2	0.1*	0.1*	0.1*	1	0.5	1*	0.1*	
7. HOPS (dried)	including hop pellets & unconcentrated powder		0.1*	0.1*	0.1*	10		1*	25	

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxylophos	Methamidophos	Methidathion	Methomylthiodicarb	Methoxychlor	Methyl bromide	
		(changing 1 July 2001)							
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
i) CITRUS FRUIT									
Grapefruit		2 0.05*	<i>no MRL</i> 0.5	0.2	2	<i>no MRL</i> 0.5	0.01*	0.05*	
Lemons		2 0.05*	<i>no MRL</i> 0.05*	0.2	2	<i>no MRL</i> 1	0.01*	0.05*	
Limes		2 0.05*	<i>no MRL</i> 0.05*	0.2	2	<i>no MRL</i> 1	0.01*	0.05*	
Mandarins (inc clementines & similar hybrids)		2 0.05*	<i>no MRL</i> 0.05*	0.2	2	<i>no MRL</i> 1	0.01*	0.05*	
Oranges		2 0.05*	<i>no MRL</i> 0.5	0.2	2	<i>no MRL</i> 0.5	0.01*	0.05*	
Pomelos		2 0.05*	<i>no MRL</i> 0.5	0.2	2	<i>no MRL</i> 0.5	0.01*	0.05*	
Others		2 0.05*	<i>no MRL</i> 0.05*	0.2	2	<i>no MRL</i> 0.05*	0.01*	0.05*	
ii) TREE NUTS (shelled or unshelled)									
Almonds		0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		
Brazil nuts		0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		
Cashew nuts		0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		
Chestnuts		0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		
Coconuts		0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Mecarbam</b>	<b>Metalexyl</b>	<b>Methamidophos</b>	<b>Methidathion</b>	<b>Methomyl thiodicarb</b>	<b>Methoxychlor</b>	<b>Methyl bromide</b>
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)	(changing 1 July 2001)		
	Hazelnuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Macadamia nuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Pecans	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Pine nuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Pistachios	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Walnuts	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
	Others	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	
iii) POME FRUIT								
	Apples	0.05*	1	0.05	0.3	1 0.2	0.01*	0.05*
	Pears	0.05*	1	0.05	0.3	no MRL 0.2	0.01*	0.05*
	Quinces	0.05*	1	0.05	0.3	0.05* 0.2	0.01*	0.05*
	Others	0.05*	1	0.05	0.3	0.05* 0.2	0.01*	0.05*
iv) STONE FRUIT								
	Apricots	0.05*	0.05*	0.1	0.2	no MRL 0.2	0.01*	
	Cherries	0.05*	no MRL 0.05*	0.01*	no MRL 0.02*	no MRL 0.1	0.01*	



<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Mecarbam</b>	<b>Metalexyl</b>	<b>Methamidophos</b>	<b>Methidathion</b>	<b>Methomyl thiodicarb</b>	<b>Methoxychlor</b>	<b>Methyl bromide</b>
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)	(changing 1 July 2001)		
	Bilberries	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Cranberries	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Currants (red, black & white)	0.05*	0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
	Gooseberries	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
e)	Wild berries & wild fruit	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
vi) MISCELLANEOUS FRUIT								
	Avocados	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Bananas	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Dates	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Figs	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Kiwi fruit	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Kumquats	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Litchis	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Mangoes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxylophos	Methamidophos	Methidathion	Methomylthiodicarb	Methoxychlor	Methyl bromide
		(changing 1 July 2001)						
	Olives (table consumption)	0.05*	0.05*	0.01*	1	no MRL 0.05*	0.01*	0.05*
	Olives (oil extract)	0.05*	0.05*	0.01*	1	no MRL 0.05*	0.01*	0.05*
	Papaya	no MRL 0.05*	no MRL 0.05*		no MRL 0.02*	no MRL 0.05*		
	Passion fruit	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Pineapples	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Pomegranates	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry								
i) ROOT AND TUBER VEGETABLES								
	Beetroot	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Carrots	0.05*	0.1	0.01*	0.02*	0.05*	0.01*	0.05*
	Celeriac	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Horseradish	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Jerusalem artichokes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Parsnips	0.05*	0.1	0.01*	0.02*	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxylophos	Methamidophos	Methidathion	Methomyl thiodicarb	Methoxychlor	Methyl bromide
		(changing 1 July 2001)						
	Parsley root	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Radishes	0.05*	0.05*	0.01*	0.02*	0.5	0.01*	0.05*
	Salsify	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Sweet potatoes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Swedes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Turnips	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Yams	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
ii) BULB VEGETABLES								
	Garlic	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Onions	0.05*	no MRL 0.5	0.01*	no MRL 0.02*	0.05*	0.01*	0.05*
	Shallots	0.05*	no MRL 0.5	0.01*	no MRL 0.02*	0.05*	0.01*	0.05*
	Spring onions	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	no MRL 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxylophos	Methamidophos	Methidathion	Methomylthiodicarb	Methoxychlor	Methyl bromide
		(changing 1 July 2001)						
<b>iii) FRUITING VEGETABLES</b>								
a) Solanaceae								
Tomatoes		0.05*	<i>no MRL</i> 0.05*	0.5	0.02*	<i>no MRL</i> 0.5	0.01*	0.05*
Peppers		0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
Chilli peppers							0.01*	
Aubergines		0.05*	0.05*	0.2	0.02*	<i>no MRL</i> 0.5	0.01*	0.05*
Others		0.05*	0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
b) Cucurbits-edible peel								
Cucumbers		0.05*	<i>no MRL</i> 0.5	1	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
Gherkins		0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
Courgettes		0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
Others		0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
c) Cucurbits-inedible peel								
Melons		0.05*	<i>no MRL</i> 0.2	0.01*	0.02*	0.2 0.05*	0.01*	0.05*
Squashes		0.05*	0.05*	0.01*	0.02*	0.2 0.05*	0.01*	0.05*
Watermelons		0.05*	<i>no MRL</i> 0.2	0.01*	0.02*	0.2 0.05*	0.01*	0.05*

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Mecarbam</b>	<b>Metalexyl</b>	<b>Methamidophos</b>	<b>Methidathion</b>	<b>Methomyl thiodicarb</b>	<b>Methoxychlor</b>	<b>Methyl bromide</b>
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)	(changing 1 July 2001)		
Others		0.05*	0.05*	0.01*	0.02*	0.2 0.05*	0.01*	0.05*
d) Sweet corn		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
<b>iv) BRASSICA VEGETABLES</b>								
a) Flowering Brassicas								
Broccoli		0.05*	<i>no MRL</i> 0.1	0.5	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
Cauliflower		0.05*	<i>no MRL</i> 0.1	0.5	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
Others		0.05*	<i>no MRL</i> 0.1	0.5	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
b) Head Brassicas								
Brussels sprouts		0.05*	0.05*	0.5	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
Head cabbage		0.05*	1	0.5	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
Others		0.05*	0.05*	0.5	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
c) Leafy Brassicas								
Chinese cabbage		0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
Kale		0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
Others		0.05*	0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
d) Kohlrabi		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxylophos	Methamidophos	Methidathion	Methomylthiodicarb	Methoxychlor	Methyl bromide	
		(changing 1 July 2001)							
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>									
a) Lettuce & similar									
Cress		0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*	
Lamb's lettuce		0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*	
Lettuce		0.05*	<i>no MRL</i> 1	0.2	0.02*	<i>no MRL</i> 2	0.01*	0.05*	
Scarole		0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*	
Others		0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*	
b) Spinach & similar									
Spinach		0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	2	0.01*	0.05*	
Beet leaves (chard)		0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	2	0.01*	0.05*	
Others		0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	2	0.01*	0.05*	
c) Watercress									
		0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
d) Witloof									
		0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	
e) Herbs									
Chervil		0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 2	0.01*	0.05*	
Chives		0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 2	0.01*	0.05*	

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Mecarbam</b>	<b>Metalexyl</b>	<b>Methamidophos</b>	<b>Methidathion</b>	<b>Methomyl thiodicarb</b>	<b>Methoxychlor</b>	<b>Methyl bromide</b>
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)	(changing 1 July 2001)		
Parsley		0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 2	0.01*	0.05*
Celery leaves		0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 2	0.01*	0.05*
Others		0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	<i>no MRL</i> 2	0.01*	0.05*
vi) LEGUME VEGETABLES (fresh)								
Beans (with pods)		0.05*	0.05*	0.5	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
Beans (without pods)		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
Peas (with pods)		0.05*	0.05*	0.5	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
Peas (without pods)		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
Others		0.05*	0.05*		0.02*	0.05*	0.01*	0.05*
vii) STEM VEGETABLES								
Asparagus		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
Cardoons		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
Celery		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
Fennel		0.05*	0.05*	0.01*	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*
Globe artichokes		0.05*	<i>no MRL</i> 0.05*	0.1	0.02*	<i>no MRL</i> 0.05*	0.01*	0.05*

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Mecarbam</b>	<b>Metalexyl</b>	<b>Methamidophos</b>	<b>Methidathion</b>	<b>Methomyl thiodicarb</b>	<b>Methoxychlor</b>	<b>Methyl bromide</b>
		(changing 1 July 2001)	(changing 1 July 2001)		(changing 1 July 2001)	(changing 1 July 2001)		
	Leeks	0.05*	<i>no MRL</i> 0.2	0.01*	<i>no MRL</i> 0.02*	0.05*	0.01*	0.05*
	Rhubarb	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
viii) FUNGI	a) Cultivated mushrooms	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	b) Wild mushrooms	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
3. PULSES	Beans	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Lentils	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Peas	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	
4. OILSEEDS	Linseed	0.05*	<i>no MRL</i> 0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
	Peanuts	0.05*	0.05*	0.01*	0.02*	<i>0.05*</i> 0.1	0.01*	0.1*
	Poppy seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
	Sesame seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxylophos	Methamidophos	Methidathion	Methomylthiodicarb	Methoxychlor	Methyl bromide
		(changing 1 July 2001)						
	Sunflower seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
	Rape seed	0.05*	0.05*	0.01*	0.05	0.05*	0.01*	0.1*
	Soya bean	0.05*	0.05*	0.01*	0.02*	0.2 0.1	0.01*	0.1*
	Mustard seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
	Cotton seed	0.05*	0.05*	0.1	<i>no MRL</i> 0.02*	0.5 0.1	0.01*	0.1*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*
5. POTATOES	Early potatoes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
	Ware potatoes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )	0.05* 0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.05*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	10	2	3	10	0.1*	0.05*

Group to which food belongs	Groups include the following products	Monocroto-phos	Omethoate	Paraquat	Permethrin	Phorate	Phosmet	Phoxim	Pirimiphos-methyl	Procymidone
							(changing 1 July 2001)		(changing 1 July 2001)	
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts										
i) CITRUS FRUIT										
	Grapefruit		0.05*	0.5	0.05*			1	0.02*	
	Lemons		0.05*	0.5	0.05*			1	0.02*	
	Limes		0.05*	0.5	0.05*			1	0.02*	
	Mandarins (inc clementines & similar hybrids)		0.05*	0.5	0.05*			2	0.02*	
	Oranges		0.05*	0.5	0.05*			1	0.02*	
	Pomelos		0.05*	0.5	0.05*			1	0.02*	
	Others		0.05*	0.5	0.05*			1	0.02*	
ii) TREE NUTS (shelled or unshelled)										
	Almonds		0.05*	0.1	0.05*			no MRL 0.05*	0.05*	
	Brazil nuts		0.05*	0.05*	0.05*			0.05*	0.05*	
	Cashew nuts		0.05*	0.05*	0.05*			0.05*	0.05*	
	Chestnuts		0.05*	0.05*	0.05*			0.05*	0.05*	
	Coconuts		0.05*	0.05*	0.05*			0.05*	0.05*	

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Monocrotophos</b>	<b>Omethoate</b>	<b>Paraquat</b>	<b>Permethrin</b>	<b>Phorate</b>	<b>Phosmet</b>	<b>Phoxim</b>	<b>Pirimiphos-methyl</b>	<b>Procymidone</b>
						(changing 1 July 2001)			(changing 1 July 2001)	
	Hazelnuts		0.05*	0.05*	0.05*				no MRL 0.05*	0.05*
	Macadamia nuts		0.05*	0.05*	0.05*				0.05*	0.05*
	Pecans		0.05*	0.05*	0.05*				0.05*	0.05*
	Pine nuts		0.05*	0.05*	0.05*				0.05*	0.05*
	Pistachios		0.05*	0.05*	0.05*				no MRL 0.05*	0.05*
	Walnuts		0.05*	0.05*	0.05*				no MRL 0.05*	0.05*
	Others		0.05*	0.05*	0.05*				0.05*	0.05*
iii) POME FRUIT										
	Apples		0.05*	1	0.05*				no MRL 0.05*	0.02*
	Pears		0.05*	1	0.05*				no MRL 0.05*	1
	Quinces		0.05*	1	0.05*				no MRL 0.05*	0.02*
	Others		0.05*	1	0.05*				no MRL 0.05*	0.02*
iv) STONE FRUIT										
	Apricots		0.05*	1	0.05*				no MRL 0.05*	2
	Cherries		0.05*	1	0.05*				no MRL 0.05*	0.02*



<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Monocroto-phos</b>	<b>Omethoate</b>	<b>Paraquat</b>	<b>Permethrin</b>	<b>Phorate</b>	<b>Phosmet</b>	<b>Phoxim</b>	<b>Pirimiphos-methyl</b>	<b>Procymidone</b>
						(changing 1 July 2001)			(changing 1 July 2001)	
	Bilberries		0.05*	0.05*	0.05*				0.05*	0.02*
	Cranberries		0.05*	0.05*	0.05*				0.05*	0.02*
	Currants (red, black & white)		0.05*	0.05*	0.05*				0.05*	0.02*
	Gooseberries		0.05*	0.05*	0.05*				0.05*	0.02*
	Others		0.05*	0.05*	0.05*				0.05*	0.02*
	e) Wild berries & wild fruit		0.05*	0.05*	0.05*				0.05*	0.02*
vi) MISCELLANEOUS FRUIT										
	Avocados		0.05*	0.05*	0.05*				0.05*	0.02*
	Bananas		0.05*	0.05*	0.05*				0.05*	0.02*
	Dates		0.05*	0.05*	0.05*				0.05*	0.02*
	Figs		0.05*	0.05*	0.05*				0.05*	0.02*
	Kiwi fruit		0.05*	1	0.05*				2	5
	Kumquats		0.05*	0.05*	0.05*				0.05*	0.02*
	Litchis		0.05*	0.05*	0.05*				0.05*	0.02*
	Mangoes		0.05*	0.05*	0.05*				0.05*	0.02*

Group to which food belongs	Groups include the following products	Monocroto-phos							Pirimiphos-methyl		Procymidone
			Omethoate	Paraquat	Permethrin	Phorate	Phosmet	Phoxim			
						(changing 1 July 2001)			(changing 1 July 2001)		
	Olives (table consumption)		0.05*	0.05*	0.05*				no MRL 0.05*	0.02*	
	Olives (oil extract)		0.05*	0.05*	0.05*				no MRL 0.05*	0.02*	
	Papaya					no MRL 0.05*			no MRL 0.05*		
	Passion fruit		0.05*	0.05*	0.05*				0.05*	0.02*	
	Pineapples		0.05*	0.05*	0.05*				0.05*	0.02*	
	Pomegranates		0.05*	0.05*	0.05*				0.05*	0.02*	
	Others		0.05*	0.05*	0.05*				0.05*	0.02*	
2. Vegetables, fresh or uncooked, frozen or dry											
i) ROOT AND TUBER VEGETABLES											
	Beetroot		0.05*	0.05*	no MRL 0.05*				0.05*	0.02*	
	Carrots		0.05*	0.05*	no MRL 0.05*				1	0.02*	
	Celeriac		0.05*	0.1	0.05*				0.05*	0.02*	
	Horseradish		0.05*	0.05*	0.05*				0.05*	0.02*	
	Jerusalem artichokes		0.05*	0.05*	0.05*				0.05*	0.02*	
	Parsnips		0.05*	0.05*	no MRL				0.05*	0.02*	

Group to which food belongs	Groups include the following products	Monocroto-phos							Pirimiphos-methyl		Procymidone
			Omethoate	Paraquat	Permethrin	Phorate	Phosmet	Phoxim			
						(changing 1 July 2001)			(changing 1 July 2001)		
	Parsley root		0.05*	0.05*	0.05*				0.05*	0.02*	
	Radishes		0.05*	0.1	0.05*				0.05*	0.02*	
	Salsify		0.05*	0.05*	0.05*				0.05*	0.02*	
	Sweet potatoes		0.05*	0.05*	0.05*				0.05*	0.02*	
	Swedes		0.05*	0.05*	0.05*				0.05*	0.02*	
	Turnips		0.05*	0.05*	0.05*				0.05*	0.02*	
	Yams		0.05*	0.05*	0.05*				0.05*	0.02*	
	Others		0.05*	0.05*	0.05*				0.05*	0.02*	
ii) BULB VEGETABLES											
	Garlic		0.05*	0.05*	0.05*				no MRL 0.05*	0.2	
	Onions		0.05*	0.05*	0.05*				no MRL 0.05*	0.2	
	Shallots		0.05*	0.05*	0.05*				no MRL 0.05*	0.2	
	Spring onions		0.05*	0.05*	0.05*				no MRL 0.05*	0.02*	
	Others		0.05*	0.05*	0.05*				no MRL 0.05*	0.02*	

Group to which food belongs	Groups include the following products	Monocrotophos							Pirimiphos-methyl		Procymidone
			Omethoate	Paraquat	Permethrin	Phorate	Phosmet	Phoxim			
						(changing 1 July 2001)		(changing 1 July 2001)			
iii) FRUITING VEGETABLES											
a) Solanaceae											
Tomatoes			0.05*	0.5	<i>no MRL</i>		<i>no MRL</i>		2		
Peppers			0.05*	0.5	<i>no MRL</i>		<i>no MRL</i>		2		
Chilli peppers					0.05*				2		
Aubergines			0.05*	0.5	<i>no MRL</i>		<i>no MRL</i>		2		
Others			0.05*	0.5	<i>no MRL</i>		<i>no MRL</i>		0.05*		
b) Cucurbits-edible peel											
Cucumbers			0.05*	0.1	0.05*		<i>no MRL</i>		1		
Gherkins			0.05*	0.1	<i>no MRL</i>		<i>no MRL</i>		1		
Courgettes			0.05*	0.1	<i>no MRL</i>		<i>no MRL</i>		1		
Others			0.05*	0.1	<i>no MRL</i>		<i>no MRL</i>		1		
c) Cucurbits-inedible peel											
Melons			0.05*	0.1	0.05*		<i>no MRL</i>		1		
Squashes			0.05*	0.1	0.05*		<i>no MRL</i>		1		
Watermelons			0.05*	0.1	0.05*		<i>no MRL</i>		1		

Group to which food belongs	Groups include the following products	Monocroto-phos							Pirimiphos-methyl	Procymidone
			Omethoate	Paraquat	Permethrin	Phorate	Phosmet	Phoxim		
Others			0.05*	0.1	0.05*				(changing 1 July 2001)	(changing 1 July 2001)
d) Sweet corn			0.05*	0.1	<i>no MRL</i> 0.05*				0.05*	0.02*
<b>iv) BRASSICA VEGETABLES</b>										
a) Flowering Brassicas										
Broccoli			0.05*	0.05*	<i>no MRL</i> 0.05*				<i>no MRL</i> 1	0.02*
Cauliflower			0.05*	0.1	<i>no MRL</i> 0.05*				1	0.02*
Others			0.05*	0.05*	<i>no MRL</i> 0.05*				1	0.02*
b) Head Brassicas										
Brussels sprouts			0.05*	0.05*	<i>no MRL</i> 0.05*				2	0.02*
Head cabbage			0.05*	0.1	<i>no MRL</i> 0.05*				<i>no MRL</i> 0.05*	0.02*
Others			0.05*	0.05*	<i>no MRL</i> 0.05*				<i>no MRL</i> 0.05*	0.02*
c) Leafy Brassicas										
Chinese cabbage			0.05*	1	<i>no MRL</i> 0.05*				<i>no MRL</i> 0.05*	0.02*
Kale			0.05*	1	<i>no MRL</i> 0.05*				<i>no MRL</i> 0.05*	0.02*
Others			0.05*	1	<i>no MRL</i> 0.05*				<i>no MRL</i> 0.05*	0.02*
d) Kohlrabi			0.05*	0.05*	0.05*				<i>no MRL</i> 0.05*	0.02*

Group to which food belongs	Groups include the following products	Monocroto-phos	Omethoate	Paraquat	Permethrin	Phorate	Phosmet	Phoxim	Pirimiphos-methyl	Procymidone
							(changing 1 July 2001)		(changing 1 July 2001)	
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>										
a) Lettuce & similar										
Cress			0.05*	2	<i>no MRL</i>		<i>no MRL</i>		0.05*	5
Lamb's lettuce			0.05*	2	<i>no MRL</i>		<i>no MRL</i>		0.05*	5
Lettuce			0.05*	2	<i>no MRL</i>		<i>no MRL</i>		0.05*	5
Scarole			0.05*	2	<i>no MRL</i>		<i>no MRL</i>		0.05*	5
Others			0.05*	2	<i>no MRL</i>		<i>no MRL</i>		0.05*	5
b) Spinach & similar										
Spinach			0.05*	1	0.05*		<i>no MRL</i>		0.02*	
Beet leaves (chard)			0.05*	1	0.05*		<i>no MRL</i>		0.02*	
Others			0.05*	1	0.05*		<i>no MRL</i>		0.02*	
c) Watercress			0.05*	0.05*	0.05*				0.05*	0.02*
d) Witloof			0.05*	0.05*	0.05*				0.05*	2
e) Herbs										
Chervil			0.05*	2	<i>no MRL</i>		<i>no MRL</i>		0.05*	0.02*
Chives			0.05*	2	<i>no MRL</i>		<i>no MRL</i>		0.05*	0.02*



<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Monocrotophos</b>	<b>Omethoate</b>	<b>Paraquat</b>	<b>Permethrin</b>	<b>Phorate</b>	<b>Phosmet</b>	<b>Phoxim</b>	<b>Pirimiphos-methyl</b>	<b>Procymidone</b>
						(changing 1 July 2001)			(changing 1 July 2001)	
	Leeks		0.05*	0.5	0.05*				<i>no MRL</i> 0.05*	0.02*
	Rhubarb		0.05*	2	0.05*				<i>no MRL</i> 0.05*	0.02*
	Others		0.05*	0.05*	0.05*				<i>no MRL</i> 0.05*	0.02*
viii) FUNGI	a) Cultivated mushrooms		0.05*	0.05*	0.05*				2	0.02*
	b) Wild mushrooms		0.05*	0.05*	0.05*				0.05*	0.02*
3. PULSES	Beans		0.05*	0.05*	<i>no MRL</i> 0.05*				<i>no MRL</i> 0.05*	0.02*
	Lentils		0.05*	0.05*	0.05*				<i>no MRL</i> 0.05*	0.02*
	Peas		0.05*	0.05*	0.05*				<i>no MRL</i> 0.05*	0.2
	Others		0.05*	0.05*	0.05*				<i>no MRL</i> 0.05*	0.02*
4. OILSEEDS	Linseed		0.05*	0.05*	<i>no MRL</i> 0.05*				<i>no MRL</i> 0.05*	0.05*
	Peanuts		0.05*	0.1	0.1				<i>no MRL</i> 0.05*	0.05*
	Poppy seed		0.05*	0.05*	0.05*				0.05*	0.05*
	Sesame seed		0.05*	0.05*	0.05*				0.05*	0.05*

Group to which food belongs	Groups include the following products	Monocroto-phos							Pirimiphos-methyl	Procymidone
			Omethoate	Paraquat	Permethrin	Phorate	Phosmet	Phoxim		
			(changing 1 July 2001)						(changing 1 July 2001)	
	Sunflower seed		0.05*	0.05*	0.05*				no MRL 0.05*	1/0.05* <sup>(35)</sup>
	Rape seed		0.05*	0.1	no MRL 0.05*				no MRL 0.05*	1
	Soya bean		0.05*	0.05*	0.05*				no MRL 0.05*	1
	Mustard seed		0.05*	0.1	0.05*				0.05*	0.05*
	Cotton seed		0.05*	0.2	0.05*				no MRL 0.05*	0.05*
	Others		0.05*	0.05*	0.05*				0.05*	0.05*
5. POTATOES	Early potatoes		0.05*	0.05*	no MRL 0.05*				0.05*	0.02*
	Ware potatoes		0.05*	0.05*	no MRL 0.05*				0.05*	0.02*
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1	0.1*	2	0.1*	0.1*	0.1*	0.05*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder			0.1*	0.1*	0.1*			0.05*	0.1*

Group to which food belongs	Groups include the following products	Profenophos	Propargite	Propiconazole	Propoxur	Propyzamide	Quinalphos	TEPP	Thiabendazole
		(changing 1 July 2001)							
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
i) CITRUS FRUIT									
Grapefruit		0.05*	3	0.02*	no MRL	0.01*	6		
Lemons		0.05*	3	0.02*	no MRL	0.01*	6		
Limes		0.05*	3	0.02*	no MRL	0.01*	6		
Mandarins (inc clementines & similar hybrids)		0.05*	3	0.02*	no MRL	0.01*	6		
Oranges		0.05*	3	0.02*	no MRL	0.01*	6		
Pomelos		0.05*	3	0.02*	no MRL	0.01*	6		
Others		0.05*	3	0.02*	no MRL	0.01*	6		
ii) TREE NUTS (shelled or unshelled)									
Almonds		0.05*	0.05*	0.02*	no MRL	0.01*	0.1*		
Brazil nuts		0.05*	0.05*	0.02*	no MRL	0.01*	0.1*		
Cashew nuts		0.05*	0.05*	0.02*	no MRL	0.01*	0.1*		
Chestnuts		0.05*	0.05*	0.02*	no MRL	0.01*	0.1*		
Coconuts		0.05*	0.05*	0.02*	no MRL	0.01*	0.1*		

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Profenophos</b>	<b>Propargite</b>	<b>Propiconazole</b>	<b>Propoxur</b>	<b>Propyzamide</b>	<b>Quinalphos</b>	<b>TEPP</b>	<b>Thiabendazole</b>
		(changing 1 July 2001)		(changing 1 July 2001)					
	Hazelnuts	0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*		0.01*		0.1*
	Macadamia nuts	0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*		0.01*		0.1*
	Pecans	0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*		0.01*		0.1*
	Pine nuts	0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*		0.01*		0.1*
	Pistachios	0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*		0.01*		0.1*
	Walnuts	0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*		0.01*		0.1*
	Others	0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*		0.01*		0.1*
iii) POME FRUIT	Apples	0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*		0.01*		5
	Pears	0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*		0.01*		5
	Quinces	0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*		0.01*		5 0.05*
	Others	0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*		0.01*		5 0.05*
iv) STONE FRUIT	Apricots	0.2	3 0.05*	0.02*	<i>no MRL</i> 0.05*		0.01*		0.05*
	Cherries	<i>no MRL</i>	3 0.05*	0.02*	<i>no MRL</i> 0.05*		0.01*		<i>no MRL</i> 0.05*



<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Profenophos</b>	<b>Propargite</b>	<b>Propiconazole</b>	<b>Propoxur</b>	<b>Propyzamide</b>	<b>Quinalphos</b>	<b>TEPP</b>	<b>Thiabendazole</b>
		(changing 1 July 2001)		(changing 1 July 2001)					
	Bilberries	0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*		0.01*	0.05*	
	Cranberries	0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*		0.01*	0.05*	
	Currants (red, black & white)	0.05*	0.2	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*		0.01*	<i>no MRL</i> 0.05*	
	Gooseberries	0.05*	0.2	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*		0.01*	<i>no MRL</i> 0.05*	
	Others	0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*		0.01*	<i>no MRL</i> 0.05*	
e) Wild berries & wild fruit		0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*		0.01*	0.05*	
vi) MISCELLANEOUS FRUIT									
	Avocados	0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*		0.01*	0.05*	
	Bananas	0.1	0.05*	0.02*	<i>no MRL</i> 0.05*		0.01*	3 5	
	Dates	0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*		0.01*	0.05*	
	Figs	0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*		0.01*	0.05*	
	Kiwi fruit	0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*		0.01*	0.05*	
	Kumquats	0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*		0.01*	0.05*	
	Litchis	0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*		0.01*	0.05*	
	Mangoes	0.05*	0.05*	0.02*	<i>no MRL</i>		0.01*	0.05*	

Group to which food belongs	Groups include the following products	Profenophos	Propargite	Propiconazole	Propoxur	Propyzamide	Quinalphos	TEPP	Thiabendazole
		(changing 1 July 2001)							
Olives (table consumption)		0.05*	3	0.02*	<i>no MRL</i>	0.05*	0.01*	5	0.05*
Olives (oil extract)		0.05*	3	0.02*	<i>no MRL</i>	0.05*	0.01*	0.05*	0.05*
Papaya		<i>no MRL</i>		10	<i>no MRL</i>				
Passion fruit		0.05*	0.05*	0.02*	<i>no MRL</i>	0.05*	0.01*	0.05*	0.05*
Pineapples		0.05*	0.05*	0.02*	<i>no MRL</i>	0.05*	0.01*	0.05*	0.05*
Pomegranates		0.05*	0.05*	0.02*	<i>no MRL</i>	0.05*	0.01*	0.05*	0.05*
Others		0.05*	0.05*	0.02*	<i>no MRL</i>	0.05*	0.01*	0.05*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry									
i) ROOT AND TUBER VEGETABLES									
Beetroot		0.05*	3	0.02*	<i>no MRL</i>	0.05*	0.01*	<i>no MRL</i>	0.05*
Carrots		0.05*	0.05*	0.02*	<i>no MRL</i>	0.05*	0.01*	0.05*	0.05*
Celeriac		0.05*	3	0.02*	<i>no MRL</i>	0.05*	0.01*	0.05*	0.05*
Horseradish		0.05*	0.05*	0.02*	<i>no MRL</i>	0.05*	0.01*	0.05*	0.05*
Jerusalem artichokes		0.05*	0.05*	0.02*	<i>no MRL</i>	0.05*	0.01*	0.05*	0.05*
Parsnips		0.05*	0.05*	0.02*	<i>no MRL</i>	0.05*	0.01*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Profenophos	Propargite	Propiconazole	Propoxur	Propyzamide	Quinalphos	TEPP	Thiabendazole
		(changing 1 July 2001)							
Parsley root		0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.05*	0.01*	0.05*	
Radishes		0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.05*	0.01*	0.05*	
Salsify		0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.05*	0.01*	0.05*	
Sweet potatoes		0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.05*	0.01*	0.05*	
Swedes		0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.05*	0.01*	0.05*	
Turnips		0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.05*	0.01*	0.05*	
Yams		0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.05*	0.01*	0.05*	
Others		0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.05*	0.01*	0.05*	
ii) BULB VEGETABLES									
Garlic		0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.05*	0.01*	<i>no MRL</i> 0.05*	
Onions		0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.05*	0.01*	<i>no MRL</i> 0.05*	
Shallots		0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.05*	0.01*	<i>no MRL</i> 0.05*	
Spring onions		0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.05*	0.01*	0.05*	
Others		0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.05*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Profenophos	Propargite	Propiconazole	Propoxur	Propyzamide	Quinalphos	TEPP	Thiabendazole
		(changing 1 July 2001)							
<b>iii) FRUITING VEGETABLES</b>									
a) Solanaceae									
Tomatoes		0.05*	<i>no MRL</i>	0.02*	<i>no MRL</i>	0.01*	<i>no MRL</i>		0.05*
Peppers		<i>no MRL</i>	3	0.02*	<i>no MRL</i>	0.01*	<i>no MRL</i>		0.05*
Chilli peppers		0.05*	0.05*		0.05*				
Aubergines		0.05*	3	0.02*	<i>no MRL</i>	0.01*		0.05*	
Others		0.05*	3	0.02*	<i>no MRL</i>	0.01*		0.05*	
			0.05*		0.05*				
b) Cucurbits-edible peel									
Cucumbers		<i>no MRL</i>	<i>no MRL</i>	0.02*	<i>no MRL</i>	0.01*	<i>no MRL</i>		0.05*
Gherkins		<i>no MRL</i>	3	0.02*	<i>no MRL</i>	0.01*		0.05*	
Courgettes		<i>no MRL</i>	<i>no MRL</i>	0.02*	<i>no MRL</i>	0.01*		0.05*	
Others		<i>no MRL</i>	3	0.02*	<i>no MRL</i>	0.01*		0.05*	
		0.05*	0.05*		0.05*				
c) Cucurbits-inedible peel									
Melons		<i>no MRL</i>	3	0.02*	<i>no MRL</i>	0.01*	<i>no MRL</i>		0.05*
Squashes		<i>no MRL</i>	3	0.02*	<i>no MRL</i>	0.01*		0.05*	
Watermelons		<i>no MRL</i>	3	0.02*	<i>no MRL</i>	0.01*		0.05*	
		0.05*	0.05*		0.05*				

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Profenophos</b>	<b>Propargite</b>	<b>Propiconazole</b>	<b>Propoxur</b>	<b>Propyzamide</b>	<b>Quinalphos</b>	<b>TEPP</b>	<b>Thiabendazole</b>
		(changing 1 July 2001)			(changing 1 July 2001)				
Others		<i>no MRL</i> 0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*			0.05*
d) Sweet corn		0.05*	0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*			0.05*
<b>iv) BRASSICA VEGETABLES</b>									
a) Flowering Brassicas									
Broccoli		0.05*	3 0.5	0.02*	<i>no MRL</i> 0.05*	0.01*			5
Cauliflower		0.05*	3 0.5	0.02*	<i>no MRL</i> 0.05*	0.01*			0.05*
Others		0.05*	3 0.5	0.02*	<i>no MRL</i> 0.05*	0.01*			0.05*
b) Head Brassicas									
Brussels sprouts		0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*			0.05*
Head cabbage		0.05*	3 0.5	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.01*			0.05*
Others		0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*			0.05*
c) Leafy Brassicas									
Chinese cabbage		0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*			0.05*
Kale		0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*			0.05*
Others		0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*			0.05*
d) Kohlrabi		0.05*	3 0.05*	0.02*	<i>no MRL</i> 0.05*	0.01*			0.05*

Group to which food belongs	Groups include the following products	Profenophos	Propargite	Propiconazole	Propoxur	Propyzamide	Quinalphos	TEPP	Thiabendazole
		(changing 1 July 2001)							
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>									
a) Lettuce & similar									
Cress		0.05*	0.05*	<i>no MRL</i>	<i>no MRL</i>	0.01*	0.05*		
Lamb's lettuce		0.05*	3	<i>no MRL</i>	<i>no MRL</i>	0.01*	0.05*		
Lettuce		0.05*	3	<i>no MRL</i>	<i>no MRL</i>	0.01*	<i>no MRL</i>	0.05*	
Scarole		0.05*	3	<i>no MRL</i>	<i>no MRL</i>	0.01*	0.05*		
Others		0.05*	3	<i>no MRL</i>	<i>no MRL</i>	0.01*	0.05*		
b) Spinach & similar									
Spinach		0.05*	3	0.02*	<i>no MRL</i>	0.01*	0.05*		
Beet leaves (chard)		0.05*	3	0.02*	<i>no MRL</i>	0.01*	0.05*		
Others		0.05*	3	0.02*	<i>no MRL</i>	0.01*	0.05*		
c) Watercress		0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*		
d) Witloof		0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*		
e) Herbs									
Chervil		0.05*	3	<i>no MRL</i>	<i>no MRL</i>	0.01*	0.05*		
Chives		0.05*	3	<i>no MRL</i>	<i>no MRL</i>	0.01*	0.05*		

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Profenophos</b>	<b>Propargite</b>	<b>Propiconazole</b>	<b>Propoxur</b>	<b>Propyzamide</b>	<b>Quinalphos</b>	<b>TEPP</b>	<b>Thiabendazole</b>
		(changing 1 July 2001)		(changing 1 July 2001)					
Parsley		0.05*	3	no MRL	no MRL	no MRL	0.01*	0.05*	
Celery leaves		0.05*	3	no MRL	no MRL	no MRL	0.01*	0.05*	
Others		0.05*	3	no MRL	no MRL	no MRL	0.01*	0.05*	
			0.05*	1	0.05*	0.05*			
vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)		0.05*	3	no MRL	no MRL	no MRL	0.01*	no MRL	0.05*
			0.05*	0.02*	0.05*	0.05*			
Beans (without pods)		0.05*	0.05*	no MRL	no MRL	no MRL	0.01*	no MRL	0.05*
				0.02*	0.05*	0.05*			
Peas (with pods)		0.05*	3	0.02*	no MRL	no MRL	0.01*	0.05*	
			0.05*	0.02*	0.05*	0.05*			
Peas (without pods)		0.05*	0.05*	0.02*	no MRL	no MRL	0.01*	0.05*	
					0.05*	0.05*			
Others		0.05*	0.05*	0.02*	no MRL	no MRL	0.01*	0.05*	
					0.05*	0.05*			
vii) STEM VEGETABLES									
Asparagus		0.05*	0.05*	0.02*	no MRL	no MRL	0.01*	no MRL	0.05*
					0.05*	0.05*			
Cardoons		0.05*	3	0.02*	no MRL	no MRL	0.01*	0.05*	
			0.05*	0.02*	0.05*	0.05*			
Celery		no MRL	3	0.02*	no MRL	no MRL	0.01*	no MRL	0.05*
		0.05*	0.05*	0.02*	0.05*	0.05*			
Fennel		0.05*	3	0.02*	no MRL	no MRL	0.01*	0.05*	
			0.05*	0.02*	0.05*	0.05*			
Globe artichokes		no MRL	3	no MRL	no MRL	no MRL	0.01*	0.05*	
		0.05*	0.05*	0.02*	0.05*	0.05*			

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Profenophos</b>	<b>Propargite</b>	<b>Propiconazole</b>	<b>Propoxur</b>	<b>Propyzamide</b>	<b>Quinalphos</b>	<b>TEPP</b>	<b>Thiabendazole</b>
		(changing 1 July 2001)							
	Leeks	0.05*	1	0.02*	<i>no MRL</i>	0.01*	<i>no MRL</i>		
	Rhubarb	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*		
viii) FUNGI	a) Cultivated mushrooms	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	<i>no MRL</i>		
	b) Wild mushrooms	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	10		
3. PULSES	Beans	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*		
	Lentils	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*		
	Peas	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*		
4. OILSEEDS	Linseed	<i>no MRL</i>	0.05*	0.05*	<i>no MRL</i>	0.01*	0.05*		
	Peanuts	0.05*	0.05*	<i>no MRL</i>	<i>no MRL</i>	0.01*	0.05*		
	Poppy seed	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*		
	Sesame seed	0.05*	0.05*	0.02*	<i>no MRL</i>	0.01*	0.05*		

Group to which food belongs	Groups include the following products	Profenophos	Propargite	Propiconazole	Propoxur	Propyzamide	Quinalphos	TEPP	Thiabendazole
		(changing 1 July 2001)							
	Sunflower seed		0.05*	0.05*	0.02*	0.05*	no MRL	0.01*	0.05*
	Rape seed		no MRL	0.05*	no MRL	no MRL	no MRL	0.01*	0.05*
			0.05*		0.1	0.05*			
	Soya bean		0.05*	0.05*	0.02*	0.05*	no MRL	0.01*	0.05*
	Mustard seed		0.05*	0.05*	0.02*	0.05*	no MRL	0.01*	0.05*
	Cotton seed		0.05*	0.05*	no MRL	no MRL	no MRL	0.01*	0.05*
					0.05*	0.05*			
	Others		0.05*	0.05*	0.02*	0.05*	no MRL	0.01*	0.05*
						0.05*			
5. POTATOES	Early potatoes		0.05*	0.05*	0.02*	no MRL	0.01*	no MRL	
						0.05*		0.05*	
	Ware potatoes		0.05*	0.05*	0.02*	no MRL	0.01*	5	
						0.05*		15	
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	5	0.1*	0.1*	0.05*	2 0.1*	0.02*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder			0.1*	0.1*	no MRL 0.05*	no MRL 0.1*	0.02*	0.1*

---

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Triazophos</b>	<b>Triforine</b>	<b>2,4,5-T</b>	<b>Vinclozolin</b>
		(changing 1 July 2001)	(changing 1 July 2001)		
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts					
i) CITRUS FRUIT					
Grapefruit	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*	
Lemons	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*	
Limes	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*	
Mandarins (inc clementines & similar hybrids)	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*	
Oranges	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*	
Pomelos	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*	
Others	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*	
ii) TREE NUTS (shelled or unshelled)					
Almonds	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*	
Brazil nuts	0.02*	0.05*	0.05*	0.05*	
Cashew nuts	0.02*	0.05*	0.05*	0.05*	
Chestnuts	0.02*	0.05*	0.05*	0.05*	
Coconuts	0.02*	0.05*	0.05*	0.05*	

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Triazophos</b>	<b>Triforine</b>	<b>2,4,5-T</b>	<b>Vinclozolin</b>
		(changing 1 July 2001)	(changing 1 July 2001)		
Hazelnuts		<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
Macadamia nuts		0.02*	0.05*	0.05*	0.05*
Pecans		0.02*	0.05*	0.05*	0.05*
Pine nuts		0.02*	0.05*	0.05*	0.05*
Pistachios		<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
Walnuts		0.02*	0.05*	0.05*	0.05*
Others		0.02*	0.05*	0.05*	0.05*
<b>iii) POME FRUIT</b>					
Apples		<i>no MRL</i> 0.02*	2	0.05*	1
Pears		<i>no MRL</i> 0.02*	2	0.05*	1
Quinces		<i>no MRL</i> 0.02*	2	0.05*	1
Others		<i>no MRL</i> 0.02*	2	0.05*	1
<b>iv) STONE FRUIT</b>					
Apricots		<i>no MRL</i> 0.02*	<i>no MRL</i> 2	0.05*	2
Cherries		0.02*	2	0.05*	0.5

---

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Triazophos</b>	<b>Triforine</b>	<b>2,4,5-T</b>	<b>Vinclozolin</b>
		(changing 1 July 2001)	(changing 1 July 2001)		
Peaches (incl nectarines & similar hybrids)		<i>no MRL</i> 0.02*	<i>no MRL</i> 2	0.05*	0.05*
Plums		0.02*	1	0.05*	2
Others		0.02*	0.05*	0.05*	0.05*
<b>v) BERRIES AND SMALL FRUIT</b>					
a) Table & wine grapes					
Table grapes		0.02*	<i>no MRL</i> 0.05*	0.05*	5
Wine grapes		0.02*	<i>no MRL</i> 0.05*	0.05*	5
b) Strawberries (other than wild)		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	5
c) Cane Fruit (other than wild)					
Blackberries		0.02*	0.05*	0.05*	5
Dewberries		0.02*	0.05*	0.05*	5
Loganberries		0.02*	0.05*	0.05*	5
Raspberries		0.02*	0.05*	0.05*	5
Others		0.02*	0.05*	0.05*	5
d) Other small fruit & berries (other than wild)					

---

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Triazophos</b>	<b>Triforine</b>	<b>2,4,5-T</b>	<b>Vinclozolin</b>
	(changing 1 July 2001)	(changing 1 July 2001)			
Bilberries	0.02*	0.05*	0.05*	0.05*	
Cranberries	0.02*	0.05*	0.05*	0.05*	
Currants (red, black & white)	0.02*	2	0.05*	10	
Gooseberries	0.02*	2	0.05*	0.05*	
Others	0.02*	0.05*	0.05*	0.05*	
e) Wild berries & wild fruit	0.02*	0.05*	0.05*	0.05*	
<b>vi) MISCELLANEOUS FRUIT</b>					
Avocados	0.02*	0.05*	0.05*	0.05*	
Bananas	0.02*	0.05*	0.05	0.05*	
Dates	0.02*	0.05*	0.05*	0.05*	
Figs	0.02*	0.05*	0.05*	0.05*	
Kiwi fruit	0.02*	0.05*	0.05*	10	
Kumquats	0.02*	0.05*	0.05*	0.05*	
Litchis	0.02*	0.05*	0.05*	0.05*	
Mangoes	0.02*	0.05*	0.05*	0.05*	

---

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Triazophos</b>	<b>Triforine</b>	<b>2,4,5-T</b>	<b>Vinclozolin</b>
		(changing 1 July 2001)	(changing 1 July 2001)		
Olives (table consumption)	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*	
Olives (oil extract)	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*	
Papaya	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*			
Passion fruit	0.02*	0.05*	0.05*	0.05*	
Pineapples	0.02*	0.05*	0.05*	0.05*	
Pomegranates	0.02*	0.05*	0.05*	0.05*	
Others	0.02*	0.05*	0.05*	0.05*	
2. Vegetables, fresh or uncooked, frozen or dry					
i) ROOT AND TUBER VEGETABLES					
Beetroot	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*	
Carrots	1 0.02*	0.05*	0.05*	0.5	
Celeriac	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*	
Horseradish	0.02*	0.05*	0.05*	0.05*	
Jerusalem artichokes	0.02*	0.05*	0.05*	0.05*	
Parsnips	1	0.05*	0.05*	0.05*	

---

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Triazophos</b>	<b>Triforine</b>	<b>2,4,5-T</b>	<b>Vinclozolin</b>
		(changing 1 July 2001)	(changing 1 July 2001)		
		0.02*			
Parsley root		0.02*	0.05*	0.05*	0.05*
Radishes		0.02*	0.05*	0.05*	0.05*
Salsify		0.02*	0.05*	0.05*	0.05*
Sweet potatoes		0.02*	0.05*	0.05*	0.05*
Swedes		0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
Turnips		0.02*	0.05*	0.05*	0.05*
Yams		0.02*	0.05*	0.05*	0.05*
Others		0.02*	0.05*	0.05*	0.05*
<b>ii) BULB VEGETABLES</b>					
Garlic		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	1
Onions		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	1
Shallots		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	1
Spring onions		0.02*	<i>no MRL</i> 0.05*	0.05*	1
Others		0.02*	<i>no MRL</i> 0.05*	0.05*	1

---

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Triazophos</b>	<b>Triforine</b>	<b>2,4,5-T</b>	<b>Vinclozolin</b>
		(changing 1 July 2001)	(changing 1 July 2001)		
iii) FRUITING VEGETABLES					
a) Solanaceae					
Tomatoes		0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
Peppers		0.02*	<i>no MRL</i> 0.05*	0.05*	3
Chilli peppers					
Aubergines		0.02*	<i>no MRL</i> 0.05*	0.05*	3
Others		0.02*	<i>no MRL</i> 0.05*	0.05*	3
b) Cucurbits-edible peel					
Cucumbers		<i>no MRL</i> 0.02*	0.5	0.05*	1
Gherkins		<i>no MRL</i> 0.02*	0.5	0.05*	1
Courgettes		<i>no MRL</i> 0.02*	0.5	0.05*	1
Others		<i>no MRL</i> 0.02*	0.5	0.05*	1
c) Cucurbits-inedible peel					
Melons		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	1
Squashes		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	1
Watermelons		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	1

---

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Triazophos</b>	<b>Triforine</b>	<b>2,4,5-T</b>	<b>Vinclozolin</b>
		(changing 1 July 2001)	(changing 1 July 2001)		
Others		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	1
d) Sweet corn		0.02*	0.05*	0.05*	0.05*
<b>iv) BRASSICA VEGETABLES</b>					
a) Flowering Brassicas					
Broccoli		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
Cauliflower		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
Others		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
b) Head Brassicas					
Brussels sprouts		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
Head cabbage		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
Others		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
c) Leafy Brassicas					
Chinese cabbage		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	2
Kale		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
Others		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
d) Kohlrabi		0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*

---

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Triazophos</b>	<b>Triforine</b>	<b>2,4,5-T</b>	<b>Vinclozolin</b>
		(changing 1 July 2001)	(changing 1 July 2001)		
v) LEAF VEGETABLES AND FRESH HERBS					
a) Lettuce & similar					
Cress	0.02*	<i>no MRL</i> 0.05*	0.05*	5	
Lamb's lettuce	0.02*	0.05*	0.05*	5	
Lettuce	0.02*	0.05*	0.05*	5	
Scarole	0.02*	0.05*	0.05*	5	
Others	0.02*	0.05*	0.05*	5	
b) Spinach & similar					
Spinach	0.02*	0.05*	0.05*	0.05*	
Beet leaves (chard)	0.02*	0.05*	0.05*	0.05*	
Others	0.02*	0.05*	0.05*	0.05*	
c) Watercress	0.02*	0.05*	0.05*	0.05*	
d) Witloof	0.02*	0.05*	0.05*	2	
e) Herbs					
Chervil	0.02*	0.05*	0.05*	0.05*	
Chives	0.02*	0.05*	0.05*	0.05*	

---

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Triazophos</b>	<b>Triforine</b>	<b>2,4,5-T</b>	<b>Vinclozolin</b>
		(changing 1 July 2001)	(changing 1 July 2001)		
Parsley		0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
Celery leaves		0.02*	0.05*	0.05*	0.05*
Others		0.02*	0.05*	0.05*	0.05*
vi) LEGUME VEGETABLES (fresh)					
Beans (with pods)		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	2
Beans (without pods)		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.5
Peas (with pods)		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	2
Peas (without pods)		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.3
Others		0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
vii) STEM VEGETABLES					
Asparagus		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
Cardoons		0.02*	0.05*	0.05*	0.05*
Celery		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
Fennel		<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
Globe artichokes		<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*

---

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Triazophos</b>	<b>Triforine</b>	<b>2,4,5-T</b>	<b>Vinclozolin</b>
		(changing 1 July 2001)	(changing 1 July 2001)		
	Leeks	<i>no MRL</i> 0.02*	<i>no MRL</i> 0.05*	0.05*	0.05*
	Rhubarb	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
viii) FUNGI	a) Cultivated mushrooms	0.02*	0.05*	0.05*	0.05*
	b) Wild mushrooms	0.02*	0.05*	0.05*	0.05*
3. PULSES	Beans	0.02*	0.05*	0.05*	0.5
	Lentils	0.02*	0.05*	0.05*	0.05*
	Peas	0.02*	0.05*	0.05*	0.5
	Others	0.02*	0.05*	0.05*	0.05*
4. OILSEEDS	Linseed	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Peanuts	0.02*	0.05*	0.05*	0.05*
	Poppy seed	0.02*	0.05*	0.05*	0.05*
	Sesame seed	0.02*	0.05*	0.05*	0.05*

---

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Triazophos</b>	<b>Triforine</b>	<b>2,4,5-T</b>	<b>Vinclozolin</b>
		(changing 1 July 2001)	(changing 1 July 2001)		
	Sunflower seed	0.02*	0.05*	0.05*	0.05*
	Rape seed	<i>no MRL</i> 0.02*	0.05*	0.05*	1
	Soya bean	0.02*	0.05*	0.05*	0.05*
	Mustard seed	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Cotton seed	0.1	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
5. POTATOES	Early potatoes	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
	Ware potatoes	<i>no MRL</i> 0.02*	0.05*	0.05*	0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i> )	0.05*	0.1*	0.05*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.05*	30	0.05*	40

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Acephate</b>	<b>Aldicarb</b>	<b>Aldrin &amp; Dieldrin</b>	<b>Amitraz</b>	<b>Aramite</b>	<b>Azoxystrobin</b>	<b>Barban</b>
<b>8. CEREALS</b>								
	Wheat	0.02*	0.05*	0.01	0.02*	0.01*	0.3	0.05*
	Rye	0.02*	0.05*	0.01	0.02*	0.01*	0.3	0.05*
	Barley	0.02*	0.05*	0.01	0.02*	0.01*	0.3	0.05*
	Sorghum	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
	Oats	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
	Triticale	0.02*	0.05*	0.01	0.02*	0.01*	0.3	0.05*
	Maize	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
	Buckwheat	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
	Millet	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
	Rice <sup>(1)</sup>	0.02*	0.05*	0.01	0.02*	0.01*	5	0.05*
	Other cereals <sup>(2)</sup>	0.02*	0.05*	0.01	0.02*	0.01*	0.05*	0.05*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>								
	Meat, fat & preparations of meat <sup>(3)</sup>	0.02*	0.01*	0.2	0.02* <sup>(9)</sup>	0.01*	0.05*	0.05*
	Milk <sup>(4)</sup> &	0.02*	0.01*	0.006		0.01*	0.01*	0.05*

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Acephate</b>	<b>Aldicarb</b>	<b>Aldrin &amp; Dieldrin</b>	<b>Amitraz</b>	<b>Aramite</b>	<b>Azoxystrobin</b>	<b>Barban</b>
Dairy produce <sup>(5)</sup>		0.01*						
Eggs <sup>(6)</sup>		0.02*	0.01*	0.02	0.02*	0.01* <sup>(7)</sup>	0.05*	0.05* <sup>(7)</sup>

Group to which food belongs	Groups include the following products	Benalaxyd	Benfuracarb	Captfol	Carbaryl	Carbendazim	Carbofuran	Carbon disulphide	Carbon tetrachloride
		(changing 1 July 2001)					(changing 1 July 2001)		
<b>8. CEREALS</b>									
	Wheat	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Rye	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Barley	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Sorghum	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Oats	0.05*	0.05*	0.05*	0.5	0.1*	<i>no MRL</i> 0.1*	0.1	0.1
	Triticale	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Maize	0.05*	<i>no MRL</i> 0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Buckwheat	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Millet	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Rice <sup>(1)</sup>	0.05*	0.05*	0.05*	1	0.1*	<i>no MRL</i> 0.1*	0.1	0.1
	Other cereals <sup>(2)</sup>	0.05*	0.05*	0.05*	0.5	0.1*	0.1*	0.1	0.1
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>									
	Meat, fat & preparations of meat <sup>(3)</sup>	0.05*	0.05*			0.1*	0.1*		
	Milk <sup>(4)</sup> &	0.05*	0.05*			0.1*	0.1*		

Group to which food belongs	Groups include the following products	Benalaxyl	Benfuracarb	Captafol	Carbaryl	Carbendazim	Carbofuran	Carbon disulphide	Carbon tetrachloride
		(changing 1 July 2001)						(changing 1 July 2001)	
Dairy produce <sup>(5)</sup>									
Eggs <sup>(6)</sup>		0.05*	0.05*			0.1*	0.1*		

Group to which food belongs	Groups include the following products	Carbosulfan	Chlorbufam	Chlordane	Chlorfenson	Chlorobenzilate	Chloroxuron	Chlorbenside
-----------------------------	---------------------------------------	-------------	------------	-----------	-------------	-----------------	-------------	--------------

<b>8. CEREALS</b>								
	Wheat	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Rye	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Barley	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Sorghum	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Oats	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Triticale	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Maize	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Buckwheat	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Millet	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Rice <sup>(1)</sup>	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Other cereals <sup>(2)</sup>	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>								
	Meat, fat & preparations of meat <sup>(3)</sup>	0.05*	0.05*	0.05	0.05*	0.1*	0.05*	0.05*
	Milk <sup>(4)</sup> &	0.05*	0.05*	0.002	0.05*	0.1*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Carbosulfan	Chlorbufam	Chlordane	Chlorfenson	Chlorobenzilate	Chloroxuron	Chlorbenside
-----------------------------	---------------------------------------	-------------	------------	-----------	-------------	-----------------	-------------	--------------

Dairy produce <sup>(5)</sup>

Eggs <sup>(6)</sup> 0.05\* 0.05\* <sup>(7)</sup> 0.005 0.05\* <sup>(7)</sup> 0.1\* <sup>(7)</sup> 0.05\* <sup>(7)</sup> 0.05\* <sup>(7)</sup>

---

Group to which food belongs	Groups include the following products	Chlormequat	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cyfluthrin	Cypermethrin	Daminozide	DDT
(changing 1 July 2001)									
<b>8. CEREALS</b>									
	Wheat	2	0.1	0.05*	3	0.02*	0.05*	0.02*	0.05
	Rye	2	0.1	0.05*	3	0.02*	0.05*	0.02*	0.05
	Barley	2	0.1	0.2	3	0.02*	0.2	0.02*	0.05
	Sorghum	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05
	Oats	5	0.1	0.05*	3	0.02*	0.2	0.02*	0.05
	Triticale	2	0.1	0.05*	3	0.02*	0.05*	0.02*	0.05
	Maize	<i>no MRL</i> 0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05
	Buckwheat	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05
	Millet	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05
	Rice <sup>(1)</sup>	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05
	Other cereals <sup>(2)</sup>	0.05*	0.01*	0.05*	3	0.02*	0.05*	0.02*	0.05
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>									
	Meat, fat & preparations of meat <sup>(3)</sup>	<i>no MRL</i> 0.05 <sup>(10)</sup> 0.2 <sup>(11)</sup> 0.1 <sup>(12)</sup> 0.05* <sup>(36)</sup>	0.01*	0.05* <sup>(9)</sup>	0.05*	0.05	0.05* <sup>(9)</sup> 0.2 <sup>(17)</sup>	0.05*	1
	Milk <sup>(4)</sup> &	<i>no MRL</i>	0.01*	0.01*	0.01*	0.02*	0.02	0.05*	0.04

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Chlormequat</b>	<b>Chlorothalonil</b>	<b>Chlorpyrifos</b>	<b>Chlorpyrifos-methyl</b>	<b>Cyfluthrin</b>	<b>Cypermethrin</b>	<b>Daminozide</b>	<b>DDT</b>
(changing 1 July 2001)									
		0.05							
Dairy produce <sup>(5)</sup>									
Eggs <sup>(6)</sup>		<i>no MRL</i>	0.01*	0.01*	0.01*	0.02*	0.05*	0.05*	0.05
		0.05*							

Group to which food belongs	Groups include the following products	Deltamethrin	1,1-dichloro-2,2-bis (4-ethyl-phenyl-) ethane	Diallate	Diazinon	1,2-Dibromoethane	Dichlorvos	Dicofol	Disulfoton
(changing 1 July 2001)									
<b>8. CEREALS</b>									
	Wheat	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.1
	Rye	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.02*
	Barley	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.2
	Sorghum	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.2
	Oats	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.02*
	Triticale	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.02*
	Maize	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.02*
	Buckwheat	1	0.01*	0.05*	0.02*	0.01*	2	0.02*	0.02*
	Millet	1	0.01*	0.05*	0.02*	0.01*	2	0.02*	0.02*
	Rice <sup>(1)</sup>	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.02*
	Other cereals <sup>(2)</sup>	1	0.01*	0.05*	0.05 0.02*	0.01*	2	0.02*	0.02*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>									
	Meat, fat & preparations of meat <sup>(3)</sup>	0.05* <sup>(9)</sup>	0.01*	0.2*			0.5 <sup>(21)</sup> 0.1 <sup>(9)</sup> 0.05* <sup>(22)</sup> 1 <sup>(23)</sup>	0.02*	
	Milk <sup>(4)</sup> &		0.01*	0.2*	no MRL		0.02	0.02	

Group to which food belongs	Groups include the following products	Deltamethrin	1,1-dichloro-2,2-bis (4-ethyl-phenyl-) ethane	Diallate	Diazinon	1,2-Dibromo ethane	Dichlorvos	Dicofol	Disulfoton
(changing 1 July 2001)									
Dairy produce <sup>(5)</sup>					0.01*				
Eggs <sup>(6)</sup>		0.05*	0.01* <sup>(7)</sup>	0.2* <sup>(7)</sup>			0.05*	0.02*	

Group to which food belongs	Groups include the following products	Endosulfan	Endrin	Ethephon	Fenarimol	Fenbutatin oxide	Fentin	Fenvalerate and Esfenvalerate
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)				Sum of RR and SS isomers
<b>8. CEREALS</b>								
	Wheat	0.1 0.05*	0.01	0.2	no MRL 0.02*	0.05*	0.05*	0.05* <sup>(34)</sup> 0.05 0.02*
	Rye	0.1 0.05*	0.01	0.5	0.02*	0.05*	0.05*	0.05* 0.05 0.02*
	Barley	0.1 0.05*	0.01	0.5	no MRL 0.02*	0.05*	0.05*	0.2 0.2 0.05
	Sorghum	0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.05* 0.02* 0.02*
	Oats	0.1 0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.2 0.2 0.05
	Triticale	0.1 0.05*	0.01	0.2	0.02*	0.05*	0.05*	0.05* 0.05 0.02*
	Maize	0.2 0.05*	0.01	no MRL 0.05*	0.02*	0.05*	0.05*	0.05* 0.02* 0.02*
	Buckwheat	0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.05* 0.02* 0.02*
	Millet	0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.05* 0.02* 0.02*
	Rice <sup>(1)</sup>	0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.05* 0.02* 0.02*
	Other cereals <sup>(2)</sup>	0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.05* 0.02* 0.02*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>								
	Meat, fat & preparations of meat <sup>(3)</sup>	0.1 <sup>(8)</sup>	0.05	0.05*	0.02* <sup>(13)</sup>	0.05*	0.05*	0.5 <sup>(17)</sup> 0.2 <sup>(8)</sup> 0.05* <sup>(9)</sup> 0.02* <sup>(9)</sup> 0.02* <sup>(9)</sup>
	Milk <sup>(4)</sup> &	0.004	0.0008	0.05*	0.02*	0.05*	0.05*	0.05

Group to which food belongs	Groups include the following products	Endosulfan	Endrin	Etephon	Fenarimol	Fenbutatin oxide	Fentin	Fenvalerate and Esfenvalerate
		(changing 1 July 2001)	(changing 1 July 2001)	(changing 1 July 2001)			Sum of RR and SS isomers	Sum of RS and SR isomers
Dairy produce <sup>(5)</sup>							0.02*	0.02*
Eggs <sup>(6)</sup>	<i>no MRL</i> 0.1* <sup>(7)</sup>	0.005	0.05*	0.02*	0.05*	0.05*	<i>0.05*</i> 0.02* <sup>(7)</sup>	<i>0.02*</i> <sup>(7)</sup>

Group to which food belongs	Groups include the following products	Furathiocarb	Glyphosate	Heptachlor	Hexachlorobenzene (HCB)	Hexachlorocyclohexane (HCH)	Hexachlorocyclohexane (HCH)
					$\alpha$	$\beta$	
<b>8. CEREALS</b>							
	Wheat	0.05*	5	0.01	0.01	0.02 }	sum of alpha & beta
	Rye	0.05*	5	0.01	0.01	0.02 }	
	Barley	0.05*	20	0.01	0.01	0.02 }	
	Sorghum	0.05*	20	0.01	0.01	0.02 }	
	Oats	0.05*	20	0.01	0.01	0.02 }	
	Triticale	0.05*	5	0.01	0.01	0.02 }	
	Maize	0.05*	0.1*	0.01	0.01	0.02 }	
	Buckwheat	0.05*	0.1*	0.01	0.01	0.02 }	
	Millet	0.05*	0.1*	0.01	0.01	0.02 }	
	Rice <sup>(1)</sup>	0.05*	0.1*	0.01	0.01	0.02 }	
	Other cereals <sup>(2)</sup>	0.05*	0.1*	0.01	0.01	0.02 }	
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>							
	Meat, fat & preparations of meat <sup>(3)</sup>	0.05*	0.5 <sup>(24)</sup> 2 <sup>(25)</sup> 0.1* <sup>(17)</sup>	0.2	0.2	0.2	0.1
	Milk <sup>(4)</sup> &	0.05*	0.1*	0.004	0.01	0.004	0.003

Group to which food belongs	Groups include the following products	Furathiocarb	Glyphosate	Heptachlor	Hexachloro-benzene (HCB)	Hexachloro-cyclohexane (HCH)	Hexachloro-cyclohexane (HCH)
					$\alpha$	$\beta$	
Dairy produce <sup>(5)</sup>							
Eggs <sup>(6)</sup>		0.05*	0.1*	0.02	0.02	0.02	0.01

Group to which food belongs	Groups include the following products	Hexachloro-cyclohexane (HCH)	Hydrogen cyanide	Hydrogen phosphide	Imazalil	Inorganic bromide	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin <sup>(28)</sup>
$\gamma$									
<b>8. CEREALS</b>									
	Wheat	0.1	15	0.1	0.02*	50	0.5	0.05*	0.02*
	Rye	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
	Barley	0.1	15	0.1	0.02*	50	1	0.05*	0.05
	Sorghum	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
	Oats	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
	Triticale	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
	Maize	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
	Buckwheat	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
	Millet	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
	Rice <sup>(1)</sup>	0.1	15	0.1	0.02*	50	3	0.05*	0.02*
	Other cereals <sup>(2)</sup>	0.1	15	0.1	0.02*	50	0.02*	0.05*	0.02*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>									
	Meat, fat & preparations of meat <sup>(3)</sup>	2 <sup>(26)</sup> 1 <sup>(27)</sup>			0.02*		0.05*	0.02* <sup>(14)(15)</sup> 0.05 <sup>(14)(16)</sup>	0.5 <sup>(8)</sup> 0.02* <sup>(9)</sup>
	Milk <sup>(4)</sup> &	0.008			0.02*		0.05*	0.05* <sup>(18)</sup>	0.05

Group to which food belongs	Groups include the following products	Hexachloro-cyclohexane (HCH)	Hydrogen cyanide	Hydrogen phosphide	Imazalil	Inorganic bromide	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin <sup>(28)</sup>
$\gamma$									
Dairy produce <sup>(5)</sup>									
Eggs <sup>(6)</sup>		0.1			0.02*		0.05*	0.02*	0.02*

Group to which food belongs	Groups include the following products	Malathion	Maneb Metiram	Mancozeb Propineb	Mecarbam Zineb	Metalaxyl	Methamidophos	Methidathion	Methomyl thiodicarb
-----------------------------	---------------------------------------	-----------	------------------	----------------------	-------------------	-----------	---------------	--------------	------------------------

<b>8. CEREALS</b>									
	Wheat	8	1	0.05*	0.05*	0.01*	0.02*	0.05*	
	Rye	8	1	0.05*	0.05*	0.01*	0.02*	0.05*	
	Barley	8	2	0.05*	0.05*	0.01*	0.02*	0.05*	
	Sorghum	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
	Oats	8	2	0.05*	0.05*	0.01*	0.02*	0.05*	
	Triticale	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
	Maize	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
	Buckwheat	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
	Millet	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
	Rice <sup>(1)</sup>	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
	Other cereals <sup>(2)</sup>	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>									
	Meat, fat & preparations of meat <sup>(3)</sup>		0.05*		0.05*	0.01*	0.02*	0.02	
	Milk <sup>(4)</sup> &		0.05*		0.05*	0.01*	0.02*	0.02	

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Malathion</b>	<b>Maneb Mancozeb Metiram Propineb Zineb</b>	<b>Mecarbam</b>	<b>Metalaxyl</b>	<b>Methamidophos</b>	<b>Methidathion</b>	<b>Methomyl thiodicarb</b>
Dairy produce <sup>(5)</sup>						0.02*	0.02	
Eggs <sup>(6)</sup>		0.05*		0.05*	0.01*	0.02*	0.02	

Group to which food belongs	Groups include the following products	Methoxychlor	Methyl bromide	Permethrin	Phorate	Phosphamidon	Pirimiphos-methyl	Procymidone
-----------------------------	---------------------------------------	--------------	----------------	------------	---------	--------------	-------------------	-------------

(changing 1  
July 2001)

#### 8. CEREALS

Wheat	0.01*	0.1	2	0.05*	0.05	5	0.02*
Rye	0.01*	0.1	2	0.05*	0.05	5	0.02*
Barley	0.01*	0.1	2	0.05*	0.05	5	0.02*
Sorghum	0.01*	0.1	2	0.05*	0.05	5	0.02*
Oats	0.01*	0.1	2	0.05*	0.05	5	0.02*
Triticale	0.01*	0.1	2	0.05*	0.05	5	0.02*
Maize	0.01*	0.1	0.2	<i>no MRL</i> 0.05*	0.05	5	0.02*
Buckwheat	0.01*	0.1	2	0.05*	0.05	5	0.02*
Millet	0.01*	0.1	2	0.05*	0.05	5	0.02*
Rice <sup>(1)</sup>	0.01*	0.1	2	0.05*	0.05	5	0.02*
Other cereals <sup>(2)</sup>	0.01*	0.1	2	0.05*	0.05	5	0.02*

#### 9. PRODUCTS OF ANIMAL ORIGIN

Meat, fat & preparations of meat <sup>(3)</sup>	0.01*	0.5	0.05*		0.05*	0.05*
Milk <sup>(4)</sup> &	0.01*	0.05	0.02*		0.05*	0.05*

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Methoxychlor</b>	<b>Methyl bromide</b>	<b>Permethrin</b>	<b>Phorate</b>	<b>Phosphamidon</b>	<b>Pirimiphos-methyl</b>	<b>Procymidone</b>
(changing 1 July 2001)								
Dairy produce <sup>(5)</sup>							0.05*	
Eggs <sup>(6)</sup>		0.01* <sup>(7)</sup>		0.05	0.05*		0.05*	0.05*

Group to which food belongs	Groups include the following products	Propiconazole	Propoxur	Propyzamide	Pyrethrins	Thiabendazole	Triazophos	Trichlorfon
						(changing 1 July 2001)	(changing 1 July 2001)	
<b>8. CEREALS</b>								
	Wheat	0.05*	0.05*	0.02*	3	<i>no MRL</i> 0.05*	<i>no MRL</i> 0.02*	0.1
	Rye	0.05*	0.05*	0.02*	3	0.05*	<i>no MRL</i> 0.02*	0.1
	Barley	0.05*	0.05*	0.02*	3	0.05*	<i>no MRL</i> 0.02*	0.1
	Sorghum	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1
	Oats	0.05*	0.05*	0.02*	3	0.05*	<i>no MRL</i> 0.02*	0.1
	Triticale	0.05*	0.05*	0.02*	3	0.05*	<i>no MRL</i> 0.02*	0.1
	Maize	0.05*	0.05*	0.02*	3	0.05*	<i>no MRL</i> 0.02*	0.1
	Buckwheat	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1
	Millet	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1
	Rice <sup>(1)</sup>	0.05*	0.05*	0.02*	3	<i>no MRL</i> 0.05*	0.02*	0.1
	Other cereals <sup>(2)</sup>	0.05*	0.05*	0.02*	3	0.05*	0.02*	0.1
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>								
	Meat, fat & preparations of meat <sup>(3)</sup>	0.1 <sup>(29)</sup> 0.05* <sup>(30)</sup>	0.05*	0.05* <sup>(31) (33)</sup> 0.02* <sup>(32) (33)</sup>		0.1 <sup>(19)</sup>	0.01* <sup>(8)</sup> 0.02*	
	Milk <sup>(4)</sup> &	0.01*	0.05*	0.01* <sup>(33)</sup>			0.01*	

Group to which food belongs	Groups include the following products	Propiconazole	Propoxur	Propyzamide	Pyrethrins	Thiabendazole	Triazophos	Trichlorfon
					(changing 1 July 2001)	(changing 1 July 2001)		
Dairy produce <sup>(5)</sup>					0.02*	0.01*	0.02*	
Eggs <sup>(6)</sup>		0.05*	0.05*	0.02* <sup>(33)</sup>	0.1*	<i>no MRL</i>	0.02* <sup>(7)</sup>	

<b>Group to which food belongs</b>	<b>Groups include the following products</b>	<b>Triforine</b>	<b>Vinclozolin</b>
------------------------------------	--	------------------	--------------------

#### **8. CEREALS**

Wheat	0.1	0.05*
Rye	0.1	0.05*
Barley	0.1	0.05*
Sorghum	0.05*	0.05*
Oats	0.1	0.05*
Triticale	0.1	0.05*
Maize	0.05*	0.05*
Buckwheat	0.05*	0.05*
Millet	0.05*	0.05*
Rice <sup>(1)</sup>	0.05*	0.05*
Other cereals <sup>(2)</sup>	0.05*	0.05*

#### **9. PRODUCTS OF ANIMAL ORIGIN**

Meat, fat & preparations of meat <sup>(3)</sup>	0.05*	0.05*
Milk <sup>(4)</sup> &	0.05*	0.05*

Group to which food belongs	Groups include the following products	Triforine	Vinclozolin

**UNITS:**

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

**KEY:**

\* Level at or about the limit of determination.

*no MRL* - refers to the particular active/commodity combination

**FOOTNOTES:**

1. Paddy or rough rice, husked rice and semi-milled or wholly milled rice
2. Other cereals do not include rice
3. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight.  
In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg
4. These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
5. For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply:
  - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
  - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk
6. Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared)
7. For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.
8. All meat except poultry meat.
9. Poultry meat only.
10. Chicken liver.
11. Cattle kidney.
12. Cattle liver.
13. All meat except liver and kidney.
14. The residue definition for this MRL is: 2-methoxyimino-2-[2-(0-tolyloxymethyl)phenyl]acetic acid.
15. Meat, liver, fat.
16. Kidney
17. Other meat products
18. The residue definition for this MRL is: 2-[2-(4-hydroxy-2-methylphenoxy)methyl]phenyl]-2-methoxy-iminoacetic acid.
19. With the exception of meat and other ovine, bovine and caprine products.
20. Footnotes 3, 5 and 6 do not apply in cases where the lower limit of analytical determination is indicated.
21. Meat of cattle, sheep and goats.
22. Other than meat or liver of cattle, sheep and goats, and poultry meat.
23. Liver of cattle, sheep and goats. The residue definition for this MRL is: 1,1-bis-(parachlorophenol)-2,2-dichloroethanol(PP'-FW152), expressed as dicofol.
24. Pig kidney.

25. Cattle, goat and sheep kidney.
26. Sheepmeat only.
27. All meat except sheepmeat.
28. For animal products MRLs relate to cyhalothrin (sum of isomers).
29. Ruminant liver.
30. All meat except ruminant liver.
31. Fat, liver and kidney.
32. Other than fat, liver and kidney.
33. The residues definition for these MRLs is: sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyzamide.
34. Fenvalerate and esfenvalerate - the figure in italics set across the column refers to the MRL for fenvalerate only.
35. Procymidone: 1 mg/kg applies to whole seeds; 0.05 mg/kg applies to seed without shell.
36. Meat and meat products other than those at footnotes 10, 11 and 12.

## **EXPLANATORY NOTE**

*(This Note is not part of the Regulations)*

These Regulations, which extend to Scotland only, amend the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000 (S.S.I. 2000/22) ("the Consolidated Regulations").

The Regulations specify maximum levels of pesticide residues which crops, food and feeding stuffs may contain in implementation of Commission Directives 2000/24/EC (O.J. No. L 107, 4.5.00 p.28), 2000/42/EC (O.J. No. L 158, 30.6.00 p.51), 2000/48/EC (O.J. No. L 197, 3.8.00 p.26), 2000/57/EC (O.J. No. L 244, 29.9.00 p.76) and 2000/58/EC (O.J. No. L 244, 29.9.00 p.78) and amend Community maximum residue levels which have been set previously (regulation 2(2) and (5)).

Additionally, the Regulations remove certain maximum levels which were included in Part 1 of Schedule 2 to the Consolidated Regulations and which have been replaced by the Community maximum residue levels now included in Part 2 of that Schedule (regulation 2(4)).

Further residue definitions are also introduced (regulation 2(3)).

The Regulations amend Schedule 3 to the Consolidated Regulations introducing the new products 'Papaya' and 'Chilli peppers' to reflect the categories specified in Directives 2000/42/EC and 2000/24/EC respectively (regulation 2(6)).











































**2001 No. 84**

**AGRICULTURE  
PESTICIDES**

**The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2001**

**£16.50**

© Crown Copyright 2001

Published and printed in the UK by The Stationery Office Limited under the authority and  
superintendence of Carol Tullo, Controller of Her Majesty's Stationery Office and  
Queen's Printer of Acts of Parliament

300 03/01

19593