

2002 No. 489

AGRICULTURE

PESTICIDES

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 2) Regulations 2002

Made

4th November 2002

Laid before the Scottish Parliament

6th November 2002

Coming into force

30th November 2002

The Scottish Ministers, in exercise of the powers conferred by section 2(2) of the European Communities Act 1972(a) and of all other powers enabling them in that behalf, hereby make the following Regulations:

Citation and commencement

1. These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 2) Regulations 2002 and shall come into force on 30th November 2002.

Amendment to the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000

2.—(1) The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000(b) are amended in accordance with this regulation.

(2) For paragraph (b) of regulation 6, with effect from 1st December 2002, there is substituted the following paragraph:—

“(b) the procedure to be followed for sampling for the determination of pesticide residues shall—

- (i) be that set out in the Annex to Commission Directive 2002/63/EC establishing Community methods of sampling for the official control of pesticide residues in and on products of plant and animal origin and repealing Directive 79/700/EEC(c) for the residues covered by Part 2 of Schedule 2; and

(a) 1972 c.68; section 2(2) was amended by the Scotland Act 1998 (c.46), Schedule 8, paragraph 15. The function conferred upon the Minister of the Crown under section 2(2) of the European Communities Act 1972, insofar as within devolved competence, was transferred to the Scottish Ministers by virtue of section 53 of the Scotland Act 1998.

(b) S.S.I. 2000/22 amended by S.S.I. 2001/84, 221 and 435 and 2002/271.

(c) O.J. No. L 187, 16.7.02, p.30.

(ii) so far as is practicable, be that set out in the Codex Alimentarius Commission ‘Recommended Method of Sampling for the Determination of Pesticide Residues for compliance with MRLs; CAC/GL 33-1999’^(a) for the residues not covered by Part 2 of Schedule 2;”.

(3) In Schedule 1(b), with effect from 1st December 2002, at the appropriate places in alphabetical order in column 1, there are inserted, together with the corresponding entries in column 2, the following entries:-

<i>Column 1</i> Pesticide	<i>Column 2</i> Residues
Bentazone	Bentazone (sum of bentazone and conjugates 6-OH- and 8-OH-bentazone expressed as bentazone)
Formothion	Formothion
Lindane	Lindane (Hexachloro-cylohexane γ)
Metsulfuron methyl	Metsulfuron methyl
Oxydemeton-methyl	Oxydemeton-methyl (sum of oxydemeton methyl and demeton-S-methylsulfone expressed as oxydemeton-methyl)
Pyridate	Pyridate (sum of pyridate, its hydrolysis product CL 9673 (6-chloro-4-hydroxy-3-phenylpyridazin) and hydrolysable conjugates of CL 9673 expressed as pyridate)

(4) In Schedule 1, with effect from 1st December 2002, for the entries for Dimethoate and Quintozene in column 1, together with the corresponding entries in column 2, there are substituted the following entries:-

<i>Column 1</i> Pesticide	<i>Column 2</i> Residues
Dimethoate	Dimethoate (sum of dimethoate and omethoate expressed as dimethoate)
Quintozene	Quintozene (sum of quintozene and pentachloroaniline expressed as quintozene)

(5) In Part 1 of Schedule 2(c), the entries for the pesticides in column 1 of the following table, together with all residue levels relevant thereto, shall be omitted on the dates specified in the corresponding entries in column 2:-

<i>Column 1</i> Pesticide	<i>Column 2</i> Residues
Dimethoate	1st January 2003
Hexachlorocyclohexane (HCH γ)	1st December 2002
Parathion	1st May 2003
Quintozene	1st December 2002

(6) For Part 2 of Schedule 2(d), with effect from 1st December 2002, there is substituted the Part set out in Schedule 1 to these Regulations.

-
- (a) Copies are available from the Codex Alimentarius Commission’s website from their list of standards at www.codexalimentarius.net. Alternatively the document is available from the Department for Environment, Food and Rural Affairs library situated at Nobel House, Smith Square, London SW1 (e-mail: defra.library@defra.gsi.gov.uk).
- (b) Schedule 1 was amended by S.S.I. 2001/84 and 221 and 2002/271.
- (c) Part 1 of Schedule 2 was amended by S.S.I. 2001/84 and 221.
- (d) Part 2 of Schedule 2 was substituted in S.S.I. 2001/84 and was amended by S.S.I. 2001/221 and 435 and 2002/271.

(7) For Schedule 5(a), with effect from 1st December 2002, there is substituted the Schedule set out in Schedule 2 to these Regulations.

Consequential amendments

3. With effect from 1st December 2002, the following enactments are revoked:–
- (a) regulation 2(5) of, and the Schedule to, the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2001(b);
 - (b) regulation 2(5) to (8) of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 2) Regulations 2001(c);
 - (c) regulation 2(3) and (4) of, and Schedule 2 to, the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 3) Regulations 2001(d); and
 - (d) regulation 2(4) and (5) of, and Schedules 1 and 2 to, the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2002(e).

ROSS FINNIE
A member of the Scottish Executive

St Andrew's House,
Edinburgh
4th November 2002

(a) Schedule 5 was inserted by S.S.I. 2002/271.
(b) S.S.I. 2001/84.
(c) S.S.I. 2001/221.
(d) S.S.I. 2001/435.
(e) S.S.I. 2002/271.

SCHEDULE 1

SCHEDULE 2 PART 1

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz (sum of amitraz plus all its metabolites containing the 2,4 dimethylaniline moiety expressed as amitraz)	Aramite	Atrazine	Azimsulfuron	Azinphos-ethyl	Azoxystrobin
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts											
i) CITRUS FRUIT	Grapefruit	1	0.2		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1
	Lemons	1	0.2		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1
	Limes	1	0.2		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1
	Mandarins (inc clementines & similar hybrids)	1	0.2		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1
	Oranges	1	0.2		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1
	Pomelos	1	0.2		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1
	Others	1	0.2		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1
ii) TREE NUTS (shelled or unshelled)	Almonds	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*
	Brazil nuts	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*
	Cashew nuts	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*
	Chestnuts	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*
	Coconuts	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*
	Hazelnuts	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*
	Macadamia nuts	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*
	Pecans	0.02*	0.2		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*
	Pine nuts	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*
	Pistachios	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*
	Walnuts	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*
	Others	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*
iii) POME FRUIT	Apples	1	0.05*		0.05*	0.5	0.01*	0.1*	0.02*	0.05*	0.05*
	Pears	1	0.05*		0.05*	0.5	0.01*	0.1*	0.02*	0.05*	0.05*
	Quinces	1	0.05*		0.05*	0.5	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	1	0.05*		0.05*	0.5	0.01*	0.1*	0.02*	0.05*	0.05*
iv) STONE FRUIT	Apricots	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Cherries	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz (sum of amitraz plus all its metabolites containing the 2,4 dimethylaniline moiety expressed as amitraz)	Aramite	Atrazine	Azimsulfuron	Azinphos-ethyl	Azoxystrobin
	Peaches (incl nectarines & similar hybrids)	0.2	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Plums	2	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
v) BERRIES AND SMALL FRUIT											
a) Table & wine grapes											
	Table grapes	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	2
	Wine grapes	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	2
b) Strawberries (other than wild)											
	Blackberries	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Dewberries	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Loganberries	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Raspberries	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
d) Other small fruit & berries (other than wild)											
	Bilberries	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Cranberries	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Currants (red, black & white)	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Gooseberries	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
e) Wild berries & wild fruit											
vi) MISCELLANEOUS FRUIT											
	Avocados	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Bananas	0.02*	0.1		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	2
	Dates	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Figs	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Kiwi fruit	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Kumquats	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz (sum of amitraz plus all its metabolites containing the 2,4 dimethylaniline moiety expressed as amitraz	Aramite	Atrazine	Azimsulfuron	Azinphos-ethyl	Azoxystrobin
Litchis		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Mangoes		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Olives (table consumption)		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Olives (oil extract)		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Papaya		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Passion fruit		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Pineapples		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Pomegranates		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Others		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry											
i) ROOT AND TUBER VEGETABLES											
Beetroot		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Carrots		0.02*	0.1		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.2
Celeriac		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Horseradish		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.2
Jerusalem artichokes		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Parsnips		0.02*	0.1		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.2
Parsley root		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.2
Radishes		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Salsify		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.2
Sweet potatoes		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Swedes		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Turnips		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Yams		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Others		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
ii) BULB VEGETABLES											
Garlic		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Onions		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Shallots		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz (sum of amitraz plus all its metabolites containing the 2,4 dimethylaniline moiety expressed as amitraz)	Aramite	Atrazine	Azimsulfuron	Azinphos-ethyl	Azoxystrobin
		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
iii) FRUITING VEGETABLES											
a) Solanaceae											
Tomatoes		0.5	0.05*		0.05*	0.5	0.01*	0.1*	0.02*	0.05*	2
Peppers		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	2
Chilli peppers		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	2
Aubergines		0.5	0.05*		0.05*	0.5	0.01*	0.1*	0.02*	0.05*	2
Others		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
b) Cucurbits-edible peel											
Cucumbers		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1
Gherkins		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1
Courgettes		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1
Others		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1
c) Cucurbits-inedible peel											
Melons		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.5
Squashes		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.5
Watermelons		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.5
Others		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.5
d) Sweet corn		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
iv) BRASSICA VEGETABLES											
a) Flowering Brassicas											
Broccoli		2	0.05*		0.05*	0.05*(40)	0.01*	0.1*	0.02*	0.05*(40)	0.05*
Cauliflower		2	0.2		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Others		2	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
b) Head Brassicas											
Brussels sprouts		2	0.2		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Head cabbage		2	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Others		2	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz (sum of amitraz plus all its metabolites containing the 2,4 dimethylaniline moiety expressed as amitraz)	Aramite	Atrazine	Azimsulfuron	Azinphos-ethyl	Azoxystrobin
c) Leafy Brassicas											
Chinese cabbage		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Kale		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Others		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
d) Kohlrabi		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
v) LEAF VEGETABLES AND FRESH HERBS											
a) Lettuce & similar											
Cress		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	3
Lamb's lettuce		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	3
Lettuce		1	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	3
Scarole		0.02*	0.05*		0.05*	0.05*(38)	0.01*(38)	0.1*	0.02*	0.05*(38)	3
Others		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	3
b) Spinach & similar											
Spinach		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Beet leaves (chard)		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Others		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
c) Watercress											
		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
d) Witloof											
		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.2
e) Herbs											
Chervil		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Chives		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Parsley		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Celery leaves		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Others		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
vi) LEGUME VEGETABLES (fresh)											
Beans (with pods)		3	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	1
Beans (without pods)		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
Peas (with pods)		3	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.5
Peas (without pods)		0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.2

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz (sum of amitraz plus all its metabolites containing the 2,4 dimethylaniline moiety expressed as amitraz	Aramite	Atrazine	Azimsulfuron	Azinphos-ethyl	Azoxystrobin
	Others	0.05*	0.05*	0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*	0.05*
vii) STEM VEGETABLES											
	Asparagus	0.02*	0.05*		0.05*	0.01*	0.1*	0.02*	0.05*	0.05*	0.05*
	Cardoons	0.02*	0.05*		0.05*	0.01*	0.1*	0.02*	0.05*	0.05*	0.05*
	Celery	0.02*	0.05*		0.05*	0.01*	0.1*	0.02*	0.05*	5	
	Fennel	0.02*	0.05*		0.05*	0.01*	0.1*	0.02*	0.05*	0.05*	0.05*
	Globe artichokes	0.2	0.05*		0.05*	0.01*	0.1*	0.02*	0.05*	1	
	Leeks	0.02*	0.05*		0.05*	0.01*	0.1*	0.02*	0.05*	0.05*	0.1
	Rhubarb	0.02*	0.05*		0.05*	0.01*	0.1*	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*		0.05*	0.01*	0.1*	0.02*	0.05*	0.05*	0.05*
viii) FUNGI											
	a) Cultivated mushrooms	0.02*	0.05*		0.05*	0.01*	0.1*	0.02*	0.05*	0.05*	
	b) Wild mushrooms	0.02*	0.05*		0.05*	0.01*	0.1*	0.02*	0.05*	0.05*	
3. PULSES											
	Beans	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1
	Lentils	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1
	Peas	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1
	Others	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1
4. OILSEEDS											
	Linseed	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*
	Peanuts	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*
	Poppy seed	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*
	Sesame seed	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*
	Sunflower seed	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*
	Rape seed	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*
	Soya bean	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*
	Mustard seed	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*
	Cotton seed	0.02*	0.05*		0.05*	1	0.01*	0.1*	0.1*	0.05*	0.05*
	Others	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz (sum of amitraz plus all its metabolites containing the 2,4 dimethylaniline moiety expressed as amitraz)	Aramite	Atrazine	Azimsulfuron	Azinphos-ethyl	Azoxystrobin
5. POTATOES	Early potatoes	0.02*	0.5		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Ware potatoes	0.02*	0.5		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.1*	0.05*	0.02	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.05*		0.1*	20	0.1*	0.1*	0.1*	0.1*	20

Group to which food belongs	Groups include the following products	Barban	Benalaxyll	Benfuracarb	Bentazone	Binapacryl	Biphenthrin	Bromophos-ethyl	Bromopropylate	Camphechlor (Toxaphene)
Applying from 1 Jan 2003										
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts										
i) CITRUS FRUIT										
Grapefruit		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Lemons		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Limes		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Mandarins (inc clementines & similar hybrids)		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Oranges		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Pomelos		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Others		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
ii) TREE NUTS (shelled or unshelled)										
Almonds		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Brazil nuts		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Cashew nuts		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Chestnuts		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Coconuts		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Hazelnuts		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Macadamia nuts		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Pecans		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Pine nuts		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Pistachios		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Walnuts		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Others		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
iii) POME FRUIT										
Apples		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Pears		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Quinces		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Others		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
iv) STONE FRUIT										
Apricots		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Cherries		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*

Group to which food belongs	Groups include the following products	Barban	Benalaxyll	Benfuracarb	Bentazone	Binapacryl	Biphenthrin	Bromophos-ethyl	Bromopropylate	Camphechlor (Toxaphene)
Applying from 1 Jan 2003										
	Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Plums	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
v) BERRIES AND SMALL FRUIT										
a) Table & wine grapes										
Table grapes	0.05*	0.2	0.05*	0.1*	0.05*		0.05*		0.1*	
Wine grapes	0.05*	0.2	0.05*	0.1*	0.05*		0.05*		0.1*	
b) Strawberries (other than wild)	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
c) Cane Fruit (other than wild)										
Blackberries	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Dewberries	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Loganberries	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Raspberries	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Others	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
d) Other small fruit & berries (other than wild)										
Bilberries	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Cranberries	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Currants (red, black & white)	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Gooseberries	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Others	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
e) Wild berries & wild fruit	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
vi) MISCELLANEOUS FRUIT										
Avocados	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Bananas	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Dates	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Figs	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Kiwi fruit	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Kumquats	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	

Group to which food belongs	Groups include the following products	Barban	Benalaxyll	Benfuracarb	Bentazone	Binapacryl	Biphenthrin	Bromophos-ethyl	Bromopropylate	Camphechlor (Toxaphene)
Applying from 1 Jan 2003										
Litchis		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Mangoes		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Olives (table consumption)		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Olives (oil extract)		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Papaya		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Passion fruit		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Pineapples		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Pomegranates		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Others		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
2. Vegetables, fresh or uncooked, frozen or dry										
i) ROOT AND TUBER VEGETABLES										
Beetroot		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Carrots		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Celeriac		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Horseradish		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Jerusalem artichokes		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Parsnips		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Parsley root		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Radishes		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Salsify		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Sweet potatoes		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Swedes		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Turnips		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Yams		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Others		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
ii) BULB VEGETABLES										
Garlic		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Onions		0.05*	0.2	0.05*	0.1*	0.05*		0.05*		0.1*
Shallots		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*

Group to which food belongs	Groups include the following products	Barban	Benalaxyll	Benfuracarb	Bentazone	Binapacryl	Biphenthrin	Bromophos-ethyl	Bromopropylate	Camphechlor (Toxaphene)
Applying from 1 Jan 2003										
	Spring onions	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
iii) FRUITING VEGETABLES										
a) Solanaceae										
Tomatoes	0.05*	0.2	0.05*	0.1*	0.05*		0.05*		0.1*	
Peppers	0.05*	0.2	0.05*	0.1*	0.05*		0.05*		0.1*	
Chilli peppers	0.05*	0.2	0.05*	0.1*	0.05*		0.05*		0.1*	
Aubergines	0.05*	0.2	0.05*	0.1*	0.05*		0.05*		0.1*	
Others	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
b) Cucurbits-edible peel										
Cucumbers	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Gherkins	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Courgettes	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Others	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
c) Cucurbits-inedible peel										
Melons	0.05*	0.1	0.05*	0.1*	0.05*		0.05*		0.1*	
Squashes	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Watermelons	0.05*	0.1	0.05*	0.1*	0.05*		0.05*		0.1*	
Others	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
d) Sweet corn	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
iv) BRASSICA VEGETABLES										
a) Flowering Brassicas										
Broccoli	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Cauliflower	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Others	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
b) Head Brassicas										
Brussels sprouts	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Head cabbage	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	
Others	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*	

Group to which food belongs	Groups include the following products	Barban	Benalaxyil	Benfuracarb	Bentazone	Binapacryl	Biphenthrin	Bromophos-ethyl	Bromopropylate	Camphechlor (Toxaphene)
Applying from 1 Jan 2003										
c) Leafy Brassicas										
Chinese cabbage		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Kale		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Others		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
d) Kohlrabi		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
v) LEAF VEGETABLES AND FRESH HERBS										
a) Lettuce & similar										
Cress		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Lamb's lettuce		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Lettuce		0.05*	0.05	0.05*	0.1*	0.05*		0.05*		0.1*
Scarole		0.05*(38)	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Others		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
b) Spinach & similar										
Spinach		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Beet leaves (chard)		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Others		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
c) Watercress										
		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
d) Witloof										
		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
e) Herbs										
Chervil		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Chives		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Parsley		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Celery leaves		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Others		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
vi) LEGUME VEGETABLES (fresh)										
Beans (with pods)		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Beans (without pods)		0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
Peas (with pods)		0.05*	0.05*	0.05*	0.5	0.05*		0.05*		0.1*
Peas (without pods)		0.05*	0.05*	0.05*	0.2	0.05*		0.05*		0.1*

Group to which food belongs	Groups include the following products	Barban	Benalaxyil	Benfuracarb	Bentazone	Binapacryl	Biphenthrin	Bromophos-ethyl	Bromopropylate	Camphechlor (Toxaphene)
Applying from 1 Jan 2003										
	Others	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
vii) STEM VEGETABLES										
	Asparagus	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Cardoons	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Celery	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Fennel	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Globe artichokes	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Leeks	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Rhubarb	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
viii) FUNGI										
	a) Cultivated mushrooms	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	b) Wild mushrooms	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
3. PULSES										
	Beans	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Lentils	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Peas	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
4. OILSEEDS										
	Linseed	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Peanuts	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Poppy seed	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Sesame seed	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Sunflower seed	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Rape seed	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Soya bean	0.05*	0.05*	0.05*	0.1	0.05*		0.05*		0.1*
	Mustard seed	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Cotton seed	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*
	Others	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.1*

Group to which food belongs	Groups include the following products	Barban	Benalaxyll	Benfuracarb	Bentazone	Binapacryl	Biphenothrin	Bromophos-ethyl	Bromopropylate	Camphechlor (Toxaphene)
<u>Applying from 1 Jan 2003</u>										
5. POTATOES	Early potatoes	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*	
	Ware potatoes	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.1*	
6. TEA (dried leaves and stalks, fermented or otherwise, Camellia sinensis)										
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.1*	5	0.1*	0.1*	0.1*	0.1*	0.1*	

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	Carbofuran	Carbosulfan	Cartap	Chlorbenside	Chlorbufam
<hr/>								
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts								
i) CITRUS FRUIT								
Grapefruit		0.02*	5	0.3	0.05*	0.01*	0.05*	
Lemons		0.02*	5	0.3	0.05*	0.01*	0.05*	
Limes		0.02*	5	0.3	0.05*	0.01*	0.05*	
Mandarins (inc clementines & similar hybrids)		0.02*	5	0.3	0.05*	0.01*	0.05*	
Oranges		0.02*	5	0.3	0.05*	0.01*	0.05*	
Pomelos		0.02*	5	0.3	0.05*	0.01*	0.05*	
Others		0.02*	5	0.3	0.05*	0.01*	0.05*	
ii) TREE NUTS (shelled or unshelled)								
Almonds		0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
Brazil nuts		0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
Cashew nuts		0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
Chestnuts		0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
Coconuts		0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
Hazelnuts		0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
Macadamia nuts		0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
Pecans		0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
Pine nuts		0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
Pistachios		0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
Walnuts		0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
Others		0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
iii) POME FRUIT								
Apples		0.02*	2	0.1*	0.05*	0.01*	0.05*	
Pears		0.02*	2	0.1*	0.05*	0.01*	0.05*	
Quinces		0.02*	2	0.1*	0.05*	0.01*	0.05*	
Others		0.02*	2	0.1*	0.05*	0.01*	0.05*	
iv) STONE FRUIT								
Apricots		0.02*	1	0.1*	0.05*	0.01*	0.05*	
Cherries		0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	Carbofuran	Carbosulfan	Cartap	Chlorbenside	Chlorbufam
	Peaches (incl nectarines & similar hybrids)	0.02*	1	0.1*	0.05*		0.01*	0.05*
	Plums	0.02*	0.5	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
v) BERRIES AND SMALL FRUIT								
a) Table & wine grapes								
Table grapes		0.02*	2	0.1*	0.05*		0.01*	0.05*
Wine grapes		0.02*	2	0.1*	0.05*		0.01*	0.05*
b) Strawberries (other than wild)		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
c) Cane Fruit (other than wild)								
Blackberries		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Dewberries		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Loganberries		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Raspberries		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Others		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
d) Other small fruit & berries (other than wild)								
Bilberries		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Cranberries		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Currants (red, black & white)		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Gooseberries		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Others		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
e) Wild berries & wild fruit		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
vi) MISCELLANEOUS FRUIT								
Avocados		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Bananas		0.02*	1	0.1*	0.05*		0.01*	0.05*
Dates		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Figs		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Kiwi fruit		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Kumquats		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	Carbofuran	Carbosulfan	Cartap	Chlorbenside	Chlorbufam
Litchis		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Mangoes		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Olives (table consumption)		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Olives (oil extract)		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Papaya		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Passion fruit		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Pineapples		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Pomegranates		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Others		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry								
i) ROOT AND TUBER VEGETABLES								
Beetroot		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Carrots		0.02*	0.1*	0.3	0.1		0.01*	0.05*
Celeriac		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Horseradish		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Jerusalem artichokes		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Parsnips		0.02*	0.1*	0.3	0.1		0.01*	0.05*
Parsley root		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Radishes		0.02*	0.1*	0.5	0.05*		0.01*	0.05*
Salsify		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Sweet potatoes		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Swedes		0.02*	0.1*	0.2	0.05*		0.01*	0.05*
Turnips		0.02*	0.1*	0.2	0.05*		0.01*	0.05*
Yams		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Others		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
ii) BULB VEGETABLES								
Garlic		0.02*	0.1*	0.3	0.05*		0.01*	0.05*
Onions		0.02*	0.1*	0.3	0.05*		0.01*	0.05*
Shallots		0.02*	0.1*	0.3	0.05*		0.01*	0.05*

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	Carbofuran	Carbosulfan	Cartap	Chlorbenside	Chlorbufam
	Spring onions	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
	Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
iii) FRUITING VEGETABLES								
a) Solanaceae								
Tomatoes	0.02*	0.5	0.1*	0.05*		0.01*	0.05*	
Peppers	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Chilli peppers	0.02*	0.1*	0.1*			0.01*	0.05*	
Aubergines	0.02*	0.5	0.1*	0.05*		0.01*	0.05*	
Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
b) Cucurbits-edible peel								
Cucumbers	0.02*	1	0.1*	0.05*		0.01*	0.05*	
Gherkins	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
Courgettes	0.02*	0.3	0.1*	0.05*		0.01*	0.05*	
Others	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
c) Cucurbits-inedible peel								
Melons	0.02*	0.5	0.2	0.05*		0.01*	0.05*	
Squashes	0.02*	0.5	0.2	0.05*		0.01*	0.05*	
Watermelons	0.02*	0.1*	0.2	0.05*		0.01*	0.05*	
Others	0.02*	0.1*	0.2	0.05*		0.01*	0.05*	
d) Sweet corn	0.02*	0.1*	0.1*	0.05*		0.01*	0.05*	
iv) BRASSICA VEGETABLES								
a) Flowering Brassicas								
Broccoli	0.02*	0.1*	0.2	0.05*		0.01*	0.05*	
Cauliflower	0.02*	0.1*	0.2	0.05*		0.01*	0.05*	
Others	0.02*	0.1*	0.2	0.05*		0.01*	0.05*	
b) Head Brassicas								
Brussels sprouts	0.02*	0.5	0.1*	0.05*		0.01*	0.05*	
Head cabbage	0.02*	3	0.1*	0.05*		0.01*	0.05*	
Others	0.02*	3	0.1*	0.05*		0.01*	0.05*	

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	Carbofuran	Carbosulfan	Cartap	Chlorbenside	Chlorbufam
c) Leafy Brassicas								
Chinese cabbage		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Kale		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Others		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
d) Kohlrabi		0.02*	0.1*	0.2	0.05*		0.01*	0.05*
v) LEAF VEGETABLES AND FRESH HERBS								
a) Lettuce & similar								
Cress		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Lamb's lettuce		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Lettuce		0.02*	5	0.1*	0.05*		0.01*	0.05*
Scarole		0.02*	0.1*	0.1*	0.05*		0.01*(38)	0.05*(38)
Others		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
b) Spinach & similar								
Spinach		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Beet leaves (chard)		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Others		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
c) Watercress								
		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
d) Witloof								
		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
e) Herbs								
Chervil		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Chives		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Parsley		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Celery leaves		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Others		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
vi) LEGUME VEGETABLES (fresh)								
Beans (with pods)		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Beans (without pods)		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Peas (with pods)		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*
Peas (without pods)		0.02*	0.1*	0.1*	0.05*		0.01*	0.05*

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	Carbofuran	Carbosulfan	Cartap	Chlorbenside	Chlorbufam
	Others	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
vii) STEM VEGETABLES								
	Asparagus	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Cardoons	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Celery	0.02*	2	0.1*	0.05*	0.01*	0.05*	
	Fennel	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Globe artichokes	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Leeks	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Rhubarb	0.02*	2	0.1*	0.05*	0.01*	0.05*	
	Others	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
viii) FUNGI								
	a) Cultivated mushrooms	0.02*	1	0.1*	0.05*	0.01*	0.05*	
	b) Wild mushrooms	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
3. PULSES								
	Beans	0.02*	2	0.1*	0.05*	0.01*	0.05*	
	Lentils	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Peas	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Others	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
4. OILSEEDS								
	Linseed	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Peanuts	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Poppy seed	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Sesame seed	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Sunflower seed	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Rape seed	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Soya bean	0.02*	0.2	0.1*	0.05*	0.01*	0.05*	
	Mustard seed	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Cotton seed	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Others	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Captafol	Carbendazim	Carbofuran	Carbosulfan	Cartap	Chlorbenside	Chlorbufam
5. POTATOES	Early potatoes	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
	Ware potatoes	0.02*	0.1*	0.1*	0.05*	0.01*	0.05*	
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.1*	0.1*	0.2*	0.1*	0.1*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.1*	10	1	0.1*	0.1*	

Group to which food belongs	Groups include the following products	Chlordane	Chlorfenson	Chlormequat	Chlorobenzilate	Chlorothalonil	Chloroxuron	Chlorpyrifos
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts								
i) CITRUS FRUIT								
Grapefruit		0.01*	0.05*	0.02*	0.01*	0.05*	0.3	
Lemons		0.01*	0.05*	0.02*	0.01*	0.05*	0.2	
Limes		0.01*	0.05*	0.02*	0.01*	0.05*	0.3	
Mandarins (inc clementines & similar hybrids)		0.01*	0.05*	0.02*	0.01*	0.05*	2	
Oranges		0.01*	0.05*	0.02*	0.01*	0.05*	0.3	
Pomelos		0.01*	0.05*	0.02*	0.01*	0.05*	0.3	
Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.3	
ii) TREE NUTS (shelled or unshelled)								
Almonds		0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
Brazil nuts		0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
Cashew nuts		0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
Chestnuts		0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
Coconuts		0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
Hazelnuts		0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
Macadamia nuts		0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
Pecans		0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
Pine nuts		0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
Pistachios		0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
Walnuts		0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
Others		0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
iii) POME FRUIT								
Apples		0.01*	0.05*	0.02*	1	0.05*	0.5	
Pears		0.01*	0.5	0.02*	1	0.05*	0.5	
Quinces		0.01*	0.05*	0.02*	1	0.05*	0.5	
Others		0.01*	0.05*	0.02*	1	0.05*	0.5	
iv) STONE FRUIT								
Apricots		0.01*	0.05*	0.02*	1	0.05*	0.05*	
Cherries		0.01*	0.05*	0.02*	0.01*	0.05*	0.3	

Group to which food belongs	Groups include the following products	Chlordane	Chlorfenson	Chlormequat	Chlorobenzilate	Chlorothalonil	Chloroxuron	Chlorpyrifos
	Peaches (incl nectarines & similar hybrids)	0.01*	0.05*	0.02*	1	0.05*	0.2	
	Plums	0.01*	0.05*	0.02*	0.01*	0.05*	0.2	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
v) BERRIES AND SMALL FRUIT								
a) Table & wine grapes								
Table grapes		0.01*	0.05*	0.02*	1	0.05*	0.5	
Wine grapes		0.01*	0.05*	0.02*	3	0.05*	0.5	
b) Strawberries (other than wild)		0.01*	0.05*	0.02*	3	0.05*	0.2	
c) Cane Fruit (other than wild)								
Blackberries		0.01*	0.05*	0.02*	10	0.05*	0.5	
Dewberries		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Loganberries		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Raspberries		0.01*	0.05*	0.02*	10	0.05*	0.5	
Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
d) Other small fruit & berries (other than wild)								
Bilberries		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Cranberries		0.01*	0.05*	0.02*	2	0.05*	0.05*	
Currants (red, black & white)		0.01*	0.05*	0.02*	10	0.05*	1	
Gooseberries		0.01*	0.05*	0.02*	10	0.05*	1	
Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
e) Wild berries & wild fruit		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
vi) MISCELLANEOUS FRUIT								
Avocados		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Bananas		0.01*	0.05*	0.02*	0.2	0.05*	3	
Dates		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Figs		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Kiwi fruit		0.01*	0.05*	0.02*	0.01*	0.05*	2	
Kumquats		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	

Group to which food belongs	Groups include the following products	Chlordane	Chlorfenson	Chlormequat	Chlorobenzilate	Chlorothalonil	Chloroxuron	Chlorpyrifos
Litchis		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Mangoes		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Olives (table consumption)		0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
Olives (oil extract)		0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	
Papaya		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Passion fruit		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Pineapples		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Pomegranates		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
2. Vegetables, fresh or uncooked, frozen or dry								
i) ROOT AND TUBER VEGETABLES								
Beetroot		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Carrots		0.01*	0.05*	0.02*	1	0.05*	0.1	
Celeriac		0.01*	0.05*	0.02*	1	0.05*	0.05*	
Horseradish		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Jerusalem artichokes		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Parsnips		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Parsley root		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Radishes		0.01*	0.05*	0.02*	0.01*	0.05*	0.2	
Salsify		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Sweet potatoes		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Swedes		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Turnips		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Yams		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
ii) BULB VEGETABLES								
Garlic		0.01*	0.05*	0.02*	0.5	0.05*	0.05*	
Onions		0.01*	0.05*	0.02*	0.5	0.05*	0.2	
Shallots		0.01*	0.05*	0.02*	0.5	0.05*	0.05*	

Group to which food belongs	Groups include the following products	Chlordane	Chlorfenson	Chlormequat	Chlorobenzilate	Chlorothalonil	Chloroxuron	Chlorpyrifos
<hr/>								
	Spring onions	0.01*	0.05*	0.02*	5	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
iii) FRUITING VEGETABLES								
a) Solanaceae								
	Tomatoes	0.01*	0.05*	0.02*	2	0.05*	0.5	
	Peppers	0.01*	0.05*	0.02*	2	0.05*	0.5	
	Chilli peppers	0.01*	0.05*	0.02*	2	0.05*	0.5	
	Aubergines	0.01*	0.05*	0.02*	2	0.05*	0.5	
	Others	0.01*	0.05*	0.02*	2	0.05*	0.5	
b) Cucurbits-edible peel								
	Cucumbers	0.01*	0.05*	0.02*	1	0.05*	0.05*	
	Gherkins	0.01*	0.05*	0.02*	5	0.05*	0.05*	
	Courgettes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
c) Cucurbits-inedible peel								
	Melons	0.01*	0.05*	0.02*	1	0.05*	0.05*	
	Squashes	0.01*	0.05*	0.02*	1	0.05*	0.05*	
	Watermelons	0.01*	0.05*	0.02*	1	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	1	0.05*	0.05*	
d) Sweet corn								
		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
iv) BRASSICA VEGETABLES								
a) Flowering Brassicas								
	Broccoli	0.01*	0.05*	0.02*	3	0.05*	0.05*	
	Cauliflower	0.01*	0.05*	0.02*	3	0.05*	0.05*	
	Others	0.01*	0.05*	0.02*	3	0.05*	0.05*	
b) Head Brassicas								
	Brussels sprouts	0.01*	0.05*	0.02*	0.5	0.05*	0.05*	
	Head cabbage	0.01*	0.05*	0.02*	3	0.05*	1	
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	

Group to which food belongs	Groups include the following products	Chlordane	Chlorfenson	Chlormequat	Chlorobenzilate	Chlorothalonil	Chloroxuron	Chlorpyrifos
c) Leafy Brassicas								
Chinese cabbage		0.01*	0.05*	0.02*	0.01*	0.05*	0.5	
Kale		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
d) Kohlrabi		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
v) LEAF VEGETABLES AND FRESH HERBS								
a) Lettuce & similar								
Cress		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Lamb's lettuce		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Lettuce		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Scarole		0.01*(38)	0.05*	0.02*(38)	0.01*	0.05*(38)	0.05*	
Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
b) Spinach & similar								
Spinach		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Beet leaves (chard)		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Others		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
c) Watercress		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
d) Witloof		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
e) Herbs								
Chervil		0.01*	0.05*	0.02*	5	0.05*	0.05*	
Chives		0.01*	0.05*	0.02*	5	0.05*	0.05*	
Parsley		0.01*	0.05*	0.02*	5	0.05*	0.05*	
Celery leaves		0.01*	0.05*	0.02*	5	0.05*	0.05*	
Others		0.01*	0.05*	0.02*	5	0.05*	0.05*	
vi) LEGUME VEGETABLES (fresh)								
Beans (with pods)		0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
Beans (without pods)		0.01*	0.05*	0.02*	0.05	0.05*	0.05*	
Peas (with pods)		0.01*	0.05*	0.02*	2	0.05*	0.05*	
Peas (without pods)		0.01*	0.05*	0.02*	0.3	0.05*	0.05*	

Group to which food belongs	Groups include the following products	Chlordane	Chlorfenson	Chlormequat	Chlorobenzilate	Chlorothalonil	Chloroxuron	Chlorpyrifos
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
vii) STEM VEGETABLES								
	Asparagus	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
	Cardoons	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
	Celery	0.01*	0.05*	0.02*	10	0.05*	0.05*	0.05*
	Fennel	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
	Globe artichokes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	1
	Leeks	0.01*	0.05*	0.02*	10	0.05*	0.05*	0.05*
	Rhubarb	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
viii) FUNGI								
	a) Cultivated mushrooms	0.01*	10	0.02*	2	0.05*	0.05*	0.05*
	b) Wild mushrooms	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
3. PULSES								
	Beans	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
	Lentils	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
	Peas	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
	Others	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	0.05*
4. OILSEEDS								
	Linseed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	0.05*
	Peanuts	0.01*	0.1*	0.02*	0.05	0.05*	0.05*	0.05*
	Poppy seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	0.05*
	Sesame seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	0.05*
	Sunflower seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	0.05*
	Rape seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	0.05*
	Soya bean	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	0.05*
	Mustard seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	0.05*
	Cotton seed	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	0.05*
	Others	0.01*	0.1*	0.02*	0.01*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Chlordane	Chlorfenson	Chlormequat	Chlorobenzilate	Chlorothalonil	Chloroxuron	Chlorpyrifos
5. POTATOES								
	Early potatoes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
	Ware potatoes	0.01*	0.05*	0.02*	0.01*	0.05*	0.05*	
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.02*	0.1*	0.1*	0.1*	0.1*	0.1*	
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.1*	0.1*	50	0.1*	0.1*	

Group to which food belongs	Groups include the following products	Chlorpyrifos-methyl	Chlozolinate	Cyfluthrin	Cypermethrin	Daminozide	DDT	Deltamethrin	Diallate	Diazinon
Applying from 1 Jan 2003										
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts										
i) CITRUS FRUIT	Grapefruit	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	1
	Lemons	0.3	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.02*
	Limes	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.02*
	Mandarins (inc clementines & similar hybrids)	1	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.02*
	Oranges	0.5	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	1
	Pomelos	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	1
	Others	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.02*
ii) TREE NUTS (shelled or unshelled)	Almonds	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Brazil nuts	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Cashew nuts	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Chestnuts	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Coconuts	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Hazelnuts	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Macadamia nuts	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pecans	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pine nuts	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pistachios	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Walnuts	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*
iii) POME FRUIT	Apples	0.5	0.05*	0.2	1	0.02*	0.05*	0.1	0.05*	0.3
	Pears	0.5	0.05*	0.2	1	0.02*	0.05*	0.1	0.05*	0.3
	Quinces	0.5	0.05*	0.2	1	0.02*	0.05*	0.1	0.05*	0.02*
	Others	0.5	0.05*	0.2	1	0.02*	0.05*	0.1	0.05*	0.02*
iv) STONE FRUIT	Apricots	0.05*	0.05*	0.5	2	0.02*	0.05*	0.1	0.05*	0.02*
	Cherries	0.05*	0.05*	0.2	1	0.02*	0.05*	0.1	0.05*	0.3

Group to which food belongs	Groups include the following products	Chlorpyrifos-methyl	Chlozolinate	Cyfluthrin	Cypermethrin	Daminozide	DDT	Deltamethrin	Diallate	Diazinon
Applying from 1 Jan 2003										
	Peaches (incl nectarines & similar hybrids)	0.5	0.05*	0.5	2	0.02*	0.05*	0.1	0.05*	0.02*
	Plums	0.05*	0.05*	0.2	1	0.02*	0.05*	0.1	0.05*	0.1
	Others	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.1	0.05*	0.02*
v) BERRIES AND SMALL FRUIT										
a) Table & wine grapes										
Table grapes		0.2	0.05*	0.3	0.5	0.02*	0.05*	0.1	0.05*	0.02*
Wine grapes		0.2	0.05*	0.3	0.5	0.02*	0.05*	0.1	0.05*	0.02*
b) Strawberries (other than wild)		0.5	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
c) Cane Fruit (other than wild)										
Blackberries		0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.02*
Dewberries		0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.05*	0.05*	0.02*
Loganberries		0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.05*	0.05*	0.02*
Raspberries		0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.02*
Others		0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.05*	0.05*	0.02*
d) Other small fruit & berries (other than wild)										
Bilberries		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.2
Cranberries		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Currants (red, black & white)		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.2	0.05*	0.2
Gooseberries		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.2	0.05*	0.2
Others		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
e) Wild berries & wild fruit		0.05*	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.05*	0.02*
vi) MISCELLANEOUS FRUIT										
Avocados		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Bananas		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Dates		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Figs		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Kiwi fruit		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.2
Kumquats		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Chlorpyrifos-methyl	Chlozolinate	Cyfluthrin	Cypermethrin	Daminozide	DDT	Deltamethrin	Diallate	Diazinon
Applying from 1 Jan 2003										
Litchis		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Mangoes		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Olives (table consumption)		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.1*	0.05*	0.02*
Olives (oil extract)		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.1*	0.05*	0.02*
Papaya		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Passion fruit		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Pineapples		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Pomegranates		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Others		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
2. Vegetables, fresh or uncooked, frozen or dry										
i) ROOT AND TUBER VEGETABLES										
Beetroot		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Carrots		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.2
Celeriac		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Horseradish		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Jerusalem artichokes		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Parsnips		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Parsley root		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Radishes		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Salsify		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Sweet potatoes		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Swedes		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Turnips		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Yams		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Others		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
ii) BULB VEGETABLES										
Garlic		0.05*	0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.05*	0.02*
Onions		0.05*	0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.05*	0.02*
Shallots		0.05*	0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.05*	0.02*

Group to which food belongs	Groups include the following products	Chlorpyrifos-methyl	Chlozolinate	Cyfluthrin	Cypermethrin	Daminozide	DDT	Deltamethrin	Diallate	Diazinon
Applying from 1 Jan 2003										
	Spring onions	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.1	0.05*	0.02*
	Others	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
iii) FRUITING VEGETABLES										
a) Solanaceae										
Tomatoes		0.5	0.05*	0.05	0.5	0.02*	0.05*	0.2	0.05*	0.5
Peppers		0.5	0.05*	0.3	0.5	0.02*	0.05*	0.2	0.05*	0.5
Chilli peppers		0.5	0.05*	0.3	0.5	0.02*	0.05*	0.2	0.05*	0.5
Aubergines		0.5	0.05*	0.02*	0.5	0.02*	0.05*	0.2	0.05*	0.5
Others		0.5	0.05*	0.02*	0.5	0.02*	0.05*	0.2	0.05*	0.5
b) Cucurbits-edible peel										
Cucumbers		0.05*	0.05*	0.1	0.2	0.02*	0.05*	0.1	0.05*	0.02*
Gherkins		0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.1	0.05*	0.02*
Courgettes		0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.1	0.05*	0.02*
Others		0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.1	0.05*	0.02*
c) Cucurbits-inedible peel										
Melons		0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.02*
Squashes		0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.02*
Watermelons		0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.02*
Others		0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.02*
d) Sweet corn		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
iv) BRASSICA VEGETABLES										
a) Flowering Brassicas										
Broccoli		0.05*	0.05*(40)	0.05	0.5	0.02*	0.05*	0.1	0.05*	0.02*
Cauliflower		0.05*	0.05*	0.05	0.5	0.02*	0.05*	0.1	0.05*	0.02*
Others		0.05*	0.05*	0.05	0.5	0.02*	0.05*	0.1	0.05*	0.02*
b) Head Brassicas										
Brussels sprouts		0.05*	0.05*	0.2	0.5	0.02*	0.05*	0.1	0.05*	0.02*
Head cabbage		0.05*	0.05*	0.2	0.5	0.02*	0.05*	0.1	0.05*	0.02*
Others		0.05*	0.05*	0.2	0.5	0.02*	0.05*	0.1	0.05*	0.02*

Group to which food belongs	Groups include the following products	Chlorpyrifos-methyl	Chlozolinate	Cyfluthrin	Cypermethrin	Daminozide	DDT	Deltamethrin	Diallate	Diazinon
Applying from 1 Jan 2003										
c) Leafy Brassicas										
Chinese cabbage		0.05*	0.05*	0.3	1	0.02*	0.05*	0.5	0.05*	0.02*
Kale		0.05*	0.05*	0.3	1	0.02*	0.05*	0.5	0.05*	0.02*
Others		0.05*	0.05*	0.3	1	0.02*	0.05*	0.5	0.05*	0.02*
d) Kohlrabi		0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.05*	0.02*
v) LEAF VEGETABLES AND FRESH HERBS										
a) Lettuce & similar										
Cress		0.05*	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.02*
Lamb's lettuce		0.05*	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.02*
Lettuce		0.05*	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.02*
Scarole		0.05*	0.05*(38)	0.5	2	0.02*	0.05*	0.5	0.05*(38)	0.02*
Others		0.05*	0.05*	0.5	2	0.02*	0.05*	0.5	0.05*	0.02*
b) Spinach & similar										
Spinach		0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.02*
Beet leaves (chard)		0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.02*
Others		0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.05*	0.02*
c) Watercress										
		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
d) Witloof										
		0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
e) Herbs										
Chervil		0.05*	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.02*
Chives		0.05*	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.02*
Parsley		0.05*	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.02*
Celery leaves		0.05*	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.02*
Others		0.05*	0.05*	0.02*	2	0.02*	0.05*	0.5	0.05*	0.02*
vi) LEGUME VEGETABLES (fresh)										
Beans (with pods)		0.05*	0.05*	0.05	0.5	0.02*	0.05*	0.2	0.05*	0.02*
Beans (without pods)		0.05*	0.05*	0.05	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
Peas (with pods)		0.05*	0.05*	0.05	0.5	0.02*	0.05*	0.1	0.05*	0.02*
Peas (without pods)		0.05*	0.05*	0.05	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Chlorpyrifos-methyl	Chlozolinate	Cyfluthrin	Cypermethrin	Daminozide	DDT	Deltamethrin	Diallate	Diazinon
Applying from 1 Jan 2003										
5. POTATOES	Early potatoes	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*
	Ware potatoes	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.5	0.05*	0.02*
6. TEA (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)		0.1*	0.1*	0.1*	0.5	0.1*	0.2	5	0.1*	0.05*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.1*	20	30	0.1*	0.05*	5	0.1*	0.05*

Group to which food belongs	Groups include the following products	1,2 -								
		Dibromoethane	Dichlorprop	Dichlorvos	Dicofol	1,1-Dichloro-	Dimethoate	Dinoseb	Dinoterb	
		2,2- bis- (4-ethyl-phenyl) ethane								
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts										
i) CITRUS FRUIT	Grapefruit	0.01*	0.05*		2	0.01*	no MRL 0.02*	0.05*	0.05*	
	Lemons	0.01*	0.05*		2	0.01*	no MRL 0.02*	0.05*	0.05*	
	Limes	0.01*	0.05*		2	0.01*	no MRL 0.02*	0.05*	0.05*	
	Mandarins (inc clementines & similar hybrids)	0.01*	0.05*		2	0.01*	no MRL 0.02*	0.05*	0.05*	
	Oranges	0.01*	0.05*		2	0.01*	no MRL 0.02*	0.05*	0.05*	
	Pomelos	0.01*	0.05*		2	0.01*	no MRL 0.02*	0.05*	0.05*	
	Others	0.01*	0.05*		2	0.01*	no MRL 0.02*	0.05*	0.05*	
ii) TREE NUTS (shelled or unshelled)	Almonds	0.01*	0.05*		0.05*	0.01*	no MRL 0.05*	0.05*	0.05*	
	Brazil nuts	0.01*	0.05*		0.05*	0.01*	no MRL 0.05*	0.05*	0.05*	
	Cashew nuts	0.01*	0.05*		0.05*	0.01*	no MRL 0.05*	0.05*	0.05*	
	Chestnuts	0.01*	0.05*		0.05*	0.01*	no MRL 0.05*	0.05*	0.05*	
	Coconuts	0.01*	0.05*		0.05*	0.01*	no MRL 0.05*	0.05*	0.05*	
	Hazelnuts	0.01*	0.05*		0.05*	0.01*	no MRL 0.05*	0.05*	0.05*	
	Macadamia nuts	0.01*	0.05*		0.05*	0.01*	no MRL 0.05*	0.05*	0.05*	
	Pecans	0.01*	0.05*		0.05*	0.01*	no MRL 0.05*	0.05*	0.05*	
	Pine nuts	0.01*	0.05*		0.05*	0.01*	no MRL 0.05*	0.05*	0.05*	
	Pistachios	0.01*	0.05*		0.05*	0.01*	no MRL 0.05*	0.05*	0.05*	
	Walnuts	0.01*	0.05*		0.05*	0.01*	no MRL 0.05*	0.05*	0.05*	
	Others	0.01*	0.05*		0.05*	0.01*	no MRL 0.05*	0.05*	0.05*	
iii) POME FRUIT	Apples	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
	Pears	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
	Quinces	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
	Others	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
iv) STONE FRUIT	Apricots	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
	Cherries	0.01*	0.05*		0.02*	0.01*	1	0.05*	0.05*	

Group to which food belongs	Groups include the following products	1,2 -							
		Dibromoethane	Dichlorprop	Dichlorvos	Dicofol	1,1-Dichloro-	Dimethoate	Dinoseb	Dinoterb
		2,2- bis- (4-ethyl-phenyl) ethane							
									Changing 1 Jan 2003
	Peaches (incl nectarines & similar hybrids)	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
	Plums	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
	Others	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
v) BERRIES AND SMALL FRUIT									
a) Table & wine grapes									
Table grapes		0.01*	0.05*		2	0.01*	no MRL 0.02*	0.05*	0.05*
Wine grapes		0.01*	0.05*		2	0.01*	no MRL 0.02*	0.05*	0.05*
b) Strawberries (other than wild)		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
c) Cane Fruit (other than wild)									
Blackberries		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
Dewberries		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
Loganberries		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
Raspberries		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
Others		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
d) Other small fruit & berries (other than wild)									
Bilberries		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
Cranberries		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
Currants (red, black & white)		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
Gooseberries		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
Others		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
e) Wild berries & wild fruit		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
vi) MISCELLANEOUS FRUIT									
Avocados		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
Bananas		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
Dates		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
Figs		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
Kiwi fruit		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
Kumquats		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*

Group to which food belongs	Groups include the following products	1,2 -								
		Dibromoethane	Dichlorprop	Dichlorvos	Dicofol	1,1-Dichloro-	Dimethoate	Dinoseb	Dinoterb	
2,2- bis- (4-ethyl-phenyl) ethane										
Litchis		0.01*	0.05*		0.02*	0.01*	Changing 1 Jan 2003			
Mangoes		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
Olives (table consumption)		0.01*	0.05*		0.02*	0.01*	no MRL 2	0.05*	0.05*	
Olives (oil extract)		0.01*	0.05*		0.02*	0.01*	no MRL 2	0.05*	0.05*	
Papaya		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
Passion fruit		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
Pineapples		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
Pomegranates		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
Others		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
2. Vegetables, fresh or uncooked, frozen or dry										
i) ROOT AND TUBER VEGETABLES										
Beetroot		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
Carrots		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
Celeriac		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
Horseradish		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
Jerusalem artichokes		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
Parsnips		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
Parsley root		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
Radishes		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
Salsify		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
Sweet potatoes		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
Swedes		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
Turnips		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
Yams		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
Others		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
ii) BULB VEGETABLES										
Garlic		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
Onions		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
Shallots		0.01*	0.05*		0.02*	0.01*	no MRL	0.05*	0.05*	

Group to which food belongs	Groups include the following products	1,2 -							
		Dibromoethane	Dichlorprop	Dichlorvos	Dicofol	1,1-Dichloro-	Dimethoate	Dinoseb	Dinoterb
2,2- bis- (4-ethyl-phenyl) ethane									
						Changing 1 Jan 2003			
Spring onions		0.01*	0.05*		0.02*	0.01*	no MRL 2	0.05*	0.05*
Others		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
iii) FRUITING VEGETABLES									
a) Solanaceae									
Tomatoes		0.01*	0.05*		1	0.01*	no MRL 0.02*	0.05*	0.05*
Peppers		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
Chilli peppers		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
Aubergines		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
Others		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
b) Cucurbits-edible peel									
Cucumbers		0.01*	0.05*		0.2	0.01*	no MRL 0.02*	0.05*	0.05*
Gherkins		0.01*	0.05*		0.2	0.01*	no MRL 0.02*	0.05*	0.05*
Courgettes		0.01*	0.05*		0.2	0.01*	no MRL 0.02*	0.05*	0.05*
Others		0.01*	0.05*		0.2	0.01*	no MRL 0.02*	0.05*	0.05*
c) Cucurbits-inedible peel									
Melons		0.01*	0.05*		0.5	0.01*	no MRL 0.02*	0.05*	0.05*
Squashes		0.01*	0.05*		0.5	0.01*	no MRL 0.02*	0.05*	0.05*
Watermelons		0.01*	0.05*		0.5	0.01*	no MRL 0.02*	0.05*	0.05*
Others		0.01*	0.05*		0.5	0.01*	no MRL 0.02*	0.05*	0.05*
d) Sweet corn		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
iv) BRASSICA VEGETABLES									
a) Flowering Brassicas									
Broccoli		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*(40)
Cauliflower		0.01*	0.05*		0.02*	0.01*	no MRL 0.2	0.05*	0.05*
Others		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
b) Head Brassicas									
Brussels sprouts		0.01*	0.05*		0.02*	0.01*	no MRL 0.3	0.05*	0.05*
Head cabbage		0.01*	0.05*		0.02*	0.01*	no MRL 1	0.05*	0.05*
Others		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*

Group to which food belongs	Groups include the following products	1,2 -							
		Dibromoethane	Dichlorprop	Dichlorvos	Dicofol	1,1-Dichloro-	Dimethoate	Dinoseb	Dinoterb
		2,2- bis- (4-ethyl-phenyl) ethane							
c)	Leafy Brassicas	Changing 1 Jan 2003							
	Chinese cabbage	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
	Kale	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
	Others	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
d)	Kohlrabi	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
v)	LEAF VEGETABLES AND FRESH HERBS								
a)	Lettuce & similar								
	Cress	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
	Lamb's lettuce	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
	Lettuce	0.01*	0.05*		0.02*	0.01*	no MRL 0.5	0.05*	0.05*
	Scarole	0.01*	0.05*		0.02*	0.01*(38)	no MRL 0.02*(38)	0.05*	0.05*(38)
	Others	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
b)	Spinach & similar								
	Spinach	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
	Beet leaves (chard)	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
	Others	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
c)	Watercress								
d)	Witloof	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
e)	Herbs								
	Chervil	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
	Chives	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
	Parsley	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
	Celery leaves	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
	Others	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
vi)	LEGUME VEGETABLES (fresh)								
	Beans (with pods)	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
	Beans (without pods)	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*
	Peas (with pods)	0.01*	0.05*		0.02*	0.01*	no MRL 1	0.05*	0.05*
	Peas (without pods)	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*

Group to which food belongs	Groups include the following products										
		1,2 - Dibromoethane	Dichlorprop	Dichlorvos	Dicofol	1,1-Dichloro-	Dimethoate	Dinoseb	Dinoterb		
2,2- bis- (4-ethyl-phenyl) ethane											
Changing 1 Jan 2003											
Others		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*		
vii) STEM VEGETABLES											
Asparagus		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*		
Cardoons		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*		
Celery		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*		
Fennel		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*		
Globe artichokes		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*		
Leeks		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*		
Rhubarb		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*		
Others		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*		
viii) FUNGI											
a) Cultivated mushrooms		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*		
b) Wild mushrooms		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*		
3. PULSES											
Beans		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*		
Lentils		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*		
Peas		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*		
Others		0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*		
4. OILSEEDS											
Linseed		0.01*	0.05*		0.05*	0.01*	no MRL 0.05*	0.05*	0.05*		
Peanuts		0.01*	0.05*		0.05*	0.01*	no MRL 0.05*	0.05*	0.05*		
Poppy seed		0.01*	0.05*		0.05*	0.01*	no MRL 0.05*	0.05*	0.05*		
Sesame seed		0.01*	0.05*		0.05*	0.01*	no MRL 0.05*	0.05*	0.05*		
Sunflower seed		0.01*	0.05*		0.05*	0.01*	no MRL 0.05*	0.05*	0.05*		
Rape seed		0.01*	0.05*		0.05*	0.01*	no MRL 0.05*	0.05*	0.05*		
Soya bean		0.01*	0.05*		0.05*	0.01*	no MRL 0.05*	0.05*	0.05*		
Mustard seed		0.01*	0.05*		0.05*	0.01*	no MRL 0.05*	0.05*	0.05*		
Cotton seed		0.01*	0.05*		0.1	0.01*	no MRL 0.05*	0.05*	0.05*		
Others		0.01*	0.05*		0.05*	0.01*	no MRL	0.05*	0.05*		

Group to which food belongs	Groups include the following products	1,2 -								
		Dibromoethane	Dichlorprop	Dichlorvos	Dicofol	1,1-Dichloro-	Dimethoate	Dinoseb	Dinoterb	
2,2- bis- (4-ethyl-phenyl) ethane										
Changing 1 Jan 2003										
0.05*										
5. POTATOES	Early potatoes	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
	Ware potatoes	0.01*	0.05*		0.02*	0.01*	no MRL 0.02*	0.05*	0.05*	
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.1*	0.1*	0.1*	20	0.1*	0.2 0.05*	0.1*	0.1*	
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.01*	0.1*		50	0.1*	no MRL 0.05*	0.1*	0.1*	

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Disulfoton	DNOC	Endosulfan	Endrin	Etephon	Ethion	Changing 31 Dec 2002		
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts												
i) CITRUS FRUIT												
Grapefruit		0.05*	0.05*	0.02*	0.05*	0.5	0.01*	0.05*				
Lemons		0.05*	0.05*	0.02*	0.05*	0.5	0.01*	0.05*				
Limes		0.05*	0.05*	0.02*	0.05*	0.5	0.01*	0.05*				
Mandarins (inc clementines & similar hybrids)		0.05*	0.05*	0.02*	0.05*	0.5	0.01*	0.05*				
Oranges		0.05*	0.05*	0.02*	0.05*	0.5	0.01*	0.05*				
Pomelos		0.05*	0.05*	0.02*	0.05*	0.5	0.01*	0.05*				
Others		0.05*	0.05*	0.02*	0.05*	0.5	0.01*	0.05*				
ii) TREE NUTS (shelled or unshelled)												
Almonds		0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.1*				
Brazil nuts		0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.1*				
Cashew nuts		0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.1*				
Chestnuts		0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.1*				
Coconuts		0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.1*				
Hazelnuts		0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.1*				
Macadamia nuts		0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.1*				
Pecans		0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.1*				
Pine nuts		0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.1*				
Pistachios		0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.1*				
Walnuts		0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.1*				
Others		0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.1*				
iii) POME FRUIT												
Apples		0.05*	5	0.02*	0.05*	0.3	0.01*	3				
Pears		0.05*	10	0.02*	0.05*	0.3	0.01*	3				
Quinces		0.05*	0.05*	0.02*	0.05*	0.3	0.01*	3				
Others		0.05*	0.05*	0.02*	0.05*	0.3	0.01*	3				
iv) STONE FRUIT												
Apricots		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*				
Cherries		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	3				

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Disulfoton	DNOC	Endosulfan	Endrin	Ethepron	Ethion	Changing 31 Dec 2002
	Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	0.02*	0.05*	0.5	0.01*	0.05*		
	Plums	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
v) BERRIES AND SMALL FRUIT										
a) Table & wine grapes										
Table grapes		0.05*	0.05*	0.02*	0.05*	0.5	0.01*	0.05*		
Wine grapes		0.05*	0.05*	0.02*	0.05*	0.5	0.01*	0.05*		
b) Strawberries (other than wild)		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
c) Cane Fruit (other than wild)										
Blackberries		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Dewberries		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Loganberries		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Raspberries		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Others		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
d) Other small fruit & berries (other than wild)										
Bilberries		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Cranberries		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Currants (red, black & white)		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	5		
Gooseberries		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Others		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
e) Wild berries & wild fruit		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
vi) MISCELLANEOUS FRUIT										
Avocados		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Bananas		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Dates		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Figs		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Kiwi fruit		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Kumquats		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Disulfoton	DNOC	Endosulfan	Endrin	Etephon	Ethion	Changing 31 Dec 2002
Litchis		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Mangoes		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Olives (table consumption)		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Olives (oil extract)		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Papaya		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Passion fruit		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Pineapples		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	2		
Pomegranates		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Others		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
2. Vegetables, fresh or uncooked, frozen or dry										
i) ROOT AND TUBER VEGETABLES										
Beetroot		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Carrots		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Celeriac		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Horseradish		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Jerusalem artichokes		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Parsnips		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Parsley root		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Radishes		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Salsify		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Sweet potatoes		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Swedes		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Turnips		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Yams		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Others		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
ii) BULB VEGETABLES										
Garlic		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Onions		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Shallots		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Disulfoton	DNOC	Endosulfan	Endrin	Etephon	Ethion	Changing 31 Dec 2002
	Spring onions	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
iii) FRUITING VEGETABLES										
a) Solanaceae										
Tomatoes		0.05*	0.05*	0.02*	0.05*	0.5	0.01*	3		
Peppers		0.05*	0.05*	0.02*	0.05*	1	0.01*	3		
Chilli peppers		0.05*	0.05*	0.02*	0.05*	1	0.01*	3		
Aubergines		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Others		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
b) Cucurbits-edible peel										
Cucumbers		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Gherkins		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Courgettes		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Others		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
c) Cucurbits-inedible peel										
Melons		0.05*	0.05*	0.02*	0.05*	0.3	0.01*	0.05*		
Squashes		0.05*	0.05*	0.02*	0.05*	0.3	0.01*	0.05*		
Watermelons		0.05*	0.05*	0.02*	0.05*	0.3	0.01*	0.05*		
Others		0.05*	0.05*	0.02*	0.05*	0.3	0.01*	0.05*		
d) Sweet corn		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
iv) BRASSICA VEGETABLES										
a) Flowering Brassicas										
Broccoli		0.05*	0.05*	0.02*	0.05*(40)	0.05*	0.01*	0.05*		
Cauliflower		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Others		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
b) Head Brassicas										
Brussels sprouts		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Head cabbage		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Others		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Disulfoton	DNOC	Endosulfan	Endrin	Etephon	Ethion	Changing 31 Dec 2002
c) Leafy Brassicas										
Chinese cabbage		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Kale		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Others		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
d) Kohlrabi		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
v) LEAF VEGETABLES AND FRESH HERBS										
a) Lettuce & similar										
Cress		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Lamb's lettuce		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Lettuce		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Scarole		0.05*	0.05*	0.02*	0.05*(38)	0.05*	0.01*	0.05*		
Others		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
b) Spinach & similar										
Spinach		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Beet leaves (chard)		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Others		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
c) Watercress										
		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
d) Witloof										
		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
e) Herbs										
Chervil		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Chives		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Parsley		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Celery leaves		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Others		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
vi) LEGUME VEGETABLES (fresh)										
Beans (with pods)		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Beans (without pods)		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Peas (with pods)		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
Peas (without pods)		0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Disulfoton	DNOC	Endosulfan	Endrin	Etephon	Ethion
		Changing 31 Dec 2002							
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
vii) STEM VEGETABLES									
	Asparagus	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
	Cardoons	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
	Celery	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
	Fennel	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
	Globe artichokes	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
	Leeks	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
	Rhubarb	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
viii) FUNGI									
	a) Cultivated mushrooms	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
	b) Wild mushrooms	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
3. PULSES									
	Beans	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
	Lentils	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
	Peas	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
4. OILSEEDS									
	Linseed	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.05*	
	Peanuts	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.05*	
	Poppy seed	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.05*	
	Sesame seed	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.05*	
	Sunflower seed	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.05*	
	Rape seed	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.05*	
	Soya bean	0.05*	0.05*	0.02*	0.05*	0.5	0.01*	0.05*	
	Mustard seed	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.05*	
	Cotton seed	0.05*	0.05*	0.02*	0.05*	0.3	0.01*	2	
	Others	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Dioxathion	Diphenylamine	Disulfoton	DNOC	Endosulfan	Endrin	Etephon	Ethion	Changing 31 Dec 2002
5. POTATOES										
	Early potatoes	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
	Ware potatoes	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*		
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.1*	0.05*	0.05*	0.1*	30	0.01*	0.1*	2	3
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.05*	0.05*	0.1*	0.1*	0.1*	0.1*		

Group to which food belongs	Groups include the following products	Fenbutatin					Sum of RR and SS isomers	Sum of RS and SR isomers			
		Fenarimol	Oxide	Fenchlorphos	Fenitrothion	Fentin					
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts											
i) CITRUS FRUIT											
Grapefruit		0.02*	5	0.01*		0.05*	0.02*	0.02*			
Lemons		0.02*	5	0.01*		0.05*	0.02*	0.02*			
Limes		0.02*	5	0.01*		0.05*	0.02*	0.02*			
Mandarins (inc clementines & similar hybrids)		0.02*	5	0.01*		0.05*	0.02*	0.02*			
Oranges		0.02*	5	0.01*		0.05*	0.02*	0.02*			
Pomelos		0.02*	5	0.01*		0.05*	0.02*	0.02*			
Others		0.02*	5	0.01*		0.05*	0.02*	0.02*			
ii) TREE NUTS (shelled or unshelled)											
Almonds		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*			
Brazil nuts		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*			
Cashew nuts		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*			
Chestnuts		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*			
Coconuts		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*			
Hazelnuts		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*			
Macadamia nuts		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*			
Pecans		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*			
Pine nuts		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*			
Pistachios		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*			
Walnuts		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*			
Others		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*			
iii) POME FRUIT											
Apples		0.3	2	0.01*		0.05*	0.05	0.02*			
Pears		0.3	2	0.01*		0.05*	0.05	0.02*			
Quinces		0.3	2	0.01*		0.05*	0.05	0.02*			
Others		0.3	2	0.01*		0.05*	0.05	0.02*			
iv) STONE FRUIT											
Apricots		0.5	0.05*	0.01*		0.05*	0.02*	0.02*			
Cherries		1	0.05*	0.01*		0.05*	0.02*	0.02*			

Group to which food belongs	Groups include the following products	Fenbutatin					Sum of RR and SS isomers	Sum of RS and SR isomers
		Fenarimol	Oxide	Fenchlorphos	Fenitrothion	Fentin		
Peaches (incl nectarines & similar hybrids)		0.5	0.05*	0.01*		0.05*	0.02*	0.02*
Plums		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Others		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
v) BERRIES AND SMALL FRUIT								
a) Table & wine grapes								
Table grapes		0.3	2	0.01*		0.05*	0.1	0.02*
Wine grapes		0.3	2	0.01*		0.05*	0.1	0.02*
b) Strawberries (other than wild)								
Blackberries		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Dewberries		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Loganberries		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Raspberries		0.1	0.05*	0.01*		0.05*	0.02*	0.02*
Others		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
d) Other small fruit & berries (other than wild)								
Bilberries		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Cranberries		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Currants (red, black & white)		1	0.05*	0.01*		0.05*	0.02*	0.02*
Gooseberries		1	0.05*	0.01*		0.05*	0.02*	0.02*
Others		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
e) Wild berries & wild fruit								
Avocados		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Bananas		0.3	3	0.01*		0.05*	0.02*	0.02*
Dates		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Figs		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Kiwi fruit		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Kumquats		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*

Group to which food belongs	Groups include the following products	Fenbutatin Oxide	Fenarimol	Fenchlorphos	Fenitrothion	Fentin	Fenvalerate and Esfenvalerate	Sum of RR and SS isomers	Sum of RS and SR isomers
Litchis		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Mangoes		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Olives (table consumption)		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Olives (oil extract)		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Papaya		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Passion fruit		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Pineapples		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Pomegranates		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Others		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
2. Vegetables, fresh or uncooked, frozen or dry									
i) ROOT AND TUBER VEGETABLES									
Beetroot		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Carrots		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Celeriac		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Horseradish		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Jerusalem artichokes		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Parsnips		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Parsley root		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Radishes		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Salsify		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Sweet potatoes		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Swedes		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Turnips		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Yams		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Others		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
ii) BULB VEGETABLES									
Garlic		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Onions		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	
Shallots		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*	

Group to which food belongs	Groups include the following products						Sum of RR and SS isomers	Sum of RS and SR isomers
		Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fentin		
Spring onions		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Others		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
iii) FRUITING VEGETABLES								
a) Solanaceae								
Tomatoes		0.5	1	0.01*		0.05*	0.05	0.02*
Peppers		0.5	1	0.01*		0.05*	0.02*	0.02*
Chilli peppers		0.5	1	0.01*		0.05*	0.02*	0.02*
Aubergines		0.02*	1	0.01*		0.05*	0.02*	0.02*
Others		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
b) Cucurbits-edible peel								
Cucumbers		0.2	0.5*	0.01*		0.05*	0.02*	0.02*
Gherkins		0.2	0.05*	0.01*		0.05*	0.02*	0.02*
Courgettes		0.2	0.5	0.01*		0.05*	0.02*	0.02*
Others		0.2	0.05*	0.01*		0.05*	0.02*	0.02*
c) Cucurbits-inedible peel								
Melons		0.05	0.05*	0.01*		0.05*	0.02*	0.02*
Squashes		0.05	0.05*	0.01*		0.05*	0.02*	0.02*
Watermelons		0.05	0.05*	0.01*		0.05*	0.02*	0.02*
Others		0.05	0.05*	0.01*		0.05*	0.02*	0.02*
d) Sweet corn		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
iv) BRASSICA VEGETABLES								
a) Flowering Brassicas								
Broccoli		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Cauliflower		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
Others		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*
b) Head Brassicas								
Brussels sprouts		0.02*	0.05*	0.01*		0.05*	0.05	0.02*
Head cabbage		0.02*	0.05*	0.01*		0.05*	0.05	0.02*
Others		0.02*	0.05*	0.01*		0.05*	0.02*	0.02*

Group to which food belongs	Groups include the following products	Fenbutatin Oxide					Sum of RR and SS isomers	Sum of RS and SR isomers
		Fenarimol	Fenchlorphos	Fenitrothion	Fentin	Fenvalerate and Esfenvalerate		
c) Leafy Brassicas								
Chinese cabbage		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Kale		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Others		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
d) Kohlrabi		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
v) LEAF VEGETABLES AND FRESH HERBS								
a) Lettuce & similar								
Cress		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Lamb's lettuce		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Lettuce		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Scarole		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Others		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
b) Spinach & similar								
Spinach		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Beet leaves (chard)		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Others		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
c) Watercress								
		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
d) Witloof								
		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
e) Herbs								
Chervil		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Chives		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Parsley		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Celery leaves		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Others		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
vi) LEGUME VEGETABLES (fresh)								
Beans (with pods)		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Beans (without pods)		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Peas (with pods)		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	
Peas (without pods)		0.02*	0.05*	0.01*	0.05*	0.02*	0.02*	

Group to which food belongs	Groups include the following products	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fentin	Fenvalerate and Esfenvalerate
						Sum of RR and SS isomers	Sum of RS and SR isomers
	Others	0.02*	0.05*	0.01*		0.05*	0.02*
vii) STEM VEGETABLES						0.02*	0.02*
	Asparagus	0.02*	0.05*	0.01*		0.02*	0.02*
	Cardoons	0.02*	0.05*	0.01*		0.02*	0.02*
	Celery	0.02*	0.05*	0.01*		0.02*	0.02*
	Fennel	0.02*	0.05*	0.01*		0.02*	0.02*
	Globe artichokes	0.02*	0.05*	0.01*		0.02*	0.02*
	Leeks	0.02*	0.05*	0.01*		0.02*	0.02*
	Rhubarb	0.02*	0.05*	0.01*		0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.02*	0.02*
viii) FUNGI							
	a) Cultivated mushrooms	0.02*	0.05*	0.01*		0.02*	0.02*
	b) Wild mushrooms	0.02*	0.05*	0.01*		0.02*	0.02*
3. PULSES							
	Beans	0.02*	0.05*	0.01*		0.02*	0.02*
	Lentils	0.02*	0.05*	0.01*		0.02*	0.02*
	Peas	0.02*	0.05*	0.01*		0.02*	0.02*
	Others	0.02*	0.05*	0.01*		0.02*	0.02*
4. OILSEEDS							
	Linseed	0.02*	0.05*	0.01*		0.05*	0.05*
	Peanuts	0.02*	0.05*	0.01*		0.05*	0.05*
	Poppy seed	0.02*	0.05*	0.01*		0.05*	0.05*
	Sesame seed	0.02*	0.05*	0.01*		0.05*	0.05*
	Sunflower seed	0.02*	0.05*	0.01*		0.05*	0.05*
	Rape seed	0.02*	0.05*	0.01*		0.05*	0.05*
	Soya bean	0.02*	0.05*	0.01*		0.05*	0.05*
	Mustard seed	0.02*	0.05*	0.01*		0.05*	0.05*
	Cotton seed	0.02*	0.05*	0.01*		0.05*	0.05*
	Others	0.02*	0.05*	0.01*		0.05*	0.05*

Group to which food belongs	Groups include the following products	Fenbutatin					Sum of RR and SS isomers	Sum of RS and SR isomers
		Fenarimol	Oxide	Fenchlorphos	Fenitrothion	Fentin		
5. POTATOES	Early potatoes	0.02*	0.05*	0.01*		0.1	0.02*	0.02*
	Ware potatoes	0.02*	0.05*	0.01*		0.1	0.02*	0.02*
6. TEA (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)		0.05*	0.1*	0.1*	0.5	0.1*	0.05*	0.05*
7. HOPS (dried)	including hop pellets & unconcentrated powder	5	0.1*	0.1*		0.5	0.05*	0.05*

Group to which food belongs	Groups include the following products	Flupyrsulfuron							Hexachloro-benzene (HCB)	Hexachloro-cyclohexane (HCH)		
		Flucythrinate	-methyl	Fluroxypyr and its esters expresses as furoxypyr	Folpet	Formothion	Furathiocarb	Glyphosate	Heptachlor			
Applying from 1 Jan 2003												
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts												
i) CITRUS FRUIT										Sum of alpha and beta isomers		
	Grapefruit	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
	Lemons	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
	Limes	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
	Mandarins (inc clementines & similar hybrids)	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
	Oranges	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
	Pomelos	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
ii) TREE NUTS (shelled or unshelled)												
	Almonds	0.02*	0.05*		0.05*	0.05*	0.1*	0.01*				
	Brazil nuts	0.02*	0.05*		0.05*	0.05*	0.1*	0.01*				
	Cashew nuts	0.02*	0.05*		0.05*	0.05*	0.1*	0.01*				
	Chestnuts	0.02*	0.05*		0.05*	0.05*	0.1*	0.01*				
	Coconuts	0.02*	0.05*		0.05*	0.05*	0.1*	0.01*				
	Hazelnuts	0.02*	0.05*		0.05*	0.05*	0.1*	0.01*				
	Macadamia nuts	0.02*	0.05*		0.05*	0.05*	0.1*	0.01*				
	Pecans	0.02*	0.05*		0.05*	0.05*	0.1*	0.01*				
	Pine nuts	0.02*	0.05*		0.05*	0.05*	0.1*	0.01*				
	Pistachios	0.02*	0.05*		0.05*	0.05*	0.1*	0.01*				
	Walnuts	0.02*	0.05*		0.05*	0.05*	0.1*	0.01*				
	Others	0.02*	0.05*		0.05*	0.05*	0.1*	0.01*				
iii) POME FRUIT												
	Apples	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
	Pears	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
	Quinces	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
iv) STONE FRUIT												
	Apricots	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
	Cherries	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				

Group to which food belongs	Groups include the following products								Hexachloro-benzene (HCB)	Hexachloro-cyclohexane (HCH)
		Flucythrinate	-methyl	Flupyrsulfuron -methyl	Folpet	Formothion	Furathiocarb	Glyphosate		
		Applying from 1 Jan 2003							Sum of alpha and beta isomers	
	Peaches (incl nectarines & similar hybrids)	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
	Plums	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
v) BERRIES AND SMALL FRUIT										
a) Table & wine grapes										
Table grapes		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
Wine grapes		0.02*	0.05*	10	0.02*	0.05*	0.1*	0.01*		
b) Strawberries (other than wild)		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
c) Cane Fruit (other than wild)										
Blackberries		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
Dewberries		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
Loganberries		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
Raspberries		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
Others		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
d) Other small fruit & berries (other than wild)										
Bilberries		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
Cranberries		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
Currants (red, black & white)		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
Gooseberries		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
Others		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
e) Wild berries & wild fruit		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
vi) MISCELLANEOUS FRUIT										
Avocados		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
Bananas		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
Dates		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
Figs		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
Kiwi fruit		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
Kumquats		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		

Group to which food belongs	Groups include the following products								Hexachloro-benzene (HCB)	Hexachloro-cyclohexane (HCH)		
		Flupyrsulfuron			Folpet	Formothion	Furathiocarb	Glyphosate	Heptachlor			
		Flucythrinate	-methyl	Fluroxypyr and its esters expresses as furoxypyr								
Applying from 1 Jan 2003							Sum of alpha and beta isomers					
Litchis		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Mangoes		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Olives (table consumption)		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Olives (oil extract)		0.02*	0.05*		0.02*	0.05*	2	0.01*				
Papaya		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Passion fruit		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Pineapples		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Pomegranates		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Others		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
2. Vegetables, fresh or uncooked, frozen or dry												
i) ROOT AND TUBER VEGETABLES												
Beetroot		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Carrots		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Celeriac		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Horseradish		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Jerusalem artichokes		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Parsnips		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Parsley root		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Radishes		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Salsify		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Sweet potatoes		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Swedes		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Turnips		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Yams		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Others		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
ii) BULB VEGETABLES												
Garlic		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Onions		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Shallots		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				

Group to which food belongs	Groups include the following products								Hexachloro-benzene (HCB)	Hexachloro-cyclohexane (HCH)		
		Flupyrsulfuron		Folpet	Formothion	Furathiocarb	Glyphosate	Heptachlor				
		Flucythrinate	-methyl Fluroxypyr and its esters expresses as furoxypyr									
Applying from 1 Jan 2003												
	Spring onions	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
iii) FRUITING VEGETABLES												
a) Solanaceae												
Tomatoes		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Peppers		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Chilli peppers		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Aubergines		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Others		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
b) Cucurbits-edible peel												
Cucumbers		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Gherkins		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Courgettes		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Others		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
c) Cucurbits-inedible peel												
Melons		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Squashes		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Watermelons		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Others		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
d) Sweet corn		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
iv) BRASSICA VEGETABLES												
a) Flowering Brassicas												
Broccoli		0.02*	0.05*		0.02*	0.1	0.1*	0.01*				
Cauliflower		0.02*	0.05*		0.02*	0.1	0.1*	0.01*				
Others		0.02*	0.05*		0.02*	0.1	0.1*	0.01*				
b) Head Brassicas												
Brussels sprouts		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Head cabbage		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Others		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				

Group to which food belongs	Groups include the following products								Hexachloro-benzene (HCB)	Hexachloro-cyclohexane (HCH)		
		Flupyrsulfuron		Folpet	Formothion	Furathiocarb	Glyphosate	Heptachlor				
		Flucythrinate	-methyl Fluroxypyr and its esters expresses as furoxypyr									
Applying from 1 Jan 2003												
c) Leafy Brassicas												
Chinese cabbage		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Kale		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Others		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
d) Kohlrabi		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
v) LEAF VEGETABLES AND FRESH HERBS												
a) Lettuce & similar												
Cress		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Lamb's lettuce		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Lettuce		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Scarole		0.02*	0.05*		0.02*(38)	0.05*	0.1*	0.01*				
Others		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
b) Spinach & similar												
Spinach		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Beet leaves (chard)		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Others		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
c) Watercress												
		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
d) Witloof		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
e) Herbs												
Chervil		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Chives		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Parsley		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Celery leaves		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Others		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
vi) LEGUME VEGETABLES (fresh)												
Beans (with pods)		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Beans (without pods)		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Peas (with pods)		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				
Peas (without pods)		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				

Group to which food belongs	Groups include the following products	Flupyrsulfuron							Hexachloro-benzene (HCB)	Hexachloro-cyclohexane (HCH)
		Flucythrinate	-methyl	Fluroxypyr and its esters expresses as furoxypyr	Folpet	Formothion	Furathiocarb	Glyphosate		
		Applying from 1 Jan 2003							Sum of alpha and beta isomers	
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
vii) STEM VEGETABLES										
	Asparagus	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
	Cardoons	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
	Celery	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
	Fennel	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
	Globe artichokes	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
	Leeks	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
	Rhubarb	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
viii) FUNGI										
	a) Cultivated mushrooms	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
	b) Wild mushrooms	0.02*	0.05*		0.02*	0.05*	50	0.01*		
3. PULSES										
	Beans	0.02*	0.05*		0.02*	0.05*	2	0.01*		
	Lentils	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
	Peas	0.02*	0.05*		0.02*	0.05*	3	0.01*		
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
4. OILSEEDS										
	Linseed	0.05*	0.05*		0.05*	0.05*	10	0.01*		
	Peanuts	0.05*	0.05*		0.05*	0.05*	0.1*	0.01*		
	Poppy seed	0.05*	0.05*		0.05*	0.05*	0.1*	0.01*		
	Sesame seed	0.05*	0.05*		0.05*	0.05*	0.1*	0.01*		
	Sunflower seed	0.05*	0.05*		0.05*	0.05*	0.1*	0.01*		
	Rape seed	0.05*	0.05*		0.05*	0.05*	10	0.01*		
	Soya bean	0.05*	0.05*		0.05*	0.05*	20	0.01*		
	Mustard seed	0.05*	0.05*		0.05*	0.05*	10	0.01*		
	Cotton seed	0.05*	0.05*		0.05*	0.05*	10	0.01*		
	Others	0.05*	0.05*		0.05*	0.05*	0.1*	0.01*		

Group to which food belongs	Groups include the following products	Flupyrsulfuron							Hexachloro-benzene (HCB)	Hexachloro-cyclohexane (HCH)	
		Flucythrinate	-methyl	Fluroxypyr and its esters expresses as furoxypyr	Folpet	Formothion	Furathiocarb	Glyphosate	Heptachlor		
		Applying from 1 Jan 2003							Sum of alpha and beta isomers		
5. POTATOES	Early potatoes		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
	Ware potatoes		0.02*	0.05*		0.02*	0.05*	0.1*	0.01*		
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.1*	0.05*	0.1*		0.05*	0.1*	0.1*	0.02*	0.01*	0.2
7. HOPS (dried)	including hop pellets & unconcentrated powder		0.05*	0.1*		0.05*	5	0.1*	0.01*		

Group to which food belongs	Groups include the following products	Imazalil	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Lindane	Malathion	Maleic-hydrazide	Maneb	Mancozeb	Metiram
Propineb Zinebb											
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts											
i) CITRUS FRUIT											
Grapefruit		5	0.02*	0.05*	0.1	0.01*		1*	5		
Lemons		5	5	0.05*	0.02*	0.01*		1*	5		
Limes		5	0.02*	0.05*	0.02*	0.01*		1*	5		
Mandarins (inc clementines & similar hybrids)		5	2	0.05*	0.02*	0.01*		1*	5		
Oranges		5	0.02*	0.05*	0.1	0.01*		1*	5		
Pomelos		5	0.02*	0.05*	0.1	0.01*		1*	5		
Others		5	0.02*	0.05*	0.02*	0.01*		1*	5		
ii) TREE NUTS (shelled or unshelled)											
Almonds		0.02*	0.02*	0.1*	0.05*	0.01*		1*	0.1*		
Brazil nuts		0.02*	0.02*	0.1*	0.05*	0.01*		1*	0.1*		
Cashew nuts		0.02*	0.02*	0.1*	0.05*	0.01*		1*	0.1*		
Chestnuts		0.02*	0.02*	0.1*	0.05*	0.01*		1*	0.1*		
Coconuts		0.02*	0.02*	0.1*	0.05*	0.01*		1*	0.1*		
Hazelnuts		0.02*	0.2	0.1*	0.05*	0.01*		1*	0.1*		
Macadamia nuts		0.02*	0.02*	0.1*	0.05*	0.01*		1*	0.1*		
Pecans		0.02*	0.02*	0.1*	0.05*	0.01*		1*	0.1*		
Pine nuts		0.02*	0.02*	0.1*	0.05*	0.01*		1*	0.1*		
Pistachios		0.02*	0.02*	0.1*	0.05*	0.01*		1*	0.1*		
Walnuts		0.02*	0.02*	0.1*	0.05*	0.01*		1*	0.1*		
Others		0.02*	0.02*	0.1*	0.05*	0.01*		1*	0.1*		
iii) POME FRUIT											
Apples		5	10	0.2	0.1	0.01*		1*	3		
Pears		5	10	0.2	0.1	0.01*		1*	3		
Quinces		5	10	0.2	0.1	0.01*		1*	3		
Others		5	10	0.2	0.1	0.01*		1*	3		
iv) STONE FRUIT											
Apricots		0.02*	5	0.05*	0.2	0.01*		1*	2		
Cherries		0.02*	5	0.05*	0.1	0.01*		1*	1		

Group to which food belongs	Groups include the following products	Imazalil	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Lindane	Malathion	Maleic-hydrazide	Maneb	Mancozeb	Metiram
Propineb Zinebb											
	Peaches (incl nectarines & similar hybrids)	0.02*	5	0.05*	0.2	0.01*		1*	2		
	Plums	0.02*	5	0.05*	0.1	0.01*		1*	1		
	Others	0.02*	5	0.05*	0.1	0.01*		1*	0.05*		
v) BERRIES AND SMALL FRUIT											
a) Table & wine grapes											
Table grapes		0.02*	10	1	0.2	0.01*		1*	2		
Wine grapes		0.02*	10	1	0.2	0.01*		1*	2		
b) Strawberries (other than wild)		0.02*	10	0.2	0.5	0.01*		1*	2		
c) Cane Fruit (other than wild)											
Blackberries		0.02*	5	0.05*	0.02*	0.01*		1*	0.05*		
Dewberries		0.02*	5	0.05*	0.02*	0.01*		1*	0.05*		
Loganberries		0.02*	5	0.05*	0.02*	0.01*		1*	0.05*		
Raspberries		0.02*	5	0.05*	0.02*	0.01*		1*	0.05*		
Others		0.02*	5	0.05*	0.02*	0.01*		1*	0.05*		
d) Other small fruit & berries (other than wild)											
Bilberries		0.02*	10	0.05*	0.02*	0.01*		1*	0.05*		
Cranberries		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
Currants (red, black & white)		0.02*	10	1	0.1	0.01*		1*	5		
Gooseberries		0.02*	10	1	0.1	0.01*		1*	5		
Others		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
e) Wild berries & wild fruit		0.02*	0.02*	0.05*	0.2	0.01*		1*	0.05*		
vi) MISCELLANEOUS FRUIT											
Avocados		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
Bananas		2	3	0.05*	0.02*	0.01*		1*	0.05*		
Dates		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
Figs		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
Kiwi fruit		0.02*	5	0.05*	0.02*	0.01*		1*	0.05*		
Kumquats		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		

Group to which food belongs	Groups include the following products	Imazalil	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Lindane	Malathion	Maleic-hydrazide	Maneb	Mancozeb	Metiram
Propineb Zinebb											
Litchis		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
Mangoes		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
Olives (table consumption)		0.02*	0.02*	0.2	0.02*	0.01*		1*	5		
Olives (oil extract)		0.02*	0.02*	0.2	0.02*	0.01*		1*	5		
Papaya		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
Passion fruit		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
Pineapples		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
Pomegranates		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
Others		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
2. Vegetables, fresh or uncooked, frozen or dry											
i) ROOT AND TUBER VEGETABLES											
Beetroot		0.02*	0.5	0.05*	0.02*	0.01*		1*	0.05*		
Carrots		0.02*	0.3	0.05*	0.02*	0.01*		30	0.2		
Celeriac		0.02*	0.02*	0.05*	0.1	0.01*		1*	0.2		
Horseradish		0.02*	0.1	0.05*	0.02*	0.01*		1*	0.05*		
Jerusalem artichokes		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
Parsnips		0.02*	0.1	0.05*	0.02*	0.01*		30	0.05*		
Parsley root		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
Radishes		0.02*	0.3	0.05*	0.1	0.01*		1*	0.2		
Salsify		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.2		
Sweet potatoes		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
Swedes		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
Turnips		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
Yams		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
Others		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
ii) BULB VEGETABLES											
Garlic		0.02*	5	0.05*	0.02*	0.01*		10	0.5		
Onions		0.02*	5	0.05*	0.02*	0.01*		10	0.5		
Shallots		0.02*	5	0.05*	0.02*	0.01*		10	0.5		

Group to which food belongs	Groups include the following products	Imazalil	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Lindane	Malathion	Maleic-hydrazide	Maneb	Mancozeb	Metiram
Propineb Zinebb											
	Spring onions	0.02*	3	0.05*	0.02*	0.01*		1*	0.05*		
	Others	0.02*	0.02*	0.05*	0.02*	0.01*		10	0.05*		
iii) FRUITING VEGETABLES											
a) Solanaceae											
	Tomatoes	0.5	5	0.5	0.1	0.01*		1*	3		
	Peppers	0.02*	5	1	0.1	0.01*		1*	2		
	Chilli peppers	0.02*	5	1	0.1	0.01*		1*	2		
	Aubergines	0.02*	5	0.5	0.5	0.01*		1*	2		
	Others	0.02*	5	0.05*	0.02*	0.01*		1*	2		
b) Cucurbits-edible peel											
	Cucumbers	0.2	2	0.05*	0.1	0.01*		1*	0.5		
	Gherkins	0.2	2	0.05*	0.1	0.01*		1*	2		
	Courgettes	0.2	2	0.05*	0.1	0.01*		1*	2		
	Others	0.2	2	0.05*	0.1	0.01*		1*	0.05*		
c) Cucurbits-inedible peel											
	Melons	2	0.3	0.2	0.05	0.01*		1*	0.5		
	Squashes	0.02*	0.02*	0.2	0.05	0.01*		1*	0.5		
	Watermelons	0.02*	0.02*	0.2	0.05	0.01*		1*	0.5		
	Others	0.02*	0.02*	0.2	0.05	0.01*		1*	0.5		
d) Sweet corn											
		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
iv) BRASSICA VEGETABLES											
a) Flowering Brassicas											
	Broccoli	0.02*	0.05	0.05*	0.1(40)	0.01*		1*	1		
	Cauliflower	0.02*	0.05	0.05*	0.1	0.01*		1*	1		
	Others	0.02*	0.05	0.05*	0.1	0.01*		1*	1		
b) Head Brassicas											
	Brussels sprouts	0.02*	0.5	0.05*	0.05	0.01*		1*	1		
	Head cabbage	0.02*	5	0.05*	0.2	0.01*		1*	1		
	Others	0.02*	0.02*	0.05*	0.02*	0.01*		1*	1		

Group to which food belongs	Groups include the following products	Imazalil	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Lindane	Malathion	Maleic-hydrazole	Maneb	Mancozeb	Metiram
Propineb Zinebb											
c) Leafy Brassicas											
Chinese cabbage		0.02*	5	0.05*	0.02*	0.01*		1*	0.5		
Kale		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.5		
Others		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.5		
d) Kohlrabi		0.02*	0.1	0.05*	0.02*	0.01*		1*	0.1*		
v) LEAF VEGETABLES AND FRESH HERBS											
a) Lettuce & similar											
Cress		0.02*	10	0.05*	1	0.01*		1*	5		
Lamb's lettuce		0.02*	10	0.05*	1	0.01*		1*	5		
Lettuce		0.02*	10	0.05*	1	0.01*		1*	5		
Scarole		0.02*	10	0.05*	1(38)	0.01*(38)		1*	5		
Others		0.02*	10	0.05*	1	0.01*		1*	5		
b) Spinach & similar											
Spinach		0.02*	0.02*	0.05*	0.5	0.01*		1*	0.05*		
Beet leaves (chard)		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
Others		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
c) Watercress											
Watercress		0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.3		
d) Witloof											
Witloof		0.02*	2	0.05*	0.02*	0.01*		1*	0.2		
e) Herbs											
Chervil		0.02*	10	0.05*	1	0.01*		1*	5		
Chives		0.02*	10	0.05*	1	0.01*		1*	5		
Parsley		0.02*	10	0.05*	1	0.01*		1*	5		
Celery leaves		0.02*	10	0.05*	1	0.01*		1*	5		
Others		0.02*	10	0.05*	1	0.01*		1*	5		
vi) LEGUME VEGETABLES (fresh)											
Beans (with pods)		0.02*	5	0.05*	0.2	0.01*		1*	1		
Beans (without pods)		0.02*		0.05*	0.02*	0.01*		1*	0.1		
Peas (with pods)		0.02*	1	0.05*	0.2	0.01*		1*	1		
Peas (without pods)		0.02*	0.2	0.05*	0.2	0.01*		1*	0.1		

Group to which food belongs	Groups include the following products	Imazalil	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Lindane	Malathion	Maleic-hydrazole	Maneb	Mancozeb	Metiram
Propineb Zinebb											
	Others	0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
vii) STEM VEGETABLES											
	Asparagus	0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
	Cardoons	0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
	Celery	0.02*	0.02*	0.05*	0.3	0.01*		1*	0.5		
	Fennel	0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
	Globe artichokes	0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
	Leeks	0.02*	0.02*	0.05*	0.02*	0.01*		1*	3		
	Rhubarb	0.02*	0.2	0.05*	0.02*	0.01*		1*	0.05*		
	Others	0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
viii) FUNGI											
	a) Cultivated mushrooms	0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
	b) Wild mushrooms	0.02*	0.02*	0.05*	0.5	0.01*		1*	0.05*		
3. PULSES											
	Beans	0.02*	0.2	0.05*	0.02*	0.01*		1*	0.05*		
	Lentils	0.02*	0.2	0.05*	0.02*	0.01*		1*	0.05*		
	Peas	0.02*	0.2	0.05*	0.02*	0.01*		1*	0.05*		
	Others	0.02*	0.2	0.05*	0.02*	0.01*		1*	0.05*		
4. OILSEEDS											
	Linseed	0.02*	0.1	0.1*	0.02*	0.01*		1*	0.1*		
	Peanuts	0.02*	0.02*	0.1*	0.02*	0.01*		1*	0.1*		
	Poppy seed	0.02*	0.02*	0.1*	0.02*	0.01*		1*	0.1*		
	Sesame seed	0.02*	0.02*	0.1*	0.02*	0.01*		1*	0.1*		
	Sunflower seed	0.02*	0.02*	0.1*	0.02*	0.01*		1*	0.1*		
	Rape seed	0.02*	0.5	0.1*	0.02*	0.01*		1*	0.5		
	Soya bean	0.02*	0.02*	0.1*	0.02*	0.01*		1*	0.1*		
	Mustard seed	0.02*	0.02*	0.1*	0.02*	0.01*		1*	0.1*		
	Cotton seed	0.02*	0.02*	0.1*	0.02*	0.01*		1*	0.1*		
	Others	0.02*	0.02*	0.1*	0.02*	0.01*		1*	0.1*		

Group to which food belongs	Groups include the following products	Imazalil	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Lindane	Malathion	Maleic-hydrazole	Maneb	Mancozeb	Metiram
Propineb Zinebb											
5. POTATOES	Early potatoes	0.02*	0.02*	0.05*	0.02*	0.01*		1*	0.05*		
	Ware potatoes	5	0.02*	0.05*	0.02*	0.01*		50	0.05*		
6. TEA (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)		0.1*	0.1*	0.1*	1	0.05*	0.5	1*	0.1*		
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.1*	0.1*	10	0.05*		1*	25		

Group to which food belongs	Groups include the following products	Mecarbam	Metalexyl	Methamidophos	Methidathion	Methomyl thiocarb	Methoxychlor	Methyl bromide	Metsulfuron-methyl
Applying from 1 Jan 2003									
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
i) CITRUS FRUIT									
Grapefruit		0.05*	0.5	0.2	2	0.5	0.01*	0.05*	0.05*
Lemons		0.05*	0.05*	0.2	2	1	0.01*	0.05*	0.05*
Limes		0.05*	0.05*	0.2	2	1	0.01*	0.05*	0.05*
Mandarins (inc clementines & similar hybrids)		0.05*	0.05*	0.2	2	1	0.01*	0.05*	0.05*
Oranges		0.05*	0.5	0.2	2	0.5	0.01*	0.05*	0.05*
Pomelos		0.05*	0.5	0.2	2	0.5	0.01*	0.05*	0.05*
Others		0.05*	0.05*	0.2	2	0.05*	0.01*	0.05*	0.05*
ii) TREE NUTS (shelled or unshelled)									
Almonds		0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*
Brazil nuts		0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*
Cashew nuts		0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*
Chestnuts		0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*
Coconuts		0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*
Hazelnuts		0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*
Macadamia nuts		0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*
Pecans		0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*
Pine nuts		0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*
Pistachios		0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*
Walnuts		0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*
Others		0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*
iii) POME FRUIT									
Apples		0.05*	1	0.05	0.3	0.2	0.01*	0.05*	0.05*
Pears		0.05*	1	0.05	0.3	0.2	0.01*	0.05*	0.05*
Quinces		0.05*	1	0.05	0.3	0.2	0.01*	0.05*	0.05*
Others		0.05*	1	0.05	0.3	0.2	0.01*	0.05*	0.05*
iv) STONE FRUIT									
Apricots		0.05*	0.05*	0.1	0.2	0.2	0.01*		0.05*
Cherries		0.05*	0.05*	0.01*	0.02*	0.1	0.01*		0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalexyl	Methamid-ophos	Methidathion	Methomyl thiocarb	Methoxychlor	Methyl bromide	Metsulfuron-methyl
Applying from 1 Jan 2003									
	Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	0.05	0.2	0.2	0.01*		0.05*
	Plums	0.05*	0.05*	0.3	0.2	0.5	0.01*		0.05*
	Others	0.05*	0.05*	0.01*	0.2	0.05*	0.01*		0.05*
v) BERRIES AND SMALL FRUIT									
a) Table & wine grapes									
Table grapes		0.05*	2	0.01*	0.5	0.05*	0.01*		0.05*
Wine grapes		0.05*	1	0.01*	0.5	1	0.01*		0.05*
b) Strawberries (other than wild)		0.05*	0.5	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
c) Cane Fruit (other than wild)									
Blackberries		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Dewberries		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Loganberries		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Raspberries		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Others		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
d) Other small fruit & berries (other than wild)									
Bilberries		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Cranberries		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Currants (red, black & white)		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Gooseberries		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Others		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
e) Wild berries & wild fruit		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
vi) MISCELLANEOUS FRUIT									
Avocados		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Bananas		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Dates		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Figs		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		0.05*
Kiwi fruit		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Kumquats		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalexyl	Methamidophos	Methidathion	Methomyl thiodicarb	Methoxychlor	Methyl bromide	Metsulfuron-methyl
Applying from 1 Jan 2003									
Litchis		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Mangoes		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Olives (table consumption)		0.05*	0.05*	0.01*	1	0.05*	0.01*	0.05*	0.05*
Olives (oil extract)		0.05*	0.05*	0.01*	1	0.05*	0.01*	0.05*	0.05*
Papaya		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Passion fruit		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Pineapples		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Pomegranates		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Others		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry									
i) ROOT AND TUBER VEGETABLES									
Beetroot		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Carrots		0.05*	0.1	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Celeriac		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Horseradish		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Jerusalem artichokes		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Parsnips		0.05*	0.1	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Parsley root		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Radishes		0.05*	0.05*	0.01*	0.02*	0.5	0.01*	0.05*	0.05*
Salsify		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Sweet potatoes		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Swedes		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Turnips		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Yams		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Others		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
ii) BULB VEGETABLES									
Garlic		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Onions		0.05*	0.5	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Shallots		0.05*	0.5	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalexyl	Methamid-ophos	Methidathion	Methomyl thiocarb	Methoxychlor	Methyl bromide	Metsulfuron-methyl
Applying from 1 Jan 2003									
	Spring onions	0.05*	0.2	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
iii) FRUITING VEGETABLES									
a) Solanaceae									
Tomatoes		0.05*	0.05*	0.5	0.02*	0.5	0.01*	0.05*	0.05*
Peppers		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Chilli peppers		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Aubergines		0.05*	0.05*	0.2	0.02*	0.5	0.01*	0.05*	0.05*
Others		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
b) Cucurbits-edible peel									
Cucumbers		0.05*	0.5	1	0.02*	0.05*	0.01*	0.05*	0.05*
Gherkins		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Courgettes		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Others		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
c) Cucurbits-inedible peel									
Melons		0.05*	0.2	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Squashes		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Watermelons		0.05*	0.2	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Others		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
d) Sweet corn		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
iv) BRASSICA VEGETABLES									
a) Flowering Brassicas									
Broccoli		0.05*	0.1	0.5	0.02*	0.05*	0.01*	0.05*	0.05*
Cauliflower		0.05*	0.1	0.5	0.02*	0.05*	0.01*	0.05*	0.05*
Others		0.05*	0.1	0.5	0.02*	0.05*	0.01*	0.05*	0.05*
b) Head Brassicas									
Brussels sprouts		0.05*	0.05*	0.5	0.02*	0.05*	0.01*	0.05*	0.05*
Head cabbage		0.05*	1	0.5	0.02*	0.05*	0.01*	0.05*	0.05*
Others		0.05*	0.05*	0.5	0.02*	0.05*	0.01*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalexyl	Methamidophos	Methidathion	Methomyl thiocarb	Methoxychlor	Methyl bromide	Metsulfuron-methyl
Applying from 1 Jan 2003									
c) Leafy Brassicas									
Chinese cabbage		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Kale		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Others		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
d) Kohlrabi		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
v) LEAF VEGETABLES AND FRESH HERBS									
a) Lettuce & similar									
Cress		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Lamb's lettuce		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Lettuce		0.05*	1	0.2	0.02*	2	0.01*	0.05*	0.05*
Scarole		0.05*	1	0.01*	0.02*	0.05*	0.01*(38)	0.05*	0.05*
Others		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
b) Spinach & similar									
Spinach		0.05*	0.05*	0.01*	0.02*	2	0.01*	0.05*	0.05*
Beet leaves (chard)		0.05*	0.05*	0.01*	0.02*	2	0.01*	0.05*	0.05*
Others		0.05*	0.05*	0.01*	0.02*	2	0.01*	0.05*	0.05*
c) Watercress									
		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
d) Witloof		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
e) Herbs									
Chervil		0.05*	1	0.01*	0.02*	2	0.01*	0.05*	0.05*
Chives		0.05*	1	0.01*	0.02*	2	0.01*	0.05*	0.05*
Parsley		0.05*	1	0.01*	0.02*	2	0.01*	0.05*	0.05*
Celery leaves		0.05*	1	0.01*	0.02*	2	0.01*	0.05*	0.05*
Others		0.05*	1	0.01*	0.02*	2	0.01*	0.05*	0.05*
vi) LEGUME VEGETABLES (fresh)									
Beans (with pods)		0.05*	0.05*	0.5	0.02*	0.05*	0.01*	0.05*	0.05*
Beans (without pods)		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
Peas (with pods)		0.05*	0.05*	0.5	0.02*	0.05*	0.01*	0.05*	0.05*
Peas (without pods)		0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalexyl	Methamidophos	Methidathion	Methomyl thiocarb	Methoxychlor	Methyl bromide	Metsulfuron-methyl
Applying from 1 Jan 2003									
	Others	0.05*	0.05*		0.02*	0.05*	0.01*	0.05*	0.05*
vii) STEM VEGETABLES									
	Asparagus	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Cardoons	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Celery	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Fennel	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Globe artichokes	0.05*	0.05*	0.1	0.02*	0.05*	0.01*	0.05*	0.05*
	Leeks	0.05*	0.2	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Rhubarb	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
viii) FUNGI									
	a) Cultivated mushrooms	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	b) Wild mushrooms	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
3. PULSES									
	Beans	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		0.05*
	Lentils	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		0.05*
	Peas	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		0.05*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		0.05*
4. OILSEEDS									
	Linseed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*	0.1*
	Peanuts	0.05*	0.05*	0.01*	0.02*	0.1	0.01*	0.1*	0.1*
	Poppy seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*	0.1*
	Sesame seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*	0.1*
	Sunflower seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*	0.1*
	Rape seed	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	0.1*	0.1*
	Soya bean	0.05*	0.05*	0.01*	0.02*	0.1	0.01*	0.1*	0.1*
	Mustard seed	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*	0.1*
	Cotton seed	0.05*	0.05*	0.1	0.02*	0.1	0.01*	0.1*	0.1*
	Others	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*	0.1*

Group to which food belongs	Groups include the following products	Mecarbam	Metalexyl	Methamid-ophos	Methidathion	Methomyl thiodicarb	Methoxychlor	Methyl bromide	Metsulfuron-methyl
Applying from 1 Jan 2003									
5. POTATOES	Early potatoes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
	Ware potatoes	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	10	2	3	10	0.1*	0.05*	0.1*

Group to which food belongs	Groups include the following products	Monocroto-phos	Monolinuron	Omethoate	Oxydemeton-methyl	Paraquat	Parathion	Permethrin	Phorate	Phosmet	Phoxim	Pirimiphos-methyl	Procymidone
			Applying from 1 Jan 2003			Applying from 1 May 2003							
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts													
i) CITRUS FRUIT	Grapefruit	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		1	0.02*	
	Lemons	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		1	0.02*	
	Limes	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		1	0.02*	
	Mandarins (inc clementines & similar hybrids)	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		2	0.02*	
	Oranges	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		1	0.02*	
	Pomelos	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		1	0.02*	
	Others	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		1	0.02*	
ii) TREE NUTS (shelled or unshelled)	Almonds	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.05*	
	Brazil nuts	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.05*	
	Cashew nuts	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.05*	
	Chestnuts	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.05*	
	Coconuts	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.05*	
	Hazelnuts	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.05*	
	Macadamia nuts	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.05*	
	Pecans	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.05*	
	Pine nuts	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.05*	
	Pistachios	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.05*	
	Walnuts	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.05*	
	Others	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.05*	
iii) POME FRUIT	Apples	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
	Pears	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	1	
	Quinces	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
	Others	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
iv) STONE FRUIT	Apricots	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	2	
	Cherries	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	

Group to which food belongs	Groups include the following products	Monocroto-phos	Monolinuron	Omethoate	Oxydemeton-methyl	Paraquat	Parathion	Permethrin	Phorate	Phosmet	Phoxim	Pirimiphos-methyl	Procymidone
			Applying from 1 Jan 2003			Applying from 1 May 2003							
	Peaches (incl nectarines & similar hybrids)	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*		2
	Plums	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*		2
	Others	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*		2
v) BERRIES AND SMALL FRUIT													
a) Table & wine grapes													
Table grapes		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*		5
Wine grapes		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		2		5
b) Strawberries (other than wild)		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*		5
c) Cane Fruit (other than wild)													
Blackberries		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
Dewberries		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
Loganberries		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
Raspberries		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	10	
Others		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
d) Other small fruit & berries (other than wild)													
Bilberries		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
Cranberries		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
Currants (red, black & white)		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
Gooseberries		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
Others		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
e) Wild berries & wild fruit		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
vi) MISCELLANEOUS FRUIT													
Avocados		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
Bananas		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
Dates		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
Figs		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
Kiwi fruit		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		2		5
Kumquats		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	

Group to which food belongs	Groups include the following products	Monocroto-phos	Monolinuron	Omethoate	Oxydemeton-methyl	Paraquat	Parathion	Permethrin	Phorate	Phosmet	Phoxim	Pirimiphos-methyl	Procymidone
			Applying from 1 Jan 2003			Applying from 1 May 2003							
	Spring onions	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
	Others	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
iii) FRUITING VEGETABLES													
a) Solanaceae													
Tomatoes		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		1	2	
Peppers		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		1	2	
Chilli peppers		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		1	2	
Aubergines		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	2	
Others		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	2	
b) Cucurbits-edible peel													
Cucumbers		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.1	1	
Gherkins		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	1	
Courgettes		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	1	
Others		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	1	
c) Cucurbits-inedible peel													
Melons		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		1	1	
Squashes		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	1	
Watermelons		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	1	
Others		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	1	
d) Sweet corn		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
iv) BRASSICA VEGETABLES													
a) Flowering Brassicas													
Broccoli		0.05*(40)		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		1	0.02*	
Cauliflower		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		1	0.02*	
Others		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		1	0.02*	
b) Head Brassicas													
Brussels sprouts		0.05*		0.05	0.05*	0.05*	0.05*	0.05*	0.05*		2	0.02*	
Head cabbage		0.05*		0.05	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
Others		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	

Group to which food belongs	Groups include the following products	Monocroto-phos	Monolinuron	Omethoate	Oxydemeton-methyl	Paraquat	Parathion	Permethrin	Phorate	Phosmet	Phoxim	Pirimiphos-methyl	Procymidone
			Applying from 1 Jan 2003			Applying from 1 May 2003							
c)	Leafy Brassicas												
	Chinese cabbage	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
	Kale	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
	Others	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
d)	Kohlrabi	0.05*		0.05	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
v)	LEAF VEGETABLES AND FRESH HERBS												
a)	Lettuce & similar												
	Cress	0.05*		0.05	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	5	
	Lamb's lettuce	0.05*		0.05	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	5	
	Lettuce	0.05*		0.05	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	5	
	Scarole	0.05*(38)		0.05(38)	0.05*	0.05*(38)	0.05*(38)	0.05*			0.05*	5	
	Others	0.05*		0.05	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	5	
b)	Spinach & similar												
	Spinach	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
	Beet leaves (chard)	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
	Others	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
c)	Watercress	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
d)	Witloof	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	2	
e)	Herbs												
	Chervil	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
	Chives	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
	Parsley	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
	Celery leaves	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
	Others	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
vi)	LEGUME VEGETABLES (fresh)												
	Beans (with pods)	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	2	
	Beans (without pods)	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*	
	Peas (with pods)	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	1	
	Peas (without pods)	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*		0.05*	0.3	

Group to which food belongs	Groups include the following products	Monocroto-phos										
			Monolinuron	Omethoate	Oxydemeton-methyl	Paraquat	Parathion	Permethrin	Phorate	Phosmet	Phoxim	Pirimiphos-methyl
			Applying from 1 Jan 2003				Applying from 1 May 2003					
5. POTATOES	Early potatoes		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*
	Ware potatoes		0.05*		0.02*	0.05*	0.05*	0.05*	0.05*		0.05*	0.02*
6. TEA (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)		0.1*	0.1*	0.1	0.05*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder		0.1*		0.05*	0.1*	0.1*	0.1*	0.1*		0.05*	0.1*

Group to which food belongs	Groups include the following products	Prohexadione and its salts expressed as prohexadione										Applying from 1 Jan 2003	Applying from 1 Jan 2003			
		Profenophos	Propargite	Propham	Propiconazole	Propoxur	Propyzamide	Pymetrozine	Pyrazophos	Pyridate	Quinalphos	Quintozene	Spiroxamine	Tecnazene	TEPP	Thiabendazole
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts																
i) CITRUS FRUIT	Grapefruit	0.05*	0.05*	0.05*	0.05*	0.02*	0.3	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	5
	Lemons	0.05*	0.05*	0.05*	0.3	0.02*	0.3	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	5
	Limes	0.05*	0.05*	0.05*	0.3	0.02*	0.3	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	5
	Mandarins (inc clementines & similar hybrids)	0.05*	0.05*	0.05*	0.3	0.02*	0.3	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	5
	Oranges	0.05*	0.05*	0.05*	0.05*	0.02*	0.3	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	5
	Pomelos	0.05*	0.05*	0.05*	0.05*	0.02*	0.3	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	5
	Others	0.05*	0.05*	0.05*	0.05*	0.02*	0.3	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	5
ii) TREE NUTS (shelled or unshelled)	Almonds	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.1*
	Brazil nuts	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.1*
	Cashew nuts	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.1*
	Chestnuts	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.1*
	Coconuts	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.1*
	Hazelnuts	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.1*
	Macadamia nuts	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.1*
	Pecans	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.1*
	Pine nuts	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.1*
	Pistachios	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.1*
	Walnuts	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.1*
iii) POME FRUIT	Apples	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	5
	Pears	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	5
	Quinces	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
iv) STONE FRUIT	Apricots	0.05*	0.05*	0.2	0.05*	0.02*	0.05	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
	Cherries	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Prohexadione and its salts expressed as prohexadione												Applying from 1 Jan 2003	Applying from 1 Jan 2003	
		Profenophos	Propargite	Propham	Propiconazole	Propoxur	Propyzamide	Pymetrozine	Pyrazophos	Pyridate	Quinalphos	Quintozene	Spiroxamine	Tecnazene	TEPP	Thiabendazole
	Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	0.2	0.05*	0.02*	0.05	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
	Plums	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
	Others	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
v) BERRIES AND SMALL FRUIT																
a) Table & wine grapes																
Table grapes		0.05*	0.05*	0.5	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	1	0.05*	0.01*	0.05*
Wine grapes		0.05*	0.05*	0.5	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	1	0.05*	0.01*	0.05*
b) Strawberries (other than wild)		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
c) Cane Fruit (other than wild)																
Blackberries		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
Dewberries		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
Loganberries		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
Raspberries		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
Others		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
d) Other small fruit & berries (other than wild)																
Bilberries		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
Cranberries		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
Currants (red, black & white)		0.05*	0.05*	0.05*	0.2	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
Gooseberries		0.05*	0.05*	0.05*	0.2	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
Others		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
e) Wild berries & wild fruit		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
vi) MISCELLANEOUS FRUIT																
Avocados		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	15
Bananas		0.05*	0.05*	0.1	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	5
Dates		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
Figs		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
Kiwi fruit		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
Kumquats		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Prohexadione and its salts expressed as prohexadione										Applying from 1 Jan 2003				Applying from 1 Jan 2003			
		Profenophos	Propargite	Propham	Propiconazole	Propoxur	Propyzamide	Pymetrozine	Pyrazophos	Pyridate	Quinalphos	Quintozene	Spiroxamine	Tecnazene	TEPP	Thiabendazole			
Litchis		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*			
Mangoes		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.01*			
Olives (table consumption)		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Olives (oil extract)		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Papaya		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	10			
Passion fruit		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Pineapples		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Pomegranates		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Others		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
2. Vegetables, fresh or uncooked, frozen or dry																			
i) ROOT AND TUBER VEGETABLES																			
Beetroot		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Carrots		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Celeriac		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Horseradish		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Jerusalem artichokes		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Parsnips		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Parsley root		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Radishes		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Salsify		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Sweet potatoes		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Swedes		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Turnips		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Yams		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Others		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
ii) BULB VEGETABLES																			
Garlic		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Onions		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
Shallots		0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			

Group to which food belongs	Groups include the following products	Prohexadione and its salts expressed as prohexadione												Applying from 1 Jan 2003	Applying from 1 Jan 2003	
		Profenophos	Propargite	Propham	Propiconazole	Propoxur	Propyzamide	Pymetrozine	Pyrazophos	Pyridate	Quinalphos	Quintozene	Spiroxamine	Tecnazene	TEPP	Thiabendazole
	Spring onions	0.05*		0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
	Others	0.05*		0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
iii) FRUITING VEGETABLES																
a) Solanaceae																
Tomatoes		0.05*		0.05*	0.05*	0.05*	0.02*	0.5	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
Peppers		0.05*		0.05*	0.05*	0.05*	0.02*	1	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
Chilli peppers		0.05*		0.05*	0.05*	0.05*	0.02*	1	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	
Aubergines		0.05*		0.05*	0.05*	0.05*	0.02*	0.5	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
Others		0.05*		0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
b) Cucurbits-edible peel																
Cucumbers		0.05*		0.05*	0.05*	0.05*	0.02*	0.5	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
Gherkins		0.05*		0.05*	0.05*	0.05*	0.02*	0.5	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
Courgettes		0.05*		0.05*	0.05*	0.05*	0.02*	0.5	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
Others		0.05*		0.05*	0.05*	0.05*	0.02*	0.5	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
c) Cucurbits-inedible peel																
Melons		0.05*		0.05*	0.05*	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
Squashes		0.05*		0.05*	0.05*	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
Watermelons		0.05*		0.05*	0.05*	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
Others		0.05*		0.05*	0.05*	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
d) Sweet corn		0.05*		0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
iv) BRASSICA VEGETABLES																
a) Flowering Brassicas																
Broccoli		0.05*		0.05*(40)	0.05*	0.5	0.02*	0.02*	0.05*(40)	0.05*	0.05*	0.02*	0.05*	0.05*(40)	0.01*	5
Cauliflower		0.05*		0.05*	0.05*	0.5	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
Others		0.05*		0.05*	0.05*	0.5	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
b) Head Brassicas																
Brussels sprouts		0.05*		0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
Head cabbage		0.05*		0.05*	0.05*	0.5	0.02*	0.05	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
Others		0.05*		0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Prohexadione and its salts expressed as prohexadione										Applying from 1 Jan 2003			Applying from 1 Jan 2003		
		Profenophos	Propargite	Propham	Propiconazole	Propoxur	Propyzamide	Pymetrozine	Pyrazophos	Pyridate	Quinalphos	Quintozene	Spiroxamine	Tecnazene	TEPP	Thiabendazole	
c) Leafy Brassicas																	
Chinese cabbage		0.05*		0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
Kale		0.05*		0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.2	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
Others		0.05*		0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
d) Kohlrabi		0.05*		0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
v) LEAF VEGETABLES AND FRESH HERBS																	
a) Lettuce & similar																	
Cress		0.05*		0.05*	0.05*	0.05*	1	1	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
Lamb's lettuce		0.05*		0.05*	0.05*	0.05*	1	1	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
Lettuce		0.05*		0.05*	0.05*	0.05*	1	1	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
Scarole		0.05*		0.05*(38)	0.05*	0.05*	1	1	0.05*(38)	0.05*	0.05*	0.02*(38)	0.05*	0.05*(38)	0.01*	0.05*	
Others		0.05*		0.05*	0.05*	0.05*	1	1	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
b) Spinach & similar																	
Spinach		0.05*		0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
Beet leaves (chard)		0.05*		0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
Others		0.05*		0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
c) Watercress																	
Others		0.05*		0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
d) Witloof		0.05*		0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
e) Herbs																	
Chervil		0.05*		0.05*	0.05*	0.05*	1	1	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
Chives		0.05*		0.05*	0.05*	0.05*	1	1	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
Parsley		0.05*		0.05*	0.05*	0.05*	1	1	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
Celery leaves		0.05*		0.05*	0.05*	0.05*	1	1	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
Others		0.05*		0.05*	0.05*	0.05*	1	1	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
vi) LEGUME VEGETABLES (fresh)																	
Beans (with pods)		0.05*		0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
Beans (without pods)		0.05*		0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
Peas (with pods)		0.05*		0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	
Peas (without pods)		0.05*		0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Prohexadione and its salts expressed as prohexadione										Applying from 1 Jan 2003				Applying from 1 Jan 2003			
		Profenophos	Propargite	Propham	Propiconazole	Propoxur	Propyzamide	Pymetrozine	Pyrazophos	Pyridate	Quinalphos	Quintozene	Spiroxamine	Tecnazene	TEPP	Thiabendazole			
	Others	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*			
vii) STEM VEGETABLES	Asparagus	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
	Cardoons	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
	Celery	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
	Fennel	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
	Globe artichokes	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
	Leeks	0.05*	0.05*	0.05*	1	0.02*	0.02*	0.05*	0.05*	1	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*			
	Rhubarb	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
	Others	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
viii) FUNGI	a) Cultivated mushrooms	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	10			
	b) Wild mushrooms	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
3. PULSES	Beans	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
	Lentils	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
	Peas	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
	Others	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
4. OILSEEDS	Linseed	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
	Peanuts	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*			
	Poppy seed	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
	Sesame seed	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
	Sunflower seed	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
	Rape seed	0.1*	0.05*	0.05*	0.05*	0.1	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
	Soya bean	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
	Mustard seed	0.1*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
	Cotton seed	0.1*	0.05*	0.05*	0.05*	0.05*	0.05	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			
	Others	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*			

Group to which food belongs	Groups include the following products	Prohexadione and its salts expressed as prohexadione										Applying from 1 Jan 2003		Applying from 1 Jan 2003		
		Profenophos	Propargite	Propham	Propiconazole	Propoxur	Propyzamide	Pymetrozine	Pyrazophos	Pyridate	Quinalphos	Quintozene	Spiroxamine	Tecnazene	TEPP	Thiabendazole
5. POTATOES	Early potatoes	0.05*		0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	0.05*
	Ware potatoes	0.05*		0.05*	0.05*	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*	15
6. TEA (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)		0.1*	0.1*	5	0.1*	0.1*	0.05*	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*	0.02*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*		0.1*	0.1*	0.1*	0.05*	5	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*	0.02*	0.1*

Group to which food belongs	Groups include the following products	Triazophos	Triforine	2,4,5-T	Vinclozolin
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts					
i) CITRUS FRUIT					
Grapefruit		0.02*	0.05*	0.05*	0.05*
Lemons		0.02*	0.05*	0.05*	0.05*
Limes		0.02*	0.05*	0.05*	0.05*
Mandarins (inc clementines & similar hybrids)		0.02*	0.05*	0.05*	0.05*
Oranges		0.02*	0.05*	0.05*	0.05*
Pomelos		0.02*	0.05*	0.05*	0.05*
Others		0.02*	0.05*	0.05*	0.05*
ii) TREE NUTS (shelled or unshelled)					
Almonds		0.02*	0.05*	0.05*	0.05*
Brazil nuts		0.02*	0.05*	0.05*	0.05*
Cashew nuts		0.02*	0.05*	0.05*	0.05*
Chestnuts		0.02*	0.05*	0.05*	0.05*
Coconuts		0.02*	0.05*	0.05*	0.05*
Hazelnuts		0.02*	0.05*	0.05*	0.05*
Macadamia nuts		0.02*	0.05*	0.05*	0.05*
Pecans		0.02*	0.05*	0.05*	0.05*
Pine nuts		0.02*	0.05*	0.05*	0.05*
Pistachios		0.02*	0.05*	0.05*	0.05*
Walnuts		0.02*	0.05*	0.05*	0.05*
Others		0.02*	0.05*	0.05*	0.05*
iii) POME FRUIT					
Apples		0.02*	2	0.05*	1
Pears		0.02*	2	0.05*	1
Quinces		0.02*	2	0.05*	1
Others		0.02*	2	0.05*	1
iv) STONE FRUIT					
Apricots		0.02*	2	0.05*	2
Cherries		0.02*	2	0.05*	0.5

Group to which food belongs	Groups include the following products	Triazophos	Triforine	2,4,5-T	Vinclozolin
	Peaches (incl nectarines & similar hybrids)	0.02*	2	0.05*	0.05*
	Plums	0.02*	1	0.05*	2
	Others	0.02*	0.05*	0.05*	0.05*
v) BERRIES AND SMALL FRUIT					
a) Table & wine grapes					
Table grapes	0.02*	0.05*	0.05*	5	
Wine grapes	0.02*	0.05*	0.05*	5	
b) Strawberries (other than wild)	0.02*	0.05*	0.05*	5	
c) Cane Fruit (other than wild)					
Blackberries	0.02*	0.05*	0.05*	5	
Dewberries	0.02*	0.05*	0.05*	5	
Loganberries	0.02*	0.05*	0.05*	5	
Raspberries	0.02*	0.05*	0.05*	5	
Others	0.02*	0.05*	0.05*	5	
d) Other small fruit & berries (other than wild)					
Bilberries	0.02*	0.05*	0.05*	0.05*	
Cranberries	0.02*	0.05*	0.05*	0.05*	
Currants (red, black & white)	0.02*	2	0.05*	10	
Gooseberries	0.02*	2	0.05*	0.05*	
Others	0.02*	0.05*	0.05*	0.05*	
e) Wild berries & wild fruit	0.02*	0.05*	0.05*	0.05*	
vi) MISCELLANEOUS FRUIT					
Avocados	0.02*	0.05*	0.05*	0.05*	
Bananas	0.02*	0.05*	0.05	0.05*	
Dates	0.02*	0.05*	0.05*	0.05*	
Figs	0.02*	0.05*	0.05*	0.05*	
Kiwi fruit	0.02*	0.05*	0.05*	10	
Kumquats	0.02*	0.05*	0.05*	0.05*	

Group to which food belongs	Groups include the following products	Triazophos	Triforine	2,4,5-T	Vinclozolin
------------------------------------	--	-------------------	------------------	----------------	--------------------

Litchis	0.02*	0.05*	0.05*	0.05*
Mangoes	0.02*	0.05*	0.05*	0.05*
Olives (table consumption)	0.02*	0.05*	0.05*	0.05*
Olives (oil extract)	0.02*	0.05*	0.05*	0.05*
Papaya	0.02*	0.05*	0.05*	0.05*
Passion fruit	0.02*	0.05*	0.05*	0.05*
Pineapples	0.02*	0.05*	0.05*	0.05*
Pomegranates	0.02*	0.05*	0.05*	0.05*
Others	0.02*	0.05*	0.05*	0.05*

2. Vegetables, fresh or uncooked, frozen or dry

i) ROOT AND TUBER VEGETABLES

Beetroot	0.02*	0.05*	0.05*	0.05*
Carrots	0.02*	0.05*	0.05*	0.5
Celeriac	0.02*	0.05*	0.05*	0.05*
Horseradish	0.02*	0.05*	0.05*	0.05*
Jerusalem artichokes	0.02*	0.05*	0.05*	0.05*
Parsnips	0.02*	0.05*	0.05*	0.05*
Parsley root	0.02*	0.05*	0.05*	0.05*
Radishes	0.02*	0.05*	0.05*	0.05*
Salsify	0.02*	0.05*	0.05*	0.05*
Sweet potatoes	0.02*	0.05*	0.05*	0.05*
Swedes	0.02*	0.05*	0.05*	0.05*
Turnips	0.02*	0.05*	0.05*	0.05*
Yams	0.02*	0.05*	0.05*	0.05*
Others	0.02*	0.05*	0.05*	0.05*

ii) BULB VEGETABLES

Garlic	0.02*	0.05*	0.05*	1
Onions	0.02*	0.05*	0.05*	1
Shallots	0.02*	0.05*	0.05*	1

Group to which food belongs	Groups include the following products	Triazophos	Triforine	2,4,5-T	Vinclozolin
iii) FRUITING VEGETABLES					
a) Solanaceae					
Tomatoes	0.02*	0.05*	0.05*	0.05*	
Peppers	0.02*	0.05*	0.05*	3	
Chilli peppers	0.02*	0.05*	0.05*	3	
Aubergines	0.02*	0.05*	0.05*	3	
Others	0.02*	0.05*	0.05*	3	
b) Cucurbits-edible peel					
Cucumbers	0.02*	0.5	0.05*	1	
Gherkins	0.02*	0.5	0.05*	1	
Courgettes	0.02*	0.5	0.05*	1	
Others	0.02*	0.5	0.05*	1	
c) Cucurbits-inedible peel					
Melons	0.02*	0.05*	0.05*	1	
Squashes	0.02*	0.05*	0.05*	1	
Watermelons	0.02*	0.05*	0.05*	1	
Others	0.02*	0.05*	0.05*	1	
d) Sweet corn	0.02*	0.05*	0.05*	0.05*	
iv) BRASSICA VEGETABLES					
a) Flowering Brassicas					
Broccoli	0.02*	0.05*	0.05*	0.05*	
Cauliflower	0.02*	0.05*	0.05*	0.05*	
Others	0.02*	0.05*	0.05*	0.05*	
b) Head Brassicas					
Brussels sprouts	0.02*	0.05*	0.05*	0.05*	
Head cabbage	0.02*	0.05*	0.05*	0.05*	
Others	0.02*	0.05*	0.05*	0.05*	

Group to which food belongs	Groups include the following products	Triazophos	Triforine	2,4,5-T	Vinclozolin
c) Leafy Brassicas					
Chinese cabbage	0.02*	0.05*	0.05*	2	
Kale	0.02*	0.05*	0.05*	0.05*	
Others	0.02*	0.05*	0.05*	0.05*	
d) Kohlrabi	0.02*	0.05*	0.05*	0.05*	
v) LEAF VEGETABLES AND FRESH HERBS					
a) Lettuce & similar					
Cress	0.02*	0.05*	0.05*	5	
Lamb's lettuce	0.02*	0.05*	0.05*	5	
Lettuce	0.02*	0.05*	0.05*	5	
Scarole	0.02*	0.05*	0.05*	5	
Others	0.02*	0.05*	0.05*	5	
b) Spinach & similar					
Spinach	0.02*	0.05*	0.05*	0.05*	
Beet leaves (chard)	0.02*	0.05*	0.05*	0.05*	
Others	0.02*	0.05*	0.05*	0.05*	
c) Watercress	0.02*	0.05*	0.05*	0.05*	
d) Witloof	0.02*	0.05*	0.05*	2	
e) Herbs					
Chervil	0.02*	0.05*	0.05*	0.05*	
Chives	0.02*	0.05*	0.05*	0.05*	
Parsley	0.02*	0.05*	0.05*	0.05*	
Celery leaves	0.02*	0.05*	0.05*	0.05*	
Others	0.02*	0.05*	0.05*	0.05*	
vi) LEGUME VEGETABLES (fresh)					
Beans (with pods)	0.02*	0.05*	0.05*	2	
Beans (without pods)	0.02*	0.05*	0.05*	0.5	
Peas (with pods)	0.02*	0.05*	0.05*	2	
Peas (without pods)	0.02*	0.05*	0.05*	0.3	

Group to which food belongs	Groups include the following products	Triazophos	Triforine	2,4,5-T	Vinclozolin
	Others	0.02*	0.05*	0.05*	0.05*
vii) STEM VEGETABLES					
	Asparagus	0.02*	0.05*	0.05*	0.05*
	Cardoons	0.02*	0.05*	0.05*	0.05*
	Celery	0.02*	0.05*	0.05*	0.05*
	Fennel	0.02*	0.05*	0.05*	0.05*
	Globe artichokes	0.02*	0.05*	0.05*	0.05*
	Leeks	0.02*	0.05*	0.05*	0.05*
	Rhubarb	0.02*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*
viii) FUNGI					
	a) Cultivated mushrooms	0.02*	0.05*	0.05*	0.05*
	b) Wild mushrooms	0.02*	0.05*	0.05*	0.05*
3. PULSES					
	Beans	0.02*	0.05*	0.05*	0.5
	Lentils	0.02*	0.05*	0.05*	0.05*
	Peas	0.02*	0.05*	0.05*	0.5
	Others	0.02*	0.05*	0.05*	0.05*
4. OILSEEDS					
	Linseed	0.02*	0.05*	0.05*	0.05*
	Peanuts	0.02*	0.05*	0.05*	0.05*
	Poppy seed	0.02*	0.05*	0.05*	0.05*
	Sesame seed	0.02*	0.05*	0.05*	0.05*
	Sunflower seed	0.02*	0.05*	0.05*	0.05*
	Rape seed	0.02*	0.05*	0.05*	1
	Soya bean	0.02*	0.05*	0.05*	0.05*
	Mustard seed	0.02*	0.05*	0.05*	0.05*
	Cotton seed	0.1	0.05*	0.05*	0.05*
	Others	0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Triazophos	Triforine	2,4,5-T	Vinclozolin
5. POTATOES					
	Early potatoes	0.02*	0.05*	0.05*	0.05*
	Ware potatoes	0.02*	0.05*	0.05*	0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)	0.05*	0.1*	0.05*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.05*	30	0.05*	40

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & Dieldrin	Amitraz (sum of amitraz plus all its metabolites containing the 2,4 dimethyl aniline moiety expressed as amitraz)	Aramite	Azimsulfuron	Azinphos-ethyl	Azoxystrobin	Barban
8. CEREALS										
	Wheat	0.02*	0.05*	0.01	0.02*	0.01*	0.02*	0.05*	0.3	0.05*
	Rye	0.02*	0.05*	0.01	0.02*	0.01*	0.02*	0.05*	0.3	0.05*
	Barley	0.02*	0.05*	0.01	0.02*	0.01*	0.02*	0.05*	0.3	0.05*
	Sorghum	0.02*	0.05*	0.01	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*
	Oats	0.02*	0.05*	0.01	0.02*	0.01*	0.02*	0.05*	0.3	0.05*
	Triticale	0.02*	0.05*	0.01	0.02*	0.01*	0.02*	0.05*	0.3	0.05*
	Maize	0.02*	0.05*	0.01	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*
	Buckwheat	0.02*	0.05*	0.01	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*
	Millet	0.02*	0.05*	0.01	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*
	Rice ⁽¹⁾	0.02*	0.05*	0.01	0.02*	0.01*	0.02*	0.05*	5	0.05*
	Other cereals ⁽²⁾	0.02*	0.05*	0.01	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*
9. PRODUCTS OF ANIMAL ORIGIN										
	Meat, fat & preparations of meat ⁽³⁾	0.02*	0.01*	0.2	0.02* ⁽⁹⁾	0.01*		0.05*	0.05*	0.05*
	Milk ⁽⁴⁾ &	0.02*	0.01*	0.006		0.01*		0.05*	0.01*	0.05*
	Dairy produce ⁽⁵⁾		0.01*							
	Eggs ⁽⁶⁾	0.02*	0.01*	0.02	0.02*	0.01* ⁽⁷⁾		0.05* ⁽⁷⁾	0.05*	0.05* ⁽⁷⁾

Group to which food belongs	Groups include the following products	Benalaxyl	Benfuracarb	Bentazone	Captafol	Carbaryl	Carbendazim	Carbofuran	Carbon disulphide	Carbon tetrachloride
-----------------------------	---------------------------------------	-----------	-------------	-----------	----------	----------	-------------	------------	-------------------	----------------------

Applying from 1 Jan 2003										
8. CEREALS										
	Wheat	0.05*	0.05*	0.1*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Rye	0.05*	0.05*	0.1*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Barley	0.05*	0.05*	0.1*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Sorghum	0.05*	0.05*	0.1*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Oats	0.05*	0.05*	0.1*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Triticale	0.05*	0.05*	0.1*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Maize	0.05*	0.05*	0.1*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Buckwheat	0.05*	0.05*	0.1*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Millet	0.05*	0.05*	0.1*	0.05*	0.5	0.1*	0.1*	0.1	0.1
	Rice ⁽¹⁾	0.05*	0.05*	0.1*	0.05*	1	0.1*	0.1*	0.1	0.1
	Other cereals ⁽²⁾	0.05*	0.05*	0.1*	0.05*	0.5	0.1*	0.1*	0.1	0.1
9. PRODUCTS OF ANIMAL ORIGIN										
	Meat, fat & preparations of meat ⁽³⁾	0.05*	0.05*	0.05*			0.1*	0.1*		
	Milk ⁽⁴⁾ &	0.05*	0.05*	0.02*			0.1*	0.1*		
	Dairy produce ⁽⁵⁾									
	Eggs ⁽⁶⁾	0.05*	0.05*	0.05*			0.1*	0.1*		

Group to which food belongs	Groups include the following products	Carbosulfan	Chlorbufam	Chlordane	Chlorfenson	Chlorobenzilate	Chloroxuron	Chlorbenside
-----------------------------	---------------------------------------	-------------	------------	-----------	-------------	-----------------	-------------	--------------

8. CEREALS								
	Wheat	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Rye	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Barley	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Sorghum	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Oats	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Triticale	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Maize	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Buckwheat	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Millet	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Rice ⁽¹⁾	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
	Other cereals ⁽²⁾	0.05*	0.05*	0.02	0.01*	0.02*	0.05*	0.01*
9. PRODUCTS OF ANIMAL ORIGIN								
	Meat, fat & preparations of meat ⁽³⁾	0.05*	0.05*	0.05	0.05*	0.1*	0.05*	0.05*
	Milk ⁽⁴⁾ &	0.05*	0.05*	0.002	0.05*	0.1*	0.05*	0.05*
	Dairy produce ⁽⁵⁾							
	Eggs ⁽⁶⁾	0.05*	0.05* ⁽⁷⁾	0.005	0.05* ⁽⁷⁾	0.1* ⁽⁷⁾	0.05* ⁽⁷⁾	0.05* ⁽⁷⁾

Group to which food belongs	Groups include the following products	Chlormequat	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Chlozolinate	Cyfluthrin	Cypermethrin	Daminozide	DDT
-----------------------------	---------------------------------------	-------------	----------------	--------------	---------------------	--------------	------------	--------------	------------	-----

Applying from 1 Jan 2003										
8. CEREALS										
Wheat	2	0.1	0.05*	3	0.05*	0.02*	0.05*	0.02*	0.05	
Rye	2	0.1	0.05*	3	0.05*	0.02*	0.05*	0.02*	0.05	
Barley	2	0.1	0.2	3	0.05*	0.02*	0.2	0.02*	0.05	
Sorghum	0.05*	0.01*	0.05*	3	0.05*	0.02*	0.05*	0.02*	0.05	
Oats	5	0.1	0.05*	3	0.05*	0.02*	0.2	0.02*	0.05	
Triticale	2	0.1	0.05*	3	0.05*	0.02*	0.05*	0.02*	0.05	
Maize	0.05*	0.01*	0.05*	3	0.05*	0.02*	0.05*	0.02*	0.05	
Buckwheat	0.05*	0.01*	0.05*	3	0.05*	0.02*	0.05*	0.02*	0.05	
Millet	0.05*	0.01*	0.05*	3	0.05*	0.02*	0.05*	0.02*	0.05	
Rice ⁽¹⁾	0.05*	0.01*	0.05*	3	0.05*	0.02*	0.05*	0.02*	0.05	
Other cereals ⁽²⁾	0.05*	0.01*	0.05*	3	0.05*	0.02*	0.05*	0.02*	0.05	
9. PRODUCTS OF ANIMAL ORIGIN										
Meat, fat & preparations of meat ⁽³⁾	0.05 ⁽¹⁰⁾ 0.2 ⁽¹¹⁾ 0.1 ⁽¹²⁾ 0.05* ⁽³⁶⁾	0.01*	0.05* ⁽⁹⁾	0.05*		0.05	0.05* ⁽⁹⁾ 0.2 ⁽¹⁷⁾	0.05*	1	
Milk ⁽⁴⁾ &	0.05	0.01*	0.01*	0.01*		0.02*	0.02	0.05*	0.04	
Dairy produce ⁽⁵⁾										
Eggs ⁽⁶⁾	0.05*	0.01*	0.01*	0.01*		0.02*	0.05*	0.05*	0.05	

Group to which food belongs	Groups include the following products	Deltamethrin	1,1-dichloro-2,2-bis (4-ethyl-phenyl-) ethane	Diallate	Diazinon	1,2- Dibromo ethane	Dichlorvos	Dicofol	Dimethoate	Dinoterb	Disulfoton	DNOC
Applying from 1 Jan 2003												

8. CEREALS												
Wheat	1	0.01*	0.05*	0.02*	0.01*	2	0.02*	0.3	0.05*	0.1	0.05*	
Rye	1	0.01*	0.05*	0.02*	0.01*	2	0.02*	0.3	0.05*	0.02*	0.05*	
Barley	1	0.01*	0.05*	0.02*	0.01*	2	0.02*	0.02*	0.05*	0.2	0.05*	
Sorghum	1	0.01*	0.05*	0.02*	0.01*	2	0.02*	0.02*	0.05*	0.2	0.05*	
Oats	1	0.01*	0.05*	0.02*	0.01*	2	0.02*	0.02*	0.05*	0.02*	0.05*	
Triticale	1	0.01*	0.05*	0.02*	0.01*	2	0.02*	0.3	0.05*	0.02*	0.05*	
Maize	1	0.01*	0.05*	0.02*	0.01*	2	0.02*	0.02*	0.05*	0.02*	0.05*	
Buckwheat	1	0.01*	0.05*	0.02*	0.01*	2	0.02*	0.02*	0.05*	0.02*	0.05*	
Millet	1	0.01*	0.05*	0.02*	0.01*	2	0.02*	0.02*	0.05*	0.02*	0.05*	
Rice ⁽¹⁾	1	0.01*	0.05*	0.02*	0.01*	2	0.02*	0.02*	0.05*	0.02*	0.05*	
Other cereals ⁽²⁾	1	0.01*	0.05*	0.02*	0.01*	2	0.02*	0.02*	0.05*	0.02*	0.05*	
9. PRODUCTS OF ANIMAL ORIGIN												
Meat, fat & preparations of meat ⁽³⁾	0.05* ⁽⁹⁾	0.01*	0.2*				0.5 ⁽²¹⁾ 0.1 ⁽⁹⁾ 0.05* ⁽²²⁾ 1 ⁽²³⁾	0.05	0.02*	0.05*		
Milk ⁽⁴⁾ &		0.01*	0.2*	0.01*			0.02	0.05*	0.02	0.05*		
Dairy produce ⁽⁵⁾												
Eggs ⁽⁶⁾	0.05*	0.01* ⁽⁷⁾	0.2* ⁽⁷⁾				0.05*	0.05*(7)	0.02*	0.05*(7)		

Group to which food belongs	Groups include the following products	Endosulfan	Endrin	Ethephon	Fenarimol	Fenbutatin oxide	Fentin	Fenvalerate and Esfenvalerate	Sum of RR and SS isomers	Sum of RS and SR isomers
-----------------------------	---------------------------------------	------------	--------	----------	-----------	------------------	--------	-------------------------------	--------------------------	--------------------------

8. CEREALS										
Wheat		0.05*	0.01	0.2	0.02*	0.05*	0.05*	0.05	0.02*	
Rye		0.05*	0.01	0.5	0.02*	0.05*	0.05*	0.05	0.02*	
Barley		0.05*	0.01	0.5	0.02*	0.05*	0.05*	0.2	0.05	
Sorghum		0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	
Oats		0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.2	0.05	
Triticale		0.05*	0.01	0.2	0.02*	0.05*	0.05*	0.05	0.02*	
Maize		0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	
Buckwheat		0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	
Millet		0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	
Rice ⁽¹⁾		0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	
Other cereals ⁽²⁾		0.05*	0.01	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	
9. PRODUCTS OF ANIMAL ORIGIN										
Meat, fat & preparations of meat ⁽³⁾		0.1 ⁽⁸⁾	0.05	0.05*	0.02* ⁽¹³⁾	0.05*	0.05*	0.2 ⁽⁸⁾	0.05 ⁽⁸⁾	
						0.02* ⁽⁹⁾	0.02* ⁽⁹⁾			
Milk ⁽⁴⁾ &		0.004	0.0008	0.05*	0.02*	0.05*	0.05*	0.02*	0.02*	
Dairy produce ⁽⁵⁾										
Eggs ⁽⁶⁾		0.1* ⁽⁷⁾	0.005	0.05*	0.02*	0.05*	0.05*	0.02* ⁽⁷⁾	0.02* ⁽⁷⁾	

Group to which food belongs	Groups include the following products	Flupyrifluron-methyl	Fluroxypyr and its esters expressed as fluroxypyr	Formothion	Furathiocarb	Glyphosate	Heptachlor	Hexachlorobenzene (HCB)	Hexachlorocyclohexane (HCH)	Hexachlorocyclohexane (HCH)
Applying from 1 Jan 2003										
8. CEREALS									<i>Alpha isomer</i>	<i>Beta isomer</i>
	Wheat	0.02*	0.1	0.02*	0.05*	5	0.01	0.01		Sum of alpha and beta isomers
	Rye	0.02*	0.1	0.02*	0.05*	5	0.01	0.01		0.02
	Barley	0.02*	0.1	0.02*	0.05*	20	0.01	0.01		0.02
	Sorghum	0.02*	0.05*	0.02*	0.05*	20	0.01	0.01		0.02
	Oats	0.02*	0.1	0.02*	0.05*	20	0.01	0.01		0.02
	Triticale	0.02*	0.1	0.02*	0.05*	5	0.01	0.01		0.02
	Maize	0.02*	0.05*	0.02*	0.05*	0.1*	0.01	0.01		0.02
	Buckwheat	0.02*	0.05*	0.02*	0.05*	0.1*	0.01	0.01		0.02
	Millet	0.02*	0.05*	0.02*	0.05*	0.1*	0.01	0.01		0.02
	Rice ⁽¹⁾	0.02*	0.05*	0.02*	0.05*	0.1*	0.01	0.01		0.02
	Other cereals ⁽²⁾	0.02*	0.05*	0.02*	0.05*	0.1*	0.01	0.01		0.02
9. PRODUCTS OF ANIMAL ORIGIN										
	Meat, fat & preparations of meat ⁽³⁾	0.05* 0.5(16)		0.05*	0.5 ⁽²⁴⁾ 2 ⁽¹¹⁾⁽²⁶⁾⁽²⁷⁾ 0.1* ⁽¹⁷⁾	0.2	0.2	0.2		0.1
	Milk ⁽⁴⁾ &	0.05*		0.05*	0.1*	0.004	0.01	0.004		0.003
	Dairy produce ⁽⁵⁾									
	Eggs ⁽⁶⁾	0.05*(7)		0.05*	0.1*	0.02	0.02	0.02		0.01

Group to which food belongs	Groups include the following products	Hydrogen cyanide	Hydrogen phosphide	Imazalil	Inorganic bromide	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin ⁽²⁸⁾
-----------------------------	---------------------------------------	------------------	--------------------	----------	-------------------	-----------	-----------------	------------------------------------

8. CEREALS

Wheat	15	0.1	0.02*	50	0.5	0.05*	0.02*
Rye	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Barley	15	0.1	0.02*	50	1	0.05*	0.05
Sorghum	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Oats	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Triticale	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Maize	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Buckwheat	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Millet	15	0.1	0.02*	50	0.02*	0.05*	0.02*
Rice ⁽¹⁾	15	0.1	0.02*	50	3	0.05*	0.02*
Other cereals ⁽²⁾	15	0.1	0.02*	50	0.02*	0.05*	0.02*

9. PRODUCTS OF ANIMAL ORIGIN

Meat, fat & preparations of meat ⁽³⁾	0.02*	0.05*	0.02% ⁽¹⁴⁾⁽¹⁵⁾ 0.05 ⁽¹⁴⁾⁽¹⁶⁾	0.5 ⁽⁸⁾ 0.02% ⁽⁹⁾
Milk ⁽⁴⁾ &	0.02*	0.05*	0.05% ⁽¹⁸⁾	0.05
Dairy produce ⁽⁵⁾				
Eggs ⁽⁶⁾	0.02*	0.05*	0.02% ⁽⁷⁾	0.02*

Group to which food belongs	Groups include the following products	Lindane	Malathion	Maneb Metiram	Mancozeb Propineb	Mecarbam Zineb	Metalexyl	Methamidophos	Methidathion	Methomyl thiodicarb
-----------------------------	---------------------------------------	---------	-----------	------------------	----------------------	-------------------	-----------	---------------	--------------	------------------------

8. CEREALS										
Wheat		0.01*	8	1	0.05*	0.05*	0.01*	0.02*	0.05*	
Rye		0.01*	8	1	0.05*	0.05*	0.01*	0.02*	0.05*	
Barley		0.01*	8	2	0.05*	0.05*	0.01*	0.02*	0.05*	
Sorghum		0.01*	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
Oats		0.01*	8	2	0.05*	0.05*	0.01*	0.02*	0.05*	
Triticale		0.01*	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
Maize		0.01*	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
Buckwheat		0.01*	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
Millet		0.01*	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
Rice ⁽¹⁾		0.01*	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
Other cereals ⁽²⁾		0.01*	8	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	
9. PRODUCTS OF ANIMAL ORIGIN										
Meat, fat & preparations of meat ⁽³⁾		0.7 ⁽⁹⁾⁽²⁰⁾ 0.02 ⁽⁸⁾		0.05*		0.05*	0.01*	0.02*	0.02	
Milk ⁽⁴⁾ &		0.001*		0.05*		0.05*	0.01*	0.02*	0.02*	
Dairy produce ⁽⁵⁾							0.02*	0.02*		
Eggs ⁽⁶⁾		0.1(20)		0.05*		0.05*	0.01*	0.02*	0.02	

Group to which food belongs	Groups include the following products	Methoxychlor	Methyl bromide	Metsulfuron-methyl	Monolinuron	Oxydemeton-methyl	Parathion	Permethrin	Phorate	Phosphamidon	Pirimiphos-methyl	Procymidone
-----------------------------	---------------------------------------	--------------	----------------	--------------------	-------------	-------------------	-----------	------------	---------	--------------	-------------------	-------------

		Applying from 1 Jan 2003			Applying from 1 Jan 2003			Applying from 1 May 2003				
		Methoxychlor	Methyl bromide	Metsulfuron-methyl	Monolinuron	Oxydemeton-methyl	Parathion	Permethrin	Phorate	Phosphamidon	Pirimiphos-methyl	
8. CEREALS												
Wheat		0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05	5	0.02*
Rye		0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05	5	0.02*
Barley		0.01*	0.1	0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.05	5	0.02*
Sorghum		0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05	5	0.02*
Oats		0.01*	0.1	0.05*	0.05*	0.1	0.05*	0.05*	0.05*	0.05	5	0.02*
Triticale		0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05	5	0.02*
Maize		0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05	5	0.02*
Buckwheat		0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05	5	0.02*
Millet		0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05	5	0.02*
Rice ⁽¹⁾		0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05	5	0.02*
Other cereals ⁽²⁾		0.01*	0.1	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05	5	0.02*
9. PRODUCTS OF ANIMAL ORIGIN												
Meat, fat & preparations of meat ⁽³⁾		0.01*			0.05*	0.02*	0.05*	0.5	0.05*		0.05*	0.05*
Milk ⁽⁴⁾ &		0.01*			0.05*	0.02*	0.05*	0.05	0.02*		0.05*	0.05*
Dairy produce ⁽⁵⁾											0.05*	
Eggs ⁽⁶⁾		0.01* ⁽⁷⁾			0.05*(7)	0.02*	0.05*	0.05	0.05*		0.05*	0.05*

Group to which food belongs	Groups include the following products	Triforine	Vinclozolin
-----------------------------	---------------------------------------	-----------	-------------

8. CEREALS

Wheat	0.1	0.05*
Rye	0.1	0.05*
Barley	0.1	0.05*
Sorghum	0.05*	0.05*
Oats	0.1	0.05*
Triticale	0.1	0.05*
Maize	0.05*	0.05*
Buckwheat	0.05*	0.05*
Millet	0.05*	0.05*
Rice ⁽¹⁾	0.05*	0.05*
Other cereals ⁽²⁾	0.05*	0.05*

9. PRODUCTS OF ANIMAL ORIGIN

Meat, fat & preparations of meat (3)	0.05*	0.05*
--------------------------------------	-------	-------

Milk ⁽⁴⁾ &	0.05*	0.05*
Dairy produce ⁽⁵⁾		
Eggs ⁽⁶⁾	0.05*	0.05*

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

FOOTNOTES:

1. Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
2. Other cereals do not include rice.
3. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight.
In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
4. These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
5. For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:
 - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
 - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
6. Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared)
7. For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.
8. All meat except poultrymeat.
9. Poultrymeat only.
10. Chicken liver.
11. Cattle kidney.
12. Cattle liver.
13. All meat except liver and kidney.
14. The residue definition for this MRL is: 2-methoxyimino-2-[2-(0-tolyloxymethyl)phenyl]acetic acid.
15. Meat, liver, fat.
16. Kidney.
17. Other meat products.
18. The residue definition for this MRL is: 2-[2-(4-hydroxy-2-methylphenoxyethyl)phenyl]-2-methoxy-iminoacetic acid.
19. With the exception of meat and other ovine, bovine and caprine products.
20. These MRLs are based on Codex MRLs (extraneous residue limits) and do not result from the use of plant protection products.
21. Meat of cattle, sheep and goats.
22. Other than meat or liver of cattle, sheep and goats, and poultrymeat.
23. Liver of cattle, sheep and goats. The residue definition for this MRL is: 1,1-bis-(parachlorophenol)-2,2-dichloroethanol(PP'-FW152), expressed as dicofol.
24. Pig kidney.

25. MRL is based on Codex MRL.
26. Goat kidney.
27. Sheep kidney.
28. For animal products MRLs relate to cyhalothrin (sum of isomers).
29. Ruminant liver.
30. All meat except ruminant liver.
31. Fat, liver and kidney.
32. Other than fat, liver and kidney.
33. The residues definition for these MRLs is: sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyzamide.
34. All kidney except poultry kidney.
35. Procymidone: 1 mg/kg applies to whole seeds; 0.05 mg/kg applies to seed without shell.
36. Meat and meat products other than those at footnotes 10, 11 and 12.
37. The residues definition for this MRL is: spiroxamine carboxylic acid expressed as spiroxamine.
38. Scarole includes broad-leaf endive.
39. Liver and kidney.
40. Broccoli includes calabrese."

Regulation 2(7)

SCHEDULE 2

“Regulation 2(1)

SCHEDULE 5

DEFINITION OF RESIDUE DIRECTIVES

“The Residue Directives” means Council Directive 1986/362/EEC(a) as amended by

<i>Directive</i>	<i>Reference</i>
Council Directive 1988/298/EEC	O.J. No. L 126, 20.5.88, p.53
Council Directive 1990/654/EEC	O.J. No. L 353, 17.12.90, p.48
Council Directive 1993/57/EEC	O.J. No. L 211, 23.8.93, p.1
Council Directive 1994/29/EC	O.J. No. L 189, 23.7.94, p.67
Council Directive 1995/39/EC	O.J. No. L 197, 22.8.95, p.29
Council Directive 1996/33/EC	O.J. No. L 144, 18.6.96, p.35
Council Directive 1997/41/EC	O.J. No. L 184, 12.7.97, p.33
Commission Directive 1997/71/EC	O.J. No. L 347, 18.12.97, p.42
Commission Directive 1998/82/EC	O.J. No. L 290, 29.10.98, p.25
Commission Directive 1999/65/EC	O.J. No. L 172, 8.7.99, p.40
Commission Directive 1999/71/EC	O.J. No. L 194, 27.7.99, p.36
Commission Directive 2000/24/EC	O.J. No. L 107, 4.5.00, p.28
Commission Directive 2000/42/EC	O.J. No. L 158, 30.6.00, p. 51
Commission Directive 2000/48/EC	O.J. No. L 197, 3.8.00, p. 26
Commission Directive 2000/58/EC	O.J. No. L 244, 29.9.00, p.78
Commission Directive 2000/81/EC	O.J. No. L 326, 22.12.00, p.56
Commission Directive 2000/82/EC	O.J. No. L 3, 6.1.01, p.18
Commission Directive 2001/39/EC	O.J. No. L 148, 1.6.01, p.70
Commission Directive 2001/48/EC	O.J. No. L 180, 3.7.01, p.26
Commission Directive 2001/57/EC	O.J. No. L 208, 1.8.01, p.36
Commission Directive 2002/23/EC	O.J. No. L 64, 7.3.02, p.13
Commission Directive 2002/42/EC(b)	O.J. No. L 134, 22.5.02, p.29
Commission Directive 2002/66/EC	O.J. No. L 192, 20.7.02, p.47
Commission Directive 2002/71/EC	O.J. No. L 225, 22.8.02, p.21
Commission Directive 2002/76/EC	O.J. No. L 240, 7.9.02, p.45

together with Council Directive 1986/363/EEC(c) as amended by

<i>Directive</i>	<i>Reference</i>
Council Directive 1993/57/EEC	O.J. No. L 211, 23.8.93, p.1
Council Directive 1994/29/EEC	O.J. No. L 189, 23.7.94, p.67
Council Directive 1995/39/EC	O.J. No. L 197, 22.8.95, p.29
Council Directive 1996/33/EC	O.J. No. L 144, 18.6.96, p.35
Council Directive 1997/41/EC	O.J. No. L 184, 12.7.97, p.33
Commission Directive 1997/71/EC	O.J. No. L 347, 18.12.97, p.42
Commission Directive 1998/82/EC	O.J. No. L 290, 29.10.98, p.25
Commission Directive 1999/71/EC	O.J. No. L 194, 27.7.99, p.36
Commission Directive 2000/24/EC	O.J. No. L 107, 4.5.00, p.28
Commission Directive 2000/81/EC	O.J. No. L 326, 22.12.00, p.56
Commission Directive 2000/82/EC	O.J. No. L 3, 6.1.01, p.18
Commission Directive 2001/39/EC	O.J. No. L 148, 1.6.01, p.70
Commission Directive 2001/57/EC	O.J. No. L 208, 1.8.01, p.36
Commission Directive 2002/23/EC	O.J. No. L 64, 7.3.02, p.13

(a) O.J. No. L 221, 7.8.86, p.37.

(b) As amended by Corrigendum to Commission Directive 2002/42/EC, O.J. No. L 140, 30.5.02, p.39.

(c) O.J. No. L 221, 7.8.86, p.43.

<i>Directive</i>	<i>Reference</i>
Commission Directive 2002/42/EC	O.J. No. L 134, 22.5.02, p.29
Commission Directive 2002/66/EC	O.J. No. L 192, 20.7.02, p.47
Commission Directive 2002/71/EC	O.J. No. L 225, 22.8.02, p.21

and Council Directive 1990/642/EEC(a) as amended by

<i>Directive</i>	<i>Reference</i>
Council Directive 1993/58/EEC	O.J. No. L 211, 23.8.93, p.6
Council Directive 1994/30/EC	O.J. No. L 189, 23.7.94, p.70
Council Directive 1995/38/EC	O.J. No. L 197, 22.8.95, p.14
Council Directive 1995/61/EC	O.J. No. L 292, 7.12.95, p.27
Council Directive 1996/32/EC	O.J. No. L 144, 18.6.96, p.12
Council Directive 1997/41/EC	O.J. No. L 184, 12.7.97, p.33
Commission Directive 1997/71/EC	O.J. No. L 347, 18.12.97, p.42
Commission Directive 1998/82/EC	O.J. No. L 290, 29.10.98, p.25
Commission Directive 1999/65/EC	O.J. No. L 172, 8.7.99, p.40
Commission Directive 1999/71/EC	O.J. No. L 194, 27.7.99, p.36
Commission Directive 2000/24/EC	O.J. No. L 107, 4.5.00, p.28
Commission Directive 2000/42/EC	O.J. No. L 158, 30.6.00, p. 51
Commission Directive 2000/48/EC	O.J. No. L 197, 3.8.00, p. 26
Commission Directive 2000/57/EC	O.J. No. L 244, 29.9.00, p.76
Commission Directive 2000/58/EC	O.J. No. L 244, 29.9.00, p.78
Commission Directive 2000/81/EC	O.J. No. L 326, 22.12.00, p.56
Commission Directive 2000/82/EC	O.J. No. L 3, 6.1.01, p.18
Commission Directive 2001/35/EC	O.J. No. L 136, 18.5.01, p.42
Commission Directive 2001/48/EC	O.J. No. L 180, 3.7.01, p.26
Commission Directive 2001/57/EC	O.J. No. L 208, 1.8.01, p.36
Commission Directive 2002/5/EC	O.J. No. L 34, 5.2.02, p.7
Commission Directive 2002/23/EC	O.J. No. L 64, 7.3.02, p.13
Commission Directive 2002/42/EC	O.J. No. L 134, 22.5.02, p.29
Commission Directive 2002/66/EC	O.J. No. L 192, 20.7.02, p.47
Commission Directive 2002/71/EC	O.J. No. L 225, 22.8.02, p.21
Commission Directive 2002/76/EC	O.J. No. L 240, 7.9.02, p.45

”

(a) O.J. No. L 350, 14.12.90, p.71.

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations, which extend to Scotland only, further amend the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000 (“the principal Regulations”).

The Regulations substitute a new regulation 6(b) in the principal Regulations. The new regulation 6(b)(i) provides for the sampling procedure contained in the Annex to Commission Directive 2002/63/EC to apply for the determination of pesticide residues, maximum levels for which are set by the Community. The maximum levels set by the Community are set out in Part 2 of Schedule 2 to the principal Regulations. The new regulation 6(b)(ii) provides for the sampling of pesticide residues still set nationally to be carried out, so far as is practicable, in accordance with the methods and procedures recommended by the Codex Alimentarius Commission ‘Recommended Method of Sampling for the Determination of Pesticide Residues for compliance with MRLs; CAC/GL 33 – 1999’ (regulation 2(2)).

The Regulations insert into the principal Regulations references to the pesticides bentazone, formothion, lindane, metsulfuran methyl, oxydemeton-methyl and pyriproxyfen and their residues, to reflect Commission Directives 2002/42/EC, 2002/66/EC, 2002/71/EC and 2002/76/EC (regulation 2(3)).

The Regulations amend references in the principal Regulations to the residues of the pesticides dimethoate and quintozone to reflect Commission Directives 2002/66/EC and 2002/71/EC (regulation 2(4)).

The Regulations remove certain pesticide residues, which had previously been set nationally by virtue of powers contained in the Food and Environment Protection Act 1985, from the list contained in Part 1 of Schedule 2 to the principal Regulations because they have been replaced by Community levels (regulation 2(5)).

The Regulations consolidate Part 2 of Schedule 2 to the principal Regulations to take account of changes and additions to the maximum residue levels that have been set at an EC level since the last substitution of that Part by S.S.I. 2001/84 (regulation 2(6) and Schedule 1).

That Part specifies maximum levels of pesticide residues which crops, food and feeding stuffs may contain, in implementation of Commission Directives 2002/42/EC, 2002/66/EC, 2002/71/EC and 2002/76/EC.

The Regulations also update the definition of “Residue Directives” in the principal Regulations (by substituting Schedule 5 to the principal Regulations) to incorporate—

- (a) Commission Directive 2002/42/EC (O.J. No. L 134, 22.5.02, p.29), as amended;
- (b) Commission Directive 2002/66/EC (O.J. No. L 192, 20.7.02, p.47);
- (c) Commission Directive 2002/71/EC (O.J. No. L 225, 22.8.02, p.21); and
- (d) Commission Directive 2002/76/EC (O.J. No. L 240, 7.9.02, p.45) (regulation 2(7) and Schedule 2).

Regulation 3 makes consequential amendments.

No Regulatory Impact Assessment has been produced in relation to these Regulations.