Changes to legislation: Electricity Act 1989, Cross Heading: Apparatus for testing etc. of meters is up to date with all changes known to be in force on or before 25 April 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

$^{F\,1}\,S\,C\,H\,E\,D\,U\,L\,E\,S$

SCHEDULE 7

USE ETC. OF ELECTRICITY METERS

Modifications etc. (not altering text)

- C1 Sch. 7 modified (1.11.1995) by S.I. 1995/2607, reg. 3(1)
- C1 Sch. 7 modified (30.10.2006) by The Measuring Instruments (Active Electrical Energy Meters) Regulations 2006 (S.I. 2006/1679), regs. 1(3), 28(1)-(4)
- C1 Sch. 7 modified (1.4.2009) by Energy Act 2008 (c. 32), s. 95(2)(5), 110(2); S.I. 2009/45, art. 3(b)(ii)
- C1 Sch. 7 applied (with modifications) (28.12.2016) by The Measuring Instruments Regulations 2016 (S.I. 2016/1153), reg. 1(2), Sch. 3 para. 6(1)-(4) (with regs. 3(4), 5, 67(5))

Apparatus for testing etc. of meters

- 6 (1) It shall be the duty of a person to whom this paragraph applies, that is to say, F1... a person authorised by the Director for the purposes of paragraph 5(3) above—
 - (a) to provide and maintain such apparatus for the examination, testing and regulation of meters, and such apparatus for the sealing and unsealing of meters, as may be specified by a direction of the Director;
 - (b) to use apparatus so provided and maintained to carry out such examination, testing and regulation of meters, or to seal or unseal meters in such circumstances, as may be so specified; and
 - (c) to keep such records and make such reports of things done in pursuance of paragraph (b) above as may be so specified.
 - (2) It shall also be the duty of a person to whom this paragraph applies to afford to meter examiners, acting in the exercise of [F2 functions conferred by or under] this Schedule, all necessary facilities for the use of apparatus provided and maintained in pursuance of sub-paragraph (1) above.
 - (3) If the Director considers that any person to whom this paragraph applies has made satisfactory arrangements whereby apparatus provided by some other person is available for the examination, testing or regulation of the first mentioned person's meters, the Director may direct that this paragraph shall not apply to that person to such extent as may be specified in the direction.
 - (4) Any two or more persons to whom this paragraph applies may with the approval of the Director enter and carry into effect arrangements whereby apparatus provided by one or more of the parties is to be available to all or any of them for the purposes of fulfilling their obligations under this paragraph.

F3	(5)	١																																
١.	J	,	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	

Changes to legislation: Electricity Act 1989, Cross Heading: Apparatus for testing etc. of meters is up to date with all changes known to be in force on or before 25 April 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Textual Amendments

- F1 Words in Sch. 7 para. 6(1) repealed (1.10.2001) by 2000 c. 27, ss. 52, 108, Sch. 5 para. 6(a), Sch. 8; S.I. 2001/3266, art. 2, Sch. (subject to transitional provisions in arts. 3-20)
- **F2** Words in Sch. 7 para. 6(2) substituted (1.4.2009) by Energy Act 2008 (c. 32), **ss. 96(6)**, 110(2); S.I. 2009/45, art. 3(b)(ii)
- **F3** Sch. 7 para. 6(5) repealed (1.10.2001) by 2000 c. 27, ss. 52, 108, Sch. 5 para. 6(b), **Sch. 8**; S.I. 2001/3266, art. 2, **Sch.** (subject to transitional provisions in arts. 3-20)

Changes to legislation:

Electricity Act 1989, Cross Heading: Apparatus for testing etc. of meters is up to date with all changes known to be in force on or before 25 April 2024. There are changes that may be brought into force at a future date. Changes that have been made appear in the content and are referenced with annotations.

View outstanding changes

```
Changes and effects yet to be applied to the whole Act associated Parts and Chapters:
Whole provisions yet to be inserted into this Act (including any effects on those
provisions):
      s. 4(1)(f) and word inserted by 2023 c. 52 s. 186(3)(b)
      s. 4(1)(ca) inserted by 2023 c. 52 s. 166(2)
     s. 4(1)(da) inserted by 2023 c. 52 s. 205(2)(b)
     s. 4(3H)(3I) inserted by 2023 c. 52 s. 186(4)
     s. 4(3CA) inserted by 2023 c. 52 s. 205(3)
     s. 4(3EA) inserted by 2023 c. 52 s. 205(5)
     s. 6(1)(g) and word inserted by 2023 c. 52 s. 186(7)(b)
     s. 6(1)(ea) inserted by 2023 c. 52 s. 205(8)(b)
     s. 6(2C) inserted by 2023 c. 52 s. 186(8)
     s. 6(2AA) inserted by 2023 c. 52 s. 205(9)
     s. 6(6E) inserted by 2023 c. 52 s. 205(10)
     s. 7(3GA) inserted by 2023 c. 52 s. 186(17)
     s. 7A(11B) inserted by 2023 c. 52 s. 186(18)
     s. 8A(1C) inserted by 2023 c. 52 s. 206(6)
     s. 10NA inserted by 2023 c. 52 s. 207(2)
     s. 11E(2)(d) and word inserted by 2013 c. 32 s. 138(5)(b)(iii)
     s. 11AA inserted by 2018 c. 14 s. 13(3)
     s. 15(2)(aa) inserted by S.I. 2019/93, Sch. 1 para. 3(2)(b) (as substituted) by S.I.
      2019/1245 reg. 19 (This amendment not applied to legislation.gov.uk. The affecting
      statutory instrument has no legal effect. It was made under a procedure which meant
      that it ceased to have effect 28 days after signing unless it was debated and approved
      in Parliament within that time. It was not debated and approved within 28 days, so it
      has expired with no effect.)
      s. 25(8A) inserted by 2023 c. 52 Sch. 14 para. 7(3)
     s. 44A inserted by 1992 c. 43 s. 23
      s. 44A(6)(b)(i) words substituted by 2013 c. 22 Sch. 9 para. 52
      s. 44B(1)(a)(iiia) inserted by 2023 c. 52 Sch. 17 para. 8
     s. 56C(6)(d) and word inserted by 2013 c. 32 s. 138(5)(d)(ii)
      Sch. 5A para. 2(1A) inserted by 2018 c. 14 s. 13(4)
     Sch. 6A para. 9ZA and cross-heading inserted by 2023 c. 52 Sch. 14 para. 8
```