STATUTORY INSTRUMENTS

1973 No. 2166

CLEAN AIR

The Smoke Control Areas (Exempted Fireplaces) Order 1973

Made - - - - 19th December 1973

Laid before Parliament 10th January 1974

Coming into Operation 31st January 1974

The Secretary of State for the Environment, in exercise of powers conferred by section 11(4) of the Clean Air Act 1956 and now vested in him(1), and of all other powers enabling him in that behalf, hereby orders as follows:—

Title and commencement

1. This order may be cited as the Smoke Control Areas (Exempted Fire-places) Order 1973 and shall come into operation on 31st January 1974.

Interpretation

2. The Interpretation Act 1889 shall apply for the interpretation of this order as it applies for the interpretation of an Act of Parliament.

Class of fireplace exempted from section 11 of the Clean Air Act 1956

3. The classes of fireplace described in column (1) of the schedule hereto shall, subject to the conditions specified in column (2), be exempted from the provisions of section 11 of the Clean Air Act 1956 (which empowers a local authority to declare the whole or any part of their district to be a smoke control area).

19th December 1973

Geoffrey Rippon Secretary of State for the Environment

Status: This is the original version (as it was originally made). This item of legislation is currently only available in its original format. The electronic version of this UK Statutory Instrument has been contributed by Westlaw and is taken from the printed publication. Read more

SCHEDULE

Class of Fireplace

The fireplace known as the Rayburn Prince
101 and manufactured by Glynwed Foundries
Limited

The fireplaces shall be installed, maintained and operated so as to minimise the emission of smoke and in accordance with the manufacturer's instructions. No fuel shall be used other than selected washed coal singles.

EXPLANATORY NOTE

Section 11 of the Clean Air Act 1956 empowers local authorities to declare the whole or any part of their district to be a smoke control area in which the emission of smoke is, generally, prohibited.

This Order exempts the Rayburn Prince 101 fireplace and the Rayburn Prince 301 fireplace from the provisions of that section, upon certain conditions as to proper operation.