Document Generated: 2024-04-26

Status: This version of this schedule contains provisions that are prospective. Status: This revised version has been created from an electronic version contributed by Westlaw which was originally derived from the printed publication. **Read more** (See end of Document for details)**Changes to legislation**: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Motor Vehicles (Designation of Approval Marks) Regulations 1979. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

PROSPECTIVE

SCHEDULE 3

APPROVAL MARKS REQUIRED BY ECE REGULATIONS —REQUIREMENTS AND PERMITTED VARIATIONS

1. The number shown inside the circle in a marking in column (2) of Schedule 2 will be varied, where appropriate, so as to be the number assigned by the relevant ECE Regulation to the Contracting State which granted the approval in relation to the particular vehicle or vehicle part on which the marking is placed.

Commencement Information

II Sch. 3 para. 1 in force at 1.10.1979, see reg. 1

2. The number shown outside and below the circle in any such marking will be varied, where appropriate, so as to be the number assigned by the competent authority of a Contracting State to distinguish the manufacturer of the motor vehicle or motor vehicle part concerned. The said number will be close to and outside the circle in such a position relative thereto as may be authorised by the relevant ECE Regulation, so however that it shall be read in the same direction as the number inside the circle.

Commencement Information

I2 Sch. 3 para. 2 in force at 1.10.1979, see reg. 1

3. The Roman numeral shown outside and on the left of the circle in the marking relating to item No. 3 in Schedule 2 will be varied, where appropriate, to be either I or III in cases where the motor vehicle part to which the marking relates was placed in Class I or in Class III, and not in Class II, when it was approved in accordance with the requirements of the ECE Regulation specified in column (5) of Schedule 2 in relation to that marking.

Commencement Information

I3 Sch. 3 para. 3 in force at 1.10.1979, see reg. 1

4. The number mentioned in paragraph 2 above and the Roman numeral mentioned in paragraph 3 above may be placed in any position in relation to the circle in the said marking so long as they are diametrically opposite to each other.

Commencement Information

I4 Sch. 3 para. 4 in force at 1.10.1979, see reg. 1

5. The figure following the number 24 shown outside and on the right of the circle in the marking relating to item No. 24 in Schedule 2 (which indicates the corrected absorption coefficient of the vehicle part to which that marking relates) will be varied, where appropriate, in accordance with

Status: This version of this schedule contains provisions that are prospective. Status: This revised version has been created from an electronic version contributed by Westlaw which was originally derived from the printed publication. **Read more** (See end of Document for details)**Changes to legislation:** There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Motor Vehicles (Designation of Approval Marks) Regulations 1979. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

the requirements of the ECE Regulation specified in column (5) of Schedule 2 in relation to that marking.

Commencement Information

I5 Sch. 3 para. 5 in force at 1.10.1979, see reg. 1

6. The number shown outside and on the right of the circle in the markings relating to the items numbered 8B, 8D, 8F, 8N, 20A, 20B, 20C, 20D, 20E, 20F, 20M, 20N, 31, 31A and 31D in Schedule 2 will be varied, where appropriate, in accordance with the requirements of the ECE Regulation specified in column (5) of Schedule 2 in relation to those markings.

Commencement Information

I6 Sch. 3 para. 6 in force at 1.10.1979, see reg. 1

7. The Roman numeral shown outside and on the right of the circle in the marking relating to item No. 36 in Schedule 2 will be varied, where appropriate, in cases where the vehicle to which the marking relates was placed in a class other than Class II when it was approved in accordance with the requirements of the ECE Regulation specified in column (5) of Schedule 2 in relation to that marking.

Commencement Information

I7 Sch. 3 para. 7 in force at 1.10.1979, see reg. 1

8. The arrow shown below the circle in the marking relating to item No. 6 in Schedule 2 will point right or left according to whether the category of the motor vehicle part to which the marking relates, specified in the ECE Regulation referred to in column (5) of Schedule 2 in relation to that item, is such that the said ECE Regulation requires the arrow to point right or left. The number shown above the circle in the marking relating to the said item No. 6 will be varied, where appropriate, to the numbers 1, 2a, 2b, 3 or 5 according to the requirements of the said ECE Regulation as to the minimum angle required for the light distribution and the level of illumination of the category of motor vehicle part to which that marking relates.

Commencement Information

I8 Sch. 3 para. 8 in force at 1.10.1979, see reg. 1

9. The arrow shown below the circle in the markings relating to items numbered 7, 7A and 7C in Schedule 2 will—

(1) point right in cases where the photometric specifications in the ECE Regulation referred to in column (5) of Schedule 2 in relation to those items are satisfied as to the angle specified in that ECE Regulation on the right side of the vehicle;

(2) point left in cases where the photometric specifications in the said ECE Regulation are satisfied as to the angle specified in that ECE Regulation on the left side of the vehicle; and

(3) be omitted in cases where the photometric specifications in the said ECE Regulation are satisfied as to the angle specified in that ECE Regulation on both the right and the left of the vehicle.

Document Generated: 2024-04-26

Status: This version of this schedule contains provisions that are prospective. Status: This revised version has been created from an electronic version contributed by Westlaw which was originally derived from the printed publication. **Read more** (See end of Document for details)**Changes to legislation**: There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Motor Vehicles (Designation of Approval Marks) Regulations 1979. Any changes that have already been made by the team appear in the content and are referenced with annotations. (See end of Document for details) View outstanding changes

Commencement Information

I9 Sch. 3 para. 9 in force at 1.10.1979, see reg. 1

10. The figure "1" which follows the letter "S" in the markings relating to items numbered 7B and 7C in Schedule 2 will be varied, where appropriate, to the figure "2" according to whether the category of motor vehicle part to which those markings relate has one level of illumination or two levels of illumination in accordance with the requirements of the ECE Regulation referred to in column (5) of Schedule 2 in relation to those items.

Commencement Information

I10 Sch. 3 para. 10 in force at 1.10.1979, see reg. 1

11. The marking relating to item No. 37A may be used as an alternative to the marking relating to item No. 37 where there is insufficient space to affix on the lamp the marking relating to item No. 37.

Commencement Information

II1 Sch. 3 para. 11 in force at 1.10.1979, see reg. 1

12. The number mentioned in paragraph 2 above and the additional symbol prescribed by the ECE Regulation which relates to item No. 38 in Schedule 2 may be placed in any position round the circle in the marking so long as they are diametrically opposite to each other in relation to the circle.

Commencement Information

I12 Sch. 3 para. 12 in force at 1.10.1979, see reg. 1

13. The additional symbol AR shown above the circle in the marking relating to item No. 23A in Schedule 2 must be placed close to the circle and either above or below the "E" or to the left or right of that letter.

Commencement Information

I13 Sch. 3 para. 13 in force at 1.10.1979, see reg. 1

Status:

This version of this schedule contains provisions that are prospective.

Status:

This revised version has been created from an electronic version contributed by Westlaw which was originally derived from the printed publication.

Read more

Changes to legislation:

There are outstanding changes not yet made by the legislation.gov.uk editorial team to The Motor Vehicles (Designation of Approval Marks) Regulations 1979. Any changes that have already been made by the team appear in the content and are referenced with annotations. View outstanding changes

Changes and effects yet to be applied to :

-	Sch. 3 para. 1 coming into force by S.I. 1979/1088 reg. 1
_	Sch. 3 para. 2 coming into force by S.I. 1979/1088 reg. 1
-	Sch. 3 para. 3 coming into force by S.I. 1979/1088 reg. 1
_	Sch. 3 para. 4 coming into force by S.I. 1979/1088 reg. 1
- - - -	Sch. 3 para. 5 coming into force by S.I. 1979/1088 reg. 1
_	Sch. 3 para. 6 coming into force by S.I. 1979/1088 reg. 1
_	Sch. 3 para. 7 coming into force by S.I. 1979/1088 reg. 1
_	Sch. 3 para. 8 coming into force by S.I. 1979/1088 reg. 1
_	Sch. 3 para. 9 coming into force by S.I. 1979/1088 reg. 1
_	Sch. 3 para. 10 coming into force by S.I. 1979/1088 reg. 1
-	Sch. 3 para. 11 coming into force by S.I. 1979/1088 reg. 1
_	Sch. 3 para. 12 coming into force by S.I. 1979/1088 reg. 1
_	Sch. 3 para. 13 coming into force by S.I. 1979/1088 reg. 1
-	Sch. 3 Item 36A inserted by S.I. 1982/1479 Sch.
-	Sch. 3 para. 11 substituted by S.I. 1986/369 reg. 5
-	Sch. 3 para. 7 substituted by S.I. 1997/58 reg. 4(b)
_ _ _ _ _	Sch. 3 para. 11 words inserted by S.I. 1983/1602 reg. 4(b)
-	Sch. 3 para. 9 words substituted by S.I. 1983/1602 reg. 4(a)

- Sch. 3 para. 6 words substituted by S.I. 1985/113 reg. 4

Changes and effects yet to be applied to the whole Instrument associated Parts and Chapters:

- Blanket amendment words substituted by S.I. 2011/1043 art. 3-68-10

Whole provisions yet to be inserted into this Instrument (including any effects on those provisions):

- Sch. 2 Item 43-43C inserted by S.I. 1980/2027 reg. 3
- Sch. 2 Item 16 inserted by S.I. 1980/582 reg. 3(d)
- Sch. 2 Item 24A inserted by S.I. 1981/126 reg. 3(a)
- Sch. 2 Item 44 inserted by S.I. 1981/126 reg. 3(b)
- Sch. 2 Item 11B inserted by S.I. 1981/1732 reg. 4(a)
- Sch. 2 Item 17B inserted by S.I. 1981/1732 reg. 4(b)
- Sch. 2 Item 18A inserted by S.I. 1981/1732 reg. 4(c)
- Sch. 2 Item 21A inserted by S.I. 1981/1732 reg. 4(d)
- Sch. 2 Item 3A 3B inserted by S.I. 1982/1479 Sch.
- Sch. 2 Item 12B inserted by S.I. 1982/1479 Sch.
- Sch. 2 Item 13B 13C inserted by S.I. 1982/1479 Sch.
- Sch. 2 Item 15D inserted by S.I. 1982/1479 Sch.
- Sch. 2 Item 25B 25C inserted by S.I. 1982/1479 Sch.
- Sch. 2 Item 37B 37C inserted by S.I. 1983/1602 Sch.

```
Sch. 2 Item 44A inserted by S.I. 1983/1602 Sch.
      Sch. 2 Item 50 inserted by S.I. 1983/1602 Sch.
      Sch. 2 Item 50A inserted by S.I. 1983/1602 Sch.
      Sch. 2 Item 13D 13E inserted by S.I. 1985/113 Sch.
      Sch. 2 Item 31E-31I inserted by S.I. 1985/113 Sch.
      Sch. 2 Item 54 inserted by S.I. 1985/113 Sch.
      Sch. 2 Item 14A inserted by S.I. 1986/369 Sch.
      Sch. 2 Item 27A inserted by S.I. 1986/369 Sch.
      Sch. 2 Item 37D inserted by S.I. 1986/369 Sch.
      Sch. 2 Item 48 inserted by S.I. 1986/369 Sch.
      Sch. 2 Item 16A inserted by S.I. 1989/1014 Sch.
      Sch. 2 Item 44B inserted by S.I. 1989/1014 Sch.
      Sch. 2 Item 70 inserted by S.I. 1990/1838 reg. 3
      Sch. 2 Item 14B inserted by S.I. 1993/1710 reg. 3
      Sch. 2 Item 7D inserted by S.I. 1995/3342 reg. 3
      Sch. 2 Item 36B inserted by S.I. 1997/58 Sch. 1
      Sch. 2 Item 36C inserted by S.I. 1997/58 Sch. 1
      Sch. 2 Item 44C inserted by S.I. 1997/58 Sch. 1
      Sch. 2 Item 51 inserted by S.I. 1997/58 Sch. 1
      Sch. 2 Item 51A inserted by S.I. 1997/58 Sch. 1
      Sch. 2 Item 30B inserted by S.I. 2010/313 reg. 3
      Sch. 2 Item 2 word substituted by S.I. 1980/582 reg. 3(a)
      Sch. 2 Item 3A word substituted by S.I. 1983/1602 reg. 3(a)
      Sch. 2 Item 3B word substituted by S.I. 1983/1602 reg. 3(b)
      Sch. 2 Item 13 words omitted by S.I. 1980/582 reg. 3(b)
      Sch. 2 Item 13A words substituted by S.I. 1980/582 reg. 3(c)
_
      Sch. 2 Item 37B words substituted by S.I. 1986/369 reg. 4(c)
      Sch. 2 Item 37C words substituted by S.I. 1986/369 reg. 4(c)
      Sch. 3 para. 20 added by S.I. 2010/313 reg. 4
      Sch. 3 para. 1415 inserted by S.I. 1980/582 reg. 4
      Sch. 3 para. 1617 inserted by S.I. 1981/126 reg. 4
      Sch. 3 para. 1819 inserted by S.I. 1983/1602 reg. 4(d)
      Sch. 3 para. 14(4) inserted by S.I. 1989/1014 reg. 5(c)
      Sch. 3 para. 2A inserted by S.I. 1997/58 reg. 4(a)
      Sch. 3 para. 17(4) and word inserted by S.I. 1997/58 reg. 4(c)(iii)
      Sch. 3 para. 17A inserted by S.I. 1997/58 reg. 4(d)
      Sch. 3 para. 14(3)(b)(iv)(v) and words substituted by S.I. 1989/1014 reg. 5(b)
      Sch. 3 para. 17(3)(a)(b) and word substituted by S.I. 1989/1014 reg. 6(b)
      Sch. 3 para. 17(2) word omitted by S.I. 1997/58 reg. 4(c)(i)
      Sch. 3 para. 17(3)(a) words inserted by S.I. 1997/58 reg. 4(c)(ii)
      Sch. 3 para. 17 words substituted by S.I. 1983/1602 reg. 4(c)
      Sch. 3 para. 14(1) words substituted by S.I. 1989/1014 reg. 5(a)
      Sch. 3 para. 17 words substituted by S.I. 1989/1014 reg. 6(a)
      Sch. 5 para. 11 inserted by S.I. 1980/582 reg. 6(c)
      Sch. 5 para. 10(3)(b)(vi) inserted by S.I. 1982/1479 reg. 5(b)
      Sch. 5 para. 10(3)(c) inserted by S.I. 1991/1979 reg. 4(d)
      Sch. 5 para. 10(4) inserted by S.I. 1991/1979 reg. 4(e)
      Sch. 5 para. 13-15 inserted by S.I. 1992/3086 reg. 4(3)
      Sch. 5 para. 12 inserted by S.I. 1992/634 reg. 4
      Sch. 5 para. 16-18 inserted by S.I. 1997/58 reg. 6
      Sch. 5 para. 15 words inserted by S.I. 2010/313 reg. 6
      reg. 6 inserted by S.I. 1981/1732 reg. 3
```