

---

**STATUTORY INSTRUMENTS**

---

**1985 No. 1643****CIVIL AVIATION****The Air Navigation Order 1985**

<i>Made</i>	- - - - -	30th October 1985
<i>Laid before Parliament</i>	- - - - -	7th November 1985
<i>Coming into Operation</i>	- - - - -	1st December 1985

**ARRANGEMENT OF ORDER****CITATION, COMMENCEMENT AND REVOCATION****Article**

1. Citation and commencement.
2. Revocation.

**PART I****REGISTRATION AND MARKING OF AIRCRAFT**

3. Aircraft to be registered.
4. Registration of aircraft in the United Kingdom.
5. Nationality and registration marks.

**PART II****AIR OPERATORS' CERTIFICATES**

6. Issue of air operators' certificates.

**PART III****AIRWORTHINESS AND EQUIPMENT OF AIRCRAFT**

7. Certificate of airworthiness to be in force.
8. Issue, renewal, etc., of certificates of airworthiness.
9. Certificate of maintenance review.
10. Technical log.
11. Inspection, overhaul, repair, replacement and modification.
12. Licensing of maintenance engineers.
13. Equipment of aircraft.

14. Radio equipment of aircraft.
15. Aircraft, engine and propeller log books.
16. Aircraft weight schedule.
17. Access and inspection for airworthiness purposes.

#### PART IV

##### AIRCRAFT CREW AND LICENSING

18. Composition of crew of aircraft.
19. Members of flight crew—requirement of licences.
20. Grant, renewal and effect of flight crew licences.
21. Validation of licences.
22. Personal flying log book.
23. Instruction in flying.
24. Glider pilot—minimum age.

#### PART V

##### OPERATION OF AIRCRAFT

25. Operations Manual.
26. Training Manual.
27. Public transport—operator's responsibilities.
28. Loading—public transport aircraft and suspended loads.
29. Public transport—operating conditions.
30. Aircraft registered in the United Kingdom—aerodrome operating minima.
31. Aircraft not registered in the United Kingdom—aerodrome operating minima.
32. Pre-flight action by commander of aircraft.
33. Pilots to remain at controls.
34. Public transport of passengers—duties of commander.
35. Operation of radio in aircraft.
36. Minimum navigation performance.
37. Use of flight recording systems and preservation of records.
38. Towing of gliders.
39. Towing, picking up and raising of persons and articles.
40. Dropping of articles and animals.
41. Dropping of persons.
42. Issue of Aerial Application Certificates.
43. Carriage of weapons and of munitions of war.
44. Carriage of dangerous goods.
45. Method of carriage of persons.
46. Exits and break-in markings.
47. Imperilling safety of aircraft.
48. Imperilling safety of any person or property.
49. Drunkenness in aircraft.
50. Smoking in aircraft.
51. Authority of commander of aircraft.
52. Stowaways.



## PART VI

## FATIGUE OF CREW

53. Application and interpretation of Part VI.
54. Fatigue of crew—operator's responsibilities.
55. Fatigue of crew—responsibilities of crew.
56. Flight times—responsibilities of flight crew.

## PART VII

## DOCUMENTS AND RECORDS

57. Documents to be carried.
58. Records to be kept.
59. Production of documents and records.
60. Power to inspect and copy documents and records.
61. Preservation of documents, etc.
62. Revocation, suspension, and variation of certificates, licences and other documents.
63. Offences in relation to documents and records.

## PART VIII

## CONTROL OF AIR TRAFFIC

64. Rules of the air and air traffic control.
65. Licensing of air traffic controllers, student air traffic controllers and aerodrome flight information service officers.
66. Prohibition of unlicensed air traffic controllers, student air traffic controllers and aerodrome flight information service officers.
67. Flight Information Service Manual.
68. Incapacity of air traffic controllers.
69. Power to prohibit or restrict flying.
70. Balloons, kites and airships.

## PART IX

## AERODROMES, AERONAUTICAL LIGHTS AND DANGEROUS LIGHTS

71. Aerodromes—public transport of passengers and instruction in flying.
72. Use of Government and Authority aerodromes.
73. Licensing of aerodromes.
74. Radio equipment at aerodromes.
75. Records at aerodromes.
76. Charges at aerodromes licensed for public use.
77. Use of aerodromes by aircraft of Contracting States and of the Commonwealth.
78. Noise and vibration caused by aircraft on aerodromes.
79. Aeronautical lights.
80. Dangerous lights.
81. Customs and Excise airports.
82. Aviation fuel at aerodromes.

## PART X

## GENERAL

83. Restriction with respect to carriage for hire or reward in aircraft registered outside the United Kingdom.
84. Restriction with respect to aerial photography and survey from aircraft registered outside the United Kingdom.
85. Mandatory reporting.
86. Power to prevent aircraft flying.
87. Right of access to aerodromes and other places.
88. Obstruction of persons.
89. Enforcement of directions.
90. Penalties.
91. Extra-territorial effect of the Order.
92. Application of Order to British-controlled aircraft not registered in the United Kingdom.
93. Application of Order to the Crown and visiting forces, etc.
94. Exemption from Order.
95. Appeal to County Court or Sheriff's Court.
96. Interpretation.
97. Saving.
98. Small aircraft.

## SCHEDULES

- Schedule 1—Part A. Table of General Classification of Aircraft.  
Part B. Nationality and Registration Marks of Aircraft Registered in the United Kingdom.  
Part C. Aircraft Dealer's Certificate—Conditions.
- Schedule 2—A and B Conditions.
- Schedule 3—Categories of Aircraft.
- Schedule 4—Maintenance Engineers: Privileges of Licences.
- Schedule 5—Aircraft Equipment.
- Schedule 6—Radio and Radio Navigation Equipment to be carried in Aircraft.
- Schedule 7—Aircraft, Engine and Propeller Log Books.
- Schedule 8—Areas Specified in connection with the Carriage of Flight Navigators as Members of Flight Crews or Approved Navigational Equipment on Public Transport Aircraft.
- Schedule 9—Flight Crew of Aircraft: Licences and Ratings.
- Schedule 10—Air Traffic Controllers: Ratings.
- Schedule 11—Public Transport: Operational Requirements.
- Schedule 12—Documents to be Carried by Aircraft Registered in the United Kingdom.
- Schedule 13—Penalties.

At the Court of St. James, the 30th day of October 1985

Present,

The Counsellors of State in Council

Whereas Her Majesty in pursuance of the Regency Acts 1937 to 1953, was pleased, by Letters Patent dated the 27th day of September 1985 to delegate to the Six Counsellors of State therein named or any two or more of them full power and authority during the period of Her Majesty's absence from the

United Kingdom to summon and hold on Her Majesty's behalf Her Privy Council and to signify thereat Her Majesty's approval for anything for which Her Majesty's approval in Council is required:

Now therefore, Her Majesty Queen Elizabeth The Queen Mother and His Royal Highness The Prince Edward being authorised thereto by the said Letters Patent, and in pursuance of the powers conferred by sections 60, 61, 77, 101 and 102 of the Civil Aviation Act 1982(a) and all other powers enabling Her Majesty, and by and with the advice of Her Majesty's Privy Council do on Her Majesty's behalf order, and it is hereby ordered, as follows:—

#### CITATION, COMMENCEMENT AND REVOCATION

##### *Citation and commencement*

1. This Order may be cited as the Air Navigation Order 1985 and shall come into to operation on 1st December 1985.

##### *Revocation*

2. The following Orders are hereby revoked, that is to say—

The Air Navigation Order 1980(b);

The Air Navigation (Amendment) Order 1982(c);

The Air Navigation (Second Amendment) Order 1983(d);

The Air Navigation (Third Amendment) Order 1984(e);

The Air Navigation (Fourth Amendment) Order 1985(f).

#### PART I

#### REGISTRATION AND MARKING OF AIRCRAFT

##### *Aircraft to be registered*

3.— (1) An aircraft shall not fly in or over the United Kingdom unless it is registered in:

(a) some part of the Commonwealth; or

(b) a Contracting State; or

(c) some other country in relation to which there is in force an agreement between Her Majesty's Government in the United Kingdom and the Government of that country which makes provision for the flight over the United Kingdom of aircraft registered in that country:

Provided that:

(i) a glider may fly unregistered, and shall be deemed to be registered in the United Kingdom for the purposes of articles 13, 14, 19 and 32 of this Order, on any flight which—

(a) begins and ends in the United Kingdom without passing over any other country, and

---

(a) 1982 c. 16.  
(b) S.I. 1980/1965.  
(c) S.I. 1982/161.  
(d) S.I. 1983/1905  
(e) S.I. 1984/1988.  
(f) S.I. 1985/458.

- (b) is not for the purpose of public transport or aerial work;
- (ii) any aircraft may fly unregistered on any flight which:
  - (a) begins and ends in the United Kingdom without passing over any other country, and
  - (b) is in accordance with the “B Conditions” set forth in Schedule 2 to this Order;
- (iii) this paragraph shall not apply to any kite or captive balloon.

(2) If an aircraft flies over the United Kingdom in contravention of paragraph (1) of this article in such manner or circumstances that if the aircraft had been registered in the United Kingdom an offence against this Order or any regulations made thereunder would have been committed, the like offence shall be deemed to have been committed in respect of that aircraft.

*Registration of aircraft in the United Kingdom*

4.— (1) The Authority shall be the authority for the registration of aircraft in the United Kingdom and shall keep the register on its premises and may record therein the particulars specified in paragraph (7) of this article in a legible or a non legible form so long as the recording is capable of being reproduced in a legible form.

(2) Subject to the provisions of this article, an aircraft shall not be registered or continue to be registered in the United Kingdom if it appears to the Authority that:

- (a) the aircraft is registered outside the United Kingdom and that such registration does not cease by operation of law upon the aircraft being registered in the United Kingdom; or
- (b) an unqualified person holds any legal or beneficial interest by way of ownership in the aircraft or any share therein; or
- (c) the aircraft could more suitably be registered in some other part of the Commonwealth; or
- (d) it would be inexpedient in the public interest for the aircraft to be or to continue to be registered in the United Kingdom.

(3) The following persons and no others shall be qualified to hold a legal or beneficial interest by way of ownership in an aircraft registered in the United Kingdom or a share therein—

- (a) the Crown in right of Her Majesty’s Government in the United Kingdom;
- (b) Commonwealth citizens;
- (c) citizens of the Republic of Ireland;
- (d) British protected persons;
- (e) bodies incorporated in some part of the Commonwealth and having their principal place of business in any part of the Commonwealth;
- (f) firms carrying on business in Scotland.

In this sub-paragraph “firm” has the same meaning as in the Partnership Act 1890(a).

(4) If an unqualified person residing or having a place of business in the United Kingdom holds a legal or beneficial interest by way of ownership in an aircraft, or a share therein, the Authority, upon being satisfied that the aircraft may otherwise be properly so registered, may register the aircraft in the United Kingdom. The person aforesaid shall not cause or permit the aircraft, while it is registered in pursuance of this paragraph, to be used for the purpose of public transport or aerial work.

(5) If an aircraft is chartered by demise to a person qualified as aforesaid the Authority may, whether or not an unqualified person is entitled as owner to a legal or beneficial interest therein, register the aircraft in the United Kingdom in the name of the charterer upon being satisfied that the aircraft may otherwise be properly so registered, and subject to the provisions of this article the aircraft may remain so registered during the continuation of the charter.

(6) Application for the registration of an aircraft in the United Kingdom shall be made in writing to the Authority, and shall include or be accompanied by such particulars and evidence relating to the aircraft and the ownership and chartering thereof as it may require to enable it to determine whether the aircraft may properly be registered in the United Kingdom and to issue the certificate referred to in paragraph (8) of this Article. In particular, the application shall include the proper description of the aircraft according to column 4 of the “General Classification of Aircraft” set forth in Part A of Schedule 1 to this Order.

(7) Upon receiving an application for the registration of an aircraft in the United Kingdom and being satisfied that the aircraft may properly be so registered, the Authority shall register the aircraft, wherever it may be, and shall include in the register the following particulars:

- (a) the number of the certificate;
- (b) the nationality mark of the aircraft, and the registration mark assigned to it by the Authority;
- (c) the name of the constructor of the aircraft and its designation;
- (d) the serial number of the aircraft;
- (e) (i) the name and address of every person who is entitled as owner to a legal interest in the aircraft or a share therein, or, in the case of an aircraft which is the subject of a charter by demise, the name and address of the charterer by demise; and
- (ii) in the case of an aircraft registered in pursuance of paragraph (4) or (5) of this article, an indication that it is so registered.

(8) The Authority shall furnish to the person in whose name the aircraft is registered (hereinafter in this article referred to as “the registered owner”) a certificate of registration, which shall include the foregoing particulars and the date on which the certificate was issued:

Provided that the Authority shall not be required to furnish a certificate of registration if the registered owner is the holder of an aircraft dealer’s certificate

---

(a) 1890 c. 39.

granted under this Order who has made to the Authority and has not withdrawn a statement of his intention that the aircraft is to fly only in accordance with the conditions set forth in Part C of Schedule 1 to this Order, and in that case the aircraft shall fly only in accordance with those conditions.

(9) The Authority may grant to any person qualified as aforesaid an aircraft dealer's certificate if it is satisfied that he has a place of business in the United Kingdom for buying and selling aircraft.

(10) Subject to paragraphs (4) and (5) of this article, if at any time after an aircraft has been registered in the United Kingdom an unqualified person becomes entitled to a legal or beneficial interest by way of ownership in the aircraft or a share therein, the registration of the aircraft shall thereupon become void and the certificate of registration shall forthwith be returned by the registered owner to the Authority.

(11) Any person who is the registered owner of an aircraft registered in the United Kingdom shall forthwith inform the Authority in writing of:

- (a) any change in the particulars which were furnished to the Authority upon application being made for the registration of the aircraft;
- (b) the destruction of the aircraft, or its permanent withdrawal from use;
- (c) in the case of an aircraft registered in pursuance of paragraph (5) of this article, the termination of the demise charter.

(12) Any person who becomes the owner of an aircraft registered in the United Kingdom shall within 28 days inform the Authority in writing to that effect.

(13) The Authority may, whenever it appears to it necessary or appropriate to do so for giving effect to this Part of this Order or for bringing up to date or otherwise correcting the particulars entered on the register, amend the register or, if it thinks fit, may cancel the registration of the aircraft, and shall cancel that registration if it is satisfied that there has been a change in the ownership of the aircraft.

(14) The Secretary of State may, by regulations, adapt or modify the foregoing provisions of this article as he deems necessary or expedient for the purpose of providing for the temporary transfer of aircraft to or from the United Kingdom register, either generally or in relation to a particular case or class of cases.

(15) In this article references to an interest in an aircraft do not include references to an interest in an aircraft to which a person is entitled only by virtue of his membership of a flying club and the reference in paragraph (11) of this article to the registered owner of an aircraft includes in the case of a deceased person, his legal personal representative, and in the case of a body corporate which has been dissolved, its successor.

(16) Nothing in this article shall require the Authority to cancel the registration of an aircraft if in its opinion it would be inexpedient in the public interest to do so.

(17) The registration of an aircraft which is the subject of an undischarged mortgage entered in the Register of Aircraft Mortgages kept by the Authority

pursuant to an Order in Council made under section 86 of the Civil Aviation Act 1982(a) shall not become void by virtue of paragraph (10) of this article, nor shall the Authority cancel the registration of such an aircraft pursuant to this article unless all persons shown in the Register of Aircraft Mortgages as mortgagees of that aircraft have consented to the cancellation.

*Nationality and registration marks*

5.— (1) An aircraft (other than an aircraft permitted by or under this Order to fly without being registered) shall not fly unless it bears painted thereon or affixed thereto, in the manner required by the law of the country in which it is registered, the nationality and registration marks required by that law.

(2) The marks to be borne by aircraft registered in the United Kingdom shall comply with Part B of Schedule 1 to this Order.

(3) An aircraft shall not bear any marks which purport to indicate:

- (a) that the aircraft is registered in a country in which it is not in fact registered; or
- (b) that the aircraft is a State aircraft of a particular country if it is not in fact such an aircraft, unless the appropriate authority of that country has sanctioned the bearing of such marks.

PART II

AIR OPERATORS' CERTIFICATES

*Issue of air operator's certificates*

6.— (1) An aircraft registered in the United Kingdom shall not fly on any flight for the purpose of public transport, otherwise than under and in accordance with the terms of an air operator's certificate granted to the operator of the aircraft under paragraph (2) of this article, certifying that the holder of the certificate is competent to secure that aircraft operated by him on such flights as that in question are operated safely.

(2) The Authority shall grant to any person applying therefor an air operator's certificate if it is satisfied that that person is competent, having regard in particular to his previous conduct and experience, his equipment, organisation, staffing, maintenance and other arrangements, to secure the safe operation of aircraft of the types specified in the certificate on flights of the description and for the purposes so specified. The certificate may be granted subject to such conditions as the Authority thinks fit and shall, subject to the provisions of article 62 of this Order, remain in force for the period specified in the certificate.

---

(a) 1982 c. 16.

## PART III

## AIRWORTHINESS AND EQUIPMENT OF AIRCRAFT

*Certificate of airworthiness to be in force*

7.— (1) An aircraft shall not fly unless there is in force in respect thereof a certificate of airworthiness duly issued or rendered valid under the law of the country in which the aircraft is registered, and any conditions subject to which the certificate was issued or rendered valid are complied with:

Provided that the foregoing prohibition shall not apply to flights, beginning and ending in the United Kingdom without passing over any other country, of—

- (a) a glider, if it is not being used for the public transport of passengers or aerial work;
- (b) a balloon, if it is not being used for the public transport of passengers;
- (c) a kite;
- (d) an aircraft flying in accordance with the “A Conditions” or the “B Conditions” set forth in Schedule 2 to this Order;
- (e) an aircraft flying in accordance with the conditions of a permit to fly issued by the Authority in respect of that aircraft.

(2) In the case of an aircraft registered in the United Kingdom the certificate of airworthiness referred to in paragraph (1) of this article shall be a certificate issued or rendered valid in accordance with the provisions of article 8 of this Order.

*Issue, renewal, etc., of certificates of airworthiness*

8.— (1) The Authority shall issue in respect of any aircraft a certificate of airworthiness if it is satisfied that the aircraft is fit to fly having regard to—

- (a) the design, construction, workmanship and materials of the aircraft (including in particular any engines fitted therein), and of any equipment carried in the aircraft which it considers necessary for the airworthiness of the aircraft; and
- (b) the results of flying trials, and such other tests of the aircraft as it may require:

Provided that, if the Authority has issued a certificate of airworthiness in respect of an aircraft which, in its opinion, is a prototype aircraft or a modification of a prototype aircraft, it may dispense with flying trials in the case of any other aircraft if it is satisfied that it conforms to such prototype or modification.

(2) Every certificate of airworthiness shall specify such categories as are, in the opinion of the Authority, appropriate to the aircraft in accordance with Schedule 3 to this Order and the certificate shall be issued subject to the condition that the aircraft shall be flown only for the purposes indicated in the said Schedule in relation to those categories.



(3) The Authority may issue the certificate of airworthiness subject to such other conditions relating to the airworthiness of the aircraft as it thinks fit.

(4) The certificate of airworthiness may designate the performance group to which the aircraft belongs for the purposes of the requirements referred to in article 29(1) of this Order.

(5) The Authority may, subject to such conditions as it thinks fit, issue a certificate of validation rendering valid for the purposes of this Order a certificate of airworthiness issued in respect of any aircraft under the law of any country other than the United Kingdom.

(6) Subject to the provisions of this article and of article 62 of this Order, a certificate of airworthiness or validation issued under this article shall remain in force for such period as may be specified therein, and may be renewed from time to time by the Authority for such further period as it thinks fit.

(7) A certificate of airworthiness or a certificate of validation issued in respect of an aircraft shall cease to be in force;

(a) if the aircraft, or such of its equipment as is necessary for the airworthiness of the aircraft, is overhauled, repaired or modified, or if any part of the aircraft or of such equipment is removed or is replaced, otherwise than in a manner and with material of a type approved by the Authority either generally or in relation to a class of aircraft or to the particular aircraft; or

(b) until the completion of any inspection of the aircraft or of any such equipment as aforesaid, being an inspection made for the purpose of ascertaining whether the aircraft remains airworthy and—

(i) classified as mandatory by the Authority; or

(ii) required by a maintenance schedule approved by the Authority in relation to that aircraft; or

(c) until the completion to the satisfaction of the Authority of any modification of the aircraft or of any such equipment as aforesaid, being a modification required by the Authority for the purpose of ensuring that the aircraft remains airworthy.

(8) Without prejudice to any other provision of this Order the Authority may, for the purposes of this article, accept reports furnished to it by a person whom it may approve, either absolutely or subject to such conditions as it thinks fit, as qualified to furnish such reports.

#### *Certificate of maintenance review*

9.— (1) An aircraft registered in the United Kingdom in respect of which a certificate of airworthiness in either the transport or in the aerial work category is in force shall not fly unless—

(a) the aircraft (including in particular its engines), together with its equipment and radio station, is maintained in accordance with a maintenance schedule approved by the Authority in relation to that aircraft;

(b) there is in force a certificate (in this Order referred to as a “certificate of maintenance review”) issued in respect of the aircraft in accordance

with the provisions of this article and such certificate shall certify the date on which the maintenance review was carried out and the date thereafter when the next review is due.

(2) The approved maintenance schedule referred to in paragraph (1) of this article shall specify the occasions on which a review must be carried out for the purpose of issuing a certificate of maintenance review.

(3) A certificate of maintenance review may be issued for the purposes of this article only by—

- (a) the holder of an aircraft maintenance engineer's licence:
  - (i) granted under this Order being a licence which entitles him to issue that certificate, or
  - (ii) granted under the law of a country other than the United Kingdom and rendered valid under this Order in accordance with the privileges endorsed on the licence, or
  - (iii) granted under the law of any such country as may be prescribed in accordance with the privileges endorsed on the licence and subject to any conditions which may be prescribed; or
- (b) a person whom the Authority has authorised to issue a certificate of maintenance review in a particular case, and in accordance with that authority; or
- (c) a person approved by the Authority as being competent to issue such certificates, and in accordance with that approval:

Provided that, in approving a maintenance schedule, the Authority may direct that certificates of maintenance review relating to that schedule, or to any part thereof specified in its direction, may be issued only by the holder of such a licence as is so specified.

(4) A person referred to in paragraph (3) of this article shall not issue a certificate of maintenance review unless he has first verified that—

- (a) maintenance has been carried out on the aircraft in accordance with the maintenance schedule approved for that aircraft; and
- (b) inspections and modifications required by the Authority as provided in article 8 of this Order have been completed as certified in the relevant certificate of release to service issued in accordance with article 11 of this Order; and
- (c) defects entered in the technical log of the aircraft in accordance with article 10 of this Order have been rectified or the rectification thereof has been deferred in accordance with procedures approved by the Authority; and
- (d) certificates of release to service have been issued in accordance with article 11 of this Order;

and for this purpose the operator of the aircraft shall make available to that person such information as is necessary.

(5) A certificate of maintenance review shall be issued in duplicate. One copy of the most recently issued certificate shall be carried in the aircraft when article 57 of this Order so requires, and the other shall be kept by the operator elsewhere than in the aircraft.

(6) Subject to the provisions of article 61 of this Order, each certificate of maintenance review shall be preserved by the operator of the aircraft for a period of two years after it has been issued.

*Technical log*

**10.—** (1) A technical log shall be kept in respect of an aircraft registered in the United Kingdom being an aircraft in respect of which a certificate of airworthiness in either the transport or in the aerial work category is in force.

(2) At the end of every flight by an aircraft to which the provisions of this article apply the commander of the aircraft shall enter—

- (a) the times when the aircraft took off and landed; and
- (b) particulars of any defect which is known to him and which affects the airworthiness or safe operation of the aircraft, or if no such defect is known to him, an entry to that effect; and
- (c) such other particulars in respect of the airworthiness or operation of the aircraft as the Authority may require,

in a technical log, or, in the case of an aircraft of which the maximum total weight authorised does not exceed 2,730 kg. and which is not operated by a person who is the holder of or is required by article 6(1) of this Order to hold an air operator's certificate, in such other record as the Authority shall approve and he shall sign and date such entries:

Provided that in the case of a number of consecutive flights each of which begins and ends—

- (a) within the same period of 24 hours; and
- (b) at the same aerodrome, except where each such flight is for the purpose of dropping or projecting any material for agricultural, public health or similar purposes; and
- (c) with the same person as commander of the aircraft,

the commander of an aircraft may, except where he becomes aware of a defect during an earlier flight, make the entries as aforesaid in a technical log at the end of the last of such consecutive flights.

(3) Upon the rectification of any defect which has been entered in a technical log in accordance with paragraph 2 of this article a person issuing a certificate of release to service required by article 11 of this Order in respect of that defect shall enter the certificate in the technical log in such a position as to be readily identifiable with the defect to which it relates.

(4) The technical log referred to in this article shall be carried in the aircraft when article 57 of this Order so requires and copies of the entries referred to in this article shall be kept on the ground:

Provided that, in the case of an aeroplane of which the maximum total weight authorised does not exceed 2,730 kg., or a helicopter, if it is not reasonably practicable for the copy of the technical log to be kept on the ground it may be carried in the aeroplane or helicopter, as the case may be, in a box approved by the Authority for that purpose.

*Inspection, overhaul, repair, replacement and modification*

11.— (1) Except as provided in paragraph (2) of this article an aircraft registered in the United Kingdom, being an aircraft in respect of which a certificate of airworthiness issued or rendered valid under this Order is in force, shall not fly unless there is in force a certificate of release to service issued in accordance with this article if the aircraft or any part of the aircraft or such of its equipment as is necessary for the airworthiness of the aircraft has been overhauled, repaired, replaced, modified, maintained, or has been inspected as provided in article 8(7)(b) of this Order, as the case may be:

Provided that if a repair or replacement of a part of an aircraft or its equipment is carried out when the aircraft is at such a place that it is not reasonably practicable—

- (a) for the repair or replacement to be carried out in such a manner that a certificate of release to service can be issued under this article in respect thereof; or
- (b) for such certificate to be issued while the aircraft is at that place,

it may fly to a place at which such a certificate can be issued, being the nearest place:

- (i) to which the aircraft can, in the reasonable opinion of the commander thereof, safely fly by a route for which it is properly equipped; and
- (ii) to which it is reasonable to fly having regard to any hazards to the liberty or health of any person on board;

and in such case the commander of the aircraft shall cause written particulars of the flight, and the reasons for making it, to be given to the Authority within ten days thereafter.

(2) Nothing in paragraph (1) of this article shall require a certificate of release to service to be in force in respect of an aircraft of which the maximum total weight authorised does not exceed 2,730 kg. and in respect of which a certificate of airworthiness of the special category is in force, unless the Authority gives a direction to the contrary in a particular case.

(3) Nothing in paragraph (1) of this article shall prevent an aircraft in respect of which there is in force a certificate of airworthiness in the private or special categories and whose maximum total weight authorised does not exceed 2,730 kg. from flying if the only repairs or replacements in respect of which a certificate of release to service is not in force are of such a description as may be prescribed and have been carried out personally by the owner or operator of the aircraft being the holder of a pilot's licence granted or rendered valid under this Order. In that event the owner or operator, as the case may be, of the aircraft, shall keep in the aircraft log book kept in respect of the aircraft pursuant to article 15 of this Order a record which identifies the repair or replacement and shall sign and date the entries and, subject to the provisions of article 61 of this Order, shall preserve the log book for the period specified in article 15 of this Order. Any equipment or parts used in carrying out such repairs or replacements shall be of a type approved by the Authority whether generally or in relation to a class of aircraft or one particular aircraft.

(4) Neither—

- (a) equipment provided in compliance with Schedule 5 to this Order (except paragraph (3) thereof); nor
- (b) radio apparatus provided for use in an aircraft or in any survival craft carried in an aircraft, whether or not such apparatus is provided in compliance with this Order or any regulations made thereunder,

shall be installed or placed on board for use in an aircraft registered in the United Kingdom after being overhauled, repaired, modified or inspected, unless there is in force in respect thereof at the time when it is installed or placed on board a certificate of release to service issued in accordance with this article.

(5) A certificate of release to service shall—

- (a) certify that the aircraft or any part thereof or its equipment has been overhauled, repaired, replaced, modified or maintained, as the case may be, in a manner and with material of a type approved by the Authority either generally or in relation to a class of aircraft or the particular aircraft and shall identify the overhaul, repair, replacement, modification or maintenance to which the certificate relates and shall include particulars of the work done;
- (b) certify in relation to any inspection required by the Authority that the aircraft or the part thereof or its equipment, as the case may be, has been inspected in accordance with the requirements of the Authority and that any consequential repair, replacement or modification has been carried out as aforesaid.

(6) A certificate of release to service may be issued for the purposes of this article only by—

- (a) the holder of an aircraft maintenance engineer's licence:
  - (i) granted under this Order, being a licence which entitles him to issue that certificate; or
  - (ii) granted under the law of a country other than the United Kingdom and rendered valid under this Order, in accordance with the privileges endorsed on the licence; or
  - (iii) granted under the law of any such country as may be prescribed in accordance with the privileges endorsed on the licence and subject to any conditions which may be prescribed; or
- (b) the holder of an aircraft maintenance engineer's licence or authorisation as such an engineer granted or issued by or under the law of any Contracting State other than the United Kingdom in which the overhaul, repair, replacement, modification or inspection has been carried out, but only in respect of aircraft of which the maximum total weight authorised does not exceed 2,730 kg. and in accordance with the privileges endorsed on the licence; or
- (c) a person approved by the Authority as being competent to issue such certification, and in accordance with that approval; or
- (d) a person whom the Authority has authorised to issue the certificate in a particular case, and in accordance with that authority; or
- (e) in relation only to the adjustment and compensation of direct reading magnetic compasses, the holder of an Airline Transport Pilot's Licence (Aeroplanes), a Senior Commercial Pilot's Licence (Aeroplanes) or a Flight Navigator's Licence granted or rendered valid under this Order.

(7) Subject to the provisions of article 61 of this Order, a certificate of release to service shall be preserved by the operator of the aircraft to which it relates for the period of time for which he is required to preserve the log book relating to the same part of the aircraft or to the same equipment or apparatus as the case may be.

(8) In this article, the expression "repair" includes in relation to a compass the adjustment and compensation thereof and the expression "repaired" shall be construed accordingly.

#### *Licensing of maintenance engineers*

**12.—** (1) The Authority shall grant aircraft maintenance engineers' licences, subject to such conditions as it thinks fit, of a category specified in Schedule 4 to this Order, upon its being satisfied that the applicant is a fit person to hold the licence and has furnished such evidence and passed such examinations and tests as the Authority may require of him for the purpose of establishing that he has sufficient knowledge, experience, competence and skill in aeronautical engineering.

(2) The Authority may include in a licence of any category a rating, subject to such conditions as it thinks fit, specifying a type of aircraft or equipment, upon being satisfied as aforesaid that the applicant is qualified to issue the certificates specified in Schedule 4 in relation to that category in respect of aircraft or equipment of that type, and a rating shall be deemed to form part of the licence.

(3) A licence of any category shall, subject to any conditions included in the licence, entitle the holder to issue the certificates specified in Schedule 4 in relation to that category in respect of aircraft or equipment of a type specified in a rating included in the licence.

(4) A licence shall, subject to the provisions of article 62 of this Order, remain in force for the period specified therein, not exceeding two years, but may be renewed by the Authority from time to time upon its being satisfied that the applicant is a fit person and is qualified as aforesaid.

(5) The Authority may issue a certificate rendering valid for the purposes of this Order any licence as an aircraft maintenance engineer or aircraft radio maintenance engineer granted under the law of any country other than the United Kingdom. Such certificate may be issued subject to such conditions, and for such period, as the Authority thinks fit.

(6) Upon receiving a licence granted under this article, the holder shall forthwith sign his name thereon in ink with his ordinary signature.

#### *Equipment of aircraft*

**13.—** (1) An aircraft shall not fly unless it is so equipped as to comply with the law of the country in which it is registered, and to enable lights and markings to be displayed, and signals to be made, in accordance with this Order and any regulations made thereunder.

(2) In the case of aircraft registered in the United Kingdom the equipment required to be provided (in addition to any other equipment required by or

under this Order) shall be that specified in such parts of Schedule 5 to this Order as are applicable in the circumstances and shall comply with the provisions of that Schedule. The equipment, except that specified in paragraph 3 of the said Schedule, shall be of a type approved by the Authority either generally or in relation to a class of aircraft or in relation to that aircraft and shall be installed in a manner so approved.

(3) In any particular case the Authority may direct that an aircraft registered in the United Kingdom shall carry such additional or special equipment or supplies as it may specify for the purpose of facilitating the navigation of the aircraft, the carrying out of search and rescue operations, or the survival of the persons carried in the aircraft.

(4) The equipment carried in compliance with this article shall be so installed or stowed and kept stowed, and so maintained and adjusted, as to be readily accessible and capable of being used by the person for whose use it is intended.

(5) The position of equipment provided for emergency use shall be indicated by clear markings in or on the aircraft. In particular in every public transport aircraft registered in the United Kingdom there shall be—

- (a) provided individually for each passenger; or
- (b) if the Authority so permits in writing, exhibited in a prominent position in every passenger compartment—

a notice relevant to the aircraft in question containing pictorial:—

- (i) instructions on the brace position to be adopted in the event of an emergency landing;
- (ii) instructions on the method of use of the safety belts and safety harnesses as appropriate;
- (iii) information as to where emergency exits are to be found and instructions as to how they are to be used;
- (iv) information as to where the life-jackets, escape slides, life-rafts and oxygen masks, if required to be provided by paragraph (2) of this article, are to be found and instructions as to how they are to be used.

(6) All equipment installed or carried in an aircraft, whether or not in compliance with this article, shall be so installed or stowed and so maintained and adjusted as not to be a source of danger in itself or to impair the airworthiness of the aircraft or the proper functioning of any equipment or services necessary for the safety of the aircraft.

(7) Without prejudice to paragraph (2) of this article, all navigational equipment (other than radio apparatus) of any of the following types, namely—

- (a) equipment capable of establishing the aircraft's position in relation to its position at some earlier time by computing and applying the resultant of the acceleration and gravitational forces acting upon it, and
- (b) equipment capable of establishing automatically the altitude and relative bearing of selected celestial bodies,

when carried in an aircraft registered in the United Kingdom (whether or not in compliance with this Order or any regulations made thereunder) shall be of a

type approved by the Authority either generally or in relation to a class of aircraft or in relation to that aircraft and shall be installed in a manner so approved.

(8) This article shall not apply in relation to radio apparatus except that specified in Schedule 5 to this Order.

*Radio equipment of aircraft*

14.— (1) An aircraft shall not fly unless it is so equipped with radio and radio navigation equipment as to comply with the law of the country in which the aircraft is registered and to enable communications to be made and the aircraft to be navigated, in accordance with the provisions of this Order and any regulations made thereunder.

(2) Without prejudice to paragraph (1) of this article, the aircraft shall be equipped with radio and radio navigation equipment in accordance with Schedule 6 to this Order.

(3) In any particular case the Authority may direct that an aircraft registered in the United Kingdom shall carry such additional or special radio or radio navigation equipment as it may specify for the purpose of facilitating the navigation of the aircraft, the carrying out of search and rescue operations or the survival of the persons carried in the aircraft.

(4) Subject to such exceptions as may be prescribed the radio and radio navigation equipment provided in compliance with this article in an aircraft registered in the United Kingdom shall always be maintained in serviceable condition.

(5) All radio and radio navigation equipment installed in an aircraft registered in the United Kingdom or carried on such an aircraft for use in connection with the aircraft (whether or not in compliance with this Order or any regulations made thereunder) shall be of a type approved by the Authority in relation to the purpose for which it is to be used, and shall, except in the case of a glider which is permitted by article 3(1) of this Order to fly unregistered, be installed in a manner approved by the Authority. Neither the equipment nor the manner in which it is installed shall be modified except with the approval of the Authority.

*Aircraft, engine and propeller log books*

15.— (1) In addition to any other log books required by or under this Order, the following log books shall be kept in respect of aircraft registered in the United Kingdom—

- (a) an aircraft log book; and
- (b) a separate log book in respect of each engine fitted in the aircraft; and
- (c) a separate log book in respect of each variable pitch propeller fitted to the aircraft.

The log books shall include the particulars respectively specified in Schedule 7 to this Order and in the case of an aircraft having a maximum total weight authorised not exceeding 2,730 kg. shall be of a type approved by the Authority.



- (2) (a) Each entry in the log book, other than such an entry as is referred to in sub-paragraphs 2(d)(ii) or 3(d)(ii) of Schedule 7 to this Order, shall be made as soon as practicable after the occurrence to which it relates, but in no event more than 7 days after the expiration of the certificate of maintenance review (if any) in force in respect of the aircraft at the time of the occurrence;
- (b) Each entry in the log book, being such an entry as is referred to in sub-paragraphs 2(d)(ii) or 3(d)(ii) of Schedule 7 to this Order shall be made upon each occasion that any maintenance, overhaul, repair, replacement, modification or inspection is undertaken on the engine or propeller as the case may be.
- (3) Entries in a log book may refer to other documents, which shall be clearly identified, and any other documents so referred to shall be deemed, for the purposes of this Order, to be part of the log book.
- (4) It shall be the duty of the operator of every aircraft in respect of which log books are required to be kept as aforesaid to keep them or cause them to be kept in accordance with the foregoing provisions of this article.
- (5) Subject to the provisions of article 61 of this Order every log book shall be preserved by the operator of the aircraft until a date two years after the aircraft, the engine or the variable pitch propeller, as the case may be, has been destroyed or has been permanently withdrawn from use.

#### *Aircraft weight schedule*

- 16.— (1) Every flying machine and glider in respect of which a certificate of airworthiness issued or rendered valid under this Order is in force shall be weighed, and the position of its centre of gravity determined, at such times and in such manner as the Authority may require or approve in the case of that aircraft.
- (2) Upon the aircraft being weighed as aforesaid the operator of the aircraft shall prepare a weight schedule showing—
- (a) either the basic weight of the aircraft, that is to say, the weight of the aircraft empty together with the weight of unusable fuel and unusable oil in the aircraft and of such items of equipment as are indicated in the weight schedule, or such other weight as may be approved by the Authority in the case of that aircraft; and
- (b) either the position of the centre of gravity of the aircraft when the aircraft contains only the items included in the basic weight or such other position of the centre of gravity as may be approved by the Authority in the case of that aircraft.
- (3) Subject to the provisions of article 61 of this Order the weight schedule shall be preserved by the operator of the aircraft until the expiration of a period of 6 months following the next occasion on which the aircraft is weighed for the purposes of this article.

#### *Access and inspection for airworthiness purposes*

17. The Authority may cause such inspections, investigations, tests, experi-

ments and flight trials to be made as it deems necessary for the purposes of this Part of this Order and any person authorised to do so in writing by the Authority may at any reasonable time inspect any part of, or material intended to be incorporated in or used in the manufacture of any part of, an aircraft or its equipment or any documents relating thereto and may for that purpose go upon any aerodrome or enter any aircraft factory.

#### PART IV

##### AIRCRAFT CREW AND LICENSING

###### *Composition of crew of aircraft*

18.— (1) An aircraft shall not fly unless it carries a flight crew of the number and description required by the law of the country in which it is registered.

(2) An aircraft registered in the United Kingdom shall carry a flight crew adequate in number and description to ensure the safety of the aircraft and of at least the number and description specified in the certificate of airworthiness issued or rendered valid under this Order or, if no certificate of airworthiness is required under this Order to be in force, the certificate of airworthiness, if any, last in force under this Order, in respect of that aircraft.

(3) A flying machine registered in the United Kingdom and flying for the purpose of public transport having a maximum total weight authorised exceeding 5,700 kg. shall carry not less than two pilots as members of the flight crew thereof.

(4) An aircraft registered in the United Kingdom engaged on a flight for the purpose of public transport shall carry—

- (a) a flight navigator as a member of the flight crew; or
- (b) navigational equipment approved by the Authority and used in accordance with any conditions subject to which that approval may have been given,

if on the route or any diversion therefrom, being a route or diversion planned before take-off, the aircraft is intended to be more than 500 nautical miles from the point of take-off measured along the route to be flown, and to pass over part of an area specified in Schedule 8 to this Order.

The flight navigator carried in compliance with this article shall be carried in addition to any person who is carried in accordance with this article to perform other duties.

(5) An aircraft registered in the United Kingdom which is required by the provisions of article 14 of this Order to be equipped with radio communication apparatus shall carry a flight radio operator as a member of the flight crew, who, if he is required to operate radiotelegraph apparatus, shall be carried in addition to any other person who is carried in accordance with this article to perform other duties.

(6) If it appears to it to be expedient to do so in the interests of safety, the Authority may direct any particular operator of any aircraft registered in the United Kingdom that the aircraft operated by him or any such aircraft shall not fly in such circumstances as the Authority may specify unless those aircraft

carry in addition to the flight crew required to be carried therein by the foregoing provisions of this article such additional persons as members of the flight crew as it may specify in the direction.

- (7) (a) When an aircraft registered in the United Kingdom carries 20 or more passengers on a flight for the purposes of public transport, the crew of the aircraft shall include cabin attendants carried for the purposes of performing in the interest of the safety of passengers duties to be assigned by the operator or the person in command of the aircraft but who shall not act as members of the flight crew.
- (b) The Authority may give a direction to the operator of any aircraft registered in the United Kingdom requiring him to include among the crew thereof whenever the aircraft is flying for the purpose of public transport at least one cabin attendant, notwithstanding that the aircraft may be carrying fewer than 20 passengers.
- (c) In the case of an aircraft with a total seating capacity of not more than 200, the number of cabin attendants carried on such a flight as is mentioned in sub-paragraph (a) of this article, shall be not less than one cabin attendant for every 50, or fraction of 50, passengers carried.
- (d) In the case of an aircraft with a total seating capacity of more than 200, the number of cabin attendants carried on such a flight as aforesaid, shall be not less than half the number of main exits in the aircraft, and in addition, when more than 200 passengers are carried, one additional cabin attendant for every 25, or fraction of 25, of such passengers:

Provided that, if the number of cabin attendants, calculated in accordance with this sub-paragraph, exceeds the number of main exits in the aircraft, it shall be sufficient compliance with this article if the number of cabin attendants carried is equal to the number of main exits in the aircraft.

- (e) For the purposes of this paragraph a main exit means an exit in the side of the aircraft at floor level intended for the disembarkation of passengers whether normally or in an emergency.

*Members of flight crew—requirement of licences*

**19.**— (1) Subject to the provisions of this article, a person shall not act as a member of the flight crew of an aircraft registered in the United Kingdom unless he is the holder of an appropriate licence granted or rendered valid under this Order:

Provided that a person may within the United Kingdom, the Channel Islands and the Isle of Man without being the holder of such a licence—

- (a) act as a flight radiotelephony operator if—
- (i) he does so as the pilot of a glider not flying for the purpose of public transport or aerial work, or as a person being trained in an aircraft registered in the United Kingdom to perform duties as a member of the flight crew of an aircraft; and
- (ii) he is authorised to operate the radiotelephony station by the holder of the licence granted in respect of that station under any enactment; and

- (iii) messages are transmitted only for the purposes of instruction, or of the safety or navigation of the aircraft; and
  - (iv) messages are transmitted only on a frequency exceeding 60 MHz assigned by the Authority for use on flights on which a flight radiotelephony operator acts in one of the capacities specified in paragraph (i) of this proviso; and
  - (v) the transmitter is pre-set to one or more of the frequencies so assigned and cannot be adjusted in flight to any other frequency; and
  - (vi) the operation of the transmitter requires the use only of external switches; and
  - (vii) the stability of the frequency radiated is maintained automatically by the transmitter;
- (b) subject to the provisions of article 20(8) of this Order, act as pilot in command of an aircraft for the purpose of becoming qualified for the grant or renewal of a pilot's licence or the inclusion or variation of any rating in a pilot's licence if—
- (i) he is at least 17 years of age; and
  - (ii) he is the holder of a valid medical certificate to the effect that he is fit so to act issued by a person approved by the Authority; and
  - (iii) he complies with any conditions subject to which that medical certificate was issued; and
  - (iv) no other person is carried in the aircraft; and
  - (v) the aircraft is not flying for the purpose of public transport or aerial work other than aerial work which consists of the giving of instruction in flying or the conducting of flying tests; and
  - (vi) he so acts in accordance with instructions given by a person holding a pilot's licence granted under this Order being a licence which includes a flying instructor's rating or an assistant flying instructor's rating entitling him to give instruction in flying the type of aircraft being flown.
- (2) Subject as aforesaid, a person shall not act as a member of the flight crew required by or under this Order to be carried in an aircraft registered in a country other than the United Kingdom unless—
- (a) in the case of an aircraft flying for the purpose of public transport or aerial work he is the holder of an appropriate licence granted or rendered valid under the law of the country in which the aircraft is registered; or
  - (b) in the case of any other aircraft, he is the holder of an appropriate licence granted or rendered valid under the law of the country in which the aircraft is registered or under this Order, and the Authority does not in the particular case give a direction to the contrary.
- (3) For the purposes of this article, a licence granted under the law of a Contracting State other than the United Kingdom or under the law of a relevant overseas territory purporting to authorise the holder thereof to act as a member of the flight crew of an aircraft, not being a licence purporting to authorise him to act as a student pilot only, shall, unless the Authority in the

particular case gives a direction to the contrary, be deemed to be a licence rendered valid under this Order but does not entitle the holder—

- (a) to act as a member of the flight crew of any aircraft flying for the purpose of public transport or aerial work or on any flight in respect of which he receives remuneration for his services as a member of the flight crew; or
- (b) in the case of a pilot's licence, to act as pilot of any aircraft flying in controlled airspace in circumstances requiring compliance with the Instrument Flight Rules or to give any instruction in flying.

(4) Notwithstanding the provisions of paragraph (1) of this article, a person may, unless the certificate of airworthiness in force in respect of the aircraft otherwise requires, act as pilot of an aircraft registered in the United Kingdom for the purpose of undergoing training or tests for the grant or renewal of a pilot's licence or for the inclusion, renewal or extension of a rating therein without being the holder of an appropriate licence, if the following conditions are complied with—

- (i) no other person shall be carried in the aircraft or in an aircraft being towed thereby except a person carried as a member of the flight crew in compliance with this Order, a person authorised by the Authority to witness the aforesaid training or tests or to conduct the aforesaid tests, or, if the pilot in command of the aircraft is the holder of an appropriate licence, a person carried for the purpose of being trained or tested as a member of the flight crew of an aircraft; and
- (ii) the person acting as the pilot of the aircraft without being the holder of an appropriate licence either—
  - (a) within the period of 6 months immediately preceding was serving as a qualified pilot of aircraft in any of Her Majesty's naval, military or air forces, and his physical condition has not, so far as he is aware, so deteriorated during that period as to render him unfit for the licence for which he intends to qualify; or
  - (b) holds a pilot's, a flight navigator's or a flight engineer's licence granted under article 20 of this Order and the purpose of the training or test is to enable him to qualify under this Order for the grant of a pilot's licence or for the inclusion of an additional type in the aircraft rating in his licence and he acts under the supervision of a person who is the holder of an appropriate licence.

(5) Notwithstanding the provisions of paragraph (1) of this article, a person may act as a member of the flight crew (otherwise than as a pilot) of an aircraft registered in the United Kingdom for the purposes of undergoing training or tests for the grant or renewal of a flight navigator's, or a flight engineer's licence or for the inclusion, renewal or extension of a rating thereon, without being the holder of an appropriate licence if he acts under the supervision and in the presence of another person who is the holder of the type of licence or rating for which the person undergoing the training or tests is being trained or tested.

(6) Notwithstanding the provisions of paragraph (1) of this article, a person may act as a member of the flight crew of an aircraft registered in the United Kingdom without being the holder of an appropriate licence if, in so doing, he

is acting in the course of his duty as a member of any of Her Majesty's naval, military or air forces.

(7) An appropriate licence for the purposes of this article means a licence which entitles the holder to perform the functions which he undertakes in relation to the aircraft concerned and the flight on which it is engaged.

(8) This article shall not require a licence to be held by a person by reason of his acting as a member of the flight crew of a glider unless—

- (a) he acts as a flight radio operator; or
- (b) the flight is for the purpose of public transport or aerial work, other than aerial work which consists of the giving of instruction in flying in a glider owned or operated by a flying club of which the person giving and the person receiving instruction are both members.

(9) Notwithstanding anything in this article—

- (i) the holder of a licence granted or rendered valid under this Order, being a licence endorsed to the effect that the holder does not satisfy in full the relevant international standard, shall not act as a member of the flight crew of an aircraft registered in the United Kingdom in or over the territory of a Contracting State other than the United Kingdom, except in accordance with permission granted by the competent authorities of that State;
- (ii) the holder of a licence granted or rendered valid under the law of a Contracting State other than the United Kingdom, being a licence endorsed as aforesaid, shall not act as a member of the flight crew of any aircraft in or over the United Kingdom except in accordance with permission granted by the Authority, whether or not the licence is or is deemed to be rendered valid under this Order.

*Grant, renewal and effect of flight crew licences*

- 20.— (1) (a) The Authority shall grant licences, subject to such conditions as it thinks fit, of any of the classes specified in Part A of Schedule 9 to this Order authorising the holder to act as a member of the flight crew of an aircraft registered in the United Kingdom, upon its being satisfied that the applicant is a fit person to hold the licence, and is qualified by reason of his knowledge, experience, competence, skill, physical and mental fitness to act in the capacity to which the licence relates, and for that purpose the applicant shall furnish such evidence and undergo such examinations and tests (including in particular medical examinations) as the Authority may require of him.
- (b) A licence of any class shall not be granted to any person who is under the minimum age specified for that class of licence in Part A of the said Schedule.
  - (c) A licence granted under this article shall not be valid unless it bears thereon the ordinary signature of the holder in ink.
  - (d) A licence shall, subject to the provisions of article 62 of this Order, remain in force for the periods indicated in the licence, not exceeding those respectively specified in the said Schedule, and may be renewed by the Authority from time to time upon its being satisfied that the

applicant is a fit person and qualified as aforesaid. If no period is indicated in the licence it shall remain in force, subject as aforesaid, for the lifetime of the holder.

(2) The Authority may include in a licence a rating, subject to such conditions as it thinks fit, of any of the classes specified in Part B of the said Schedule, upon its being satisfied that the applicant is qualified as aforesaid to act in the capacity to which the rating relates, and such rating shall be deemed to form part of the licence.

(3) Subject to any conditions of the licence and to the provisions of this Order, a licence of any class shall entitle the holder to perform the functions specified in respect of that licence in Part A of the said Schedule under the heading "privileges", and a rating of any class shall entitle the holder of the licence in which such rating is included to perform the functions specified in respect of that rating in Part B of the said Schedule.

(4) (a) Subject to the provisions of sub-paragraph (c) of this paragraph, the holder of a pilot's licence or a flight engineer's licence shall not be entitled to exercise the privileges of an aircraft rating contained in the licence on a flight unless the licence bears a valid certificate of test or a valid certificate of experience, which certificate shall in either case be appropriate to the functions he is to perform on that flight in accordance with Part C of the said Schedule and shall otherwise comply with that Part:

Provided that the holder of a Private Pilot's Licence (Balloons and Airships) or a Commercial Pilot's Licence (Balloons) shall be entitled to exercise the privileges of an aircraft rating contained in the licence on a flight when the licence does not bear such a certificate.

(b) The holder of a flight navigator's licence shall not be entitled to perform functions on a flight to which article 18(4) of this Order applies unless the licence bears a valid certificate of experience which certificate shall be appropriate to the functions he is to perform on that flight in accordance with Part C of Schedule 9 and shall otherwise comply with that Part.

(c) The holder of a Private Pilot's Licence shall not be entitled to exercise the privileges of an aircraft rating contained in the licence on a flight unless the certificate of test or certificate of experience required by sub-paragraph (a) of this paragraph is included in the personal flying log book required to be kept by him under article 22 of this Order.

(5) A person shall not be entitled to perform the functions to which an instrument rating (aeroplanes), an instrument rating (helicopters), a flying instructor's rating, an assistant flying instructor's rating, or an instrument meteorological conditions rating (aeroplanes) relates unless his licence bears a valid certificate of test which certificate shall be appropriate to the functions to which the rating relates in accordance with Part C of the said Schedule and shall otherwise comply with that Part.

(6) A person who, on the last occasion when he took a test for the purposes of paragraphs (4) or (5) of this article, failed that test shall not be entitled to fly in the capacity for which that test would have qualified him had he passed it.

(7) (a) The holder of a licence, other than a flight radiotelephony operator's

licence, granted under this article shall not be entitled to perform any of the functions to which his licence relates unless it includes a valid medical certificate.

- (b) Every applicant for or holder of such a licence shall upon such occasions as the Authority may require submit himself to medical examination by a person approved by the Authority either generally or in a particular case or class of case who shall make a report to the Authority in such form as the Authority may require.
- (c) On the basis of such medical examination, the Authority or any person approved by it as competent to do so may issue a medical certificate subject to such conditions as it or he thinks fit to the effect that it or he has assessed the holder of the licence as fit to perform the functions to which the licence relates. The certificate shall, without prejudice to paragraph (8) of this article, be valid for such period as is therein specified and shall be deemed to form part of the licence.
- (8) (a) A person shall not be entitled to act as a member of the flight crew of an aircraft registered in the United Kingdom if he knows or suspects that his physical or mental condition renders him temporarily or permanently unfit to perform such functions or to act in such capacity.
- (b) Every holder of a medical certificate issued under article 19 or 20 of this Order who—
- (i) suffers any personal injury involving incapacity to undertake his functions as a member of the flight crew; or
  - (ii) suffers any illness involving incapacity to undertake those functions throughout a period of 20 days or more; or
  - (iii) in the case of a woman, has reason to believe that she is pregnant
- shall inform the Authority in writing of such injury, illness or pregnancy, as soon as possible in the case of injury or pregnancy, and as soon as the period of 20 days has elapsed in the case of illness. The medical certificate shall be deemed to be suspended upon the occurrence of such injury or the elapse of such period of illness or the confirmation of the pregnancy, and—
- (aa) in the case of injury or illness the suspension shall cease upon the holder being medically examined under arrangements made by the Authority and pronounced fit to resume his functions as a member of the flight crew or upon the Authority exempting, subject to such conditions as it thinks fit, the holder from the requirement of a medical examination; and
  - (bb) in the case of pregnancy, the suspension may be lifted by the Authority for such period and subject to such conditions as it thinks fit and shall cease upon the holder being medically examined under arrangements made by the Authority after the pregnancy has ended and pronounced fit to resume her functions as a member of the flight crew.

(9) Nothing in this Order shall prohibit the holder of a pilot's licence from acting as pilot of an aircraft having a maximum total weight authorised not exceeding 5,700 kg. when, with the permission of the Authority, he is testing any person for the purposes of paragraphs (1), (2), (4) or (5) of this article, notwithstanding that the type of aircraft in which the test is conducted is not



specified in the aircraft rating included in his licence or that the licence or personal flying log book, as the case may be, does not include a valid certificate of test or a valid certificate of experience in respect of the type of aircraft.

(10) Where any provision of Part C of Schedule 9 or Part B of Schedule 11 to this Order permits a test to be conducted in a flight simulator approved by the Authority, that approval may be granted subject to such conditions as the Authority thinks fit.

(11) Without prejudice to any other provision of this Order the Authority may, for the purpose of this article, either absolutely or subject to such conditions as it thinks fit—

- (a) approve any course of training or instruction;
- (b) authorise a person to conduct such examinations or tests as it may specify;
- (c) approve a person to provide any course of training or instruction; and
- (d) approve a person as qualified to furnish reports to it and to accept such reports.

#### *Validation of licences*

21. The Authority may issue a certificate of validation rendering valid for the purposes of this Order any licence as a member of the flight crew of aircraft granted under the law of any country other than the United Kingdom. A certificate of validation may be issued subject to such conditions and for such periods as the Authority thinks fit.

#### *Personal flying log book*

22.— (1) Every member of the flight crew of an aircraft registered in the United Kingdom and every person who engages in flying for the purpose of qualifying for the grant or renewal of a licence under this Order shall keep a personal flying log book in which the following particulars shall be recorded—

- (a) the name and address of the holder of the log book;
- (b) particulars of the holder's licence (if any) to act as member of the flight crew of an aircraft;
- (c) the name and address of his employer (if any).

(2) Particulars of each flight during which the holder of the log book acted either as a member of the flight crew of an aircraft or for the purpose of qualifying for the grant or renewal of a licence under this Order, as the case may be, shall be recorded in the log book at the end of each flight or as soon thereafter as is reasonably practicable, including—

- (a) the date, the places at which the holder embarked on and disembarked from the aircraft and the time spent during the course of a flight when he was acting in either capacity;
- (b) the type and registration marks of the aircraft;
- (c) the capacity in which the holder acted in flight;

- (d) particulars of any special conditions under which the flight was conducted, including night flying and instrument flying;
- (e) particulars of any test or examination undertaken whilst in flight.

(3) For the purposes of this article, a helicopter shall be deemed to be in flight from the moment the helicopter first moves under its own power for the purpose of taking off until the rotors are next stopped.

(4) Particulars of any test or examination undertaken whilst in a flight simulator shall be recorded in the log book, including—

- (a) the date of the test or examination;
- (b) the type of simulator;
- (c) the capacity in which the holder acted;
- (d) the nature of the test or examination.

*Instruction in flying*

**23.**— (1) A person shall not give any instruction in flying to which this article applies unless—

- (a) he holds a licence, granted or rendered valid under this Order, entitling him to act as pilot in command of the aircraft for the purpose and in the circumstances under which the instruction is to be given; and
- (b) his licence includes a flying instructor's rating or an assistant flying instructor's rating entitling the holder to give the instruction.

(2) This article applies to instruction in flying given to any person flying or about to fly a flying machine or glider for the purpose of becoming qualified for—

- (a) the grant of a pilot's licence;
- (b) the inclusion or variation of any rating in his licence:

Provided that this article shall not apply to any instruction in flying to a person for the purpose of becoming qualified for the inclusion in his licence of an aircraft rating entitling him to act as pilot of a multi-engined aircraft or of an aircraft of any class appearing in column 4 of the Table in Part A of Schedule 1 to this Order if that person has previously been entitled under the Order, or qualified in any of Her Majesty's naval, military or air forces, to act as pilot of multi-engined aircraft, or of an aircraft of that class as the case may be.

*Glider pilot—minimum age*

**24.** A person under the age of 16 years shall not act as pilot in command of a glider.

## PART V

## OPERATION OF AIRCRAFT

*Operations manual*

25.— (1) This article shall apply to public transport aircraft registered in the United Kingdom except aircraft used for the time being solely for flights not intended to exceed 60 minutes in duration, which are either—

- (a) flights solely for training persons to perform duties in an aircraft; or
  - (b) flights intended to begin and end at the same aerodrome.
- (2) (a) The operator of every aircraft to which this article applies shall—
- (i) make available to each member of his operating staff an operations manual, and
  - (ii) ensure that each copy of the operations manual is kept up to date, and
  - (iii) ensure that on each flight every member of the crew has access to a copy of every part of the operations manual which is relevant to his duties on the flight.
- (b) Each operations manual shall contain all such information and instructions as may be necessary to enable the operating staff to perform their duties as such including in particular information and instructions relating to the matters specified in Part A of Schedule 11 to this Order:

Provided that the operations manual shall not be required to contain any information or instructions available in a flight manual accessible to the persons by whom the information or instructions may be required.

- (3) (a) An aircraft to which this article applies shall not fly unless, not less than 30 days prior to such flight, the operator of the aircraft has furnished to the Authority a copy of the whole of the operations manual for the time being in effect in respect of the aircraft.
- (b) Any amendments or additions to the operations manual shall be furnished to the Authority by the operator before or immediately after they come into effect:

Provided that where an amendment or addition relates to the operation of an aircraft to which the operations manual did not previously relate, that aircraft shall not fly for the purpose of public transport until the amendment or addition has been furnished to the Authority.

- (c) Without prejudice to the foregoing sub-paragraphs the operator shall make such amendments or additions to the operations manual as the Authority may require for the purpose of ensuring the safety of the aircraft or of persons or property carried therein or the safety, efficiency or regularity of air navigation.
- (4) For the purposes of this article, article 42 of, and Schedule 11 to this Order, “operating staff” means the servants and agents employed by the

operator, whether or not as members of the crew of the aircraft, to ensure that the flights of the aircraft are conducted in a safe manner, and includes an operator who himself performs those functions.

(5) If in the course of a flight on which the equipment specified in Scale O in paragraph 5 of Schedule 5 hereto is required to be provided the said equipment becomes unserviceable, the aircraft shall be operated on the remainder of that flight in accordance with any relevant instructions in the operations manual.

#### *Training manual*

26.— (1) The operator of every aircraft registered in the United Kingdom and flying for the purpose of public transport shall:

- (a) make a training manual available to every person appointed by the operator to give or to supervise the training, experience, practice or periodical tests required under article 27(2) of this Order; and
- (b) ensure that each copy of that training manual is kept up to date.

(2) Each training manual shall contain all such information and instructions as may be necessary to enable a person appointed by the operator to give or to supervise the training, experience, practice and periodical tests required under article 27(2) of this Order to perform his duties as such including in particular information and instructions relating to the matters specified in Part C of Schedule 11 to this Order.

- (3) (a) An aircraft to which this article applies shall not fly unless, not less than 30 days prior to such flight the operator of the aircraft has furnished to the Authority a copy of the whole of his training manual relating to the crew of that aircraft.
- (b) Any amendments or additions to the training manual shall be furnished to the Authority by the operator before or immediately after they come into effect:

Provided that where an amendment or addition relates to training, experience, practice or periodical tests on an aircraft to which the training manual did not previously relate, that aircraft shall not fly for the purpose of public transport until the amendment or addition has been furnished to the Authority.

- (c) Without prejudice to the foregoing sub-paragraphs the operator shall make such amendments or additions to the training manual as the Authority may require for the purpose of ensuring the safety of the aircraft or of persons or property carried therein or the safety, efficiency or regularity of air navigation.

#### *Public transport—operator's responsibilities*

27.— (1) The operator of an aircraft registered in the United Kingdom shall not permit the aircraft to fly for the purpose of public transport without first—

- (a) designating from among the flight crew a pilot to be the commander of the aircraft for the flight; and
- (b) satisfying himself by every reasonable means that the aeronautical radio stations and navigational aids serving the intended route or any

planned diversion therefrom are adequate for the safe navigation of the aircraft; and

- (c) satisfying himself by every reasonable means that the aerodromes at which it is intended to take-off or land and any alternate aerodrome at which a landing may be made are suitable for the purpose and in particular are adequately manned and equipped (including such manning and equipment as may be prescribed, to ensure the safety of the aircraft and its passengers:

Provided that the operator of the aircraft shall not be required to satisfy himself as to the adequacy of fire-fighting, search, rescue or other services which are required only after the occurrence of an accident.

(2) The operator of an aircraft registered in the United Kingdom shall not permit any person to be a member of the crew thereof during any flight for the purpose of public transport (except a flight for the sole purpose of training persons to perform duties in aircraft) unless such person has had the training, experience, practice and periodical tests specified in Part B of Schedule 11 to this Order in respect of the duties which he is to perform and unless the operator has satisfied himself that such person is competent to perform his duties, and in particular to use the equipment provided in the aircraft for that purpose. The operator shall maintain, preserve, produce and furnish information respecting records relating to the foregoing matters in accordance with Part B of the said Schedule 11.

(3) The operator of an aircraft registered in the United Kingdom shall not permit any member of the flight crew thereof, during any flight for the purpose of the public transport of passengers, to simulate emergency manoeuvres and procedures which the operator has reason to believe will adversely affect the flight characteristics of the aircraft.

*Loading—public transport aircraft and suspended loads*

**28.**— (1) The operator of an aircraft registered in the United Kingdom shall not cause or permit it to be loaded for a flight for the purpose of public transport, or any load to be suspended therefrom, except under the supervision of a person whom he has caused to be furnished with written instructions as to the distribution and securing of the load so as to ensure that—

- (a) the load may safely be carried on the flight; and  
(b) any conditions subject to which the certificate of airworthiness in force in respect of the aircraft was issued or rendered valid, being conditions relating to the loading of the aircraft, are complied with.

(2) The instructions shall indicate the weight of the aircraft prepared for service, that is to say the aggregate of the weight of the aircraft (shown in the weight schedule referred to in article 16 of this Order) and the weight of such additional items in or on the aircraft as the operator thinks fit to include; and the instructions shall indicate the additional items included in the weight of the aircraft prepared for service, and show the position of the centre of gravity of the aircraft at that weight:

Provided that this paragraph shall not apply in relation to a flight if—

- (a) the aircraft's maximum total weight authorised does not exceed 1,150 kg.; or
- (b) the aircraft's maximum total weight authorised does not exceed 2,730 kg. and the flight is intended not to exceed 60 minutes in duration and is either—
  - (i) a flight solely for training persons to perform duties in an aircraft; or
  - (ii) a flight intended to begin and end at the same aerodrome; or
- (c) the aircraft is a helicopter the maximum total weight authorised of which does not exceed 3,000 kg., and the total seating capacity of which does not exceed five persons.

(3) The operator of an aircraft shall not cause or permit it to be loaded in contravention of the instructions referred to in paragraph (1) of this article.

(4) The person supervising the loading of the aircraft shall, before the commencement of any such flight, prepare and sign a load sheet in duplicate conforming to the prescribed requirements, and shall (unless he is himself the commander of the aircraft) submit the load sheet for examination by the commander of the aircraft who shall sign his name thereon:

Provided that the foregoing requirements of this paragraph shall not apply if—

- (a) the load and the distributing and securing thereof upon the next intended flight are to be unchanged from the previous flight and the commander of the aircraft makes and signs an endorsement to that effect upon the load sheet for the previous flight, indicating the date of the endorsement, the place of departure upon the next intended flight and the next intended place of destination; or
- (b) paragraph (2) of this article does not apply in relation to the flight.

(5) One copy of the load sheet shall be carried in the aircraft when article 57 of this Order so requires until the flights to which it relates have been completed and one copy of that load sheet and of the instructions referred to in this article shall be preserved by the operator until the expiration of a period of 6 months thereafter and shall not be carried in the aircraft:

Provided that in the case of an aeroplane of which the maximum total weight authorised does not exceed 2,730 kg., or a helicopter, if it is not reasonably practicable for the copy of the load sheet to be kept on the ground it may be carried in the aeroplane or helicopter, as the case may be, in a box approved by the Authority for that purpose.

(6) The operator of an aircraft registered in the United Kingdom and flying for the purpose of the public transport of passengers shall not cause or permit baggage to be carried in the passenger compartment of the aircraft unless such baggage can be properly secured and, in the case of an aircraft capable of seating more than 30 passengers, such baggage shall not exceed the capacity of the spaces in the passenger compartment approved by the Authority for the purpose of stowing baggage.

*Public transport—operating conditions*

29.— (1) An aircraft registered in the United Kingdom shall not fly for the

purpose of public transport, except for the sole purpose of training persons to perform duties in aircraft, unless such requirements as may be prescribed in respect of its weight and related performance and flight in specified meteorological conditions or at night are complied with.

(2) The assessment of the ability of an aircraft to comply with paragraph (1) of this article shall be based on the information as to its performance contained in the certificate of airworthiness relating to the aircraft. In the event of the information given therein being insufficient for that purpose such assessment shall be based on the best information available to the commander of the aircraft.

(3) A flying machine registered in the United Kingdom when flying over water for the purpose of public transport shall fly, except as may be necessary for the purpose of take-off or landing, at such an altitude as would enable the aircraft—

- (a) if it has one engine only, in the event of the failure of that engine;
- (b) if it has more than one engine, in the event of the failure of one of those engines and with the remaining engine or engines operating within the maximum continuous power conditions specified in the certificate of airworthiness relating to the aircraft,

to reach a place at which it can safely land at a height sufficient to enable it to do so.

(4) Without prejudice to the provisions of paragraph (3) of this article, an aeroplane in respect of which there is in force under this Order a certificate of airworthiness designating the aeroplane as being of performance group X shall not fly over water for the purpose of public transport so as to be more than 60 minutes flying time from the nearest shore, unless the aeroplane has more than two power units. For the purposes of this paragraph, flying time shall be calculated at normal cruising speed with one power unit inoperative.

(5) Without prejudice to the provisions of paragraph (3) of this article a helicopter, in respect of which there is in force under this Order a certificate of airworthiness designating the helicopter as being of performance group B shall not fly over water for the purpose of public transport—

- (a) so as to be more than 20 seconds flying time from a point from which it can make an autorotative descent to land suitable for an emergency landing unless it is equipped with apparatus approved by the Authority enabling it to land safely on water but shall not so fly on any flight for more than three minutes except with the permission in writing of the Authority and in accordance with any conditions subject to which that permission may have been given; for the purpose of this sub-paragraph flying time shall be calculated on the assumption that the helicopter is flying in still air at the speed specified in the certificate of airworthiness in force in respect of the helicopter as the speed for compliance with regulations governing flights over water;
- (b) over that part of the bed of the River Thames which lies between the following points:

Hammersmith Bridge	(51°29'16"N)
	(00°13'45"W)
Greenwich Reach	(51°29'03"N)
	(00°00'37"W)

between the ordinary high water marks on each of its banks unless it is equipped with apparatus approved by the Authority enabling it to land safely on water.

(6) Without prejudice to the provisions of paragraph (3) of this article, a helicopter in respect of which there is in force under this Order a certificate of airworthiness designating the helicopter as being of performance group A2 shall not fly over water for the purpose of public transport for more than 15 minutes during any flight unless it is equipped with apparatus approved by the Authority enabling it to land safely on water.

(7) Notwithstanding the provisions of paragraph (1) of this article a helicopter in respect of which there is in force under this Order a certificate of airworthiness designating the helicopter as being of performance group A or group A (Restricted) may fly for the purpose of public transport in accordance with the weight and related performance requirements prescribed for helicopters designated as being of—

- (a) performance group A (Restricted) in the case of a helicopter designated as being of performance Group A if:
  - (i) the maximum total weight authorised of the helicopter is less than 5,700 kg.; and
  - (ii) the total number of passengers carried on the helicopter does not exceed 15; or
- (b) performance group B if:
  - (i) the maximum total weight authorised of the helicopter is less than 2,730 kg.; and
  - (ii) the total number of passengers carried does not exceed 9.

*Aircraft registered in the United Kingdom— aerodrome operating minima*

- 30.— (1) (a) The operator of every aircraft to which article 25 of this Order applies shall establish and include in the operations manual relating to the aircraft particulars of aerodrome operating minima appropriate to every aerodrome of intended departure or landing and every alternate aerodrome:

Provided that in relation to any flight wherein it is not practicable to include such information in the operations manual the operator of the said aircraft shall, prior to the commencement of the flight, cause to be furnished, in writing, to the commander of the aircraft particulars of the aerodrome operating minima appropriate to every aerodrome of intended departure or landing and every alternate aerodrome and calculated in accordance with the specified method; and the operator shall cause a copy of the said particulars to be retained outside the aircraft for a minimum period of 3 months.

- (b) The operator of every such aircraft shall include in the operations manual relating to that aircraft such data and instructions as will enable the commander of the aircraft to calculate aerodrome operating minima appropriate to aerodromes the use of which could



not reasonably have been foreseen by the operator prior to the commencement of the flight.

(2) The aerodrome operating minima specified shall not, in respect of any aerodrome, be less favourable than any declared in respect of that aerodrome by the competent authority, unless that authority otherwise permits in writing.

(3) In establishing aerodrome operating minima for the purposes of this article the operator of the aircraft shall take into account the following matters:

- (a) the type and performance and handling characteristics of the aircraft and any relevant conditions in its certificate of airworthiness; and
- (b) the composition of its crew; and
- (c) the physical characteristics of the relevant aerodrome and its surroundings; and
- (d) the dimensions of the runways which may be selected for use; and
- (e) whether or not there are in use at the relevant aerodrome any aids, visual or otherwise, to assist aircraft in approach, landing or take-off, being aids which the crew of the aircraft are trained and equipped to use; the nature of any such aids that are in use; and the procedures for approach, landing and take-off which may be adopted according to the existence or absence of such aids;

and shall establish in relation to each runway which may be selected for use aerodrome operating minima appropriate to each set of circumstances which can reasonably be expected.

(4) An aircraft to which article 25 of this Order applies shall not commence a flight at a time when—

- (a) the cloud ceiling or the runway visual range at the aerodrome of departure is less than the relevant minimum specified for take-off; or
- (b) according to the information available to the commander of the aircraft it would not be able without contravening paragraph (5) of this article, to commence or continue an approach to landing at the aerodrome of intended destination at the estimated time of arrival there and at any alternate aerodrome at any time at which according to a reasonable estimate the aircraft would arrive there.

(5) An aircraft to which article 25 of this Order applies shall not:

- (a) commence or continue an approach to landing at any aerodrome if the runway visual range at that aerodrome is at the time less than the specified minimum for landing, except that an approach to landing may be continued if, when the commander of the aircraft receives information that the runway visual range is less than the specified minimum for landing—
  - (i) the aircraft is below the specified decision height; and
  - (ii) the specified visual reference has been established at the decision height and is maintained; and
  - (iii) the approach to landing has, at least until the specified visual reference has been established, been made by use of an instrument landing system notified for the purpose of this Order; or

(b) continue an approach to landing at any aerodrome by flying below the specified decision height unless from that height the specified visual reference for landing is established and is maintained.

(6) If, according to the information available, an aircraft would as regards any flight be required by the Rules of the Air and Air Traffic Control to be flown in accordance with the Instrument Flight Rules at the aerodrome of intended landing, the commander of the aircraft shall select prior to take-off an alternate aerodrome unless no aerodrome suitable for that purpose is available.

(7) In this article “specified” in relation to an aircraft means specified by the operator in, or ascertainable by reference to, the operations manual relating to that aircraft.

*Aircraft not registered in the United Kingdom—aerodrome operating minima*

31.— (1) A public transport aircraft registered in a country other than the United Kingdom shall not fly in or over the United Kingdom unless the operator thereof shall have furnished to the Authority such particulars as it may from time to time have required relating to the aerodrome operating minima specified by the operator in relation to aerodromes in the United Kingdom for the purpose of limiting their use by the aircraft for take-off or landing, including any instructions given by the operator in relation to such aerodrome operating minima. The aircraft shall not fly in or over the United Kingdom unless the operator shall have made such amendments or additions to the aerodrome operating minima so specified and any instructions so given as the Authority may require for the purpose of ensuring the safety of the aircraft or the safety, efficiency or regularity of air navigation.

(2) The aircraft shall not begin or end a flight at an aerodrome in the United Kingdom in contravention of the aerodrome operating minima so specified in relation to that aerodrome or of the instructions referred to in paragraph (1) of this article.

(3) Without prejudice to the provisions of paragraph (2) of this article, a public transport aircraft registered in a country other than the United Kingdom shall not—

(a) commence or continue an approach to landing at any aerodrome in the United Kingdom if the runway visual range at that aerodrome is at the time less than the specified minimum for landing, except that an approach to landing may be continued if, when the commander of the aircraft receives information that the runway visual range is less than the specified minimum for landing—

(i) the aircraft is below the specified decision height, and

(ii) the specified visual reference has been established at the decision height and is maintained, and

(iii) the approach to landing has, at least until the specified visual reference has been established, been made by use of an instrument landing system notified for the purpose of this Order;  
or

(b) continue an approach to landing at any aerodrome in the United Kingdom by flying below the specified decision height unless from

that height the specified visual reference is established and is maintained.

(4) In this article “specified” in relation to an aircraft means specified by the operator in, or ascertainable by reference to, the operations manual relating to that aircraft.

*Pre-flight action by commander of aircraft*

32. The commander of an aircraft registered in the United Kingdom shall satisfy himself before the aircraft takes off—

- (a) that the flight can safely be made, taking into account the latest information available as to the route and aerodromes to be used, the weather reports and forecasts available, and any alternative course of action which can be adopted in case the flight cannot be completed as planned;
- (b) that the equipment (including radio apparatus) required by or under this Order to be carried in the circumstances of the intended flight is carried and is in a fit condition for use;
- (c) that the aircraft is in every way fit for the intended flight, and that where a certificate of maintenance review is required by article 9(1) of this Order to be in force, it is in force and will not cease to be in force during the intended flight;
- (d) that the load carried by the aircraft is of such weight, and is so distributed and secured, that it may safely be carried on the intended flight;
- (e) in the case of a flying machine or airship, that sufficient fuel, oil and engine coolant (if required) are carried for the intended flight, and that a safe margin has been allowed for contingencies, and, in the case of a flight for the purpose of public transport, that the instructions in the operations manual relating to fuel, oil and engine coolant have been complied with;
- (f) in the case of an airship or balloon, that sufficient ballast is carried for the intended flight;
- (g) in the case of a flying machine, that, having regard to the performance of the flying machine in the conditions to be expected on the intended flight, and to any obstructions at the places of departure and intended destination and on the intended route, it is capable of safely taking off, reaching and maintaining a safe height thereafter, and making a safe landing at the place of intended destination;
- (h) that any pre-flight check system established by the operator and set forth in the operations manual or elsewhere has been complied with by each member of the crew of the aircraft.

*Pilots to remain at controls*

33.— (1) The commander of an aircraft registered in the United Kingdom, being a flying machine or glider, shall cause one pilot to remain at the controls at all times while the aircraft is in flight. If the aircraft is required by or under this Order to carry two pilots, the commander shall cause both pilots to remain

at the controls during take-off and landing. If the aircraft carries two or more pilots (whether or not it is required to do so) and is engaged on a flight for the purpose of the public transport of passengers the commander shall remain at the controls during take-off and landing.

(2) Each pilot at the controls shall be secured in his seat by either a safety belt with or without one diagonal shoulder strap, or a safety harness except that during take-off and landing a safety harness shall be worn if it is required by article 13 of this Order to be provided.

*Public transport of passengers—duties of commander*

34.— (1) This article applies to flights for the purpose of the public transport of passengers by aircraft registered in the United Kingdom.

(2) In relation to every flight to which this article applies the commander of the aircraft shall—

(a) before the aircraft takes off, take all reasonable steps to ensure that all passengers are made familiar with the position and method of use of emergency exits, safety belts, safety harnesses and (where required to be carried) oxygen equipment and lifejackets, and all other devices required by or under this Order and intended for use by passengers individually in case of an emergency occurring to the aircraft;

(b) (i) if the aircraft is not a seaplane but is intended in the course of the flight to reach a point more than 30 minutes flying time (while flying in still air at the speed specified in the relevant certificate of airworthiness as the speed for compliance with regulations governing flights over water) from the nearest land, take all reasonable steps to ensure that before take-off all passengers are given a demonstration of the method of use of the lifejackets required by or under this Order for the use of passengers;

(ii) if the aircraft is not a seaplane but is required by article 18(7) of this Order to carry cabin attendants, take all reasonable steps to ensure that, before the aircraft takes-off on a flight:

(aa) which is intended to proceed beyond gliding distance from land, or

(bb) on which in the event of any emergency occurring during the take-off or during the landing at the intended destination or any likely alternate destination it is reasonably possible that the aircraft would be forced to land onto water;

all passengers are given a demonstration of the method of use of the lifejackets required by or under this Order for the use of passengers:

Provided that where the only requirement to give such a demonstration arises because it is reasonably possible that the aircraft would be forced to land onto water at one or more of the likely alternate destinations the demonstration need not be given until after the decision has been taken to divert to such a destination;

(c) if the aircraft is a seaplane, take all reasonable steps to ensure that before the aircraft takes off all passengers are given a demonstration of

the method of use of the equipment referred to in the preceding subparagraph;

- (d) before the aircraft takes off, and before it lands, take all reasonable steps to ensure that the crew of the aircraft are properly secured in their seats and that any persons carried in compliance with article 18(7) of this Order are properly secured in seats which shall be in a passenger compartment and which shall be so situated that those persons can readily assist passengers;
- (e) before the aircraft takes off, and before it lands, and whenever by reason of turbulent air or any emergency occurring during the flight he considers the precaution necessary:—
  - (i) take all reasonable steps to ensure that all passengers are properly secured in their seats by safety belts or safety harnesses; and
  - (ii) take all reasonable steps to ensure that those items of baggage in the passenger compartment which he reasonably considers ought by virtue of their size, weight or nature to be properly secured are properly secured and, in the case of an aircraft capable of seating more than 30 passengers, that such baggage is stowed in the passenger compartment stowage spaces approved by the Authority for the purpose;
- (f) in an emergency, take all reasonable steps to ensure that all passengers are instructed in the emergency action which they should take;
- (g) except in a case where a pressure greater than 700 millibars is maintained in all passenger and crew compartments throughout the flight, take all reasonable steps to ensure that—
  - (i) before the aircraft reaches flight level 130 the method of use of the oxygen provided in the aircraft in compliance with the requirements of article 13 of this Order is demonstrated to all passengers;
  - (ii) on reaching such altitude all passengers are recommended to use oxygen;
  - (iii) during any continuous period exceeding 30 minutes when the aircraft is flying above flight level 100 but not above flight level 130, and whenever the aircraft is flying above flight level 130, oxygen is used by all the crew of the aircraft.

*Operation of radio in aircraft*

35.— (1) The radio station in an aircraft shall not be operated, whether or not the aircraft is in flight, except in accordance with the conditions of the licence issued in respect of that station under the law of the country in which the aircraft is registered, and by a person duly licensed or otherwise permitted to operate the radio station under that law.

(2) Whenever an aircraft is in flight in such circumstances that it is required by or under this Order to be equipped with radio communications apparatus, a continuous radio watch shall be maintained by a member of the flight crew listening to the signals transmitted upon the frequency notified, or designated by a message received from an appropriate aeronautical radio station, for use by that aircraft:

Provided that—

- (a) the radio watch may be discontinued or continued on another frequency to the extent that a message as aforesaid so permits; and
  - (b) the watch may be kept by a device installed in the aircraft if—
    - (i) the appropriate aeronautical radio station has been informed to that effect and has raised no objection; and
    - (ii) that station is notified, or in the case of a station situated in a country other than the United Kingdom, otherwise designated as transmitting a signal suitable for that purpose.
- (3) Whenever an aircraft is in flight in such circumstances that it is required by or under this Order to be equipped with radio or radio navigation equipment a member of the flight crew shall operate that equipment in such a manner as he may be instructed by the appropriate air traffic control unit or as may be notified in relation to any notified airspace in which the aircraft is flying.
- (4) The radio station in an aircraft shall not be operated so as to cause interference which impairs the efficiency of aeronautical telecommunications or navigational services, and in particular emissions shall not be made except as follows:
- (a) emissions of the class and frequency for the time being in use, in accordance with general international aeronautical practice, in the airspace in which the aircraft is flying;
  - (b) distress, urgency and safety messages and signals, in accordance with general international aeronautical practice;
  - (c) messages and signals relating to the flight of the aircraft, in accordance with general international aeronautical practice;
  - (d) such public correspondence messages as may be permitted by or under the aircraft radio station licence referred to in paragraph (1) of this article.
- (5) In every aircraft registered in the United Kingdom which is equipped with radio communication apparatus a telecommunication log book shall be kept in which the following entries shall be made—
- (a) the identification of the aircraft radio station;
  - (b) the date and time of the beginning and end of every radio watch maintained in the aircraft and of the frequency on which it was maintained;
  - (c) the date and time, and particulars of all messages and signals sent or received, including in particular details of any distress signals or distress messages sent or received;
  - (d) particulars of any action taken upon the receipt of a distress signal or distress message;
  - (e) particulars of any failure or interruption of radio communications and the cause thereof:

Provided that a telecommunication log book shall not be required to be kept in respect of communication by radiotelephony with a radio station on land or on a ship which provides a radio service for aircraft.

(6) The flight radio operator maintaining radio watch shall sign the entries in the telecommunication log book indicating the times at which he began and ended the maintenance of such watch.

(7) The telecommunication log book shall be preserved by the operator of the aircraft until a date 6 months after the date of the last entry therein.

(8) In any flying machine registered in the United Kingdom which is engaged on a flight for the purpose of public transport the pilot and the flight engineer (if any) shall not make use of a hand-held microphone (whether for the purpose of radio communication or of intercommunication within the aircraft) whilst the aircraft is flying in controlled airspace below flight level 150 or is taking off or landing.

*Minimum navigation performance*

36. An aircraft registered in the United Kingdom shall not fly in airspace prescribed for the purposes of this article unless—

- (a) it is equipped with navigation systems which enable the aircraft to maintain the prescribed navigation performance capability; and
- (b) the navigation systems required by paragraph (a) hereof are approved by the Authority and installed and maintained in a manner approved by the Authority; and
- (c) the operating procedures for the navigation systems required by paragraph (a) hereof are approved by the Authority; and
- (d) the equipment is operated in accordance with the approved procedures while the aircraft is flying in the said airspace.

*Use of flight recording systems and preservation of records*

37.— (1) On any flight on which a flight data recorder or a cockpit voice recorder is required by sub-paragraph 4(4) or (5) of Schedule 5 to this Order to be carried in an aeroplane, it shall always be in use from the beginning of the take-off run to the end of the landing run.

(2) The operator of the aeroplane shall at all times, subject to the provisions of article 61 of this Order, preserve—

- (a) the last 25 hours of recording made by any flight data recorder required by or under this Order to be carried in an aeroplane; and
- (b) a record of not less than one representative flight, that it to say, a recording of a flight made within the last twelve months which includes a take-off, climb, cruise, descent, approach to landing and landing, together with a means of identifying the record with the flight to which it relates;

and shall preserve such records for such period as the Authority may in a particular case direct.

(3) On any flight on which a cockpit voice recorder is required by paragraph 4(10)(c) of Schedule 5 to this Order to be carried in a helicopter, it shall always be in use from the time the rotors first turn for the purpose of taking off until the rotors are next stopped.

*Towing of gliders*

**38.**— (1) An aircraft in flight shall not tow a glider unless the certificate of airworthiness issued or rendered valid in respect of the towing aircraft under the law of the country in which that aircraft is registered includes an express provision that it may be used for that purpose.

(2) The length of the combination of towing aircraft, tow rope and glider in flight shall not exceed 150 metres.

(3) The commander of an aircraft which is about to tow a glider shall satisfy himself, before the towing aircraft takes off—

- (a) that the tow rope is in good condition and is of adequate strength for the purpose, and that the combination of towing aircraft and glider, having regard to its performance in the conditions to be expected on the intended flight and to any obstructions at the place of departure and on the intended route, is capable of safely taking off, reaching and maintaining a safe height at which to separate the combination and that thereafter the towing aircraft can make a safe landing at the place of intended destination;
- (b) that signals have been agreed and communication established with persons suitably stationed so as to enable the glider to take off safely;
- (c) that emergency signals have been agreed between the commander of the towing aircraft and the commander of the glider, to be used, respectively, by the commander of the towing aircraft to indicate that the tow should immediately be released by the glider, and by the commander of the glider to indicate that the tow cannot be released.

(4) The glider shall be attached to the towing aircraft by means of the tow rope before the aircraft takes off.

*Towing, picking up and raising of persons and articles*

**39.**— (1) Subject to the provisions of this article, an aircraft in flight shall not, by means external to the aircraft, tow any article, other than a glider, or pick up or raise any person, animal or article, unless the certificate of airworthiness issued or rendered valid in respect of that aircraft under the law of the country in which the aircraft is registered includes an express provision that it may be used for that purpose.

(2) An aircraft shall not launch or pick up tow ropes, banners or similar articles other than at an aerodrome.

(3) An aircraft in flight shall not tow any article, other than a glider, at night or when flight visibility is less than one nautical mile.

(4) The length of the combination of towing aircraft, tow rope, and article in tow, shall not exceed 150 metres.

(5) A helicopter shall not fly at any height over a congested area of a city, town or settlement at any time when any article, person or animal is suspended from the helicopter.

(6) A passenger shall not be carried in a helicopter at any time when an



article, person or animal is suspended therefrom, other than a passenger who has duties to perform in connection with the article, person or animal.

(7) Nothing in this article shall—

- (a) prohibit the towing in a reasonable manner by an aircraft in flight of any radio aerial, any instrument which is being used for experimental purposes, or any signal, apparatus or article required or permitted by or under this Order to be towed or displayed by an aircraft in flight;
- (b) prohibit the picking up or raising of any person, animal or article in an emergency or for the purpose of saving life;
- (c) apply to any aircraft while it is flying in accordance with the “B Conditions” set forth in Schedule 2 to this Order;
- (d) be taken to permit the towing or picking up of a glider otherwise than in accordance with article 38 of this Order.

*Dropping of articles and animals*

40.— (1) Articles and animals (whether or not attached to a parachute) shall not be dropped, or permitted to drop, from an aircraft in flight so as to endanger persons or property.

(2) Except under and in accordance with the terms of an aerial application certificate granted under article 42 of this Order, articles and animals (whether or not attached to a parachute) shall not be dropped, or permitted to drop, to the surface from an aircraft flying over the United Kingdom:

Provided that this paragraph shall not apply to the dropping of articles by, or with the authority of, the commander of the aircraft in any of the following circumstances:

- (a) the dropping of articles for the purpose of saving life;
- (b) the jettisoning, in case of emergency, of fuel or other articles in the aircraft;
- (c) the dropping of ballast in the form of fine sand or water;
- (d) the dropping of articles solely for the purpose of navigating the aircraft in accordance with ordinary practice or with the provisions of this Order;
- (e) the dropping at an aerodrome of tow ropes, banners, or similar articles towed by aircraft;
- (f) the dropping of articles for the purposes of public health or as a measure against weather conditions, surface icing or oil pollution, or for training for the dropping of articles for any such purposes, if the articles are dropped with the permission of the Authority and in accordance with any conditions subject to which that permission may have been given;
- (g) the dropping of wind drift indicators for the purpose of enabling parachute descents to be made if the wind drift indicators are dropped with the permission of the Authority and in accordance with any conditions subject to which that permission may have been given.

(3) For the purposes of this article dropping includes projecting and lowering.

(4) Nothing in this article or in article 41 shall prohibit the lowering of any person, animal or article from a helicopter to the surface, if the certificate of airworthiness issued or rendered valid in respect of the helicopter under the law of the country in which it is registered includes an express provision that it may be used for that purpose.

#### *Dropping of Persons*

41.— (1) A person shall not drop, be dropped or permitted to drop to the surface or jump from an aircraft flying over the United Kingdom except under and in accordance with the terms of a written permission granted by the Authority under this article.

(2) For the purpose of this article dropping includes projecting and lowering.

(3) Notwithstanding the grant of a permission under paragraph (1) of this article, a person shall not drop, be dropped or be permitted to drop from an aircraft in flight so as to endanger persons or property.

(4) An aircraft shall not be used for the purpose of dropping persons unless the certificate of airworthiness issued or rendered valid in respect of that aircraft under the law of the country in which the aircraft is registered includes an express provision that it may be used for that purpose and the aircraft is operated in accordance with the written permission granted by the Authority under this article.

(5) Every applicant for and every holder of a permission shall make available to the Authority if requested to do so a parachuting manual and shall make such amendments or additions to such manual as the Authority may require. The holder of a permission shall make available to every employee or person who is or may engage in parachuting activities conducted by him the manual which shall contain all such information and instructions as may be necessary to enable such employees or persons to perform their duties.

(6) Without prejudice to any other provision to this Order the Authority may, for the purpose of this article, accept reports furnished to it by a person whom it may approve, either absolutely or subject to such conditions as it thinks fit, as qualified to furnish such reports.

(7) Nothing in this article shall apply to the descent of persons by parachute from an aircraft in an emergency.

#### *Issue of Aerial Application Certificates*

42.— (1) An aircraft shall not be used for the dropping of articles for the purposes of agriculture, horticulture or forestry or for training for the dropping of articles for any of such purposes, otherwise than under and in accordance with the terms of an aerial application certificate granted to the operator of the aircraft under paragraph (2) of this article.

(2) The Authority shall grant to any person applying therefor an aerial application certificate if it is satisfied that that person is a fit person to hold the

certificate and is competent, having regard in particular to his previous conduct and experience, his equipment, organisation, staffing and other arrangements, to secure the safe operation of the aircraft specified in the certificate on flights for the purposes specified in paragraph (1) of this article. The certificate may be granted subject to such conditions as the Authority thinks fit including without prejudice to the generality of the foregoing, conditions for ensuring that the aircraft and any article dropped from it do not endanger persons or property in the aircraft or elsewhere, and shall, subject to the provisions of article 62 of this Order, remain in force for the period specified in the certificate.

(3) Every applicant for and holder of an aerial application certificate shall make available to the Authority upon application and to every member of his operating staff upon the certificate being granted, an aerial application manual which shall contain all such information and instructions as may be necessary to enable the operating staff to perform their duties as such. The holder of a certificate shall make such amendments of or additions to the manual as the Authority may require.

(4) For the purposes of this article “operating staff” has the meaning ascribed to it in article 25(4) of this Order.

*Carriage of weapons and of munitions of war*

43.— (1) An aircraft shall not carry any munition of war unless—

- (a) such munition of war is carried with the written permission of the Authority and in accordance with any conditions relating thereto, and
- (b) the commander of the aircraft is informed in writing by the operator before the flight commences of the type, weight or quantity and location of any such munition of war on board or suspended beneath the aircraft and any conditions of the permission of the Authority.

(2) Notwithstanding paragraph (1) of this Article it shall be unlawful for an aircraft to carry any weapon or munition of war in any compartment or apparatus to which passengers have access.

(3) It shall be unlawful for a person to carry or have in his possession or take or cause to be taken on board an aircraft, to suspend or cause to be suspended beneath an aircraft or to deliver or cause to be delivered for carriage thereon any weapon or munition of war unless—

- (a) the weapon or munition of war:
  - (i) is either part of the baggage of a passenger on the aircraft or consigned as cargo to be carried thereby, and
  - (ii) is carried in a part of the aircraft, or in any apparatus attached to the aircraft inaccessible to passengers, and
  - (iii) in case of a firearm, is unloaded, and
- (b) particulars of the weapon or munition of war have been furnished by that passenger or by the consignor to the operator before the flight commences, and
- (c) without prejudice to paragraph (1) of this article the operator consents to the carriage of such weapon or munition of war by the aircraft.

(4) Nothing in this article shall apply to any weapon or munition of war taken or carried on board an aircraft registered in a country other than the United Kingdom, if the weapon or munition of war, as the case may be, may under the law of the country in which the aircraft is registered be lawfully taken or carried on board for the purpose of ensuring the safety of the aircraft or of persons on board.

(5) For the purposes of this article a “munition of war” means any weapon, ammunition or article containing an explosive or any noxious liquid, gas or other thing which is designed or made for use in warfare or against persons, including parts, whether components or accessories, for such weapon, ammunition or article.

#### *Carriage of dangerous goods*

44.— (1) Without prejudice to any other provisions of this Order, the Secretary of State may make regulations prescribing—

- (a) the classification of certain articles and substances as dangerous goods;
- (b) the categories of dangerous goods which an aircraft may not carry;
- (c) the conditions which apply to the loading on, suspension beneath and carriage by an aircraft of dangerous goods;
- (d) the manner in which dangerous goods must be packed, marked, labelled and consigned before being loaded on, suspended beneath or carried by an aircraft;
- (e) any other provisions for securing the safety of aircraft and any apparatus attached thereto, and the safety of persons and property on the surface in relation to the loading on, suspension beneath or carriage by an aircraft of dangerous goods;
- (f) the persons to whom information about the carriage of dangerous goods must be provided;
- (g) the documents relating to the carriage of dangerous goods by an aircraft which must be produced to the Authority or an authorised person on request.

(2) It shall be an offence to contravene or permit the contravention of or fail to comply with any regulations made hereunder.

(3) The provisions of this article and of any regulations made thereunder shall be additional to and not in derogation from the provisions of article 43 of this Order.

#### *Method of carriage of persons*

45. A person shall not be in or on any part of an aircraft in flight which is not a part designed for the accommodation of persons and in particular a person shall not be on the wings or undercarriage of an aircraft. A person shall not be in or on any object, other than a glider or flying machine, towed by or attached to an aircraft in flight:

Provided that a person may have temporary access to—

- (a) any part of an aircraft for the purpose of taking action necessary for the safety of the aircraft or of any person, animal or goods therein;
- (b) any part of an aircraft in which cargo or stores are carried, being a part which is designed to enable a person to have access thereto while the aircraft is in flight.

*Exits and break-in markings*

46.— (1) This article shall apply to every public transport aircraft registered in the United Kingdom.

(2) Whenever an aircraft to which this article applies is carrying passengers, every exit therefrom and every internal door in the aircraft shall be in working order, and during take-off and landing and during any emergency, every such exit and door shall be kept free of obstruction and shall not be fastened by locking or otherwise so as to prevent, hinder or delay its use by passengers:

Provided that—

- (a) an exit may be obstructed by cargo if it is an exit which, in accordance with arrangements approved by the Authority either generally or in relation to a class of aircraft or a particular aircraft, is not required for use by passengers;
  - (b) a door between the flight crew compartment and any adjacent compartment to which passengers have access may be locked or bolted if the commander of the aircraft so determines, for the purpose of preventing access by passengers to the flight crew compartment;
  - (c) nothing in this paragraph shall apply to any internal door which is so placed that it cannot prevent, hinder or delay the exit of passengers from the aircraft in an emergency if it is not in working order.
- (3) Every exit from the aircraft shall be marked with the words “Exit” or “Emergency Exit” in capital letters.
- (4) (a) Every exit from the aircraft shall be marked with instructions in English and with diagrams, to indicate the correct method of opening the exit.
  - (b) The markings shall be placed on or near the inside surface of the door or other closure of the exit and, if it is openable from the outside of the aircraft, on or near the exterior surface.
- (5) (a) Every aircraft to which this article applies, being an aircraft of which the maximum total weight authorised exceeds 3,600 kg., shall be marked upon the exterior surface of its fuselage with markings to show the areas (in this paragraph referred to as “break-in areas”) which can, for purposes of rescue in an emergency, be most readily and effectively broken into by persons outside the aircraft.
- (b) The break-in areas shall be rectangular in shape and shall be marked by right-angled corner markings, each arm of which shall be 10 centimetres in length along its outer edge and 2.5 centimetres in width.
  - (c) The words “Cut Here in Emergency” shall be marked across the centre of each break-in area in capital letters.
- (6) On every flight by an aircraft to which this article applies, being an

aircraft of which the maximum total weight authorised exceeds 5,700 kg., every exit from such an aircraft intended to be used by passengers in an emergency shall be marked upon the exterior of the aircraft by a band not less than 5 centimetres in width outlining the exit.

- (7) The markings required by this article shall—
- (a) be painted, or affixed by other equally permanent means;
  - (b) except in the case of the markings required by paragraph (6) of this article, be red in colour, and in any case in which the colour of the adjacent background is such as to render red markings not readily visible, be outlined in white or some other contrasting colour in such a manner as to render them readily visible;
  - (c) in the case of the markings required by paragraph (6) of this article, be of a colour clearly contrasting with the background on which it appears;
  - (d) be kept at all times clean and unobscured.

(8) If one, but not more than one, exit from an aircraft becomes inoperative at a place where it is not reasonably practicable for it to be repaired or replaced, nothing in this article shall prevent that aircraft from carrying passengers until it next lands at a place where the exit can be repaired or replaced:

Provided that—

- (a) the number of passengers carried and the position of the seats which they occupy is in accordance with arrangements approved by the Authority either in relation to the particular aircraft or to a class of aircraft; and
- (b) in accordance with arrangements so approved, the exit is fastened by locking or otherwise, the words “Exit” or “Emergency Exit” are covered, and the exit is marked by a red disc at least 23 centimetres in diameter with a horizontal white bar across it bearing the words “No exit” in red letters.

*Imperilling safety of aircraft*

47. A person shall not recklessly or negligently act in a manner likely to endanger an aircraft, or any person therein.

*Imperilling safety of any person or property*

48. A person shall not recklessly or negligently cause or permit an aircraft to endanger any person or property.

*Drunkenness in aircraft*

49.— (1) A person shall not enter any aircraft when drunk, or be drunk in any aircraft.

(2) A person shall not, when acting as a member of the crew of any aircraft or being carried in any aircraft for the purpose of so acting, be under the influence of drink or a drug to such an extent as to impair his capacity so to act.

*Smoking in aircraft*

50.— (1) Notices indicating when smoking is prohibited shall be exhibited in every aircraft registered in the United Kingdom so as to be visible from each passenger seat therein.

(2) A person shall not smoke in any compartment of an aircraft registered in the United Kingdom at a time when smoking is prohibited in that compartment by a notice to that effect exhibited by or on behalf of the commander of the aircraft.

*Authority of commander of aircraft*

51. Every person in an aircraft registered in the United Kingdom shall obey all lawful commands which the commander of that aircraft may give for the purpose of securing the safety of the aircraft and of persons or property carried therein, or the safety, efficiency or regularity of air navigation.

*Stowaways*

52. A person shall not secrete himself for the purpose of being carried in an aircraft without the consent of either the operator or the commander thereof or of any other person entitled to give consent to his being carried in the aircraft.

## PART VI

## FATIGUE OF CREW

*Application and interpretation of Part VI*

53.— (1) Articles 54 and 55 of this Order apply in relation to any aircraft registered in the United Kingdom which is either—

- (a) engaged on a flight for the purpose of public transport; or
- (b) operated by an air transport undertaking;

Provided that the said articles shall not apply in relation to a flight made only for the purpose of instruction in flying given by or on behalf of a flying club or flying school, or a person who is not an air transport undertaking.

(2) In this Part of this Order, the following expressions shall, except where the context otherwise requires, have the meanings hereby respectively assigned to them, that is to say—

- (a) “flight time”, in relation to any person, means all time spent by that person in an aircraft whether or not registered in the United Kingdom (other than an aircraft of which the maximum total weight authorised does not exceed 1,600 kg. and which is not flying for the purpose of public transport or aerial work) while it is in flight and he is carried therein as a member of the crew thereof;
- (b) “day” means a continuous period of 24 hours beginning at midnight Greenwich Mean Time.

(3) For the purposes of this Part of the Order, a helicopter shall be deemed to be in flight from the moment the helicopter first moves under its own power for the purpose of taking off until the rotors are next stopped.

*Fatigue of crew—operator's responsibilities*

54.— (1) The operator of an aircraft to which this article applies shall not cause or permit that aircraft to make a flight unless—

- (a) he has established a scheme for the regulation of flight times for every person flying in that aircraft as a member of its crew; and
- (b) the scheme is approved by the Authority subject to such conditions as it thinks fit; and
- (c) either—
  - (i) the scheme is incorporated in the operations manual required by article 25 of this Order; or
  - (ii) in a case where an operations manual is not required by that article, the scheme is incorporated in a document, a copy of which has been made available to every person flying in that aircraft as a member of its crew; and
- (d) he has taken all such steps as are reasonably practicable to ensure that the provisions of the scheme will be complied with in relation to every person flying in that aircraft as a member of its crew.

(2) The operator of an aircraft to which this article applies shall not cause or permit any person to fly therein as a member of its crew if he knows or has reason to believe that that person is suffering from, or, having regard to the circumstances of the flight to be undertaken, is likely to suffer from, such fatigue while he is so flying as may endanger the safety of the aircraft or of its occupants.

(3) The operator of an aircraft to which this article applies shall not cause or permit any person to fly therein as a member of its flight crew unless the operator has in his possession an accurate and up-to-date record in respect of that person and in respect of the 28 days immediately preceding the flight showing—

- (a) all his flight times; and
- (b) brief particulars of the nature of the functions performed by him in the course of his flight times.

(4) The record referred to in paragraph (3) of this article shall, subject to the provisions of article 61, be preserved by the operator of the aircraft until a date 12 months after the flight referred to in that paragraph.

*Fatigue of crew—responsibilities of crew*

55.— (1) A person shall not act as a member of the crew of an aircraft to which this article applies if he knows or suspects that he is suffering from, or, having regard to the circumstances of the flight to be undertaken, is likely to suffer from, such fatigue as may endanger the safety of the aircraft or of its occupants.

(2) A person shall not act as a member of the flight crew of an aircraft to which this article applies unless he has ensured that the operator of the aircraft is aware of his flight times during the period of 28 days preceding the flight.



*Flight times—responsibilities of flight crew*

56. A person shall not act as a member of the flight crew of an aircraft registered in the United Kingdom if at the beginning of the flight the aggregate of all his previous flight times—

- (a) during the period of 28 consecutive days expiring at the end of the day on which the flight begins exceeds 100 hours; or
- (b) during the period of 12 months expiring at the end of the previous month exceeds 900 hours:

Provided that this article shall not apply to a flight made—

- (i) in an aircraft of which the maximum total weight authorised does not exceed 1,600 kg. and which is not flying for the purpose of public transport or aerial work; or
- (ii) in an aircraft not flying for the purpose of public transport nor operated by an air transport undertaking, if at the time when the flight begins the aggregate of all the flight times of the aforesaid person since he was last medically examined and found fit by a person approved by the Authority for the purpose of article 20(7) does not exceed 25 hours.

## PART VII

## DOCUMENTS AND RECORDS

*Documents to be carried*

57.— (1) An aircraft shall not fly unless it carries the documents which it is required to carry under the law of the country in which it is registered.

(2) An aircraft registered in the United Kingdom shall, when in flight, carry documents in accordance with Schedule 12 to this Order:

Provided that, if the flight is intended to begin and end at the same aerodrome and does not include passage over the territory of any country other than the United Kingdom, the documents may be kept at that aerodrome instead of being carried in the aircraft.

*Records to be kept*

58. The operator of a public transport aircraft registered in the United Kingdom shall, in respect of any flight by that aircraft during which it may fly at an altitude of more than 49,000 feet, keep a record in a manner prescribed of the total dose of cosmic radiation to which the aircraft is exposed during the flight together with the names of the members of the crew of the aircraft during the flight.

*Production of documents and records*

59.— (1) The commander of an aircraft shall, within a reasonable time after being requested to do so by an authorised person, cause to be produced to that person—

- (a) the certificates of registration and airworthiness in force in respect of the aircraft;
- (b) the licences of its flight crew;
- (c) such other documents as the aircraft is required by article 57 of this Order to carry when in flight.

(2) The operator of an aircraft registered in the United Kingdom shall, within a reasonable time after being requested to do so by an authorised person, cause to be produced to that person such of the following documents or records as may have been requested by that person being documents or records which are required, by or under this Order, to be in force or to be carried, preserved or made available—

- (a) the documents referred to in Schedule 12 to this Order as Documents A, B and G;
- (b) the aircraft log book, engine log books and variable pitch propeller log books required under this Order to be kept;
- (c) the weight schedule, if any, required to be preserved under article 16 of this Order;
- (d) in the case of a public transport aircraft or aerial work aircraft, the documents referred to in Schedule 12 to this Order as Documents D, E, F and H;
- (e) any records of flight times, duty periods and rest periods which he is required by article 54(4) of this Order to preserve, and such other documents and information in the possession or control of the operator, as the authorised person may require for the purpose of determining whether those records are complete and accurate;
- (f) any such operations manuals as are required to be made available under article 25(2)(a)(i) of this Order;
- (g) the record made by any flight data recorder required to be carried by or under this Order;
- (h) the record made from any cosmic radiation detection equipment together with the record of the names of the members of the crew of the aircraft which are required to be kept under article 58 of this Order.

(3) (a) The holder of a licence granted or rendered valid under this Order shall, within a reasonable time after being requested to do so by an authorised person, cause to be produced to that person his licence, including any certificate of validation. The requirements of this paragraph shall be deemed to have been complied with, except in relation to licences required by article 57 of this Order to be carried in the aircraft or kept at an aerodrome, if the licence requested is produced within five days after the request has been made at a police station in the United Kingdom specified, at the time of the request, by the person to whom the request is made.

(b) The foregoing provisions of this paragraph shall apply to a medical certificate issued pursuant to article 19(1)(b)(ii) of this Order as they apply to a licence granted or rendered valid under this Order.

(4) Every person required by article 22 of this Order to keep a personal flying

log book shall cause it to be produced within a reasonable time to an authorised person after being requested to do so by him within two years after the date of the last entry therein.

*Power to inspect and copy documents and records*

60. An authorised person shall have the power to inspect and copy any certificate, licence, log book, document or record which he has the power pursuant to this Order and any regulations made thereunder to require to be produced to him.

*Preservation of documents, etc.*

61. A person required by this Order to preserve any document or record by reason of his being the operator of an aircraft shall, if he ceases to be the operator of the aircraft, continue to preserve the document or record as if he had not ceased to be the operator, and in the event of his death the duty to preserve the document or record shall fall upon his personal representative:

Provided that if—

- (a) another person becomes the operator of the aircraft he or his personal representative shall deliver to that person upon demand the certificates of maintenance review and release to service, the log books and the weight schedule and any record made by a flight data recorder and preserved in accordance with article 37(2) of this Order which are in force or required to be preserved in respect of that aircraft;
- (b) an engine or variable pitch propeller is removed from the aircraft and installed in another aircraft operated by another person he or his personal representative shall deliver to that person upon demand the log book relating to that engine or propeller;
- (c) any person in respect of whom a record has been kept by him in accordance with article 54(4) of this Order becomes a member of the flight crew of a public transport aircraft registered in the United Kingdom and operated by another person he or his personal representative shall deliver those records to that other person upon demand,

and it shall be the duty of that other person to deal with the document or record delivered to him as if he were the first-mentioned operator.

*Revocation, suspension and variation of certificates, licences and other documents*

62.— (1) The appropriate authority may, if it thinks fit, provisionally suspend or vary any certificate, licence, approval, permission, exemption, authorisation or other document issued, granted or having effect under this Order, pending inquiry into or consideration of the case. The appropriate authority may, on sufficient ground being shown to its satisfaction after due inquiry, revoke, suspend or vary any such certificate, licence, approval, permission, exemption, authorisation or other document.

(2) The holder or any person having the possession or custody of any certificate, licence, approval, permission, exemption or other document which has been revoked, suspended or varied under this Order shall surrender it to the

appropriate authority within a reasonable time after being required to do so by that authority.

(3) The breach of any condition subject to which any certificate, licence, approval, permission, exemption or other document, other than a licence issued in respect of an aerodrome, has been granted or issued, or which has effect under this Order shall, in the absence of provision to the contrary in the document, render the document invalid during the continuance of the breach.

(4) In this article the "appropriate authority" means in relation to a permission granted under article 83 or article 84 of this Order, the Secretary of State, and in relation to any other document, the Authority.

(5) Notwithstanding paragraph (1) of this article, a flight manual, performance schedule or other document incorporated by reference in the certificate of airworthiness may be varied on sufficient ground being shown to the satisfaction of the Authority, whether or not after due inquiry.

*Offences in relation to documents and records*

63.— (1) A person shall not with intent to deceive—

- (a) use any certificate, licence, approval, permission, exemption or other document issued or required by or under this Order which has been forged, altered, revoked or suspended, or to which he is not entitled; or
- (b) lend any certificate, licence, approval, permission, exemption or other document issued or having effect or required by or under this Order to, or allow it to be used by, any other person; or
- (c) make any false representation for the purpose of procuring for himself or any other person the grant, issue, renewal or variation of any such certificate, licence, approval, permission or exemption or other document,

and in this paragraph a reference to a certificate, licence, approval, permission, exemption or other document includes a copy or purported copy thereof.

(2) A person shall not intentionally damage, alter or render illegible any log book or other record required by or under this Order to be maintained or any entry made therein, or knowingly make, or procure or assist in the making of, any false entry in or material omission from any such log book or record or destroy any such log book or record during the period for which it is required under this Order to be preserved.

(3) All entries made in writing in any log book or record referred to in paragraph (2) of this article shall be made in ink or indelible pencil.

(4) A person shall not knowingly make in a load sheet any entry which is incorrect in any material particular, or any material omission from such a load sheet.

(5) A person shall not purport to issue any certificate for the purposes of this Order or the regulations made thereunder unless he is authorised to do so under this Order.

(6) A person shall not issue any such certificate as aforesaid unless he has satisfied himself that all statements in the certificate are correct.

## PART VIII

### CONTROL OF AIR TRAFFIC

#### *Rules of the air and air traffic control*

64.— (1) Without prejudice to any other provision of this Order, the Secretary of State may make regulations (referred to in this Order as the Rules of the Air and Air Traffic Control) prescribing—

- (a) the manner in which aircraft may move or fly including in particular provision for requiring aircraft to give way to military aircraft;
- (b) the lights and other signals to be shown or made by aircraft or persons;
- (c) the lighting and marking of aerodromes;
- (d) the air traffic control services to be provided at aerodromes;
- (e) any other provisions for securing the safety of aircraft in flight and in movement and the safety of persons and property on the surface.

(2) Subject to the provisions of paragraph (3) of this article, it shall be an offence to contravene, to permit the contravention of, or to fail to comply with, the Rules of the Air and Air Traffic Control.

(3) It shall be lawful for the Rules of the Air and Air Traffic Control to be departed from to the extent necessary—

- (a) for avoiding immediate danger; or
- (b) for complying with the law of any country other than the United Kingdom within which the aircraft then is; or
- (c) for complying with Military Flying Regulations (Joint Service Publication 318) or Flying Orders to Contractors (Aviation Publication 67) issued by the Secretary of State in relation to an aircraft of which the commander is acting as such in the course of his duty as a member of any of Her Majesty's naval, military or air forces.

(4) If any departure from the Rules of the Air and Air Traffic Control is made for the purpose of avoiding immediate danger, the commander of the aircraft shall cause written particulars of the departure, and of the circumstances giving rise to it, to be given within ten days thereafter to the competent authority of the country in whose territory the departure was made or if the departure was made over the high seas, to the Authority.

(5) Nothing in the Rules of the Air and Air Traffic Control shall exonerate any person from the consequences of any neglect in the use of lights or signals or of the neglect of any precautions required by ordinary aviation practice or by the special circumstances of the case.

#### *Licensing of air traffic controllers, student air traffic controllers and aerodrome flight information service officers*

65.— (1) The Authority shall grant a licence subject to such conditions as it

thinks fit to any person to act as an air traffic controller, as a student air traffic controller or as an aerodrome flight information service officer upon its being satisfied that the applicant is a fit person to hold the licence and is qualified by reason of his knowledge, experience, competence, skill, physical and mental fitness so to act, and for that purpose the applicant shall furnish such evidence and undergo such examinations and tests (including in particular medical examinations) as the Authority may require of him:

Provided that the Authority shall not grant—

- (a) a student air traffic controller's licence or an aerodrome flight information service officer's licence to a person under the age of 18 years; or
- (b) an air traffic controller's licence which includes an Aerodrome Control Rating, an Approach Control Rating or an Area Control Rating, to a person under the age of 20 years; or
- (c) an air traffic controller's licence which includes any other rating, to a person under the age of 21 years.

(2) Every licence to act as an air traffic controller shall include (a) ratings of one or more of the classes set forth in Schedule 10 to this Order specifying the type of air traffic control service which the holder of the licence is competent to provide, (b) a list of the places at which, and (c) the type of radar equipment, if any, with the aid of which he may provide the service. If throughout any period of 90 days, the holder of the licence has not at any time provided at a particular place the type of air traffic control service specified in the rating, the rating shall, without prejudice to the Authority's powers under article 62 of this Order, cease to be valid for that place at the end of that period, and upon a rating ceasing to be valid for a place the holder of the licence shall forthwith inform the Authority to that effect and shall forward the licence to the Authority to enable it to be endorsed accordingly.

(3) Every licence to act as a student air traffic controller shall be valid only for the purpose of authorising the holder to provide air traffic control service under the supervision of another person who is present at the time and is the holder of a valid air traffic controller's licence which includes a rating specifying the type of air traffic control service which is being provided by the student air traffic controller and valid at the place in question.

(4) Every licence to act as an aerodrome flight information service officer shall be valid only for the purpose of authorising the holder to provide an aerodrome flight information service at an aerodrome specified in the licence. If, throughout any period of 180 days the holder of the licence has not at any time provided such a service at a particular aerodrome, the licence shall cease to be valid for that aerodrome at the end of that period.

(5) A licence to act as an air traffic controller, as a student air traffic controller or as an aerodrome flight information service officer shall not be valid unless the holder of the licence has signed his name thereon in ink with his ordinary signature.

(6) Subject to the provisions of article 62 of this Order, a licence to act as an air traffic controller, as a student air traffic controller or as an aerodrome flight information service officer shall remain in force for the period indicated in the licence and may be renewed by the Authority from time to time, upon its being

satisfied that the applicant is a fit person and is qualified as aforesaid. If no period is indicated in the licence, it shall remain in force, subject as aforesaid for the lifetime of the holder.

(7) Every applicant for and holder of an air traffic controller's licence or a student air traffic controller's licence shall upon such occasions as the Authority may require—

- (a) submit himself to medical examination by a person approved by the Authority either generally or in a particular case who shall make a report to the Authority in such form as the Authority may require; and
- (b) submit himself to such examinations and tests and furnish such evidence as to his knowledge, experience, competence and skill, as the Authority may require and such examinations and tests may be conducted by the Authority or by a person approved by the Authority.

(8) Every applicant for and holder of an aerodrome flight information service officer's licence shall, upon such occasions as the Authority may require, subject himself to such examinations and tests and furnish such evidence as to his knowledge, experience, competence and skill as the Authority may require and such examinations and tests may be conducted by the Authority or by a person approved by the Authority.

(9) On the basis of the medical examination referred to in paragraph (7) of this article, the Authority or any person approved by it as competent to do so may issue a medical certificate subject to such conditions as it or he thinks fit to the effect that the holder of the licence has been assessed as fit to perform the functions to which the licence relates. The certificate shall, without prejudice to article 68 of this Order, be valid for such period as is therein specified, and shall be deemed to form part of the licence.

(10) The holder of an air traffic controller's licence or student air traffic controller's licence shall not provide any type of air traffic control service at any such aerodrome or place as is referred to in article 66(1) of this Order unless his licence includes a medical certificate issued and in force under paragraph (9) of this article.

*Prohibition of unlicensed air traffic controllers, student air traffic controllers and aerodrome flight information service officers*

**66.**— (1) A person shall not provide at any place any type of air traffic control service or an aerodrome flight information service or hold himself out, whether by use of a radio call sign or in any other way, as a person who may provide any type of air traffic control service or an aerodrome flight information service unless—

- (a) in the case of an air traffic control service, he is the holder, and complies with the terms of—
  - (i) a valid student air traffic controller's licence granted under this Order and he is supervised in accordance with article 65(3) of this Order; or
  - (ii) a valid air traffic controller's licence so granted authorising him to provide that type of service at that place; or
  - (iii) a valid air traffic controller's licence so granted which does not

authorise him to provide that type of service at that place, but he is supervised by a person who is present at the time and who is the holder of a valid air traffic controller's licence so granted which authorises him to provide at that place the type of air traffic control service which is being provided; or

- (b) in the case of an aerodrome flight information service, he is the holder and complies with the terms of an aerodrome flight information service officer's licence granted under this Order authorising him to provide such a service at that place:

Provided that a licence shall not be required by any person who acts in the course of his duty as a member of any of Her Majesty's naval, military or air forces or a visiting force.

(2) The holder of an air traffic controller's licence shall not be entitled to perform any of the functions specified in Schedule 10 to this Order in respect of a rating at any place unless—

- (a) his licence includes that rating and the rating is valid for the place at which, and the type of radar equipment, if any, with the aid of which, the functions are performed; or
- (b) he is supervised by a person who is present at the time and who is the holder of a valid air traffic controller's licence granted under this Order which authorises him to provide at that place the type of air traffic control service which is being provided.

(3) A person shall not provide any type of air traffic control service or an aerodrome flight information service unless he identifies himself in such a manner as may be notified.

(4) Nothing in a licence granted under article 65 of this Order shall permit any person to operate manually any direction-finding equipment for the purpose of providing air traffic control service to an aircraft at a time when he is providing air traffic control service or making signals to that aircraft or to another aircraft.

(5) Nothing in this article shall prohibit the holder of a valid air traffic controller's licence from providing at any place for which the licence includes a valid rating, information to aircraft in flight in the interests of safety.

#### *Flight Information Service Manual*

67. A person shall not provide an aerodrome flight information service at any aerodrome unless—

- (a) the service is provided in accordance with the standards and procedures specified in an aerodrome information service manual in respect of that aerodrome;
- (b) the manual is produced to the Authority within a reasonable time after a request for its production is made by the Authority;
- (c) such amendments or additions as the Authority may from time to time require have been made to the manual.



*Incapacity of air traffic controllers*

**68.**— (1) Every holder of an air traffic controller's licence granted under article 65 of this Order who—

(a) suffers any personal injury or illness involving incapacity to undertake the functions to which his licence relates throughout a period of 20 consecutive days; or

(b) in the case of a woman, has reason to believe that she is pregnant,

shall inform the Authority in writing of such injury, illness or pregnancy as soon as possible.

(2) An air traffic controller's licence shall be deemed to be suspended upon the elapse of such period of injury or illness as is referred to in paragraph (1)(a) of this article. The suspension of the licence shall cease—

(a) upon the holder being medically examined under arrangements made by the Authority and pronounced fit to resume his functions under the licence; or

(b) upon the Authority exempting the holder from the requirement of a medical examination subject to such conditions as the Authority may think fit.

(3) Upon the pregnancy of the holder of an air traffic controller's licence being confirmed, the licence shall be deemed to be suspended and such suspension may be lifted by the Authority subject to such conditions as it thinks fit, and shall cease upon the holder being medically examined under arrangements made by the Authority after the pregnancy has ended and pronounced fit to resume her functions under the licence.

*Power to prohibit or restrict flying*

**69.**— (1) (a) Where the Secretary of State deems it necessary in the public interest to restrict or prohibit flying by reason of—

(i) the intended gathering or movement of a large number of persons, or

(ii) the intended holding of an aircraft race or contest or of an exhibition of flying, or

(iii) national defence or any other reason affecting the public interest, the Secretary of State may make regulations prohibiting, restricting or imposing conditions on flight—

(aa) by any aircraft, whether or not registered in the United Kingdom, in any airspace over the United Kingdom or in the neighbourhood of an offshore installation;

(bb) by aircraft registered in the United Kingdom, in any other airspace, being airspace in respect of which Her Majesty's Government in the United Kingdom has in pursuance of international arrangements undertaken to provide navigation services for aircraft.

(b) Regulations made under this article may apply either generally or in relation to any class of aircraft.

(2) If the commander of an aircraft becomes aware that the aircraft is flying in contravention of any regulations which have been made for any of the reasons referred to in paragraph (1)(a)(iii) of this article he shall unless otherwise instructed pursuant to paragraph (3) of this article cause the aircraft to leave the area to which the regulations relate by flying to the least possible extent over such area and the aircraft shall not begin to descend while over such an area.

(3) The commander of an aircraft flying either within an area for which regulations have been made for any of the reasons referred to in paragraph (1)(a)(iii) of this article or within airspace notified as a Danger Area shall forthwith comply with instructions given by radio or by one of the prescribed visual signals by the appropriate air traffic control unit or by, or on behalf of, the person responsible for safety within the relevant airspace.

*Balloons, kites and airships*

70.— (1) Within the United Kingdom—

- (a) a captive balloon or kite shall not be flown at a height of more than 60 metres above the ground level or within 60 metres of any vessel, vehicle or structure;
- (b) a captive balloon shall not be flown within 5 km. of an aerodrome;
- (c) a balloon exceeding 2 metres in any linear dimension at any stage of its flight, including any basket or other equipment attached to the balloon, shall not be flown in controlled airspace;
- (d) a kite shall not be flown within 5 km. of an aerodrome;
- (e) an airship shall not be moored,

without the permission in writing of the Authority and in accordance with any conditions subject to which that permission may be granted.

(2) A captive balloon when in flight shall be securely moored, and shall not be left unattended unless it is fitted with a device which ensures its automatic deflation if it breaks free of its moorings.

PART IX

AERODROMES, AERONAUTICAL LIGHTS AND DANGEROUS LIGHTS

*Aerodromes—public transport of passengers and instruction in flying*

71.— (1) An aircraft to which this paragraph applies shall not take-off or land at a place in the United Kingdom other than—

- (a) an aerodrome licensed under this Order for the take-off and landing of such aircraft; or
- (b) a Government aerodrome, or an aerodrome owned or managed by the Authority, notified as available for the take-off and landing of such aircraft, or in respect of which the person in charge of the aerodrome has given his permission for the particular aircraft to take-off or land as the case may be,

and in accordance with any conditions subject to which the aerodrome may

have been licensed or notified, or subject to which such permission may have been given.

- (2) Paragraph (1) of this article applies to—
- (a) aeroplanes of which the maximum total weight authorised exceeds 2,730 kg. and which are flying for the purpose of the public transport of passengers or for the purpose of instruction in flying;
  - (b) aeroplanes of which the maximum total weight authorised does not exceed 2,730 kg. engaged on either—
    - (i) scheduled journeys for the purpose of the public transport of passengers; or
    - (ii) flights for the purpose of the public transport of passengers beginning and ending at the same aerodrome; or
    - (iii) flights for the purpose of instruction in flying; or
    - (iv) flights for the purpose of the public transport of passengers at night;
  - (c) helicopters and gyroplanes engaged on such flights as are specified in sub-paragraphs (i) and (iii) above;
  - (d) gliders (other than gliders being flown under arrangements made by a flying club and carrying no person other than a member of the club) which are flying for the purpose of the public transport of passengers or for the purpose of instruction in flying.
- (3) (a) The person in charge of any area in the United Kingdom intended to be used for the taking-off or landing of helicopters at night other than such a place as is specified in paragraph (1) of this Article shall cause to be in operation, whenever a helicopter flying for the purpose of public transport of passengers is taking-off or landing at that area by night, such lighting as will enable the pilot of the helicopter—
- (i) in the case of landing, to identify the landing area in flight, to determine the landing direction and to make a safe approach and landing;
  - (ii) in the case of taking-off, to make a safe take-off.
- (b) A helicopter flying for the purpose of the public transport of passengers at night shall not take-off or land at a place to which sub-paragraph (a) of this paragraph applies unless there is in operation such lighting.

#### *Use of Government and Authority aerodromes*

72. The Authority may cause to be notified subject to such conditions as it thinks fit—

- (a) any aerodrome owned or managed by it; and
- (b) with the concurrence of the Secretary of State, any Government aerodrome,

as an aerodrome available for the take-off and landing of aircraft engaged on flights for the purpose of the public transport of passengers or for the purpose of instruction in flying or of any classes of such aircraft.

*Licensing of aerodromes*

73.— (1) The Authority shall grant to any person applying therefor a licence in respect of any aerodrome in the United Kingdom if it is satisfied that—

- (a) that person is competent, having regard to his previous conduct and experience, his equipment, organisation, staffing, maintenance and other arrangements, to secure that the aerodrome and the airspace within which its visual traffic pattern is normally contained are safe for use by aircraft; and
- (b) the aerodrome is safe for use by aircraft, having regard in particular to the physical characteristics of the aerodrome and of its surroundings.

(2) An aerodrome licence may be granted subject to such conditions as the Authority thinks fit and shall, subject to the provisions of article 62 of this Order, remain in force for the period specified in the licence.

(3) Without prejudice to the generality of paragraph (2) of this article the Authority may grant a licence (in this Order referred to as “a licence for public use”) which shall be subject to the condition that the aerodrome shall at all times when it is available for the take-off or landing of aircraft be so available to all persons on equal terms and conditions.

(4) The holder of an aerodrome licence granted under this Order shall—

- (a) furnish to any person on request information concerning the terms of the licence; and
- (b) in the case of a licence for public use, cause to be notified the times during which the aerodrome will be available for the take-off or landing of aircraft engaged on flights for the purpose of public transport of passengers or instruction in flying.

(5) The holder of an aerodrome licence granted under this Order shall not contravene or cause or permit to be contravened any condition of the aerodrome licence at any time in relation to such aircraft engaged on such flights as are specified in article 71(2) of this Order, but the licence shall not cease to be valid by reason only of such a contravention.

*Radio equipment at aerodromes*

74.— (1) A person shall not cause or permit any aeronautical radio station to be established or used unless its purpose has been approved by the Authority and the equipment thereof is of a type the specification of which is approved by the Authority in relation to the purpose for which it is to be used.

(2) The person in charge of an aeronautical radio station the purpose of which is to provide navigational aid by radio or radar to an aircraft making an approach to land or landing at an aerodrome shall not cause or permit that aeronautical radio station to provide such navigational aid unless all aeronautical radio stations operated by that person at that aerodrome are—

- (a) installed, modified and maintained in a manner approved by the Authority; and
- (b) flight checked by the Authority or by a person approved by the Authority for that purpose on such occasions as the Authority may require:

Provided that the provisions of this paragraph shall not apply to any aeronautical radio station which is used solely for the purpose of enabling communications to be made by or on behalf of the operator of an aircraft and the commander thereof.

(3) The person in charge of an aeronautical radio station at an aerodrome for which a licence for public use has been granted shall cause to be notified in relation to that aeronautical radio station the type and hours of operation of any service which is available for use by any aircraft, and in approving the purpose for which an aeronautical radio station is to be used at any other aerodrome the Authority may if it thinks fit require the person in charge of the aeronautical radio station to cause such information as aforesaid to be notified.

(4) The provisions of this article shall not apply in respect to any aeronautical radio station of which the person in charge is the Authority or the Secretary of State.

#### *Records at aerodromes*

75.— (1) The person in charge of any aeronautical radio station the purpose of which is to provide navigational aid by radio or radar to an aircraft making an approach to land or landing at an aerodrome shall in respect of all aeronautical radio stations operated by him at that aerodrome:

- (a) keep a written record of functional tests, flight checks and particulars of any overhaul, repair, replacement or modification thereof; and
- (b) preserve the written record for a period of one year or such longer period as the Authority may in a particular case direct and shall within a reasonable time after being requested to do so by an authorised person produce such record to that person.

(2) The person in charge of an aeronautical radio station which is used for the provision of an air traffic control service by an air traffic control unit shall provide apparatus which is capable of recording the terms or content of any radio message or signal transmitted to any aircraft either alone or in common with other aircraft or received from any aircraft by the air traffic control unit.

(3) The apparatus provided in compliance with paragraph (2) of this article shall be:

- (a) of a type the specification of which is approved by the Authority in relation to the particular aeronautical radio station; and
- (b) installed, modified and maintained in a manner approved by the Authority; and
- (c) in operation at all times when the aeronautical radio station is in operation for providing an air traffic control service.

(4) The person in charge of an aeronautical radio station shall ensure that each record made by the apparatus provided in compliance with paragraph (2) of this article includes:

- (a) the identification of the aeronautical radio station; and
- (b) the date or dates on which the record was made; and

- (c) a means of determining the time at which each message or signal was transmitted; and
- (d) the identity of the aircraft to or from which and the radio frequency on which the message or signal was transmitted or received; and
- (e) the time at which the record started and finished.

(5) If at any time the apparatus provided in compliance with paragraph (2) of this article ceases to be capable of recording the matters required by this article to be included in the record the person in charge of the aeronautical station shall ensure that a written record is kept in which the particulars specified in paragraph (4) of this article are recorded together with a summary of communications exchanged between the aeronautical radio station and aircraft.

(6) The person in charge of the aeronautical radio station shall preserve any record made in compliance with paragraphs (2) and (5) of this article for a period of 30 days from the date on which the message or signal was recorded or for such longer period as the Authority may in a particular case direct, and shall, within a reasonable time after being requested to do so by an authorised person, produce such record to that person.

(7) A person required by this article to preserve any record by reason of his being the person in charge of the aeronautical radio station shall, if he ceases to be such person, continue to preserve the record as if he had not ceased to be such person, and in the event of his death the duty to preserve the record shall fall upon his personal representative:

Provided that if another person becomes the person in charge of the aeronautical radio station the previous person or his personal representative shall deliver the record to that other person on demand, and it shall be the duty of that other person to deal with the record delivered to him as if he were that previous person in charge.

(8) The provisions of this article shall not apply in respect of any aeronautical radio station of which the person in charge is the Authority or the Secretary of State.

#### *Charges at aerodromes licensed for public use*

76.— (1) The Secretary of State may, in relation to any aerodrome in respect of which a licence for public use has been granted, or to such aerodromes generally or to any class thereof, prescribe the charges, or the maximum charges, which may be made for the use of the aerodrome and for any services performed at the aerodrome to or in connection with aircraft, and may further prescribe the conditions to be observed in relation to those charges and the performance of those services.

(2) The licensee of an aerodrome in relation to which the Secretary of State has made any regulations under paragraph (1) of this article shall not cause or permit any charges to be made in contravention of those regulations and shall cause particulars of the prescribed charges to be kept exhibited at the aerodrome in such a place and manner as to be readily available for the information of any person affected thereby.

(3) The licensee of any aerodrome in respect of which a licence for public use has been granted shall, when required by the Secretary of State, furnish to the Secretary of State such particulars as he may require of the charges established by the licensee for the use of the aerodrome or of any facilities provided at the aerodrome for the safety, efficiency or regularity of air navigation.

*Use of aerodromes by aircraft of Contracting States and of the Commonwealth*

77. The person in charge of any aerodrome in the United Kingdom which is open to public use by aircraft registered in the United Kingdom (whether or not the aerodrome is a licensed aerodrome) shall cause the aerodrome, and all air navigation facilities provided thereat, to be available for use by aircraft registered in other Contracting States or in any part of the Commonwealth on the same terms and conditions as for use by aircraft registered in the United Kingdom.

*Noise and vibration caused by aircraft on aerodromes*

78. The Secretary of State may prescribe the conditions under which noise and vibration may be caused by aircraft (including military aircraft) on Government aerodromes, aerodromes owned or managed by the Authority, licensed aerodromes or on aerodromes at which the manufacture, repair or maintenance of aircraft is carried out by persons carrying on business as manufacturers or repairers of aircraft, and section 77(2) of the Civil Aviation Act 1982(a) shall apply to any aerodrome in relation to which the Secretary of State has prescribed conditions as aforesaid.

*Aeronautical lights*

79.— (1) Except with the permission of the Authority and in accordance with any conditions subject to which the permission may be granted, a person shall not establish, maintain or alter the character of:

- (a) an aeronautical beacon within the United Kingdom:

Provided that, in the case of an aeronautical beacon which is or may be visible from the waters within an area of a general lighthouse authority, the Authority shall not give its permission for the purpose of this article except with the consent of that authority, or

- (b) any aeronautical ground light (other than an aeronautical beacon) at an aerodrome licensed under this Order, or which forms part of the lighting system for use by aircraft taking off from or landing at such an aerodrome.

(2) A person shall not intentionally or negligently damage or interfere with any aeronautical ground light established by or with the permission of the Authority.

---

(a) 1982 c.16.

*Dangerous lights*

**80.**— (1) A person shall not exhibit in the United Kingdom any light which—

- (a) by reason of its glare is liable to endanger aircraft taking off from or landing at an aerodrome; or
- (b) by reason of its liability to be mistaken for an aeronautical ground light is liable to endanger aircraft.

(2) If any light which appears to the Authority to be such a light as aforesaid is exhibited the Authority may cause a notice to be served upon the person who is the occupier of the place where the light is exhibited or having charge of the light, directing that person, within a reasonable time to be specified in the notice, to take such steps as may be specified in the notice for extinguishing or screening the light and for preventing for the future the exhibition of any other light which may similarly endanger aircraft.

(3) The notice may be served either personally or by post, or by affixing it in some conspicuous place near to the light to which it relates.

(4) In the case of a light which is or may be visible from any waters within the area of a general lighthouse authority, the powers of the Authority under this article shall not be exercised except with the consent of that authority.

*Customs and Excise airports*

**81.**— (1) The Secretary of State may, with the concurrence of the Commissioners of Customs and Excise and subject to such conditions as they may think fit, by order designate any aerodrome to be a place for the landing or departure of aircraft for the purpose of the enactments for the time being in force relating to customs and excise.

(2) The Secretary of State may, with the concurrence of the Commissioners of Customs and Excise, by order revoke any designation so made.

*Aviation fuel at Aerodromes*

**82.**— (1) A person who has the management of any aviation fuel installation on an aerodrome in the United Kingdom shall not cause or permit any fuel to be delivered to that installation or from it to an aircraft unless—

- (a) when the aviation fuel is delivered into the installation he is satisfied that—
  - (i) the installation is capable of storing and dispensing the fuel so as not to render it unfit for use in aircraft; and
  - (ii) the installation is marked in a manner appropriate to the grade of fuel stored or if different grades are stored in different parts each part is so marked; and
  - (iii) in the case of delivery into the installation or part thereof from a vehicle or vessel, the fuel has been sampled and is of a grade appropriate to that installation or that part of the installation as the case may be and is fit for use in aircraft;



- (b) when any aviation fuel is dispensed from the installation he is satisfied as the result of sampling that the fuel is fit for use in aircraft:

Provided that this paragraph shall not apply in respect of fuel which has been removed from an aircraft and it is intended for use in another aircraft operated by the same operator as the aircraft from which it has been removed.

(2) A person to whom paragraph (1) of this article applies shall keep a written record in respect of each installation of which he has the management, which record shall include—

- (a) particulars of the grade and quantity of aviation fuel delivered and the date of delivery;
- (b) particulars of all samples taken of the aviation fuel and of the results of tests of those samples;
- (c) particulars of the maintenance and cleaning of the installation;

and he shall preserve the written record for a period of 12 months or such longer period as the Authority may in a particular case direct and shall, within a reasonable time after being requested to do so by an authorised person, produce such record to that person.

(3) (a) A person shall not cause or permit any aviation fuel to be dispensed for use in an aircraft if he knows or has reason to believe that the aviation fuel is not fit for use in aircraft.

(b) If it appears to the Authority or an authorised person that any aviation fuel is intended or likely to be delivered in contravention of any provision of this article, the Authority or that authorised person may direct the person having the management of the installation not to permit aviation fuel to be dispensed from that installation until the direction has been revoked by the Authority or by an authorised person.

(4) For the purpose of this article—

“aviation fuel” means fuel intended for use in aircraft;

“aviation fuel installation” means any apparatus or container, including a vehicle, designed, manufactured or adapted for the storage of aviation fuel or for the delivery of such fuel to an aircraft.

## PART X

### GENERAL

#### *Restriction with respect to carriage for hire or reward in aircraft registered outside the United Kingdom*

**83.** An aircraft registered in a Contracting State other than the United Kingdom, or in a foreign country, shall not take on board or discharge any passengers or cargo in the United Kingdom, being passengers or cargo carried or to be carried for hire or reward, except with the permission of the Secretary of State granted under this article to the operator or the charterer of the aircraft or to the Government of the country in which the aircraft is registered, and in accordance with any conditions to which such permission may be subject.

*Restriction with respect to aerial photography and survey from aircraft registered outside the United Kingdom*

84. An aircraft registered in a Contracting State other than the United Kingdom, or in a foreign country, shall not fly over the United Kingdom for the purpose of aerial photography or aerial survey except with the permission of the Secretary of State granted under this article to the operator or the charterer of the aircraft and in accordance with any conditions to which such permission may be subject.

*Mandatory reporting*

- 85.— (1) Subject to the provisions of this article, every person who—
- (a) is the operator or the commander of a public transport aircraft which is registered in the United Kingdom and has a maximum total weight authorised of more than 2,300 kg.; or
  - (b) carries on the business of manufacturing, repairing or overhauling such an aircraft, or any equipment or part thereof; or
  - (c) signs a certificate of maintenance review, or of release to service in respect of such an aircraft, part or equipment; or
  - (d) performs a function for which he requires an air traffic controller's licence; or
  - (e) is the licensee or manager of a licensed aerodrome, shall—
    - (i) make a report to the Authority of any reportable occurrence of which he knows and which is of such a description as may be prescribed; the report shall be made within such time, by such means, and shall contain such information as may be prescribed and it shall be presented in such form as the Authority may in any particular case approve, and
    - (ii) make a report to the Authority, within such time, by such means, and containing such information as the Authority may specify in a notice in writing served upon him, being information which is in his possession or control and which relates to a reportable occurrence which has been reported by him or by another person to the Authority in accordance with this article.
- (2) In this article “reportable occurrence” means—
- (a) any incident relating to such an aircraft or any defect in or malfunctioning of such an aircraft or any part or equipment of such an aircraft, being an incident, malfunctioning or defect endangering, or which if not corrected would endanger, the aircraft, its occupants, or any other person;
  - (b) any defect in or malfunctioning of any facility on the ground used or intended to be used for purposes of or in connection with the operation of such an aircraft, being a defect or malfunctioning endangering, or which if not corrected would endanger, such an aircraft or its occupants:

Provided that any accident notified to the Secretary of State in pursuance of regulations made under section 75 of the Civil Aviation Act 1982 shall not constitute a reportable occurrence for the purposes of this article.

(3) Subject to paragraph (1)(ii) of this article, nothing in this article shall require a person to report any occurrence which he has reason to believe has been or will be reported by another person to the Authority in accordance with this article.

(4) A person shall not make any report under this article if he knows or has reason to believe that the report is false in any particular.

(5) Without prejudice to article 37(2) and subject to the provisions of article 61 of this Order, the operator of an aircraft shall, if he has reason to believe that a report has been or will be made in pursuance of this article, preserve any data from a flight data recorder relevant to the reportable occurrence for fourteen days from the date on which a report of that occurrence is made to the Authority or for such longer period as the Authority may in a particular case direct:

Provided that the record may be erased if the aircraft is outside the United Kingdom and it is not reasonably practicable to preserve the record until the aircraft reaches the United Kingdom.

*Power to prevent aircraft flying*

**86.**— (1) If it appears to the Authority or an authorised person that any aircraft is intended or likely to be flown—

- (a) in such circumstances that any provision of article 3, 5, 6, 7, 18, 19, 28, 37, 43 or 44 of this Order would be contravened in relation to the flight; or
- (b) in such circumstances that the flight would be in contravention of any other provision of this Order or any regulations made thereunder and be a cause of danger to any person or property whether or not in the aircraft; or
- (c) while in a condition unfit for the flight, whether or not the flight would otherwise be in contravention of any provision of this Order or of any regulation made thereunder,

the Authority or that authorised person may direct the operator or the commander of the aircraft that he is not to permit the aircraft to make the particular flight or any other flight of such description as may be specified in the direction, until the direction has been revoked by the Authority or by an authorised person, and the Authority or that authorised person may take such steps as are necessary to detain the aircraft.

(2) For the purposes of paragraph (1) of this article the Authority or any authorised person may enter upon and inspect any aircraft.

(3) If it appears to the Secretary of State or an authorised person that any aircraft is intended or likely to be flown in such circumstances that any provision of article 83 or 84 of this Order would be contravened in relation to the flight, the Secretary of State or that authorised person may direct the operator or the commander of the aircraft that he is not to permit the aircraft to make the particular flight or any other flight of such description as may be specified in the direction until the direction has been revoked by the Secretary of State or by an authorised person, and the Secretary of State or any authorised person may take such steps as are necessary to detain the aircraft.

(4) For the purposes of paragraph (3) of this article the Secretary of State or any authorised person may enter upon any aerodrome and may enter upon and inspect any aircraft.

*Right of access to aerodromes and other places*

**87.** The Authority and any authorised person shall have the right of access at all reasonable times—

- (a) to any aerodrome, for the purpose of inspecting the aerodrome, or
- (b) to any aerodrome for the purpose of inspecting any aircraft on the aerodrome or any document which it or he has power to demand under this Order, or for the purpose of detaining any aircraft under the provisions of this Order; and
- (c) to any place where an aircraft has landed, for the purpose of inspecting the aircraft or any document which it or he has power to demand under this Order and for the purpose of detaining the aircraft under the provisions of this Order:

Provided that access to a Government aerodrome or aerodrome owned or managed by the Authority shall only be obtained with the permission of the person in charge of the aerodrome.

*Obstruction of persons*

**88.** A person shall not intentionally obstruct or impede any person acting in the exercise of his powers or the performance of his duties under this Order.

*Enforcement of directions*

**89.** Any person who without reasonable excuse fails to comply with any direction given to him under any provision of this Order or any regulations made thereunder shall be deemed for the purposes of this Order to have contravened that provision.

*Penalties*

**90.—** (1) If any provision of this Order or of any regulations made thereunder is contravened in relation to an aircraft, the operator of that aircraft and the commander thereof shall (without prejudice to the liability of any other person under this Order for that contravention) be deemed for the purposes of the following provisions of this article to have contravened that provision unless he proves that the contravention occurred without his consent or connivance and that he exercised all due diligence to prevent the contravention.

(2) If it is proved that an act or omission of any person which would otherwise have been a contravention by that person of a provision of this Order or of any regulations made thereunder was due to any cause not avoidable by the exercise of reasonable care by that person the act or omission shall be deemed not to be a contravention by that person of that provision.

(3) Where a person is charged with contravening a provision of this Order or

of any regulations made thereunder by reason of his having been a member of the flight crew of an aircraft on a flight for the purpose of public transport or aerial work the flight shall be treated (without prejudice to the liability of any other person under this Order) as not having been for that purpose if he proves that he neither knew nor suspected that the flight was for that purpose.

(4) If any person contravenes any provision of this Order, or of any regulations made thereunder, not being a provision referred to in paragraphs (5) or (6) of this article, he shall be liable on summary conviction to a fine not exceeding £400.

(5) If any person contravenes any provision specified in Part A of Schedule 13 to this Order he shall be liable on summary conviction to a fine not exceeding £1,000.

(6) If any person contravenes any provision specified in Part B of the said Schedule he shall be liable on summary conviction to a fine not exceeding £2,000 and on conviction on indictment to a fine or imprisonment for a term not exceeding two years or both.

*Extra-territorial effect of the Order*

**91.**— (1) Except where the context otherwise requires, the provisions of this Order—

- (a) in so far as they apply (whether by express reference or otherwise) to aircraft registered in the United Kingdom, shall apply to such aircraft wherever they may be;
- (b) in so far as they apply as aforesaid to other aircraft shall apply to such other aircraft when they are within the United Kingdom or on or in the neighbourhood of an offshore installation;
- (c) in so far as they prohibit, require or regulate (whether by express reference or otherwise) the doing of anything by persons in, or by any of the crew of, any aircraft registered in the United Kingdom, shall apply to such persons and crew, wherever they may be;
- (d) in so far as they prohibit, require or regulate as aforesaid the doing of anything in relation to any aircraft registered in the United Kingdom by other persons shall, where such persons are Commonwealth citizens, British protected persons or citizens of the Republic of Ireland, apply to them wherever they may be; and
- (e) in so far as they prohibit, require or regulate as aforesaid the doing of anything in relation to any aircraft on or in the neighbourhood of an offshore installation, shall apply to every person irrespective of his nationality or, in the case of a body corporate, of the law under which it was incorporated and wherever that person or body may be.

(2) Nothing in this Article shall be construed as extending to make any person guilty of an offence in any case in which it is provided by section 3(1) of the British Nationality Act 1948(a) (which limits the criminal liability of certain persons who are not citizens of the United Kingdom and colonies) that that person shall not be guilty of an offence.

---

(a) 1948 c. 56.

*Application of Order to British-controlled aircraft not registered in the United Kingdom*

92. The Authority may direct that such of the provisions of this Order and of any regulations made or having effect thereunder as may be specified in the direction shall have effect as if reference in those provisions to aircraft registered in the United Kingdom included references to the aircraft specified in the direction, being an aircraft not so registered but for the time being under the management of a person who, or of persons each of whom, is qualified to hold a legal or beneficial interest by way of ownership in an aircraft registered in the United Kingdom.

*Application of Order to the Crown and visiting forces etc.*

93.— (1) Subject to the following provisions of this article, the provisions of this Order shall apply to or in relation to aircraft belonging to or exclusively employed in the service of Her Majesty, as they apply to or in relation to other aircraft and for the purposes of such application the Department or other authority for the time being responsible on behalf of Her Majesty for the management of the aircraft shall be deemed to be the operator of the aircraft and in the case of an aircraft belonging to Her Majesty, to be the owner of the interest of Her Majesty in the aircraft:

Provided that nothing in this article shall render liable to any penalty any Department or other authority responsible on behalf of Her Majesty for the management of any aircraft.

(2) Save as otherwise expressly provided the naval, military and air force authorities and members of any visiting force and any international headquarters and the members thereof and property held or used for the purpose of such a force or headquarters shall be exempt from the provisions of this Order and of any regulations made thereunder to the same extent as if that force or headquarters formed part of the forces of Her Majesty raised in the United Kingdom and for the time being serving there.

(3) Save as otherwise provided by paragraph (4) of this article, article 64(1)(a) and article 78 of this Order, nothing in this Order shall apply to or in relation to any military aircraft.

(4) Where a military aircraft is flown by a civilian pilot and is not commanded by a person who is acting in the course of his duty as a member of any of Her Majesty's naval, military or air forces or as a member of a visiting force or international headquarters, the following provisions of this Order shall apply on the occasion of that flight, that is to say, articles 47, 48, 49 and 69 and in addition article 64 (so far as applicable) shall apply unless the aircraft is flown in compliance with Military Flying Regulations (Joint Service Publication 318) or Flying Orders to Contractors (Aviation Publication 67) issued by the Secretary of State.

*Exemption from Order*

94. The Authority may exempt from any of the provisions of this Order (other than article 83, 84 or 95 thereof) or any regulations made thereunder, any aircraft or persons or classes of aircraft or persons, either absolutely or subject to such conditions as it thinks fit.

*Appeal to County Court or Sheriff's Court*

95.— (1) Subject to paragraph (2) of this article, an appeal shall lie to a county court from any decision of the Authority that a person is not a fit person to hold a licence to act as an aircraft maintenance engineer, member of the flight crew of an aircraft, air traffic controller, student air traffic controller or aerodrome flight information service officer and if the court is satisfied that on the evidence submitted to the Authority it was wrong in so deciding, the court may reverse the Authority's decision and the Authority shall give effect to the court's determination:

Provided that an appeal shall not lie from a decision of the Authority that a person is not qualified to hold the licence by reason of a deficiency in his knowledge, experience, competence, skill, physical or mental fitness.

- (2)(a) If the appellant resides or has his registered or principal office in Scotland the appeal shall lie to the sheriff within whose jurisdiction he resides and the appeal shall be brought within 21 days from the date of the Authority's decision or within such further period as the sheriff may in his discretion allow;
- (b) notwithstanding any provision to the contrary in rules governing appeals to a county court in Northern Ireland, if the appellant resides or has his registered or principal office in Northern Ireland the appeal shall lie to the county court held under the County Courts (Northern Ireland) Order 1980(a).
- (3) The Authority shall be a respondent to any appeal under this article.
- (4) For the purposes of any provision relating to the time within which an appeal may be brought, the Authority's decision shall be deemed to have been taken on the date on which the Authority furnished a statement of its reasons for the decision to the applicant for the licence, or as the case may be, the holder or former holder of it.
- (5) In the case of an appeal to the sheriff—
- (a) the sheriff may, if he thinks fit, and shall on the application of any party, appoint one or more persons of skill and experience in the matter to which the proceedings relate to act as assessor, but where it is proposed to appoint any person as an assessor objection to him either personally or in respect of his qualification may be stated by any party to the appeal and shall be considered and disposed of by the sheriff;
- (b) the assessors for each sheriffdom shall be appointed from a list of persons approved for the purposes by the sheriff principal and such a list shall be published in such manner as the sheriff principal shall direct and shall be in force for three years only, but persons entered in any such list may be again approved in any subsequent list; it shall be lawful for the sheriff principal to defer the preparation of such a list until application has been made to appoint an assessor in an appeal in one of the courts in his sheriffdom;
- (c) the sheriff before whom an appeal is heard with the assistance of an assessor shall make a note of any question submitted by him to such assessor and of the answer thereto;

---

(a) S.I. 1980/397 (N.I. 3).

- (d) an appeal shall lie on a point of law from any decision of a sheriff under this article to the Court of Session.

*Interpretation*

**96.**— (1) In this Order, unless the context otherwise requires—

“Aerial work” means any purpose (other than public transport) for which an aircraft is flown if hire or reward is given or promised in respect of the flight or the purpose of the flight;

“Aerial work aircraft” means an aircraft (other than a public transport aircraft) flying, or intended by the operator to fly, for the purpose of aerial work;

“Aerial work undertaking” means an undertaking whose business includes the performance of aerial work;

“Aerobatic manoeuvres” includes loops, spins, rolls, bunts, stall turns, inverted flying and any other similar manoeuvre;

“Aerodrome” means any area of land or water designed, equipped, set apart or commonly used for affording facilities for the landing and departure of aircraft and includes any area or space, whether on the ground, on the roof of a building or elsewhere, which is designed, equipped or set apart for affording facilities for the landing and departure of aircraft capable of descending or climbing vertically, but shall not include any area the use of which for affording facilities for the landing and departure of aircraft has been abandoned and has not been resumed;

“Aerodrome flight information unit” means a person appointed by the Authority or by any other person maintaining an aerodrome to give information by means of radio signals to aircraft flying or intending to fly within the aerodrome traffic zone of that aerodrome and “aerodrome flight information service” shall be construed accordingly;

“Aerodrome operating minima” in relation to the operation of an aircraft at an aerodrome means the cloud ceiling and runway visual range for take-off, and the decision height, runway visual range and visual reference for landing, specified by the operator in, or ascertainable by reference to, the operations manual as being the minimum for the operation of that aircraft at that aerodrome;

“Aerodrome traffic zone” means the airspace specified below being airspace in the vicinity of an aerodrome which is notified for the purposes of Rule 35 of the Rules of the Air and Air Traffic Control Regulations 1981(a)—

- (a) in relation to such an aerodrome other than one which is on an offshore installation the airspace extending from the surface to a height of 2,000 feet above the level of the aerodrome and within a distance of  $1\frac{1}{2}$  nautical miles of its boundary;
- (b) in relation to such an aerodrome which is on an off-shore installation the airspace extending from mean sea level to 2,000 feet above mean sea level and within  $1\frac{1}{2}$  nautical miles of the off-shore installation

---

(a) S.I. 1981/34; the relevant amending instrument is S.I. 1985/122.



except any part of that airspace which is within the aerodrome traffic zone of another aerodrome which is notified for the purposes of this Order as being the controlling aerodrome;

“Aeronautical beacon” means an aeronautical ground light which is visible either continuously or intermittently to designate a particular point on the surface of the earth;

“Aeronautical ground light” means any light specifically provided as an aid to air navigation, other than a light displayed on an aircraft;

“Aeronautical radio station” means a radio station on the surface, which transmits or receives signals for the purpose of assisting aircraft;

“Air traffic control unit” means a person appointed by the Authority or by any other person maintaining an aerodrome or place to give instructions or advice or both instructions and advice by means of radio signals to aircraft in the interests of safety but does not include a person so appointed solely to give information to aircraft, and “Air traffic control service” shall be construed accordingly;

“Air transport undertaking” means an undertaking whose business includes the carriage by air of passengers or cargo for hire or reward;

“Approach to landing” means that portion of the flight of the aircraft in which it is descending below a height of 1,000 feet above the decision height of the relevant minimum for landing;

“Appropriate aeronautical radio station” means in relation to an aircraft an aeronautical radio station serving the area in which the aircraft is for the time being;

“Appropriate air traffic control unit” means in relation to an aircraft the air traffic control unit serving the area in which the aircraft is for the time being;

“Authorised person” means—

- (a) any constable, and
- (b) in article 86(3) and (4) any person authorised by the Secretary of State (whether by name, or by class or description) either generally or in relation to a particular case or class of cases; and
- (c) in article 86(1) and (2) and in any article other than article 86, any person authorised by the Authority (whether by name or by class or description) either generally or in relation to a particular case or class of cases;

“the Authority” means the Civil Aviation Authority;

“Beneficial interest” has the same meaning as in section 57 of the Merchant Shipping Act 1894(a);

“Cargo” includes mail and animals;

“Certificate of airworthiness” includes any validation thereof and any flight manual, performance schedule or other document, whatever its title, incorporated by reference in that certificate relating to the certificate of airworthiness;

---

(a) 1894 c. 60.

“Certificate of maintenance review” and “certificate of release to service” have the meanings respectively assigned to them by articles 9(1) and 11(5) of this Order;

“Cloud ceiling” in relation to an aerodrome means the vertical distance from the elevation of the aerodrome to the lowest part of any cloud visible from the aerodrome which is sufficient to obscure more than one-half of the sky so visible;

“Commander” in relation to an aircraft means the member of the flight crew designated as commander of that aircraft by the operator thereof, or, failing such a person, the person who is for the time being the pilot in command of the aircraft;

“the Commonwealth” means the United Kingdom, the Channel Islands, the Isle of Man, the countries mentioned in Schedule 3 to the British Nationality Act 1981(a) and all other territories forming part of Her Majesty’s dominions or in which Her Majesty has jurisdiction;

“Competent authority” means in relation to the United Kingdom, the Authority, and in relation to any other country the authority responsible under the law of that country for promoting the safety of civil aviation;

“Conditional sale agreement” has the same meaning as in section 189 of the Consumer Credit Act 1974(b).

“Congested area” in relation to a city, town or settlement, means any area which is substantially used for residential, industrial, commercial or recreational purposes;

“Contracting State” means any State (including the United Kingdom) which is party to the Convention on International Civil Aviation signed on behalf of the Government of the United Kingdom at Chicago on the 7th December 1944;

“Controlled airspace” means control areas and control zones;

“Control area” means airspace which has been notified as such and which extends upwards from a notified altitude or flight level;

“Control zone” means airspace which has been notified as such and which extends upwards from the surface;

“Co-pilot” in relation to an aircraft means a pilot who in performing his duties as such is subject to the direction of another pilot carried in the aircraft;

“Country” includes a territory;

“Crew” has the meaning assigned to it by paragraph (3) of this article;

“Danger Area” shall mean airspace which has been notified as such within which activities dangerous to the flight of aircraft may take place or exist at such times as may be notified;

“Decision height” in relation to the operation of an aircraft at an aerodrome means the minimum height specified by the operator in, or ascertainable by reference to the operations manual as being the minimum height to which an approach to landing can safely be made by that aircraft at that aerodrome without visual reference to the ground;

---

(a) 1981 c.61.

(b) 1974 c.39.

“Flight” and “to fly” have the meanings respectively assigned to them by paragraph (2) of this article;

“Flight crew” in relation to an aircraft means those members of the crew of the aircraft who respectively undertake to act as pilot, flight navigator, flight engineer and flight radio operator of the aircraft;

“Flight level” means one of a series of levels of equal atmospheric pressure, separated by notified intervals and each expressed as the number of hundreds of feet which would be indicated at that level on a pressure altimeter calibrated in accordance with the International Standard Atmosphere and set to 1013.2 millibars;

“Flight recording system” means a system comprising either a flight data recorder or a cockpit voice recorder or both;

“Flight simulator” means apparatus by means of which flight conditions in an aircraft are simulated on the ground;

“Flight visibility” means the visibility forward from the flight deck of an aircraft in flight;

“Foreign country” shall, for the purposes of articles 83 and 84, include Hong Kong;

“General lighthouse authority” has the same meaning as in section 634 of the Merchant Shipping Act 1894(a);

“Government aerodrome” means any aerodrome in the United Kingdom which is in the occupation of any Government Department or visiting force;

“Hire-purchase agreement” and “hirer” have the same meanings respectively as in section 189 of the Consumer Credit Act 1974(b);

“Instrument Flight Rules” means Instrument Flight Rules prescribed under article 64(1) of this Order;

“Instrument Meteorological Conditions” means weather precluding flight in compliance with the Visual Flight Rules;

“International Headquarters” means an international headquarters designated by Order in Council under section 1 of the International Headquarters and Defence Organisations Act 1964(c);

“to land” in relation to aircraft includes alighting on the water;

“Legal personal representative” has the same meaning as in section 742 of the Merchant Shipping Act 1894;

“Licence” includes any certificate of competency or certificate of validity issued with the licence or required to be held in connection with the licence by the law of the country in which the licence is granted;

“Licence for public use” has the meaning assigned to it by article 73(3) of this Order;

“Licensed aerodrome” means an aerodrome licensed under this Order;

“Lifejacket” includes any device designed to support a person individually in or on the water;

---

(a) 1894 c.60.

(b) 1974 c.39.

(c) 1964 c.5.

“Log book” in the case of an aircraft log book, engine log book or variable pitch propeller log book, or personal flying log book, includes a record kept either in a book, or by any other means approved by the Authority in the particular case;

“Maximum total weight authorised” in relation to an aircraft means the maximum total weight of the aircraft and its contents at which the aircraft may take off anywhere in the world, in the most favourable circumstances in accordance with the certificate of airworthiness in force in respect of the aircraft;

“Military aircraft” includes the naval, military or air force aircraft of any country and—

- (a) any aircraft being constructed for the naval, military or air force of any country under a contract entered into by the Secretary of State; and
- (b) any aircraft in respect of which there is in force a certificate issued by the Secretary of State that the aircraft is to be treated for the purposes of this Order as a military aircraft;

“Nautical mile” means the International Nautical Mile, that is to say, a distance of 1,852 metres;

“Night” means the time between half an hour after sunset and half an hour before sunrise, sunset and sunrise being determined at surface level;

“Notified” means set forth in a document published by the Authority and entitled “United Kingdom Notam” or “United Kingdom Air Pilot” and for the time being in force;

“Offshore Installation” has the same meaning as in section 1 of the Mineral Workings (Offshore Installations) Act 1971(a);

“Operator” has the meaning assigned to it by paragraph (4) of this article;

“Pilot in command” in relation to an aircraft means a person who for the time being is in charge of the piloting of the aircraft without being under the direction of any other pilot in the aircraft;

“Prescribed” means prescribed by regulations made by the Secretary of State under this Order, and the expression “prescribe” shall be construed accordingly;

“Pressurised aircraft” means an aircraft provided with means of maintaining in any compartment a pressure greater than that of the surrounding atmosphere;

“Public transport” has the meaning assigned to it by paragraph (5) of this article;

“Public transport aircraft” means an aircraft flying, or intended by the operator of the aircraft to fly, for the purpose of public transport;

---

(a) 1971 c.61; section 1 of this Act was amended by section 24 of the Oil and Gas (Enterprise) Act 1982 (c.23).

“Record” has the same meaning as in section 73 of the Civil Aviation Act 1982(a);

“Relevant overseas territory” means any colony and any country or place outside Her Majesty’s dominions in which for the time being Her Majesty has jurisdiction;

“Replacement” in relation to any part of an aircraft or its equipment includes the removal and replacement of that part whether or not by the same part, and whether or not any work is done on it, but does not include the removal and replacement of a part which is designed to be removable solely for the purpose of enabling another part to be inspected, repaired, removed or replaced or cargo to be loaded;

“Rules of the Air and Air Traffic Control” has the meaning assigned to it by article 64(1) of this Order;

“Runway visual range” in relation to a runway or landing strip means the maximum distance in the direction of take-off or landing, as the case may be, at which the runway or landing strip or the markers or lights delineating it can be seen from a point 5 metres above its centre line; and in the case of an aerodrome in the United Kingdom the distance, if any, communicated to the commander of the aircraft by or on behalf of the person in charge of the aerodrome as being the runway visual range shall be taken to be the runway visual range for the time being;

“Scheduled journey” means one of a series of journeys which are undertaken between the same two places and which together amount to a systematic service;

“Seaplane” has the same meaning as for the purpose of section 97 of the Civil Aviation Act 1982;

“Special VFR flight” means a flight which is a special VFR flight for the purposes of the rules prescribed under article 64(1) of this Order;

“Visiting force” means any such body, contingent or detachment of the forces of any country as is a visiting force for the purpose of the provisions of the Visiting Forces Act 1952(b)—

- (a) which apply to that country by virtue of paragraph (a) of section 1(1) of that Act, or
- (b) which from time to time apply to that country by virtue of paragraph (b) of the said section 1(1) and of any Order in Council made or hereafter to be made under the said section 1 designating that country for the purpose of all the provisions of that Act following the said section 1(2);

“Visual Flight Rules” means Visual Flight Rules prescribed under article 64(1) of this Order

“Visual Meteorological Conditions” means weather permitting flight in accordance with the Visual Flight Rules.

(2) An aircraft shall be deemed to be in flight—

- (a) in the case of a piloted flying machine, from the moment when, after

---

(a) 1982 c.16.  
(b) 1952 c.67.

the embarkation of its crew for the purpose of taking off, it first moves under its own power, until the moment when it next comes to rest after landing;

- (b) in the case of a pilotless flying machine, or a glider, from the moment when it first moves for the purpose of taking off until the moment when it next comes to rest after landing;
- (c) in the case of an airship or free balloon, from the moment when it first becomes detached from the surface until the moment when it next becomes attached thereto or comes to rest thereon;

and the expressions “a flight” and “to fly” shall be construed accordingly.

(3) Every person employed or engaged in an aircraft in flight on the business of the aircraft shall be deemed to be a member of the crew thereof.

(4) References in this Order to the operator of an aircraft are, for the purpose of the application of any provision of this Order in relation to any particular aircraft, references to the person who at the relevant time has the management of that aircraft, and cognate expressions shall be construed accordingly:

Provided that, for the purposes of the application of any provision in Part III of this Order, when by virtue of any charter or other agreement for the hire or loan of an aircraft a person other than an air transport undertaking or an aerial work undertaking has the management of that aircraft for a period not exceeding 14 days, the foregoing provisions of this paragraph shall have effect as if that agreement had not been entered into.

(5) (a) Subject to the provisions of this paragraph, an aircraft in flight shall for the purposes of this Order be deemed to fly for the purpose of public transport—

- (i) if hire or reward is given or promised for the carriage of passengers or cargo in the aircraft on that flight; or
- (ii) if any passengers or cargo are carried gratuitously in the aircraft on that flight by an air transport undertaking, not being persons in the employment of the undertaking (including, in the case of a body corporate, its directors and, in the case of the Authority, the members of the Authority), persons with the authority of the Authority either making any inspection or witnessing any training, practice or test for the purposes of this Order, or cargo intended to be used by any such passengers as aforesaid, or by the undertaking; or
- (iii) for the purposes of Part III of this Order, if hire or reward is given or promised for the right to fly the aircraft on that flight (not being a single-seater aircraft of which the maximum total weight authorised does not exceed 910 kg. and in respect of which a certificate of airworthiness of the Special Category is in force) otherwise than under a hire-purchase or conditional sale agreement, and the expression “public transport of passengers” shall be construed accordingly:

Provided that, notwithstanding that an aircraft may be flying for the purpose of public transport by reason of sub-paragraph (a)(iii) of this paragraph, it shall not be deemed to be flying for the purpose of the public transport of passengers unless hire or reward is given for the carriage of those passengers.

(b) Where under a transaction effected by or on behalf of a member of an association of persons on the one hand and the association of persons or any member thereof on the other hand, a person is carried in, or is given the right to fly, an aircraft in such circumstances that hire or reward would be given or promised if the transaction were effected otherwise than aforesaid, hire or reward shall, for the purposes of this Order, be deemed to have been given or promised, notwithstanding any rule of law as to such transactions.

(6) The expressions appearing in the "General Classification of Aircraft" set forth in Part A of Schedule 1 to this Order shall have the meanings thereby assigned to them.

(7) A power to make regulations under this Order shall include the power to make different provisions with respect to different classes of aircraft, aerodromes, persons or property and with respect to different circumstances and with respect to different parts of the United Kingdom and to make such incidental and supplementary provisions as are necessary or expedient for carrying out the purposes of the Order.

#### *Saving*

97.— (1) Subject to the provisions of articles 73 and 77 of this Order, nothing in this Order or the regulations made thereunder shall confer any right to land in any place as against the owner of the land or other persons interested therein.

(2) Nothing in this Order shall oblige the Authority to accept an application from the holder of any current certificate, licence, approval, permission, exemption or other document, being an application for the renewal of that document, or for the granting of another document in continuation of or in substitution for the current document, if the application is made more than 60 days before the current document is due to expire.

#### *Small aircraft*

98. The provisions of this Order, other than articles 48 and 70 thereof, shall not apply to or in relation to—

- (a) any balloon which at any stage of its flight is not more than 2 metres in any linear dimension including any basket or other equipment attached to the balloon;
- (b) any kite weighing not more than 2 kg.;
- (c) any other aircraft weighing not more than 5 kg. without its fuel.

*G. I. de Deney,*  
Clerk of the Privy Council.

Articles 4(6), 23(2) and 96(6) SCHEDULE 1

## PART A

TABLE OF GENERAL CLASSIFICATION OF AIRCRAFT

Col. 1	Col. 2	Col. 3	Col. 4
Aircraft	Lighter than air aircraft	Non-power driven	{ Free Balloon Captive Balloon
		Power driven	Airship
	Heavier than air aircraft	Non-power driven	{ Glider Kite
		Power driven (flying machines)	{ Aeroplane (Landplane) Aeroplane (Seaplane) Aeroplane (Amphibian) Aeroplane (Self-launching Motor Glider) Rotorcraft { Helicopter Gyroplane

Article 5(2)

## PART B

NATIONALITY AND REGISTRATION MARKS OF AIRCRAFT  
REGISTERED IN THE UNITED KINGDOM

1. The nationality mark of the aircraft shall be the capital letter "G" in Roman character and the registration mark shall be a group of four capital letters in Roman character assigned by the Authority on the registration of the aircraft. The letters shall be without ornamentation and a hyphen shall be placed between the nationality mark and the registration mark.

2. The nationality and registration marks shall be displayed to the best advantage, taking into consideration the constructional features of the aircraft and shall always be kept clean and visible.

3. The nationality and registration marks shall also be inscribed, together with the name and address of the registered owner of the aircraft, on a fireproof metal plate affixed—

- (a) in the case of an aeroplane having an empty weight not exceeding 150 kg. either in accordance with paragraph (b) or in a prominent position to the wing,
- (b) in the case of any other aircraft in a prominent position on the fuselage or car or basket, as the case may be, and near to the main entrance to the aircraft.

4. The nationality and registration marks shall be painted on the aircraft or shall be affixed thereto by any other means ensuring a similar degree of permanence in the following manner—

I. *Position of marks*(a) *Flying Machines and Gliders*(i) *Horizontal Surfaces of the Wings or Fuselage (or equivalent structure):*

- (aa) On aircraft having a fixed wing surface, the marks shall appear on the lower surface of the wing structure, and shall be on the left half of the lower surface of the wing structure unless they extend across the whole surface of both wings. So far as possible the marks shall be located



equidistant from the leading and trailing edges of the wings. The tops of the letters shall be towards the leading edge of the wing.

(bb) On aircraft having no fixed wing surface and when owing to the structure of the aircraft the greatest height reasonably practicable for the marks on the vertical surface of the fuselage (or equivalent structure) is less than 15 centimetres the marks shall also appear on the lower surface of the fuselage on the line of symmetry and shall be placed with the tops of the letters towards the nose.

(ii) *Vertical Surfaces of the Tail or Fuselage (or equivalent structure)*: The marks shall also be on each side of the aircraft either on the fuselage or on the upper halves of the vertical tail surfaces. On aircraft having a fixed wing surface, the marks, if placed on the fuselage (or equivalent structure), shall be between the horizontal tail surfaces and the wing. When on a single vertical tail surface, the marks shall be on both sides. When there is more than one vertical tail surface, the marks shall be on the outer sides of the outboard vertical tail surfaces.

(b) *Airships and Free Balloons*

(i) *Airships*: The marks shall be on each side of the airship. They shall be placed horizontally either on the hull near the maximum cross-section of the airship or on the lower vertical stabiliser.

(ii) *Free Balloons*: The marks shall be in two places diametrically opposite.

(iii) In the case of all airships and free balloons the side marks shall be so placed as to be visible both from the sides and from the ground.

## II. Size of Marks

(a) *Flying Machines and Gliders*

(i) *Wings*: The letters constituting each group of marks shall be of equal height. The height of the letters shall be at least 50 centimetres.

(ii) *Fuselage (or equivalent structure) or Vertical Tail Surfaces*: The marks on the fuselage (or equivalent structure) shall not interfere with the visible outlines of the fuselage (or equivalent structure). The marks on the vertical tail surfaces shall be such as to leave a margin of at least 5 centimetres along each side of the vertical tail surface. The letters shall be of equal height. The height of the letters constituting each group of marks shall be at least 30 centimetres. Where marks are required to be carried on the lower surface of aircraft having no fixed wing surface the height of the marks shall be at least 50 centimetres.

Provided that where owing to the structure of the aircraft the appropriate height specified in this sub-paragraph (ii) is not reasonably practicable the height of the marks shall be the greatest height reasonably practicable in the circumstances consistent with compliance with Section III of this Part of this Schedule.

(b) *Airships and Free Balloons*

The letters constituting each group of marks shall be of equal height. The height of the letters shall be at least 50 centimetres.

## III. Width and Spacing of Marks

(a) The width of each letter (except the letter I) and the length of the hyphen between the nationality mark and registration mark shall be two-thirds of the height of a letter.

(b) The letters and hyphen shall be formed by solid lines and shall be of a colour

clearly contrasting with the background on which they appear. Thickness of the lines shall be one-sixth of the height of a letter.

- (c) Each letter shall be separated from the letter which it immediately precedes or follows by a space equal to half the width of a letter. A hyphen shall be regarded as a letter for this purpose.

Article 4(8)

PART C

AIRCRAFT DEALER'S CERTIFICATE—CONDITIONS

(1) The operator of the aircraft shall be the registered owner of the aircraft, who shall be the holder of an aircraft dealer's certificate granted under this Order.

(2) The aircraft shall fly only for the purpose of—

- (a) testing the aircraft; or
- (b) demonstrating the aircraft with a view to the sale of that aircraft or of other similar aircraft; or
- (c) proceeding to or from a place at which the aircraft is to be tested or demonstrated as aforesaid, or overhauled, repaired or modified; or
- (d) delivering the aircraft to a person who has agreed to buy, lease or sell it; or
- (e) proceeding to or from a place for the purpose of storage.

(3) Without prejudice to the provisions of article 32 of this Order the operator of the aircraft shall satisfy himself before the aircraft takes off that the aircraft is in every way fit for the intended flight.

(4) The aircraft shall fly only within the United Kingdom.

Articles 3(1), 7(1) and 39(7)

SCHEDULE 2

A AND B CONDITIONS

The A Conditions and B Conditions referred to in articles 3(1), 7(1) and 39(7) of this Order are as follows:

*A. Conditions*

(1) The aircraft shall be either an aircraft in respect of which a certificate of airworthiness or validation has previously been in force under this Order, or an aircraft identical in design with an aircraft in respect of which such a certificate is or has been in force.

(2) The aircraft shall fly only for the purpose of enabling it to—

- (a) qualify for the issue or renewal of a certificate of airworthiness or of the validation thereof or the approval of a modification of the aircraft, after an application has been made for such issue, renewal, validation or approval as the case may be; or
- (b) proceed to or from a place at which any inspection, approval, test or weighing of, or the installation of equipment in, the aircraft is to take place for a purpose referred to in sub-paragraph (a), after such an application has been made, or at which the installation of furnishings in, or the painting of, the aircraft is to be undertaken; or
- (c) proceed to or from a place at which the aircraft is to be or has been stored.

(3) The aircraft and its engines shall be certified as fit for flight by the holder of an aircraft maintenance engineer's licence granted under this Order, being a licence which entitles him to issue that certificate or by a person approved by the Authority for the purpose of issuing certificates under this condition, and in accordance with that approval.

(4) The aircraft shall carry the minimum flight crew specified in any certificate of airworthiness or validation which has previously been in force under this Order in respect of the aircraft, or is or has previously been in force in respect of any other aircraft of identical design.

(5) The aircraft shall not carry any persons or cargo except persons performing duties in the aircraft in connection with the flight or persons who are carried in the aircraft to perform duties in connection with a purpose referred to in paragraph (2) of these Conditions.

(6) The aircraft shall not fly over any congested area of a city, town or settlement except to the extent that it is necessary to do so in order to take off from or land at a Government aerodrome or an aerodrome owned or managed by the Authority, or a licensed aerodrome, in accordance with normal aviation practice.

(7) Without prejudice to the provisions of article 18(2) of this Order, the aircraft shall carry such flight crew as may be necessary to ensure the safety of the aircraft.

#### *B. Conditions*

(1) The flight shall be made under the supervision of a person approved by the Authority for the purposes of these Conditions, and subject to any additional conditions which may be specified in such approval.

(2) If it is not registered in the United Kingdom or under the law of any country referred to in article 3 of this Order, the aircraft shall be marked in a manner approved by the Authority for the purposes of these Conditions, and the provisions of articles 14, 15, 19, 32, 35, 57 and 59 of this Order shall be complied with in relation to the aircraft as if it was registered in the United Kingdom so far as such provisions are applicable to the aircraft in the circumstances.

(3) The aircraft shall fly only for the purpose of—

- (a) experimenting with or testing the aircraft (including in particular its engines) and its equipment; or
- (b) enabling it to qualify for the issue of a certificate of airworthiness or the validation thereof, or the approval of a modification of the aircraft; or
- (c) proceeding to or from a place at which any experiment, inspection, approval, test or weighing of, or the installation of equipment in, the aircraft is to take place for a purpose referred to in sub-paragraph (a) or (b), or at which the installation of furnishings in, or the painting of, the aircraft is to be undertaken; or
- (d) demonstrating the aircraft with a view to the sale of that aircraft or of other similar aircraft.

(4) Without prejudice to the provisions of article 18(2) of this Order, the aircraft shall carry such flight crew as may be necessary to ensure the safety of the aircraft.

(5) The aircraft shall not carry any cargo, or any persons other than the flight crew except the following—

- (a) persons employed by the operator who carry out during the flight duties in connection with the purposes specified in paragraph (3) of these Conditions;
- (b) persons employed by manufacturers of component parts of the aircraft

(including its engines) who carry out during the flight duties in connection with the purposes so specified;

(c) persons approved by the authority under article 8(8) of this Order as qualified to furnish reports for the purposes of that Article;

(d) persons, other than those carried under the preceding provisions of this paragraph, who are carried in the aircraft in order to carry out a technical evaluation of the aircraft or its operation.

(6) The aircraft shall not fly, except in accordance with procedures which have been approved by the Authority in relation to that flight, over any congested area of a city, town or settlement.

#### Article 8

#### SCHEDULE 3

##### CATEGORIES OF AIRCRAFT

Transport Category (Passenger).

Transport Category (Cargo).

Aerial Work Category.

Private Category.

Special Category.

The purposes for which the aircraft may fly are as follows—

*Transport Category (Passenger):* Any purpose.

*Transport Category (Cargo):* Any purpose, other than the public transport of passengers.

*Aerial Work Category:* Any purpose other than public transport.

*Private Category:* Any purpose other than public transport or aerial work.

*Special Category:* Any purpose, other than public transport, specified in the certificate of airworthiness but not including the carriage of passengers unless expressly permitted.

#### Article 12

#### SCHEDULE 4

##### MAINTENANCE ENGINEERS: PRIVILEGES OF LICENCES

An aircraft maintenance engineer may, subject to the conditions of his licence, issue certificates as follows:

##### *Aircraft Maintenance Engineers—Category A (Aircraft)*

In relation to aircraft (not including engines) of a description specified in his licence, being aircraft in respect of which a type rating has been included in his licence and in relation to such instruments, electrical equipment, automatic pilots and radio stations as may be specified by the Authority as being appropriate to such aircraft—

(a) certificates of maintenance review in accordance with the maintenance schedules approved under this Order;

(b) certificates of release to service in respect of inspections, repairs, replacements and modifications so approved;

(c) certificates of fitness of aircraft for flight under the 'A Conditions'.

*Aircraft Maintenance Engineers—Category B (Aircraft)*

In relation to aircraft (not including engines) of a description specified in his licence, being aircraft in respect of which a type rating has been included in his licence—

Certificates of release to service in respect of inspections, overhauls, repairs, replacements and modifications approved under this Order.

*Aircraft Maintenance Engineers—Category C (Engines)*

In relation to engines of a description specified in his licence, being engines in respect of which a type rating has been included in his licence and in relation to such instruments, electrical equipment and automatic pilots as may be specified by the Authority as being appropriate to such engines—

- (a) certificates of maintenance review in accordance with the maintenance schedules approved under this Order;
- (b) certificates of release to service in respect of inspections, repairs, replacements and modifications so approved;
- (c) certificates of fitness of aircraft engines for flight under the 'A Conditions'.

*Aircraft Maintenance Engineers—Category D (Engines)*

In relation to engines of a description specified in his licence, being engines in respect of which a type rating has been included in his licence—

Certificates of release to service in respect of inspections, overhauls, repairs, replacements and modifications approved under this Order.

*Aircraft Maintenance Engineers—Category X*

Compass.

Instruments.

Electrical Equipment.

Automatic Pilots.

In relation respectively to compasses, instruments, electrical equipment or automatic pilots of a description specified in his licence, being compasses, instruments, electrical equipment or automatic pilots in respect of which a type rating has been included in his licence—

- (a) certificates of maintenance review in accordance with the maintenance schedules approved under this Order;
- (b) certificates of release to service in respect of inspections, repairs, replacements and modifications so approved.

*Aircraft Maintenance Engineers—Category R (Radio)*

In relation to aircraft radio stations of a description specified in his licence, being radio stations in respect of which a type rating has been included in his licence—

- (a) certificates of maintenance review in accordance with the maintenance schedules approved under this Order;
- (b) certificates of release to service in respect of inspections, repairs, replacements and modifications so approved.

The privileges of the licence shall also include the issue of certificates of release to service in respect of inspections, overhauls, repairs, replacements and modifications of

any aircraft radio apparatus approved under this Order, if the licence bears an endorsement to that effect.

Article 11(4) and 13(2)

SCHEDULE 5

AIRCRAFT EQUIPMENT

1. Every aircraft of a description specified in the first column of the Table set forth in paragraph 4 of this Schedule and which is registered in the United Kingdom shall be provided, when flying in the circumstances specified in the second column of the said Table, with adequate equipment, and for the purpose of this paragraph the expression "adequate equipment" shall mean the scales of equipment respectively indicated in that Table:

Provided that, if the aircraft is flying in a combination of such circumstances, the scales of equipment shall not on that account be required to be duplicated.

2. The equipment carried in an aircraft as being necessary for the airworthiness of the aircraft shall be taken into account in determining whether this Schedule is complied with in respect of that aircraft.

3. The following items of equipment shall not be required to be of a type approved by the Authority:

- (i) The equipment referred to in Scale A (ii).
- (ii) First Aid equipment and handbook, referred to in Scale B.
- (iii) Time-pieces, referred to in Scale F.
- (iv) Torches, referred to in Scales G, H, J and Z.
- (v) Whistles, referred to in Scale H.
- (vi) Sea anchors, referred to in Scales I and J.
- (vii) Rocket signals, referred to in Scale I.
- (viii) Equipment for mooring, anchoring or manoeuvring aircraft on the water, referred to in Scale I.
- (ix) Paddles, referred to in Scale J.
- (x) Food and water, referred to in Scales J, U and V.
- (xi) First aid equipment, referred to in Scales J, U and V.
- (xii) Stoves, cooking utensils, snow shovels, ice saws, sleeping bags and Arctic suits, referred to in Scale V.
- (xiii) Megaphones, referred to in Scale Y.

4. TABLE

Description of Aircraft	Circumstances of Flight	Scale of Equipment Required
(1) Gliders	<i>(a) flying for purposes other than public transport or aerial work; and when flying by night.</i>	A(ii)
	<i>(b) flying for the purpose of public transport or aerial work; and</i> (i) when flying by night (ii) when carrying out aerobatic manoeuvres	A, B, D and F(i) C and G M
(2) Aeroplanes	<i>(a) flying for purposes other than public transport; and</i> (i) when flying by night (ii) when flying under Instrument Flight Rules <i>(aa) outside controlled airspace</i> <i>(bb) within controlled airspace</i> (iii) when carrying out aerobatic manoeuvres	A C and D  D E with E(iv) duplicated and F M
	<i>(b) flying for the purpose of public transport; and</i> (i) when flying under Instrument Flight Rules except flights outside controlled airspace by aeroplanes having a maximum total weight authorised not exceeding 1,150 kg. (ii) when flying by night; and in the case of aeroplanes of which the maximum total weight authorised exceeds 1,150 kg. (iii) when flying over water beyond gliding distance from land (iv) on all flights on which in the event of any emergency occurring during the take-off or during the landing at the intended destination or any likely alternate destination it is reasonably possible that the aeroplane would be forced to land onto water (v) when flying over water: <i>(aa) in the case of an aeroplane:</i> <i>(aaa) classified in its certificate of airworthiness as being of performance group A, C or X; or</i>	A, B, D and F(i)  E with E(iv) duplicated and F  C and G E with E(iv) duplicated and F  H  H

4. TABLE (cont.)

Description of Aircraft	Circumstances of Flight	Scale of Equipment Required
	<p>(bbb) having no performance group classification in its certificate of airworthiness and of such a weight and performance that with any one of its power units inoperative and the remaining power unit or units operating within the maximum continuous power conditions specified in the certificate of airworthiness, performance schedule or flight manual relating to the aeroplane issued or rendered valid by the Authority it is capable of a gradient of climb of at least 1 in 200 at an altitude of 5,000 feet in the International Standard Atmosphere specified in or ascertainable by reference to the certificate of airworthiness in force in respect of that aircraft,</p> <p>when either more than 400 nautical miles or more than 90 minutes flying time* from the nearest aerodrome at which an emergency landing can be made</p> <p>(bb) in the case of all other aeroplanes, when more than 30 minutes flying time* from such an aerodrome</p> <p>(vi) on all flights which involve manoeuvres on water</p> <p>(vii) when flying at a height of 10,000 feet or more above mean sea level</p> <p>(viii) on flights when the weather reports or fore-</p>	<p>H and J</p> <p>H and J</p> <p>H, I and J</p> <p>K</p>

\*For the purposes of this Table, flying time shall be calculated on the assumption that the aircraft is flying in still air at the speed specified in the relevant certificate of airworthiness as the speed for compliance with regulations governing flights over water.



4. TABLE (cont.)

Description of Aircraft	Circumstances of Flight	Scale of Equipment Required
	<p>casts available at the aerodrome at the time of departure indicate that conditions favouring ice formation are likely to be met</p> <p>(ix) when carrying out aerobatic manoeuvres</p> <p>(x) on all flights on which the aircraft carries a flight crew of more than one person</p> <p>(xi) on all flights for the purpose of the public transport of passengers</p> <p>(xii) on all flights by a pressurised aircraft</p> <p>(xiii) when flying over substantially uninhabited land areas where, in the event of an emergency landing, tropical conditions are likely to be met</p> <p>(xiv) when flying over substantially uninhabited land or other areas where, in the event of any emergency landing, polar conditions are likely to be met</p> <p>(xv) when flying at an altitude of more than 49,000 feet</p>	<p>L</p> <p>M</p> <p>N</p> <p>Q and Y</p> <p>R</p> <p>U</p> <p>V</p> <p>W</p>
(3) Turbine-jet aeroplanes having a maximum total weight authorised exceeding 5,700 kg. or pressurised aircraft having a maximum total weight authorised exceeding 11,400 kg.	<i>when flying for the purpose of public transport</i>	O
(4) Turbine-engined aeroplanes having a maximum total weight authorised exceeding 5,700 kg. and piston-engined aeroplanes having a maximum total weight authorised exceeding 27,000 kg. (a) which are operated by an air transport undertaking under a certificate of airworthiness of the Transport Category (Passenger) or the Transport Category (Cargo); or (b) in respect of which application has been made and not withdrawn or refused	<i>when flying on any flight</i>	P

4. TABLE (cont.)

Description of Aircraft	Circumstances of Flight	Scale of Equipment Required
<p>for such a certificate, and which fly under the "A Conditions" or under a certificate of airworthiness of the Special Category: Provided that this paragraph shall not apply to—</p> <p>(i) aeroplanes having a maximum total weight authorised exceeding 230,000 kg. which conform to a type which was first issued with a type certificate in the United Kingdom after 1st January 1970; or</p> <p>(ii) aeroplanes having a maximum total weight authorised exceeding 5,700 kg. but not exceeding 230,000 kg. which conform to a type which was first issued with a type certificate (whether in the United Kingdom or elsewhere) after 1st April 1971.</p>	<p><i>when flying on any flight</i></p>	<p>P</p>
<p>(5) Aeroplanes—</p> <p>(a) which conform to a type first issued with a type certificate (whether in the United Kingdom or elsewhere) on or after 1st April 1971 and which have a maximum total weight authorised exceeding 5,700 kg. and in respect of which there is in force a certificate of airworthiness in the Transport Category (Passenger) or Transport Category (Cargo);</p> <p>or</p> <p>(b) which conform to a type first issued with a type certificate in the United Kingdom on or after 1st January 1970 and having a maximum total weight authorised exceeding 230,000 kg. and in respect of which there is in force such a certificate of airworthiness;</p> <p>or</p> <p>(c) having a maximum total weight authorized exceeding 5,700 kg. which con-</p>	<p><i>when flying on any flight</i></p> <p style="margin-top: 100px;"><i>when flying on any flight</i></p>	<p>S</p> <p style="margin-top: 100px;">S</p>

## 4. TABLE (cont.)

Description of Aircraft	Circumstances of Flight	Scale of Equipment Required
form to a type first issued with a type certificate on or after 1st April 1971 (or 1st January 1970 in the case of an aeroplane over 230,000 kg. maximum total weight authorized) in respect of which application has been made, and not withdrawn or refused, for such a certificate of airworthiness and which fly under the "A Conditions" or in respect of which there is in force a certificate of airworthiness in the Special Category.	<i>when flying on any flight</i>	S
(6) Aeroplanes—		
(a) which conform to a type first issued with a type certificate (whether in the United Kingdom or elsewhere) on or after 1st April 1971 and having a maximum total weight authorised exceeding 27,000 kg. and in respect of which there is in force a certificate of airworthiness in the Transport Category (Passenger) or the Transport Category (Cargo);	<i>when flying on any flight</i>	T
or		
(b) which conform to a type first issued with a type certificate in the United Kingdom on or after 1st January 1970 and which have a maximum total weight authorised exceeding 230,000 kg. and in respect of which there is in force such a certificate of airworthiness;	<i>when flying on any flight</i>	T
or		
(c) having a maximum total weight authorised exceeding 27,000 kg. which conform to a type first issued with a type certificate on or after 1st April 1971 (or 1st January 1970 in the case of an aeroplane having a maximum total weight authorised exceeding 230,000 kg.) in respect of which an application has		

4. TABLE (cont.)

Description of Aircraft	Circumstances of Flight	Scale of Equipment Required
been made, and not withdrawn or refused for such a certificate of airworthiness and which fly under the "A" Conditions or in respect of which there is in force a certificate of airworthiness in the Special Category.	<i>when flying on any flight</i>	T
(7) Aeroplanes which have a maximum total weight authorised exceeding 15,000 kg. or which in accordance with the certificate of airworthiness in force in respect thereof may carry more than 30 passengers.	<i>on all flights for the purpose of public transport</i>	X
(8) Aeroplanes— (a) which are a turbo-jet and which have a maximum total weight authorised exceeding 22,700 kg.; or (b) having a maximum total weight authorised exceeding 5,700 kg. and which conform to a type for which a certificate of airworthiness was first applied for (whether in the United Kingdom or elsewhere) after 30th April 1972 but not including any aeroplane which in the opinion of the Authority is identical in all matters affecting the provision of emergency evacuation facilities to an aeroplane for which a certificate of airworthiness was first applied for before that date; or (c) which in accordance with the certificate of airworthiness in force in respect thereof may carry more than 19 persons over 3 years of age.	<i>when flying by night for the purpose of the public transport of passengers</i>	Z(i) and (ii)
	<i>when flying by night for the purpose of the public transport of passengers</i>	Z(i) and (ii)
	<i>when flying by night for the purpose of the public transport of passengers</i>	Z(i)
(9) Helicopters and Gyroplanes	(a) flying for purposes other than public transport; and (i) when flying by day under Visual Flight Rules with visual ground reference (ii) when flying by day under Instrument Flight Rules or without visual ground reference	A  D

4. TABLE (cont.)

Description of Aircraft	Circumstances of Flight	Scale of Equipment Required
	(aa) outside controlled airspace	E with E(ii) duplicated.
	(bb) within controlled airspace	E with E(ii) and E(iv) duplicated and F with F(iv) for all weights.
	(iii) when flying at night	
	(aa) with visual ground reference.	C, E, G(iii) and G(v).
	(bb) without visual ground reference	
	(aaa) outside controlled airspace	C, E with E(ii) duplicated, G(iii) and G(v).
	(bbb) within controlled airspace.	C, E with both E(ii) and E(iv) duplicated, F with F(iv) for all weights, G(iii) and G(v).
	(b) flying for the purpose of public transport; and	A, B, F(i) and F(iv) for all weights.
	(i) when flying by day under Visual Flight Rules with visual ground reference	D
	(ii) when flying by day under Instrument Flight Rules or without visual ground reference	E with both E(ii) and E(iv) duplicated, F(ii), F(iii) and F(v).
	(iii) when flying by night with visual ground reference	
	(aa) in the case of a helicopter or gyroplane having a maximum total weight authorised not exceeding 2,000 kg.	C, E and G.
	(bb) in the case of a helicopter or gyroplane having a maximum total weight authorised exceeding 2,000 kg.	C, E with E(ii) duplicated and either E(iv) duplicated or a radio altimeter F(ii), F(iii), F(v) and G.
	(iv) when flying by night without visual ground reference	C, E with both E(ii) and E(iv) duplicated, F(ii), F(iii), F(v), and G.
	(v) when flying over water	
	(aa) in the case of a helicopter or a gyroplane	

4. TABLE (cont.)

Description of Aircraft	Circumstances of Flight	Scale of Equipment Required
	classified in its certificate of airworthiness as being of performance group A2 or B when beyond autorotational gliding distance from land suitable for an emergency landing	E and H.
	(bb) on all flights on which in the event of any emergency occurring during the take-off or during the landing at the intended destination or any likely alternate destination it is reasonably possible that the helicopter or gyroplane would be forced to land onto water	H.
	(cc) in the case of a helicopter or a gyroplane classified in its certificate of airworthiness as being of performance group A2 when beyond 10 minutes flying time * from land	E, H, J and T.
	(dd) for more than a total of three minutes in any flight	EE.
	(vi) on all flights which involve manoeuvres on water	H, I and J.
	(vii) when flying at a height of 10,000 feet or more above sea level	K
	(viii) on flights when the weather reports or forecasts available at the aerodrome at the time of departure indicate that conditions favouring ice formation are likely to be met.	L
	(ix) on all flights on which the aircraft carries a flight crew of more than one person	N
	(x) on all flights for the purpose of the public transport of passengers	Y
	(xi) when flying over substantially uninhabited land areas where, in the event of an emergency landing, tropical conditions are likely to be met	U

\*For the purposes of this Table, flying time shall be calculated on the assumption that the helicopter or gyroplane is flying in still air at the speed specified in the relevant certificate of airworthiness as the speed for compliance with regulations governing flights over water.

4. TABLE (cont.)

Description of Aircraft	Circumstances of Flight	Scale of Equipment Required
	(xii) when flying over substantially uninhabited land or other areas where, in the event of an emergency landing, polar conditions are likely to be met.	V
(10) Helicopters and Gyroplanes— (a) having a maximum total weight authorised exceeding 5,700 kg. and which conform to a type for which a certificate of airworthiness was first applied for (whether in the United Kingdom or elsewhere) after 30th April 1972 but not including any helicopter or gyroplane which in the opinion of the Authority is identical in all matters affecting the provision of emergency evacuation facilities to a helicopter or gyroplane for which a certificate of airworthiness was first applied for before that date; or (b) which, in accordance with the certificate of airworthiness in force in respect thereof may carry more than 19 persons over 3 years of age; or (c) which have a certificate of airworthiness issued in the Transport Category (passenger or cargo) and which have either a maximum total weight authorised exceeding 2,700 kg. or which may carry more than 9 passengers.	<i>when flying by night for the purpose of the public transport of passengers</i>  <i>when flying by night for the purpose of the public transport of passengers</i>  <i>when flying on any flight</i>	Z(i) and (ii)  Z(i)  S

5. The scales of equipment indicated in the foregoing Table shall be as follows—

*Scale A*

- (i) Spare fuses for all electrical circuits the fuses of which can be replaced in flight, consisting of 10 per cent. of the number of each rating or three of each rating, whichever is the greater.
- (ii) Maps, charts, codes and other documents and navigational equipment necessary, in addition to any other equipment required under this Order,

for the intended flight of the aircraft including any diversion which may reasonably be expected.

- (iii) (a) Subject to Scale B(iii)(a), in all aeroplanes, helicopters and gyroplanes, for every pilot's seat and for any seat situated alongside a pilot's seat, a safety belt with one diagonal shoulder strap or a safety harness:

Provided that the Authority may permit a safety belt without a diagonal shoulder strap to be fitted if it is satisfied that it is not reasonably practicable to fit a safety belt with one diagonal shoulder strap, or a safety harness.

- (b) Subject to Scale B(iii)(b) for every seat in use (not being a seat referred to in sub-paragraph (a) above) a safety belt with or without one diagonal shoulder strap or a safety harness.

*Scale B*

- (i) First-Aid equipment of good quality, sufficient in quantity, having regard to the number of persons on board the aircraft, and including the following—

Roller bandages, triangular bandages, adhesive plaster, absorbent gauze, cotton wool (or wound dressings in place of the absorbent gauze and cotton wool), burn dressings, safety pins;  
Haemostatic bandages or tourniquets, scissors;  
Antiseptic, analgesic and stimulant drugs;  
Splints, in the case of aeroplanes the maximum total weight authorised of which exceeds 5,700 kg.;  
A handbook on First Aid.

- (ii) In the case of a flying machine used for the public transport of passengers in which, while the flying machine is at rest on the ground, the sill of any external door intended for the disembarkation of passengers, whether normally or in an emergency,

- (a) is more than 1.82 metres from the ground when the undercarriage of the machine is in the normal position for taxiing, or  
(b) would be more than 1.82 metres from the ground if the undercarriage or any part thereof should collapse, break or fail to function,

apparatus readily available for use at each such door consisting of a device or devices which will enable passengers to reach the ground safely in an emergency while the flying machine is on the ground, and can be readily fixed in position for use.

- (iii) (a) If the maximum total weight authorised of the aircraft exceeds 2,730 kg. a safety harness for every pilot's seat in use, in place of the safety belt with one diagonal shoulder strap referred to under Scale A:

Provided that the Authority may permit a safety belt with one diagonal shoulder strap to be fitted if it is satisfied that it is not reasonably practicable to fit a safety harness.

- (b) On all flights for the public transport of passengers by aircraft, for each seat for use by cabin attendants who are required to be carried under this Order, a safety harness:

Provided that the provisions of this sub-paragraph shall not apply before 11th March 1984, either to aeroplanes in respect of which a certificate of airworthiness was issued before 1st January 1981 or to helicopters.



- (iv) If the commander cannot, from his own seat, see all the passengers' seats in the aircraft, a means of indicating to the passengers that seat belts should be fastened.

*Scale C*

- (i) Equipment for displaying the lights required by the Rules of the Air and Air Traffic Control;
- (ii) Electrical equipment, supplied from the main source of supply in the aircraft, to provide sufficient illumination to enable the flight crew properly to carry out their duties during flight;
- (iii) Unless the aircraft is equipped with radio, devices for making the visual signal specified in the Rules of the Air and Air Traffic Control as indicating a request for permission to land.

*Scale D*

- (i)
  - (a) In the case of a helicopter or a gyroplane, a slip indicator;
  - (b) In the case of any other flying machine either—
    - (aa) a turn indicator and a slip indicator; or
    - (bb) a gyroscopic bank and pitch indicator and a gyroscopic direction indicator;
- (ii) A sensitive pressure altimeter adjustable for changes in barometric pressure.

*Scale E*

- (i)
  - (a) In the case of a helicopter or a gyroplane, a slip indicator;
  - (b) In the case of any other flying machine, a turn indicator and a slip indicator;
- (ii) A gyroscopic bank and pitch indicator;
- (iii) A gyroscopic direction indicator;
- (iv) A sensitive pressure altimeter adjustable for changes in barometric pressure:  
 Provided that any aircraft may, at the option of the operator, be equipped with an additional gyroscopic bank and pitch indicator in lieu of the turn indicator referred to in (i) of this Scale.

*Scale EE*

A radio altimeter with an audio voice warning operating below a preset height and a visual warning capable of operating at a height selectable by the pilot.

*Scale F*

- (i) A timepiece indicating the time in hours, minutes and seconds;
- (ii) A means of indicating whether the power supply to the gyroscopic instrument is adequate;
- (iii) A rate of climb and descent indicator;
- (iv) If the maximum total weight authorised of the aircraft exceeds 5,700 kg. a means of indicating outside air temperature;

- (v) If the maximum total weight authorised of the aircraft exceeds 5,700 kg. two air speed indicators.

*Scale G*

- (i) In the case of an aircraft other than a helicopter or gyroplane landing lights consisting of two single filament lamps, or one dual filament lamp with separately energised filaments;
- (ii) An electrical lighting system to provide illumination in every passenger compartment;
- (iii) (a) One electric torch for each member of the crew of the aircraft; or  
(b) (aa) one electric torch for each member of the flight crew of the aircraft; and  
(bb) at least one electric torch affixed adjacent to each floor level exit intended for the disembarkation of passengers whether normally or in an emergency, provided that such torches shall:—  
—be readily accessible for use by the crew of the aircraft at all times; and  
—number in total not less than the minimum number of cabin attendants required to be carried with a full passenger complement.
- (iv) In the case of an aircraft other than a helicopter or gyroplane of which the maximum total weight authorised exceeds 5,700 kg., means of observing the existence and build up of ice on the aircraft;
- (v) (a) In the case of a helicopter or gyroplane in respect of which there is in force a certificate of airworthiness designating the helicopter or gyroplane as being of performance group A, either—  
(aa) two landing lights both of which are adjustable so as to illuminate the ground in front and below the helicopter or gyroplane and one of which is adjustable so as to illuminate the ground on either side of the helicopter or gyroplane; or  
(bb) one landing light or, if the maximum total weight authorised of the helicopter or gyroplane exceeds 5,700 kg., one dual filament landing light with separately energised filaments, or two single filament lights, each of which is adjustable so as to illuminate the ground in front and below the helicopter or gyroplane; and two parachute flares.
- (b) In the case of a helicopter or gyroplane in respect of which there is in force a certificate of airworthiness designating the helicopter or gyroplane as being of performance group B, either—  
(aa) one landing light and two parachute flares; or  
(bb) if the maximum total weight authorised of the helicopter or gyroplane exceeds 5,700 kg. either one dual filament landing light with separately energised filaments or two single filament landing lights; and two parachute flares.

*Scale H*

For each person on board, a lifejacket equipped with a whistle and waterproof torch:

Provided that lifejackets constructed and carried solely for use by children under three years of age need not be equipped with a whistle.

*Scale I*

- (i) Additional flotation equipment, capable of supporting one-fifth of the number of persons on board, and provided in a place of stowage accessible from outside the flying machine;
- (ii) Parachute distress rocket signals capable of making, from the surface of the water, the pyrotechnical signal of distress specified in the Rules of the Air and Air Traffic Control and complying with Part III of Schedule 15 to the Merchant Shipping (Life-Saving Appliances) Regulations 1980(a);
- (iii) A sea anchor and other equipment necessary to facilitate mooring, anchoring or manoeuvring the flying machine on water, appropriate to its size, weight and handling characteristics.

*Scale J*

- (i)
  - (a) In the case of a flying machine, other than a helicopter or gyroplane carrying 20 or more persons, liferafts sufficient to accommodate all persons on board;
  - (b) In the case of a helicopter or gyroplane carrying 20 or more persons, a minimum of two liferafts sufficient together to accommodate all persons on board.

Each liferaft shall contain the following equipment—

- (a) means for maintaining buoyancy;
- (b) a sea anchor;
- (c) life-lines, and means of attaching one liferaft to another;
- (d) paddles or other means of propulsion;
- (e) means of protecting the occupants from the elements;
- (f) a waterproof torch;
- (g) marine type pyrotechnical distress signals;
- (h) means of making sea water drinkable, unless the full quantity of fresh water is carried as specified in subparagraph (i);
- (i) for each four or proportion of four persons the liferaft is designed to carry—
  - 100 grammes of glucose toffee tablets
  - $\frac{1}{2}$  litre of fresh water in durable containers:

---

(a) S.I. 1980/538.

Provided that in any case in which it is not reasonably practicable to carry the quantity of water above specified as large a quantity of fresh water as is reasonably practicable in the circumstances may be substituted. In no case however shall the quantity of water carried be less than is sufficient, when added to the amount of fresh water capable of being produced by means of the equipment specified in subparagraph (h), to provide  $\frac{1}{2}$  litre of water for each four or proportion of four persons the liferaft is designed to carry.

(j) first aid equipment;

Items (f) to (j) inclusive shall be contained in a pack.

- (ii) The number of survival beacon radio apparatus carried when the aircraft is carrying the number of liferafts specified in column 1 of the following Table shall be not less than the number specified in, or calculated in accordance with, column 2.

TABLE

<i>Column 1</i>	<i>Column 2</i>
Not more than 8 liferafts.	2 survival beacon radio apparatus.
For every additional 4 or proportion of 4 liferafts.	1 additional survival beacon radio apparatus.
(iii) With effect from 1st March 1986, in the case of a helicopter or gyroplane, an emergency beacon which is automatically deployed and activated in the event of a crash.	

*Scale K*

PART I

- (i) In every flying machine which is provided with means for maintaining a pressure greater than 700 millibars throughout the flight in the flight crew compartment and in the compartments in which the passengers are carried—
- (a) a supply of oxygen sufficient, in the event of failure to maintain such pressure, occurring in the circumstances specified in columns 1 and 2 of the Table set out in Part II of this Scale, for continuous use, during the periods specified in column 3 of the said Table, by the persons for whom oxygen is to be provided in accordance with column 4 of that Table, and
- (b) in addition, in every case where the flying machine flies above flight level 350, a supply of oxygen in a portable container sufficient for the simultaneous first aid treatment of two passengers,

together with suitable and sufficient apparatus to enable such persons to use the oxygen.

---

(ii) In any other flying machine—

(a) a supply of oxygen sufficient for continuous use by all the crew, and, if passengers are carried, by 10 per cent. of the number of passengers, for any period exceeding 30 minutes during which the flying machine flies above flight level 100 but not above flight level 130; and

(b) a supply of oxygen sufficient for continuous use by all persons on board for the whole time during which the flying machine flies above flight level 130,

together with suitable and sufficient apparatus to enable such persons to use the oxygen.

(iii) The quantity of oxygen required for the purpose of complying with paragraphs (i) and (ii) of this Part of this Scale shall be computed in accordance with the information and instructions relating thereto specified in the operations manual relating to the aircraft pursuant to Item (vi) of Part A of Schedule 11 to this Order.

PART II

Column 1 Vertical displacement of the flying machine in relation to flight levels	Column 2 Capability of flying machine to descend (where relevant)	Column 3 Period of supply of oxygen	Column 4 Persons for whom oxygen is to be provided
Above flight level 100	—	30 minutes or the period specified at A hereunder whichever is the greater	In addition to any passengers for whom oxygen is provided as specified below, all the crew
Above flight level 100 but not above flight level 300	Flying machine is either flying at or below flight level 150 or is capable of descending and con- tinuing to destination as speci- fied at X hereunder	30 minutes or the period specified at A hereunder whichever is the greater	10 per cent. of number of pass- engers
Above flight level 300 but not above flight level 350	Flying machine is flying above flight level 150 and is not so capable	10 minutes or the period specified at B hereunder whichever is the greater and in addition 30 minutes or the period specified at C hereunder whichever is the greater	All passengers 10 per cent. of number of pass- engers
Above flight level 300 but not above flight level 350	Flying machine is capable of descending and continuing to destination as specified at Y hereunder.	30 minutes or the period specified at A hereunder whichever is the greater	15 per cent. of number of pass- engers
Above flight level 300 but not above flight level 350	Flying machine is not so capable	10 minutes or the period specified at B hereunder whichever is the greater and in addition 30 minutes or the period specified at C hereunder whichever is the greater	All passengers 15 per cent. of number of pass- engers

{	10 minutes or the period specified at B hereunder whichever is the greater	All passengers
}	30 minutes or the period specified at C hereunder whichever is the greater	and in addition 15 per cent. of number of pass- engers

—  
Above flight level 350

- A. The whole period during which, after a failure to maintain a pressure greater than 700 millibars in the control compartment and in the compartments in which passengers are carried, the flying machine flies above flight level 100.
- B. The whole period during which, after failure to maintain such pressure has occurred, the flying machine flies above flight level 150.
- C. The whole period during which, after a failure to maintain such pressure has occurred, the flying machine flies above flight level 100, but not above flight level 150.
- X. The flying machine is capable, at the time when a failure to maintain such pressure occurs, of descending in accordance with the emergency descent procedure specified in the relevant flight manual and without flying below the minimum altitudes for safe flight specified in the operations manual relating to the aircraft, to flight level 150 within 6 minutes, and of continuing at or below that flight level to its place of intended destination or any other place at which a safe landing can be made.
- Y. The flying machine is capable, at the time when a failure to maintain such pressure occurs, of descending in accordance with the emergency descent procedure specified in the relevant flight manual and without flying below the minimum altitudes for safe flight specified in the operations manual relating to the aircraft, to flight level 150 within 4 minutes and of continuing at or below that flight level to its place of intended destination or any other place at which a safe landing can be made.

*Scale L*

Equipment to prevent the impairment through ice formation of the functioning of the controls, means of propulsion, lifting surfaces, windows or equipment of the aircraft so as to endanger the safety of the aircraft.

*Scale M*

Safety harness for every seat in use—

Provided that in the case of an aircraft carrying out aerobatic manoeuvres consisting only of erect spinning, the Authority may permit a safety belt with one diagonal shoulder strap to be fitted if it is satisfied that such restraint is sufficient for the carrying out of erect spinning in that aircraft and that it is not reasonably practicable to fit a safety harness in that aircraft.

*Scale N*

An intercommunication system for use by all members of the flight crew and including microphones, not of a hand-held type, for use by the pilot and flight engineer (if any).

*Scale O*

A radar set capable of giving warning to the pilot in command of the aircraft and to the co-pilot of the presence of cumulo-nimbus clouds and other potentially hazardous weather conditions:

Provided that a flight may commence if the set is unserviceable or continue if the set becomes unserviceable thereafter

- (a) so as to give the warning only to one pilot, so long as the aircraft is flying only to the place at which it first becomes reasonably practicable for the set to be repaired; or
- (b) when the weather report or forecasts available to the commander of the aircraft indicate that cumulo-nimbus clouds or other potentially hazardous weather conditions, which can be detected by the set when in working order, are unlikely to be encountered on the intended route or any planned diversion therefrom or the commander has satisfied himself that any such weather conditions will be encountered in daylight and can be seen and avoided, and the aircraft is in either case operated throughout the flight in accordance with any relevant instructions given in the operations manual.

*Scale P*

A flight data recorder which is capable of recording, by reference to a time-scale, the following data—

- (a) indicated air speed;
- (b) indicated altitude;
- (c) vertical acceleration;
- (d) magnetic heading;
- (e) pitch attitude, if the equipment provided in the aeroplane is of such a nature as to enable this item to be recorded;
- (f) engine power, if the equipment provided in the aeroplane is of such a nature as to enable this item to be recorded;



- (g) flap position;
- (h) roll attitude, if the equipment provided in the aeroplane is of such a nature as to enable this item to be recorded:

Provided that any aeroplane having a maximum total weight authorised not exceeding 11,400 kg. may be provided with:

- (a) a flight data recorder capable of recording the data described in subparagraphs (a) to (h) of this Scale; or
- (b) a 4 channel cockpit voice recorder.

In addition, on all flights by turbine-powered aeroplanes having a maximum total weight authorised exceeding 11,400 kg., a four channel cockpit voice recorder.

The flight data recorder and cockpit voice recorder referred to above shall be so constructed that the record would be likely to be preserved in the event of an accident to the aeroplane:

Provided that an aeroplane shall not be required to carry the said equipment, if before take-off the equipment is found to be unserviceable and the aircraft flies in accordance with arrangements approved by the Authority.

#### *Scale Q*

If the maximum total weight authorised of the aeroplane exceeds 5,700 kg. and it was first registered, whether in the United Kingdom or elsewhere, on or after 1st June 1965, a door between the flight crew compartment and any adjacent compartment to which passengers have access, which door shall be fitted with a lock or bolt capable of being worked from the flight crew compartment.

#### *Scale R*

- (i) Equipment sufficient to protect the eyes, nose and mouth of the pilot in command of the aircraft from the effects of smoke and noxious gases for a period of not less than 15 minutes; and
- (ii) Portable equipment sufficient to protect the eyes, nose and mouth of one other member of the crew of the aircraft from the effects of smoke and noxious gases for a period of not less than 8 minutes; and
- (iii) Equipment sufficient to protect from the effects of smoke and noxious gases the eyes of all members of the flight crew of the aircraft whose eyes are not adequately protected by other equipment.

#### *Scale S*

A flight recording system comprising—

- (i) in respect of aeroplanes having a maximum total weight authorised not exceeding 11,400 kg. either a 4 channel cockpit voice recorder or a flight data recorder capable of recording by reference to a time scale data from which the following information can be ascertained: the flight path of the aeroplane; the attitude of the aeroplane; and the basic lift, thrust and drag forces acting upon the aeroplane;
- (ii) in respect of aeroplanes having a maximum total weight authorised exceeding 11,400 kg. but not exceeding 27,000 kg, a 4 channel cockpit voice recorder and a flight data recorder capable of recording by reference to a time scale data from which the information specified in paragraph (i) can be ascertained;

- (iii) in respect of aeroplanes having a maximum total weight authorised exceeding 27,000 kg., a 4 channel cockpit voice recorder and a flight data recorder capable of recording by reference to a time scale data from which the following information can be established: the flight path of the aeroplane; the attitude of the aeroplane; the basic lift, thrust and drag forces acting upon the aeroplane; the selection of high lift devices (if any) and airbrakes (if any); the position of primary flying control and pitch trim surfaces; cockpit warnings relating to engine fire and engine shut-down, cabin pressurisation, presence of smoke and hydraulic/pneumatic power supply; outside air temperature; instrument landing system deviations; use of automatic flight control system; radio altitude (if any); and the level of essential AC electricity supply;
- (iv) in respect of helicopters having a maximum total weight authorised exceeding 2,700 kg. or a seating capacity exceeding 9 passengers, a 4 channel cockpit voice recorder which has attached to it an under-water sonar location device.

The cockpit voice recorder or flight data recorder, as the case may be, shall be so constructed that the record would be likely to be preserved in the event of an accident:

Provided that an aircraft shall not be required to carry the said equipment, if before take-off the equipment is found to be unserviceable and the aircraft flies in accordance with arrangements approved by the Authority.

#### *Scale T*

An underwater sonar location device except in respect of those helicopters which have a device attached to a cockpit voice recorder in accordance with Scale S.

#### *Scale U*

- (a) 1 survival beacon radio apparatus;
- (b) marine type pyrotechnical distress signals;
- (c) for each 4 or proportion of 4 persons on board, 100 grammes of glucose toffee tablets;
- (d) for each 4 or proportion of 4 persons on board,  $\frac{1}{2}$  litre of fresh water in durable containers;
- (e) first aid equipment.

#### *Scale V*

- (a) 1 survival beacon radio apparatus;
- (b) marine type pyrotechnical distress signals;
- (c) for each 4 or proportion of 4 persons on board, 100 grammes of glucose toffee tablets;
- (d) for each 4 or proportion of 4 persons on board,  $\frac{1}{2}$  litre of fresh water in durable containers;
- (e) first aid equipment;

- (f) for every 75 or proportion of 75 persons on board, 1 stove suitable for use with aircraft fuel;
- (g) 1 cooking utensil, in which snow or ice can be melted;
- (h) 2 snow shovels;
- (i) 2 ice saws;
- (j) single or multiple sleeping-bags, sufficient for the use of one-third of all persons on board;
- (k) 1 Arctic suit for each member of the crew of the aircraft.

#### *Scale W*

Cosmic radiation detection equipment calibrated in millirems per hour and capable of indicating the action and alert levels of radiation dose rate:

Provided that an aircraft shall not be required to carry the said equipment if before take-off the equipment is found to be unserviceable and it is not reasonably practicable to repair or replace it at the aerodrome of departure and the radiation forecast available to the commander of the aircraft indicates that hazardous radiation conditions are unlikely to be encountered by the aircraft on its intended route or any planned diversion therefrom.

#### *Scale X*

Equipment capable of giving warning to the pilot of the potentially hazardous proximity of ground or water:

Provided that if the equipment becomes unserviceable, the aircraft may fly or continue to fly until it first lands at a place at which it is reasonably practicable for the equipment to be repaired or replaced.

#### *Scale Y*

- (i) If the aircraft has a total seating capacity of not less than 60 and not exceeding 149 passengers, one portable battery-powered megaphone capable of conveying instructions to all persons in the passenger compartment and readily available for use by a member of the crew.
- (ii) If the aircraft has a total seating capacity exceeding 149 passengers, two portable battery-powered megaphones together capable of conveying instructions to all persons in the passenger compartment and readily available for use by a member of the crew.

#### *Scale Z*

- (i) An emergency lighting system to provide illumination in the passenger compartments sufficient to facilitate the evacuation of the aircraft notwithstanding the failure of the lighting systems specified in paragraph (ii) of Scale G;
- (ii) An emergency lighting system to provide illumination outside the aircraft sufficient to facilitate the evacuation of the aircraft.

## Article 14

## SCHEDULE 6

## RADIO AND RADIO NAVIGATION EQUIPMENT TO BE CARRIED IN AIRCRAFT

1. Every aircraft shall be provided, when flying in the circumstances specified in the first column of the Table set forth in paragraph 2 of this Schedule, with the scales of equipment respectively indicated in that Table:

Provided that, if the aircraft is flying in a combination of such circumstances, the scales of equipment shall not on that account be required to be duplicated.

2. TABLE

Aircraft and Circumstances of Flight	Scale of Equipment Required							
	A	B	C	D	E	F	G	H
(1) All aircraft within the United Kingdom:								
(a) when flying under Instrument Flight Rules within controlled airspace	A*				E*	F*		
(b) when flying within any airspace in respect of which special rules are prescribed by the Rules of the Air and Air Traffic Control in relation to a particular aerodrome, so as to require two-way radio communication with that aerodrome	A*							
(c) when making an approach to landing at an aerodrome notified for the purpose of this sub-paragraph							G*	
(2) All aircraft (other than gliders) within the United Kingdom:								
(a) when flying at or above flight level 245	A*				E*	F*		
(b) when flying within such airspace as may be notified for the purposes of this sub-paragraph, being airspace in respect of which special rules are prescribed by the said Rules	A*				E*	E*		
(c) when flying at or above level 100								
(3) All aircraft registered in the United Kingdom, when flying to, from or over Berlin, Germany	A				E			H
(4) All aircraft registered in the United Kingdom, wherever they may be:								
(a) when flying for the purpose of public transport under Instrument Flight Rules:								
(i) while making an approach to landing	A		C	D				H
(ii) on all other occasions	A		C					H
(b) multi-engined aircraft when flying for the purpose of public transport under Visual Flight Rules	A							H
(c) single-engined aircraft when flying for the purpose of public transport under Visual Flight Rules:								
(i) over a route on which navigation is effected solely by visual reference to landmarks	A							
(ii) on all other occasions	A	B						
Provided that aircraft which come within paragraphs 4(b) and 4(c) above solely by virtue of the provisions of article 96(5)(a)(iii) may carry instead of the requirements of the said paragraphs 4(b) and 4(c):								
(aa) over a route on which navigation is not effected solely by visual reference to landmarks	A	B						
(bb) over water, beyond gliding distance from any land	A							
(d) when flying under Instrument Flight Rules within controlled airspace and not required to comply with paragraph 4(a) above	A*							

\*Unless the appropriate air traffic control unit otherwise permits in relation to the particular flight and provided that the aircraft complies with any instructions which the air traffic control unit may give in the particular case.

3. The scales of radio and radio navigation equipment indicated in the foregoing Table shall be as follows—

*Scale A*

Radio equipment capable of maintaining direct two-way communication with the appropriate aeronautical radio stations.

*Scale B*

Radio navigation equipment capable of enabling the aircraft to be navigated on the intended route including such equipment as may be prescribed.

*Scale C*

Radio equipment capable of receiving from the appropriate aeronautical radio stations meteorological broadcasts relevant to the intended flight.

*Scale D*

Radio navigation equipment capable of receiving signals from one or more aeronautical radio stations on the surface to enable the aircraft to be guided to a point from which a visual landing can be made at the aerodrome at which the aircraft is to land.

*Scale E*

Secondary surveillance radar equipment.

*Scale F*

Radio and radio navigation equipment capable of enabling the aircraft to be navigated along the intended route including either—

- (a) (i) automatic direction finding equipment; and
- (ii) distance measuring equipment; and
- (iii) VHF omni-range equipment; or
- (b) equipment, including the Decca Flight Log, which will enable the aircraft to be navigated by means of signals received from radio navigation land stations forming part of the Decca radio navigation system and which provides the pilot with a visual indication of the aircraft's position relative to the intended route.

*Scale G*

Radio navigation equipment capable of enabling the aircraft to make an approach to landing using the Instrument Landing System.

*Scale H*

Radio navigation equipment capable of enabling the aircraft to be navigated on the intended route including—

- (a) automatic direction finding equipment; and
- (b) distance measuring equipment; and
- (c) duplicated VHF omni-range equipment; and
- (d) a 75 MHz marker beacon receiver;

*Except that:—*

an aircraft may fly notwithstanding that it does not carry the equipment specified in this scale if it carries alternative radio navigation equipment or navigational equipment approved by the Authority in writing in accordance with the provisions of article 13(7) of this Order;

where not more than one item of equipment specified in this Scale is unserviceable when the aircraft is about to begin a flight, the aircraft may nevertheless take off on that flight if—

- (i) it is not reasonably practicable for the repair or replacement of that item to be carried out before the beginning of the flight; and
- (ii) the aircraft has not made more than one flight since the item was last serviceable; and
- (iii) the commander of the aircraft has satisfied himself that, taking into account the latest information available as to the route and aerodrome to be used (including any planned diversion) and the weather conditions likely to be encountered, the flight can be made safely and in accordance with any relevant requirements of the appropriate air traffic control unit.

4. In this Schedule—

(1) “automatic direction finding equipment” means radio navigation equipment which automatically indicates the bearing of any radio station transmitting the signals received by such equipment; and

(2) “VHF omni-range equipment” means radio navigation equipment capable of giving visual indications of bearings of the aircraft by means of signals received from very high frequency omni-directional radio ranges; and

(3) “distance measuring equipment” means radio equipment capable of providing a continuous indication of the aircraft’s distance from the appropriate aeronautical radio stations; and

(4) “secondary surveillance radar equipment” means such type of radio equipment as may be notified as being capable of (a) replying to an interrogation from secondary surveillance radar units on the surface and (b) being operated in accordance with such instructions as may be given to the aircraft by the appropriate air traffic control unit.

SCHEDULE 7

Article 15

AIRCRAFT, ENGINE AND PROPELLER LOG BOOKS

1. *Aircraft Log Book*

The following entries shall be included in the aircraft log book—

- (a) the name of the constructor, the type of the aircraft, the number assigned to it by the constructor and the date of the construction of the aircraft;
- (b) the nationality and registration marks of the aircraft;
- (c) the name and address of the operator of the aircraft;
- (d) the date of each flight and the duration of the period between take-off and landing, or, if more than one flight was made on that day, the number of flights and the total duration of the periods between take-offs and landings on that day;
- (e) particulars of all maintenance work carried out on the aircraft or its equipment;
- (f) particulars, of any defects occurring in the aircraft or in any equipment required to be carried therein by or under this Order, and of the action taken to rectify such defects including a reference to the relevant entries in the technical log required by article 10(2) and (3) of this Order;
- (g) particulars of any overhauls, repairs, replacements and modifications relating to the aircraft or any such equipment as aforesaid:

Provided that entries shall not be required to be made under sub-paragraphs (e), (f) and (g) in respect of any engine or variable pitch propeller.

### 2. *Engine Log Book*

The following entries shall be included in the engine log book—

- (a) the name of the constructor, the type of the engine, the number assigned to it by the constructor and the date of the construction of the engine;
- (b) the nationality and registration marks of each aircraft in which the engine is fitted;
- (c) the name and address of the operator of each such aircraft;
- (d) either—
  - (i) the date of each flight and the duration of the period between take-off and landing or, if more than one flight was made on that day, the number of flights and the total duration of the periods between take-offs and landings on that day; or
  - (ii) the aggregate duration of periods between take-off and landing for all flights made by that aircraft since the immediately preceding occasion that any maintenance, overhaul, repair, replacement, modification or inspection was undertaken on the engine;
- (e) particulars of all maintenance work done on the engine;
- (f) particulars of any defects occurring in the engine, and of the rectification of such defects, including a reference to the relevant entries in the technical log required by article 10(2) and (3) of this Order;
- (g) particulars of all overhauls, repairs, replacements and modifications relating to the engine or any of its accessories.

### 3. *Variable Pitch Propeller Log Book*

The following entries shall be included in the variable pitch propeller log book—

- (a) the name of the constructor, the type of the propeller, the number assigned to it by the constructor and the date of the construction of the propeller;
- (b) the nationality and registration marks of each aircraft, and the type and number of each engine, to which the propeller is fitted;
- (c) the name and address of the operator of each such aircraft;
- (d) either—
  - (i) the date of each flight and the duration of the period between take-off and landing or, if more than one flight was made on that day, the number of flights and the total duration of the periods between take-offs and landings on that day; or
  - (ii) the aggregate duration of periods between take-off and landing for all flights made by that aircraft since the immediately preceding occasion that any maintenance, overhaul, repair, replacement, modification or inspection was undertaken on the propeller;
- (e) particulars of all maintenance work done on the propeller;
- (f) particulars of any defects occurring in the propeller, and of the rectification of such defects, including a reference to the relevant entries in the technical log required by article 10(2) and (3) of this Order;
- (g) particulars of any overhauls, repairs, replacements and modifications relating to the propeller.



## SCHEDULE 8

## Article 18(4)

AREAS SPECIFIED IN CONNECTION WITH THE CARRIAGE OF FLIGHT NAVIGATORS AS MEMBERS OF FLIGHT CREWS OR APPROVED NAVIGATIONAL EQUIPMENT ON PUBLIC TRANSPORT AIRCRAFT

The following areas are hereby specified for the purposes of article 18(4) of this Order—

*Area A—Arctic*

All that area north of latitude 67° north, but excluding any part thereof lying within 300 nautical miles of Norway.

*Area B—Antarctic*

All that area south of latitude 55° south.

*Area C—Sahara*

All that area enclosed by rhumb lines joining successively the following points—

32° north latitude	03° west longitude
24° " "	14° " "
14° " "	14° " "
18° " "	28° east "
24° " "	28° " "
28° " "	23° " "
32° " "	03° west "

*Area D—Arabian Desert*

All that area enclosed by rhumb lines joining successively the following points—

22° north latitude	42° east longitude
16° " "	46° " "
20° " "	55° " "
24° " "	48° " "
22° " "	42° " "

*Area E—South America (Central)*

All that area enclosed by rhumb lines joining successively the following points—

04° north latitude	72° west longitude
04° " "	60° " "
08° south "	42° " "
18° " "	54° " "
18° " "	60° " "
14° " "	72° " "
05° " "	76° " "
04° north "	72° " "

*Area F—Pacific Ocean*

All that area enclosed by rhumb lines joining successively the following points—

55° south latitude	75° west longitude
20° " "	73° " "
05° " "	85° " "
05° north	80° " "
15° " "	105° " "
30° " "	125° " "
55° " "	140° " "
67° " "	180° " "
60° " "	180° " "
20° " "	128° east
04° " "	128° " "
00° " "	165° west
55° south	180° " "
55° " "	75° " "

*Area G—Australia*

All that area enclosed by rhumb lines joining successively the following points—

18° south latitude	123° east longitude
30° " "	118° " "
30° " "	135° " "
18° " "	123° " "

*Area H—Indian Ocean*

All that area enclosed by rhumb lines joining successively the following points—

35° south latitude	110° east longitude
20° " "	110° " "
13° " "	120° " "
10° " "	100° " "
13° north	91° " "
13° " "	86° " "
00° " "	80° " "
20° " "	67° " "
20° " "	62° " "
05° south	43° " "
20° " "	60° " "
25° " "	60° " "
40° " "	10° " "
55° " "	10° " "
55° " "	180° " "
35° " "	110° " "

*Area I—North Atlantic Ocean*

All that area enclosed by rhumb lines joining successively the following points—

55° north latitude	15° west longitude
67° " "	40° " "
67° " "	60° " "
45° " "	45° " "
40° " "	63° " "
40° " "	19° " "
55° " "	15° " "

*Area J—South Atlantic Ocean*

All that area enclosed by rhumb lines joining successively the following points—

40° north latitude	63° west longitude
19° " "	63° " "
05° south " "	30° " "
55° " "	55° " "
55° " "	10° east "
05° " "	10° " "
02° north " "	05° " "
02° " "	10° west "
15° " "	25° " "
40° " "	19° " "
40° " "	63° " "

*Area K—Northern Canada*

All that area enclosed by rhumb lines joining successively the following points—

67° north latitude	130° west longitude
55° " "	115° " "
55° " "	70° " "
67° " "	60° " "
67° " "	130° " "

## SCHEDULE 9

## Article 20

## FLIGHT CREW OF AIRCRAFT: LICENCES AND RATINGS

## PART A—LICENCES

*Minimum Age, Period of Validity, Privileges*1. *Aeroplane Pilots**Private Pilot's Licence (Aeroplanes)*

*Minimum Age*—17 years

*No Maximum Period of Validity*

*Privileges:* The holder of the licence shall be entitled to fly as pilot in command or co-pilot of an aeroplane of any of the types specified in the aircraft rating included in the licence:

Provided that—

- (a) he shall not fly such an aeroplane for the purpose of public transport or aerial work other than aerial work which consists of—
  - (i) the giving of instruction in flying, if his licence includes a flying instructor's rating or an assistant flying instructor's rating; or
  - (ii) the conducting of flying tests for the purposes of this Order, in either case in an aeroplane owned, or operated under arrangements entered into, by a flying club of which the person giving the instruction or conducting the test and the person receiving the instruction or undergoing the test are both members;
- (b) he shall not receive any remuneration for his services as a pilot on a flight other than remuneration for the giving of such instruction or the conducting of such flying tests as are specified in paragraph (a) of this proviso;
- (c) he shall not, unless his licence includes an instrument rating (aeroplanes) or an instrument meteorological conditions rating (aeroplanes), fly as pilot in command of such an aeroplane—
  - (i) on a flight outside controlled airspace—

- (aa) when the flight visibility is less than  $1\frac{1}{2}$  nautical miles; or
- (bb) when any passenger is carried and the aeroplane is flying either above 3,000 feet above mean sea level in Instrument Meteorological Conditions or at or below 3,000 feet above mean sea level in a flight visibility of less than 3 nautical miles;
- (ii) on a special VFR flight in a control zone in a flight visibility of less than 5 nautical miles except on a route or in an aerodrome traffic zone notified for the purposes of this sub-paragraph;
- (iii) out of sight of the surface;
- (d) he shall not fly as pilot in command of such an aeroplane at night on a flight on which any passenger is carried or give any instruction in flying at night unless—
  - (i) his licence includes a night rating (aeroplanes); and
  - (ii) his licence includes an instrument rating (aeroplanes) or he has within the immediately preceding 6 months carried out as pilot in command not less than 5 take-offs and 5 landings at a time when the depression of the centre of the sun was not less than  $12^\circ$  below the horizon.

*Commercial Pilot's Licence (Aeroplanes)*

*Minimum Age*—18 years

*Maximum Period of Validity*—10 years

*Privileges:*

(1) The holder of the licence shall be entitled to exercise the privileges of a Private Pilot's Licence (Aeroplanes) which includes an instrument meteorological conditions rating (aeroplanes) and a night rating (aeroplanes) and shall be entitled to fly as pilot in command of an aeroplane—

- (a) on a special VFR flight notwithstanding that the flight visibility is less than  $1\frac{1}{2}$  nautical miles;
- (b) when the aeroplane is taking off or landing at any place notwithstanding that the flight visibility below cloud is less than 1 nautical mile; and

(2) he shall be entitled to fly as pilot in command of an aeroplane of a type specified in Part 1 of the aircraft rating included in the licence when the aeroplane is engaged on a flight for any purpose whatsoever:

Provided that—

- (a) he shall not, unless his licence includes an instrument rating (aeroplanes), fly such an aeroplane on any scheduled journey;
- (b) he shall not fly such an aeroplane at night on which any passenger is carried or give any instruction in flying at night unless his licence includes an instrument rating (aeroplanes) or he has within the immediately preceding 90 days carried out as pilot in command not less than 5 take-offs and 5 landings at a time when the depression of the centre of the sun was not less than  $12^\circ$  below the horizon;
- (c) he shall not, unless his licence includes an instrument rating (aeroplanes) fly any such aeroplane of which the maximum total weight authorised exceeds 2,300 kg. on any flight for the purpose of public transport, except a flight beginning and ending at the same aerodrome and not extending beyond 25 nautical miles from that aerodrome;
- (d) he shall not fly such an aeroplane on a flight for the purpose of public transport if its maximum total weight authorised exceeds 5,700 kg.; and
- (e) on and after 21st December 1986, he shall not fly such an aeroplane on any

flight for the purpose of public transport after he attains the age of 60 years unless the aeroplane is fitted with dual controls and carries a second pilot who has not attained the age of 60 years and who holds an appropriate licence under this Order entitling him to act as pilot in command or co-pilot of that aeroplane.

(3) he shall be entitled to fly as co-pilot of any aeroplane of a type specified in the aircraft rating included in the licence when the aeroplane is engaged on a flight for any purpose whatsoever:

Provided that he shall not on and after 21st December 1986, act as co-pilot of any aeroplane whose maximum total weight authorised exceeds 20,000 kg. on any flight for the purpose of public transport after he attains the age of 60 years.

(4) On and after 21st December 1986, he shall not at any time after he attains the age of 65 years act as pilot in command or co-pilot of any aeroplane on a flight for the purpose of public transport.

#### *Senior Commercial Pilot's Licence (Aeroplanes)*

*Minimum Age*—21 years

*Maximum Period of Validity*—10 years

*Privileges:* The holder of the licence shall be entitled to exercise the privileges of a Commercial Pilot's Licence (Aeroplanes) except that in proviso (d) to paragraph (2) of those privileges, 20,000 kg. shall be substituted for 5,700 kg.

#### *Airline Transport Pilot's Licence (Aeroplanes)*

*Minimum Age*—21 years

*Maximum Period of Validity*—10 years

*Privileges:* The holder of the licence shall be entitled to exercise the privileges of a Commercial Pilot's Licence (Aeroplanes) except that proviso (d) to paragraph (2) of those privileges shall not apply and the holder of the licence shall not at any time after he attains the age of 60 years act as:

- (a) pilot in command, or
- (b) on and after 21st December 1986, co-pilot

of any aeroplane for the purpose of public transport if its maximum total weight authorised exceeds 20,000 kg.

## *2. Helicopter and Gyroplane Pilots*

#### *Private Pilot's Licence (Helicopters and Gyroplanes)*

*Minimum Age*—17 years

*No Maximum Period of Validity*

*Privileges:* The holder of the licence shall be entitled to fly as pilot in command or co-pilot of a helicopter or gyroplane of any of the types specified in the aircraft rating included in the licence:

Provided that—

- (a) he shall not fly such a helicopter or gyroplane for the purpose of public transport or aerial work other than aerial work which consists of—
  - (i) the giving of instruction in flying if his licence includes a flying instructor's rating or an assistant flying instructor's rating; or

- (ii) the conducting of flying tests for the purposes of this Order  
in either case in a helicopter or gyroplane owned, or operated under arrangements entered into by a flying club of which the person giving the instruction or conducting the test and the person receiving the instruction or undergoing the test are both members;
- (b) he shall not receive any remuneration for his services as a pilot on a flight other than remuneration for the giving of such instruction or the conducting of such flying tests as are specified in paragraph (a) of this proviso;
- (c) he shall not fly as pilot in command of such a gyroplane at night on a flight on which any passenger is carried or give any instruction in flying at night unless his licence includes a night rating (helicopters and gyroplanes) and he has within the immediately preceding 90 days carried out as pilot in command not less than 5 take-offs and 5 landings at a time when the depression of the centre of the sun was not less than 12° below the horizon;
- (d) he shall not fly as pilot in command of such a helicopter at night on a flight on which any passenger is carried or instruction in flying is given unless—
  - (i) his licence includes a night rating (helicopters and gyroplanes); and
  - (ii) his licence includes an instrument rating (helicopters) or he has within the immediately preceding 90 days carried out as pilot in command not less than 5 flights, each consisting of a take-off, a transition from hover to forward flight, a climb to at least 500 feet and a landing, at a time when the depression of the centre of the sun was not less than 12° below the horizon.

*Commercial Pilot's Licence (Helicopters and Gyroplanes)*

*Minimum Age*—18 years

*Maximum Period of Validity*—10 years

*Privileges:*

- (1) The holder of the licence shall be entitled to exercise the privileges of a Private Pilot's Licence (Helicopters and Gyroplanes) which includes a night rating (helicopters and gyroplanes); and
- (2) he shall be entitled to fly as pilot in command of any helicopter or gyroplane specified in Part 1 of the aircraft rating included in the licence when the helicopter or gyroplane is engaged on a flight for any purpose whatsoever:

Provided that—

- (a) he shall not, unless his licence includes an instrument rating (helicopters) fly such a helicopter on any scheduled journey or on any flight for the purpose of public transport in Instrument Meteorological Conditions;
- (b) he shall not fly such a helicopter or gyroplane on a flight for the purpose of public transport if its maximum total weight authorised exceeds 5,700 kg;
- (c) he shall not fly such a gyroplane at night on a flight on which any passenger is carried or instruction in flying is given unless he has within the immediately preceding 90 days carried out as pilot in command not less than 5 take-offs and 5 landings at a time when the depression of the centre of the sun was not less than 12° below the horizon;
- (d) he shall not fly such a helicopter at night on a flight on which any passenger is carried or instruction in flying is given unless his licence includes an instrument rating (helicopters) or he has within the immediately preceding 90 days carried out as pilot in command not less than 5 flights, each consisting of a take-off, a transition from hover to forward flight, a climb to at least 500 feet and a landing, at a time when the depression of the centre of the sun was not less than 12° below the horizon;

- (e) on and after 21st December 1986, he shall not fly such a helicopter or gyroplane on any flight for the purpose of public transport after he attains the age of 60 years unless the helicopter or gyroplane is fitted with dual controls and carries a second pilot who has not attained the age of 60 years and who holds an appropriate licence under this Order entitling him to act as pilot in command or co-pilot of that helicopter or gyroplane.

(3) he shall be entitled to fly as co-pilot of any helicopter or gyroplane specified in the aircraft rating included in the licence when the helicopter or gyroplane is engaged on a flight for any purpose whatsoever:

Provided that he shall not on and after 21st December 1986, act as co-pilot of any helicopter or gyroplane whose maximum total weight authorised exceeds 20,000 kg. on any flight for the purpose of public transport after he attains the age of 60 years.

(4) On and after 21st December 1986, he shall not at any time after he attains the age of 65 years act as pilot in command or co-pilot of any helicopter or gyroplane on a flight for the purpose of public transport.

*Airline Transport Pilot's Licence (Helicopters and Gyroplanes)*

*Minimum Age*—21 years

*Maximum Period of Validity*—10 years

*Privileges:* The holder of the licence shall be entitled to exercise the privileges of a Commercial Pilot's Licence (Helicopters and Gyroplanes) except that proviso (b) to paragraph (2) of those privileges shall not apply and the holder of the licence shall not at any time after he attains the age of 60 years act as:

- (a) pilot in command, or
- (b) on and after 21st December 1986, co-pilot

of any helicopter or gyroplane for the purpose of public transport if its maximum total weight authorised exceeds 20,000 kg.

3. *Balloon and Airship Pilots*

*Private Pilot's Licence (Balloons and Airships)*

*Minimum Age*—17 years

*No Maximum Period of Validity*

*Privileges:* The holder of the licence shall be entitled to fly as pilot in command of any type of balloon or airship specified in Part 1 of the aircraft rating included in the licence and co-pilot of any type of balloon or airship specified in such aircraft rating:

Provided that—

- (a) he shall not fly such balloon or airship for the purpose of public transport or aerial work, other than aerial work which consists of the giving of instruction in flying or the conducting of flying tests in either case in a balloon or airship owned, or operated under arrangements entered into, by a flying club of which the person giving the instruction or conducting the test and the person receiving the instruction or undergoing the test are both members;
- (b) he shall not receive any remuneration for his services as a pilot on a flight other than remuneration for the giving of such instruction or the conducting of such flying tests as are specified in paragraph (a) of this proviso.

*Commercial Pilot's Licence (Balloons)*

*Minimum Age*—18 years

*Maximum Period of Validity*—6 months\*

*Privileges:*

(1) The holder of the licence shall be entitled to exercise the privileges of a Private Pilot's Licence (Balloons and Airships); and

(2) he shall be entitled to fly, when the balloon is flying for any purpose whatsoever, as pilot in command or co-pilot of any type of balloon specified in the aircraft rating included in the licence.

*Commercial Pilot's Licence (Airships)*

*Minimum Age*—18 years

*Maximum Period of Validity*—10 years

*Privileges:*

(1) The holder of the licence shall be entitled to exercise the privileges of a Private Pilot's Licence (Balloons and Airships); and

(2) he shall be entitled to fly, when the airship is flying for any purpose whatsoever, as pilot in command of any type of airship specified in Part 1 of the aircraft rating included in the licence and as co-pilot of any type of airship specified in such aircraft rating.

#### 4. *Glider Pilots*

*Commercial Pilot's Licence (Gliders)*

*Minimum Age*—18 years

*Maximum Period of Validity*—6 months

*Privileges:* The holder of the licence shall be entitled to fly for any purpose as pilot in command or co-pilot of—

- (a) any glider of which the maximum total weight authorised does not exceed 680 kg.;
- (b) any glider of which the maximum total weight authorised exceeds 680 kg. and which is of a type specified in the rating included in the licence.

#### 5. *Other Flight Crew*

*Flight Navigator's Licence*

*Minimum Age*—21 years

*Maximum Period of Validity*—10 years

*Privileges:* The holder of the licence shall be entitled to act as flight navigator in any aircraft.

*Flight Engineer's Licence*

*Minimum Age*—21 years

*Maximum Period of Validity*—10 years

*Privileges:* The holder of the licence shall be entitled to act as flight engineer in any type of aircraft specified in the aircraft rating included in the licence.

---

\*In respect of the privileges of a Private Pilot's Licence the maximum period of validity shall be as given for that licence.



*Flight Radiotelephony Operator's General Licence*

*Minimum Age*—18 years

*Maximum Period of Validity*—10 years

*Privileges:* The holder of the licence shall be entitled to operate radiotelephony apparatus in any aircraft.

*Flight Radiotelephony Operator's Restricted Licence*

*Minimum Age*—17 years

*Maximum Period of Validity*—10 years

*Privileges:* The holder of the licence shall be entitled to operate radiotelephony apparatus in any aircraft if the stability of the frequency radiated by the transmitter is maintained automatically but shall not be entitled to operate the transmitter, or to adjust its frequency, except by the use of external switching devices.

*Flight Radiotelegraphy Operator's Licence*

*Minimum Age*—20 years

*Maximum Period of Validity*—12 months

*Privileges:* The holder of the licence shall be entitled to operate radiotelegraphy and radiotelephony apparatus in any aircraft.

*Flight Radiotelegraphy Operator's Temporary Licence*

*Minimum Age*—18 years

*Maximum Period of Validity*—12 months

*Privileges:* The holder of the licence shall be entitled to operate radiotelegraphy and radiotelephony apparatus in any aircraft under the supervision of a person who is the holder of a flight radiotelegraphy operator's licence.

## PART B—RATINGS

1. The following ratings may be included in a pilot's licence granted under Part IV of this Order, and, subject to the provisions of this Order and of the licence, the inclusion of a rating in a licence shall have the consequences respectively specified as follows—

*Aircraft Ratings:* The licence shall entitle the holder to act as pilot of aircraft of the types specified in the aircraft rating and different types of aircraft may be specified in respect of different privileges of a licence.

*Instrument Meteorological Conditions Rating (Aeroplanes)* shall entitle the holder of a private pilot's licence (aeroplanes) to fly as pilot in command of an aeroplane without being subject to the restrictions contained in proviso (c) to the privileges of such a licence set out in Part A of this Schedule provided that he shall not fly—

- (a) on a special VFR flight in a control zone in a flight visibility of less than  $1\frac{1}{2}$  nautical miles;
- (b) when the aeroplane is taking off or landing at any place if the flight visibility below cloud is less than 1 nautical mile.

*Instrument Rating (Aeroplanes)* shall entitle the holder of the licence to act as pilot in command or co-pilot of an aeroplane flying in controlled airspace in circumstances which require compliance with the Instrument Flight Rules.

*Instrument Rating (Helicopters)* shall entitle the holder of the licence to act as pilot in command or co-pilot of a helicopter in controlled airspace in circumstances which require compliance with the Instrument Flight Rules.

*Night Rating (Aeroplanes)* shall entitle the holder of a private pilot's licence (aeroplanes) to act as pilot in command at night of an aeroplane in which a passenger is carried.

*Night Rating (Helicopters and Gyroplanes)* shall entitle the holder of a private pilot's licence (helicopters and gyroplanes) to act as pilot in command at night of a helicopter or gyroplane in which a passenger is carried.

*Towing Rating (Flying Machines)* shall entitle the holder of the licence to act as pilot of a flying machine while towing a glider in flight for the purposes of public transport or aerial work.

*Flying Instructor's Rating* shall entitle the holder of the licence to give instruction in flying aircraft of such types as may be specified in the rating for that purpose.

*Assistant Flying Instructor's Rating* shall entitle the holder of the licence to give instruction in flying aircraft of such types as may be specified in the rating for that purpose:

Provided that—

- (a) such instruction shall only be given under the supervision of a person present during the take-off and landing at the aerodrome at which the instruction is to begin and end and holding a pilot's licence endorsed with a flying instructor's rating; and
- (b) an assistant flying instructor's rating shall not entitle the holder of the licence to give directions to the person undergoing instruction in respect of the performance by that person of—
  - (i) his first solo flight; or
  - (ii) his first solo flight by night; or
  - (iii) his first solo cross-country flight otherwise than by night; or
  - (iv) his first solo cross-country flight by night.

2. An aircraft rating included in a flight engineer's licence shall entitle the holder of the licence to act as flight engineer only of aircraft of a type specified in the aircraft rating.

3. For the purposes of this Schedule—

“Solo flight” means a flight on which the pilot of the aircraft is not accompanied by a person holding a pilot's licence granted or rendered valid under this Order.

“Cross-country flight” means any flight during the course of which the aircraft is more than 3 nautical miles from the aerodrome of departure.

## PART C—CERTIFICATE OF TEST OR EXPERIENCE

1. (a) A certificate of test or a certificate of experience required by article 20(4) of this Order shall not be appropriate to the functions to be performed on a flight unless it is a certificate appropriate to the description of the flight according to the following Table—

Case	Class of Licence	Description of Flight	Certificate Required
A	Private Pilot's Licence (Aeroplanes) Private Pilot's Licence (Helicopters and Gyroplanes)	Any flight within the privileges of the licence	Certificate of test or certificate of experience
B	Commercial Pilot's Licence (Aeroplanes) Commercial Pilot's Licence (Helicopters and Gyroplanes) Commercial Pilot's Licence (Gliders) Commercial Pilot's Licence (Airships) Senior Commercial Pilot's Licence (Aeroplanes) Airline Transport Pilot's Licence (Aeroplanes) Airline Transport Pilot's Licence (Helicopters and Gyroplanes)	Carriage of passengers on a flight in respect of which the holder of the licence receives remuneration	Certificate of test
C	Commercial Pilot's Licence (Aeroplanes) Commercial Pilot's Licence (Helicopters and Gyroplanes) Commercial Pilot's Licence (Gliders) Commercial Pilot's Licence (Airships) Senior Commercial Pilot's Licence (Aeroplanes) Airline Transport Pilot's Licence (Aeroplanes) Airline Transport Pilot's Licence (Helicopters and Gyroplanes)	For public transport	Certificate of test

## PART C—CERTIFICATE OF TEST OR EXPERIENCE (cont.)

Case	Class of Licence	Description of Flight	Certificate Required
D	Commercial Pilot's Licence (Aeroplanes) Commercial Pilot's Licence (Helicopters and Gyroplanes) Commercial Pilot's Licence (Gliders) Commercial Pilot's Licence (Airships) Senior Commercial Pilot's Licence (Aeroplanes) Airline Transport Pilot's Licence (Aeroplanes) Airline Transport Pilot's Licence (Helicopters and Gyroplanes)	For aerial work	Certificate of test or certificate of experience
E	Commercial Pilot's Licence (Aeroplanes) Commercial Pilot's Licence (Helicopters and Gyroplanes) Commercial Pilot's Licence (Gliders) Commercial Pilot's Licence (Airships) Senior Commercial Pilot's Licence (Aeroplanes) Airline Transport Pilot's Licence (Aeroplanes) Airline Transport Pilot's Licence (Helicopters and Gyroplanes)	Any flight within the privileges of a Private Pilot's Licence	Certificate of test or certificate of experience
F	Flight Navigator's Licence	Flights to which article 17(4) of this Order applies	Certificate of experience
G	Flight Engineer's Licence	For public transport	Certificate of test
H	Flight Engineer's Licence	Any flight other than for public transport	Certificate of test or certificate of experience

- (b) For the purposes of this Part of this Schedule references to Cases are references to the Cases indicated in the first Column of the Table in paragraph 1(a) of this Part of this Schedule.

*Certificate of Test*

2. A certificate of test required by article 20(4) or 20(5) of this Order shall be signed by a person authorised by the Authority to sign certificates of this kind and shall certify the following particulars—

- (a) the functions to which the certificate relates;
- (b) that the person signing the certificate is satisfied that on a date specified in the certificate the holder of the licence or personal flying logbook of which the certificate forms part, as the case may be, passed an appropriate test of his ability to perform the functions to which the certificate relates;
- (c) the type of aircraft or flight simulator in or by means of which the test was conducted;
- (d) the date on which it was signed.

*Nature of Test*

3. The appropriate test referred to in paragraph 2 of this Part of this Schedule shall be—

- (a) in the case of a test which entitles the holder of the licence of which the certificate forms part to act as pilot in command and/or co-pilot of aircraft of the type specified in the certificate, a test of the pilot's competence to fly the aircraft as pilot in command and/or co-pilot and shall where the Authority so specifies in respect of the whole or part of a test be conducted in an aircraft in flight or by means of a flight simulator approved by the Authority;
- (b) in the case of a test which entitles the holder of the licence of which the certificate forms part to act as flight engineer of aircraft of the type specified in the certificate, a test of the flight engineer's competence to perform the duties of a flight engineer in the type of aircraft to be used on the flight and shall, where the Authority so specifies in respect of the whole or part of a test, be conducted in an aircraft in flight or by means of a flight simulator approved by the Authority;
- (c) in the case of a test which entitles the holder of the licence of which the certificate forms part to perform the functions to which an Instrument Rating relates a test of his ability to perform the functions to which the rating relates and shall, where the Authority so specifies in respect of the whole or part of the test, be conducted in an aircraft in flight or by means of a flight simulator approved by the Authority;
- (d) in the case of a test which entitles the holder of the licence of which the certificate forms part to perform the functions to which a flying instructor's rating, an assistant flying instructor's rating or an instrument meteorological conditions rating relates, a test of his ability to perform the functions to which the rating relates and shall where the Authority so specifies in respect of the whole or part of the test be conducted in an aircraft in flight.

*Period of Validity of Certificate of Test*

4. (a) A certificate of test required by article 20(4) of this Order shall not be valid in relation to a flight made more than 13 months in Cases A, B, E and H, or more than 6 months in Cases C, D and G, after the date of the test which it certifies:

Provided that in the case of Cases C, D and G two certificates of test shall together be deemed to constitute a valid certificate of test if they certify flying

tests conducted on two occasions within the period of 13 months preceding the flight on which the functions are to be performed, such occasions being separated by an interval of not less than 4 months, and if both certificates are appropriate to those functions.

- (b) A certificate of test required by article 20(5) of this Order shall not be valid in relation to a flight made more than 13 months in the case of an instrument rating (aeroplanes), an instrument rating (helicopters) and an assistant flying instructor's rating or more than 25 months in the case of an instrument meteorological conditions rating (aeroplanes) and a flying instructor's rating, after the date of the test which it certifies.

*Certificate of Experience*

5. A certificate of experience required by article 20(4) of this Order shall be signed by a person authorised by the Authority to sign such a certificate and shall certify the following particulars—

- (a) the functions to which the certificate relates;
- (b) in the case of a pilot or flight engineer, that on the date on which the certificate was signed the holder of the licence or personal flying logbook of which it forms part, as the case may be, produced his personal flying logbook to the person signing the certificate and satisfied him that he had appropriate experience in the capacity to which his licence relates within the appropriate period specified in paragraph 6 of this Part of this Schedule;
- (c) in the case of a flight navigator, that on the date on which the certificate was signed the holder of the licence of which it forms part produced his navigation logs, charts and workings of astronomical observations to the person signing the certificate and satisfied him that he had appropriate experience in the capacity to which the licence relates within the appropriate period specified in paragraph 6 of this Part of this Schedule;
- (d) in the case of a pilot or flight engineer, the type or types of aircraft in which the experience was gained;
- (e) the date on which it was signed.

*Period of experience*

6. A certificate of experience shall not be valid unless the experience was gained within the period of 13 months preceding the signing of the certificate in the case of Cases A, E, F and H, or 6 months preceding the signing of the certificate in the case of Case D.

*Period of Validity of Certificate of Experience*

7. A certificate of experience shall not be valid more than 6 months after it was signed for Case D nor more than 13 months after it was signed for any other Case.

Article 66(2)

SCHEDULE 10

AIR TRAFFIC CONTROLLERS: RATINGS

1. The holder of a licence which includes ratings of two or more of the classes specified in paragraph 2 of this Schedule shall not at any one time perform the functions specified in respect of more than one of those ratings:

Provided that the functions of any one of the following groups of ratings may be exercised at the same time—

- (a) The aerodrome control rating and the approach control rating;
- (b) The approach control rating and the approach radar control rating; except that the functions of the approach control rating shall not be exercised at the same time as the functions of the approach radar control rating if the service being provided under the latter is a surveillance radar approach terminating at a point less than 2 nautical miles from the point of intersection of the glide path with the runway;
- (c) The area control rating and the area radar control rating.

2. Ratings of the following classes may be included in an air traffic controller's licence (other than a student air traffic controller's licence) granted under article 65 of the Order and, subject to the provisions of this Order and of the licence, the inclusion of a rating in a licence shall have the consequences respectively specified as follows—

(1) *Aerodrome Control Rating* shall entitle the holder of the licence, at any aerodrome for which the rating is valid, to provide air traffic control service (but not with any type of radar equipment for which a radar control rating is required under this paragraph) for any aircraft on the manoeuvring area or apron of that aerodrome or which is flying in the vicinity of the aerodrome traffic zone by visual reference to the surface.

(2) *Approach Control Rating* shall entitle the holder of the licence, at any aerodrome for which the rating is valid, to provide air traffic control service (but not with any type of radar equipment for which a radar control rating is required under this paragraph) for any aircraft which is flying in the vicinity of the aerodrome traffic zone whether or not it is flying by visual reference to the surface.

(3) *Approach Radar Control Rating* shall entitle the holder of the licence, at any aerodrome at which the rating is valid, to provide air traffic control service with the aid of any type of surveillance radar equipment for which the rating is valid for any aircraft which is flying within 40 nautical miles of the aerodrome traffic zone whether or not it is flying by visual reference to the surface.

(4) *Precision Approach Radar Control Rating* shall entitle the holder of the licence, at any aerodrome for which the rating is valid, to provide air traffic control service with the aid of any type of precision approach radar equipment for which the rating is valid.

(5) *Area Control Rating* shall entitle the holder of the licence at any place for which the rating is valid to provide an air traffic control service without the aid of any surveillance radar equipment.

(6) *Area Radar Control Rating* shall entitle the holder of the licence, at any place for which the rating is valid, to provide air traffic control service with the aid of any type of surveillance radar equipment for which the rating is valid.

## SCHEDULE 11

## Article 25

### PUBLIC TRANSPORT: OPERATIONAL REQUIREMENTS PART A—OPERATIONS MANUAL

Information and instructions relating to the following matters shall be included in the operations manual referred to in article 25(2) of this Order—

- (i) the number of the crew to be carried in the aircraft, on each stage of any route to be flown, and the respective capacities in which they are to act, and instructions as to the order and circumstances in which command is to be assumed by members of the crew;
- (ii) the respective duties of each member of the crew and the other members of the operating staff;

- (iii) the scheme referred to in article 54(1)(c)(i) of this Order;
- (iv) such technical particulars concerning the aircraft, its engines and equipment and concerning the performance of the aircraft as may be necessary to enable the flight crew of the aircraft to perform their respective duties;
- (v) the manner in which the quantities of fuel and oil to be carried by the aircraft are to be computed and records of fuel and oil carried and consumed on each stage of the route to be flown are to be maintained; the instructions shall take account of all circumstances likely to be encountered on the flight including the possibility of failure of one or more of the aircraft engines;
- (vi) the manner in which the quantity, if any, of oxygen and oxygen equipment to be carried in the aircraft for the purpose of complying with Scale K in Schedule 5 to this Order is to be computed;
- (vii) the check system to be followed by the crew of the aircraft prior to and on take-off, on landing and in an emergency, so as to ensure that the operating procedures contained in the operations manual and in the flight manual or performance schedule forming part of the relevant certificate of airworthiness are complied with;
- (viii) the circumstances in which a radio watch is to be maintained;
- (ix) the circumstances in which oxygen is to be used by the crew of the aircraft, and by passengers;
- (x) communication, navigational aids, aerodromes, local regulations, in-flight procedures, approach and landing procedures and such other information as the operator may deem necessary for the proper conduct of flight operations; the information referred to in this paragraph shall be contained in a route guide, which may be in the form of a separate volume;
- (xi) the reporting in flight to the notified authorities of meteorological observations;
- (xii) the minimum altitudes for safe flight on each stage of the route to be flown and any planned diversion therefrom, such minimum altitudes being not lower than any which may be applicable under the law of the United Kingdom or of the countries whose territory is to be flown over;
- (xiii) the particulars referred to in article 30 of this Order;
- (xiv) emergency flight procedures, including procedures for the instruction of passengers in the position and use of emergency equipment and procedures to be adopted when the commander of the aircraft becomes aware that another aircraft or a vessel is in distress and needs assistance;
- (xv) in the case of aircraft intended to fly at an altitude of more than 49,000 feet the procedures for the use of cosmic radiation detection equipment;
- (xvi) the labelling and marking of dangerous goods, the manner in which they must be loaded on an aircraft and the responsibilities of members of the crew in respect of the carriage of dangerous goods:

Provided that in relation to any flight which is not one of a series of flights between the same two places it shall be sufficient if, to the extent that it is not practicable to comply with paragraphs (x) and (xii), the manual contains such information and instructions as will enable the equivalent data to be ascertained before take-off.

#### Article 27

#### PART B.—CREW TRAINING AND TESTS

1. The training, experience, practice and periodical tests required under article 27(2) of this Order in the case of members of the crew of an aircraft engaged on a flight for the purpose of public transport shall be as follows—



(1) *The Crew*

Every member of the crew shall—

- (a) have been tested within the relevant period by or on behalf of the operator as to his knowledge of the use of the emergency and life saving equipment required to be carried in the aircraft on the flight; and
- (b) have practised within the relevant period under the supervision of the operator or of a person appointed by him for the purpose, the carrying out of the duties required of him in case of an emergency occurring to the aircraft, either in an aircraft of the type to be used on the flight or in apparatus approved by the Authority for the purpose and controlled by persons so approved.

(2) *Pilots*

- (a) Every pilot included in the flight crew who is intended by the operator to fly as pilot in circumstances requiring compliance with the Instrument Flight Rules shall within the relevant period have been tested by or on behalf of the operator—
  - (i) as to his competence to perform his duties while executing normal manoeuvres and procedures in flight, in an aircraft of the type to be used on the flight, including the use of the instruments and equipment provided in the aircraft;
  - (ii) as to his competence to perform his duties in instrument flight conditions while executing emergency manoeuvres and procedures in flight, in an aircraft of the type to be used on the flight, including the use of the instruments and equipment provided in the aircraft.

A pilot's ability to carry out normal manoeuvres and procedures shall be tested in the aircraft in flight.

The other tests required by this sub-paragraph may be conducted either in the aircraft in flight, or under the supervision of a person approved by the Authority for the purpose by means of a flight simulator approved by the Authority under article 20(10) of this Order. The tests specified in sub-paragraph (2)(a)(ii) of this paragraph when conducted in the aircraft in flight shall be carried out either in actual instrument flight conditions or in instrument flight conditions simulated by means approved by the Authority.

- (b) Every pilot included in the flight crew whose licence does not include an instrument rating or who, notwithstanding the inclusion of such a rating in his licence, is not intended by the operator to fly in circumstances requiring compliance with the Instrument Flight Rules, shall within the relevant period have been tested, by or on behalf of the operator in flight in an aircraft of the type to be used on the flight—
  - (i) as to his competence to act as pilot thereof, while executing normal manoeuvres and procedures, and
  - (ii) as to his competence to act as pilot thereof while executing emergency manoeuvres and procedures.
- (c) Every pilot included in the flight crew who is seated at the flying controls during take-off or landing shall within the relevant period—
  - (i) have been tested as to his proficiency in using instrument approach-to-land systems of the type in use at the aerodromes of intended landing and any alternate aerodromes, such test being carried out either in flight in instrument flight conditions or in instrument flight conditions simulated by means approved by the Authority or under the supervision of a person approved by the Authority for the purpose by means of a flight simulator approved by the Authority; and
  - (ii) have carried out when seated at the flying controls not less than three take-offs and three landings in aircraft of the type to be used on the flight.

(3) *Flight Engineers*

Every flight engineer included in the flight crew shall within the relevant period have been tested by or on behalf of the operator—

- (a) as to his competence to perform his duties while executing normal procedures in flight, in an aircraft of the type to be used on the flight;
- (b) as to his competence to perform his duties while executing emergency procedures in flight, in an aircraft of the type to be used on the flight.

A flight engineer's ability to carry out normal procedures shall be tested in an aircraft in flight. The other tests required by this sub-paragraph may be conducted either in the aircraft in flight, or under supervision of a person approved by the Authority for the purpose by means of a flight simulator approved by the Authority.

(4) *Flight Navigators and Flight Radio Operators*

Every flight navigator and flight radio operator whose inclusion in the flight crew is required under article 18(4) and (5) respectively of this Order shall within the relevant period have been tested by or on behalf of the operator as to his competence to perform his duties in conditions corresponding to those likely to be encountered on the flight—

- (a) in the case of a flight navigator, using equipment of the type to be used in the aircraft on the flight for purposes of navigation;
- (b) in the case of a flight radio operator using radio equipment of the type installed in the aircraft to be used on the flight, and including a test of his ability to carry out emergency procedures.

(5) *Aircraft Commanders*

- (a) The pilot designated as commander of the aircraft for the flight shall within the relevant period have demonstrated to the satisfaction of the operator that he has adequate knowledge of the route to be taken, the aerodromes of take-off and landing, and any alternate aerodromes, including in particular his knowledge of—

- the terrain,
  - the seasonal meteorological conditions,
  - the meteorological communications, and air traffic facilities, services and procedures,
  - the search and rescue procedures, and
  - the navigational facilities,relevant to the route.

- (b) In determining whether a pilot's knowledge of the matters referred to in sub-paragraph (a)(i) is sufficient to render him competent to perform the duties of aircraft commander on the flight, the operator shall take into account the pilot's flying experience in conjunction with the following—
  - (i) the experience of other members of the intended flight crew;
  - (ii) the influence of terrain and obstructions on departure and approach procedures at the aerodromes of take-off and intended landing and at alternate aerodromes;
  - (iii) the similarity of the instrument approach procedures and let-down aids to those with which the pilot is familiar;
  - (iv) the dimensions of runways which may be used in the course of the flight in relation to the performance limits of aircraft of the type to be used on the flight;
  - (v) the reliability of meteorological forecasts and the probability of difficult meteorological conditions in the areas to be traversed;
  - (vi) the adequacy of the information available regarding the aerodrome of intended landing and any alternate aerodromes;

- (vii) the nature of air traffic control procedures and familiarity of the pilot with such procedures;
- (viii) the influence of terrain on route conditions and the extent of the assistance obtainable enroute from navigational aids and air-to-ground communication facilities;
- (ix) the extent to which it is possible for the pilot to become familiar with unusual aerodrome procedures and features of the route by means of ground instruction and training devices.

(6) For the purposes of this paragraph—

“instrument flight conditions” means weather conditions such that the pilot is unable to fly by visual reference to objects outside the aircraft;

“relevant period” means a period which immediately precedes the commencement of the flight, being a period—

- (a) in the case of sub-paragraph (2)(c)(ii) of this paragraph, of 3 months;
- (b) in the case of sub-paragraphs (2)(a)(ii), (2)(b)(ii), (2)(c)(i) and (3)(b) of this paragraph, of 6 months;
- (c) in the case of sub-paragraphs (1), (2)(a)(i), (2)(b)(i), (3)(a), (4) and (5)(a) of this paragraph, of 13 months:

Provided that—

- (i) any pilot of the aircraft to whom the provisions of sub-paragraphs (2)(a)(ii), (2)(b)(ii) or (2)(c)(i) and any flight engineer of the aircraft to whom the provisions of sub-paragraph (3)(b) of this paragraph apply shall for the purposes of the flight be deemed to have complied with such requirements respectively within the relevant period if he has qualified to perform his duties in accordance therewith on two occasions within the period of 13 months immediately preceding the flight, such occasions being separated by an interval of not less than 4 months;
- (ii) the requirements of sub-paragraph (5)(a) shall be deemed to have been complied with within the relevant period by a pilot designated as commander of the aircraft for the flight if, having become qualified so to act on flights between the same places over the same route more than 13 months before commencement of the flight, he has within the period of 13 months immediately preceding the flight flown as pilot of an aircraft between those places over that route.

2— (1) The records required to be maintained by an operator under article 27(2) of this Order shall be accurate and up-to-date records so kept as to show, on any date, in relation to each person who has during the period of two years immediately preceding that date flown as a member of the crew of any public transport aircraft operated by that operator—

- (a) the date and particulars of each test required by this Schedule undergone by that person during the said period including the name and qualifications of the examiner;
- (b) the date upon which that person last practised the carrying out of duties referred to in paragraph 1(1)(b) of this Schedule;
- (c) the operator’s conclusions based on each such test and practice as to that person’s competence to perform his duties;
- (d) the date and particulars of any decision taken by the operator during the said period in pursuance of paragraph 1(5)(a) of this Schedule including particulars of the evidence upon which that decision was based.

(2) The operator shall whenever called upon to do so by any authorised person

produce for the inspection of any person so authorised all records referred to in the preceding sub-paragraph and furnish to any such person all such information as he may require in connection with any such records and produce for his inspection all log books, certificates, papers and other documents, whatsoever which he may reasonably require to see for the purpose of determining whether such records are complete or of verifying the accuracy of their contents.

(3) The operator shall at the request of any person in respect of whom he is required to keep records as aforesaid furnish to that person, or to any operator of aircraft for the purpose of public transport by whom that person may subsequently be employed, particulars of any qualifications in accordance with this Schedule obtained by such person whilst in his service.

#### PART C.—TRAINING MANUAL

The following information and instructions in relation to the training, experience, practice and periodical tests required under article 27(2) of this Order shall be included in the training manual referred to in article 26(2) of this Order—

- (i) the manner in which the training, practice and periodical tests required under article 27(2) and specified in Part B of Schedule 11 to this Order are to be carried out;
- (ii)
  - (a) the minimum qualifications and experience which the operator requires of persons appointed by him to give or to supervise the said training, practice and periodical tests; and
  - (b) the type of training, practice and periodical tests which each such person is appointed to give or to supervise; and
  - (c) the type of aircraft in respect of which each such person is appointed to give or to supervise the said training, practice and periodical tests;
- (iii) the minimum qualifications and experience required of each member of the crew undergoing the said training, practice and periodical tests;
- (iv) the syllabus for, and specimen forms for recording, the said training, practice and periodical tests;
- (v) the manner in which instrument flight conditions and engine failure are to be simulated in the aircraft in flight;
- (vi) the extent to which the said training and testing is permitted in the course of flights for the purpose of public transport;
- (vii) the use to be made in the said training and testing of apparatus approved for the purpose by the Authority.

Articles 57 and 59

#### SCHEDULE 12

##### DOCUMENTS TO BE CARRIED BY AIRCRAFT REGISTERED IN THE UNITED KINGDOM

On a flight for the purpose of public transport:

Documents A, B, C, D, E, F, H and, if the flight is international air navigation, Document G.

On a flight for the purpose of aerial work:

Documents A, B, C, E, F and, if the flight is international air navigation, Document G.

On a flight, being international air navigation, for a purpose other than public transport or aerial work:

Documents A, B, C and G.

For the purposes of this Schedule—

“A” means the licence in force under the Wireless Telegraphy Act 1949<sup>(a)</sup> in respect of the aircraft radio station installed in the aircraft, and the current telecommunication log book required by this Order;

“B” means the certificate of airworthiness in force in respect of the aircraft;

“C” means the licences of the members of the flight crew of the aircraft;

“D” means one copy of the load sheet, if any, required by article 28 of this Order in respect of the flight;

“E” means one copy of each certificate of maintenance review, if any, in force in respect of the aircraft;

“F” means the technical log, if any, in which entries are required to be made under article 10 of this Order;

“G” means the certificate of registration in force in respect of the aircraft;

“H” means the operations manual, if any, required by article 25(2)(a)(iii) of this Order to be carried on the flight;

“International air navigation” means any flight which includes passage over the territory of any country other than the United Kingdom, except any of the Channel Islands, the Isle of Man, any country to which there is power to extend the Civil Aviation Act 1982 under section 108(1) thereof or any British Protected State.

---

<sup>(a)</sup> 1949 c.54.

## Article 90

## SCHEDULE 13

## PENALTIES

## PART A—PROVISIONS REFERRED TO IN ARTICLE 90(5)

Article of Order	Subject matter
3	Aircraft flying unregistered
5	Aircraft flying with false or incorrect markings
6	Flight for the purpose of public transport without an air operator's certificate
7	Flight without a certificate of airworthiness
10(2)	Flight without maintenance of flight data recording system
9(6)	Failure to enter flight times and defects in technical log
11	Flight without due inspection overhaul, repair, replacement or modification
13	Flight without required equipment
14	Flight without required radio equipment
15	Failure to keep log books
16	Requirement to weigh aircraft and keep weight schedule
18	Crew requirement
19	Requirement for appropriate licence
20(4) and (5)	Requirement for appropriate certificates
20(6)	Prohibition of flight after failure of test
20(7)(a)	Flight without valid medical certificate
20(8)	Flight in unfit condition
23	Instruction in flying without appropriate licence and rating
25	Operations manual requirement
26	Training manual requirement
27	Operator's responsibilities in connection with crew
28	Requirements for loading aircraft
29	Operational restrictions on aircraft
30	Aerodrome operating minima—UK registered aircraft
31	Aerodrome operating minima—foreign registered aircraft
32	Pre-flight action by commander of aircraft
33	Requirement for pilot to remain at controls
34	Duties of commander on flight for public transport of passengers
35	Requirements for radio station in aircraft to be licensed and for operation of same
36	Requirement for minimum navigation performance system
37	Use of flight recorders and preservation of records
38	Towing of gliders
39	Towing, picking-up and raising of persons and articles by aircraft
40	Dropping of articles and animals from aircraft
42	Requirement for aerial application certificate
45	Carriage of persons in or on any part of an aircraft not designed for that purpose
46	Requirement for exits and break-in markings

Article of Order	Subject matter
50	Prohibition of smoking in aircraft
51	Requirement to obey lawful commands of aircraft commander
52	Prohibition of stowaways
54(3)	Operator's obligation to obtain flight time records of flight crew
55(2)	Flight crew member's obligation to inform operator of flight times
56	Flight time limitations
64(2)	Breach of the Rules of the Air and Air Traffic Control
66 (except (4))	Requirement for licensing of air traffic controllers and aerodrome flight information service officers
67	Requirement for aerodrome information service manual
69	Flight in contravention of restriction of flying regulations
70	Flight by balloons, kites and airships
71	Requirement for licensed aerodrome
73(5)	Contravention of conditions of aerodrome licence
74	Use of radio equipment at aerodromes
75	Requirement to keep records at aerodromes
79	Use of aeronautical lights
80(1)	Prohibition of dangerous lights
80(2)	Failure to extinguish or screen dangerous lights
82(1) and (2)	Management of aviation fuel at aerodromes
83	Restriction of flights for hire or reward by non-UK registered aircraft
84	Restriction of flights for aerial photography and survey by non-UK registered aircraft
85 (except (4))	Requirement to report occurrences
88	Obstruction of persons performing duties under Order

## PART B—PROVISIONS REFERRED TO IN ARTICLE 90(6)

Article of Order	Subject matter
43	Prohibition of carriage of weapons and munitions of war
44	Prohibition of carriage of dangerous goods
47	Endangering safety of aircraft
48	Endangering safety of persons or property
49	Prohibition of drunkenness in aircraft
54(1)	Operator's obligation to regulate flight times of flight crew
54(2)	Operator's obligation not to allow flight by crew in dangerous state of fatigue
55(1)	Crew's obligation not to fly in dangerous state of fatigue
63 (except (3))	Use of false or unauthorised documents and records
82(3)	Use of aviation fuel which is unfit for use in aircraft
85(4)	Making false reports
86	Flight in contravention of direction not to fly

## TABLE OF COMPARISON

The following Table shows, in relation to each article of the Air Navigation Order 1980, as amended, the article of the 1985 Order in which it is reproduced.

1980 Order as amended	1985 Order	1980 Order as amended	1985 Order
1	1	49	51
2	2	50	52
3	3	51	53
4	4	52	54
5	5	53	55
6	6	54	56
7	7	55	57
8	8	56	58
9	9	57	59
9A	10	57A	60
10	11	58	61
11	12	59	62
12	13	60	63
13	14	61	64
14	15	62	65
15	16	63	66
16	17	64	67
17	18	65	68
18	19	66	69
19	20	67	70
20	21	68	71
21	22	69	72
22	23	70	73
23	24	71	74
24	25	72	75
25	26	73	76
26	27	74	77
27	28	75	78
28	29	76	79
29	30	77	80
30	31	78	81
31	32	79	82
32	33	80	83
33	34	81	84
34	35	82	85
35	36	83	86
36	37	84	87
37	38	85	88
38	39	86	89
39	40	87	90
39A	41	88	91
40	42	89	92
41	43	90	93
42	44	91	94
43	45	92	95
44	46	93	96
45	47	94	97
46	48	95	98
47	49		
48	50		



**EXPLANATORY NOTE**

*(This Note is not part of the Order.)*

This Order consolidates the Air Navigation Order 1980, as amended. In addition to some minor drafting amendments the following changes are made:

(1) The launching and picking up of tow ropes, banners or similar articles is now prohibited except at an aerodrome. (article 39 (2)).

(2) The provisions inserted by the Air Navigation (Fourth Amendment) Order 1985 relating to the seizure of documents and the duty to give information as to the operator or commander of the aircraft are removed.

(3) The detailed requirements for the display of nationality and registration marks on aircraft are amended (Schedule 1. Part B) in that:—

- (a) The fireproof plate showing the marks and the name and address of the owner may now, in the case of a microlight aircraft, be affixed to the wing.
- (b) The marks must now be shown on the lower surface of the fuselage of any flying machine or glider which has no fixed-wing surface, if it is impracticable for the marks on the vertical surface of the fuselage to be of a height of 15 cm or more. The marks on the lower surface must be at least 50 cm high, or if this is not practicable because of the structure of the aircraft, the greatest height reasonably practicable.
- (c) In the case of flying machines and gliders having no fixed-wing surface, the marks required to be shown on the side of the fuselage need no longer be affixed between the wings and the tail surface.
- (d) An airship need no longer be marked on its upper surface. Marks on the side of an airship may now be placed either on the hull or the lower vertical stabilizer.
- (e) The distinction between the marks on spherical and non-spherical balloons has been removed. All free balloons must now be marked in two places diametrically opposite. Captive balloons do not have to be registered.
- (f) The minimum height of the marks on airships and balloons is reduced from 75 cm to 50 cm.

SI 1985/1643  
ISBN 0-11-057643-8



780110 576435