#### SCHEDULE 1

## **PART II**

## MINIMUM GENERAL REQUIREMENTS CONCERNING SIGNBOARDS

### 1 Intrinsic features

- (1.1) The shape and colours of signboards are set out in paragraph 3, in accordance with their specific object (signboards indicating a prohibition, a warning, a mandatory action, an escape route, an emergency or fire-fighting equipment).
  - (1.2) Pictograms must be as simple as possible and should contain only essential details.
- (1.3) The pictograms used may be slightly different from or more detailed than those shown in paragraph 3, provided that they convey the same meaning and that no difference or adaptation obscures the meaning.
- (1.4) Signboards are to be made of shock and weather-resistant material suitable for the surrounding environment.
- (1.5) The dimensions and colorimetric and photometric features of signboards must be such that they can be easily seen and understood.

#### 2 Conditions of use

(2.1) Signboards are in principle to be installed at a suitable height and in a position appropriate to the line of sight, taking account of any obstacles, either at the access point to an area in the case of a general hazard, or in the immediate vicinity of a specific hazard or object and in a well-lit and easily accessible and visible location.

Without prejudice to the provisions of Directive 89/654/EEC, phosphorescent colours, reflective materials or artificial lighting should be used where the level of natural light is poor.

(2.2) The signboard must be removed when the situation to which it refers ceases to exist.

## 3 Signboards to be used

(3.1) Prohibitory signs

Intrinsic features:

- round shape
- black pictogram on white background, red edging and diagonal line (the red part to take up at least 35% of the area of the sign).

Signs to be used:

No smoking

No smoking



No smoking

Smoking and naked flames forbidden Smoking and naked flames forbidden



Smoking and naked flames forbidden

No access for pedestrians No access for pedestrians



No access for pedestrians

Do not extinguish with water Do not extinguish with water



Do not extinguish with water

# Not drinkable Not drinkable



Not drinkable

No access for unauthorised persons No access for unauthorised persons



No access for unauthorised persons

No access for industrial vehicles No access for industrial vehicles



No access for industrial vehicles

Do not touch Do not touch



Do not touch

# (3.2) Warning signs

Intrinsic features:

- triangular shape
- black pictogram on a yellow background with black edging (the yellow part to take up at least 50% of the area of the sign).

Flammable material or high temperature(1) Flammable material or high temperature



Flammable material or high temperature(a)

Explosive material Explosive material



Explosive material

Toxic material Toxic material

<sup>(1)</sup> In the absence of a specific sign for high temperature.



Toxic material

Corrosive material Corrosive material



Corrosive material

Radioactive material Radioactive material



Radioactive material

Overhead load Overhead load



Overhead load

Industrial vehicles Industrial vehicles



Industrial vehicles

Danger: electricity Danger: electricity



Danger: electricity

General danger General danger



General danger

Laser beam Laser beam



Laser beam

Oxidant material Oxidant material



Oxidant material

Non-ionizing radiation Non-ionizing radiation



Non-ionizing radiation

Strong magnetic field Strong magnetic field



Strong magnetic field

Obstacles Obstacles



Obstacles

Drop Drop



Drop

Biological risk(2) Biological risk




Biological risk(a)

Low temperature Low temperature



Low temperature

Harmful or irritant material(3) Harmful or irritant material



Harmful or irritant material(b)

# (3.3) Mandatory signs

<sup>(2)</sup> Pictogram laid down in Council Directive 90/679/EEC of 26 November 1990 on the protection of workers from the risks related to exposure to biological agents at work (Seventh individual Directive within the meaning of Article 16(1) of Directive 89/391/EEC) OJNo. L 374, 31.12.1990, p. 1.

<sup>(3)</sup> The background to this sign may exceptionally be amber if justified in order to differentiate it from a similar road safety sign.

## Intrinsic features:

- round shape
- white pictogram on a blue background (the blue part to take up at least 50% of the area of the sign).

Eye protection must be worn Eye protection must be worn



Eye protection must be worn

Safety helmet must be worn Safety helmet must be worn




Safety helmet must be worn

Ear protection must be worn Ear protection must be worn



Ear protection must be worn

Respiratory equipment must be worn Respiratory equipment must be worn



Respiratory equipment must be worn

Safety boots must be worn Safety boots must be worn



Safety boots must be worn

Safety gloves must be worn Safety gloves must be worn



Safety gloves must be worn

Safety overalls must be worn Safety overalls must be worn



Safety overalls must be worn

Face protection must be worn Face protection must be worn



Face protection must be worn

Safety harness must be worn Safety harness must be worn



Safety harness must be worn

Pedestrians must use this route Pedestrians must use this route



Pedestrians must use this route

General mandatory sign (to be accompanied where necessary by another sign) General mandatory sign (to be accompanied where necessary by another sign)




General mandatory sign (to be accompanied where necessary by another sign)

# (3.4) Emergency escape or first-aid signs


Intrinsic features:

- rectangular or square shape
- white pictogram on a green background (the green part to take up at least 50% of the area of the sign).

Emergency exit/escape route Emergency exit/escape route



This way (supplementary information sign) This way (supplementary information sign)



This way (supplementary information sign)

# First-aid post First-aid post



First-aid post

Stretcher Stretcher



Stretcher

Safety shower Safety shower



Safety shower

Eyewash Eyewash



Eyewash

Emergency telephone for first-aid or escape Emergency telephone for first-aid or escape



Emergency telephone for first-aid or escape

# (3.5) Fire-fighting signs

## Intrinsic features:

- rectangular or square shape
- white pictogram on a red background (the red part to take up at least 50% of the area of the sign).

Fire hose Fire hose



Fire hose

## Ladder Ladder



Ladder

# Fire extinguisher Fire extinguisher



Fire extinguisher

Emergency fire telephone Emergency fire telephone



Emergency fire telephone

This way (supplementary information sign This way (supplementary information sign









This way (supplementary information sign)