

1999 No. 3483

**AGRICULTURE, ENGLAND AND WALES
PESTICIDES**

**The Pesticides (Maximum Residue Levels in Crops, Food
and Feeding Stuff) (England and Wales) Regulations 1999**

Approved by both Houses of Parliament

Made - - - - 22nd December 1999

Coming into force - - 1st February 2000

The Minister of Agriculture, Fisheries and Food (hereinafter referred to as “the Minister”), being a Minister designated^(a) for the purposes of section 2(2) of the European Communities Act 1972^(b) in relation to the common agricultural policy of the European Community, acting in exercise of the powers conferred on him by the said section 2(2), and, in respect of the provisions of these Regulations relating to Part 1 of Schedule 2 to these Regulations, the Minister and the Secretary of State, acting jointly in relation to England, and the Minister and the National Assembly for Wales, acting jointly in relation to Wales, in exercise of the powers conferred on them by section 16(2) of the Food and Environment Protection Act 1985^(c), and of all other powers enabling them in that behalf, after consultation in accordance with section 16(9) of the said Act of 1985 with the Advisory Committee on Pesticides established under section 16(7) of that Act^(d), hereby make the following Regulations, a draft of which has been laid before and approved by resolution of each House of Parliament:

Title, commencement and extent

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (England and Wales) Regulations 1999 and shall come into force on 1st February 2000.

(2) These Regulations shall extend to England and Wales only.

Interpretation

2.—(1) In these Regulations—

“EEA State” means a State which is a Contracting Party to the Agreement on the European Economic Area signed at Oporto on 2nd May 1992^(e) as adjusted by the Protocol signed at Brussels on 17th March 1993^(f);

(a) S.I. 1972/1811.
(b) 1972 c. 68: the powers conferred by section 2(2) were extended by virtue of the amendment of section 1(2) of the European Communities Act 1972 by section 1 of the European Economic Area Act 1993 (c. 51).
(c) 1985 c. 48: see section 24(1) for a definition of “the Ministers” and section 24(3) on the exercise of this power. Section 16 was amended by the Pesticides (Fees and Enforcement) Act 1989 (c. 27) and by the Pesticides Act 1998 (c. 26), and the Functions of the Secretary of State under section 16(2) of the 1985 Act were transferred, so far as exercisable in relation to Wales, to the National Assembly for Wales by the National Assembly for Wales (Transfer of Functions) Order 1999 (S.I. 1999/672).
(d) Established by S.I. 1985/1516.
(e) OJ No. L1, 3.1.94, p.3.
(f) OJ No. L1, 3.1.94, p.572.

“product” means any crop, food or feeding stuff specified in Schedule 2; “putting into circulation” means any handing over, whether or not for a consideration, of any product—

- (a) in the case of fruit and vegetables, after they have been harvested, and
- (b) in any other case, at any time.

“the Residues Directives” means Council Directive 86/362/EEC(a) (as amended by Council Directives 88/298/EEC(b), 90/654/EEC(c), 93/57/EEC(d), 94/29/EC(e), 95/39/EC(f), 96/33/EC(g), 97/41/EC(h) and Commission Directives 97/71/EC(i), 98/82/EC(j), 1999/65/EC(k) and 1999/71/EC(l), together with Council Directive 86/363/EEC(m) (as amended by Council Directives 93/57/EEC, 94/29/EC, 95/39/EC, 96/33/EC, 97/41/EC and Commission Directives 97/71/EC, 98/82/EC and 1999/71/EC) and Council Directive 90/642/EEC(n) (as amended by Council Directives 93/58/EEC(o), 94/30/EC(p), 95/38/EC(q), 95/61/EC(r), 96/32/EC(s), 97/41/EC and Commission Directives 97/71/EC, 98/82/EC, 1999/65/EC and 1999/71/EC).

(2) The words and expressions “dried”, “processed”, “composite food”, “drying” and “processing” when used either in regulation 4 or in paragraphs (d) and (e) of regulation 6 shall have the same meaning as when used in the Residues Directives and any related expressions shall be construed accordingly.

(3) Any reference in these Regulations, in relation to a pesticide, to a pesticide residue is a reference to the substance named in column 2 of Schedule 1 opposite the reference to that pesticide in column 1 of that Schedule.

(4) Any reference in these Regulations to a Schedule or to a regulation shall be construed as a reference respectively to a Schedule to these Regulations or a regulation in these Regulations.

(5) Any reference in any Schedule to these Regulations to any product, figure or pesticide includes any qualifying words relating to that product, figure or pesticide in that Schedule.

Maximum residue levels

3.—(1) The maximum level of any pesticide residue which may be left in any product named in Part 1 of Schedule 2 shall be the number of milligrams of the pesticide residue per kilogram of the product specified opposite the name of that product under the name of the pesticide concerned.

(2) In the case of any product named in paragraph 3, 4 or 5 of Part 1 of Schedule 2 which has been dried, paragraph (1) of this regulation applies to the maximum level of pesticide residue applicable under that Part of that Schedule as it has effect by virtue of regulation 6(c).

4.—(1) No person shall put into circulation any product named in Part 2 of Schedule 2 which contains a level of pesticide residue greater than the number of milligrams of that pesticide residue per kilogram of the product specified opposite the name of that product under the name of the pesticide concerned.

(2) Subject to paragraph (3) below, paragraph (1) above shall apply in relation to—

- (a) any product (in this regulation a “dried or processed product”) which after drying or processing is obtained from any of the products named in Part 2 of Schedule 2, and

-
- (a) OJ No. L221, 7.8.86, p.37.
 - (b) OJ No. L126, 20.5.88, p.53.
 - (c) OJ No. L353, 17.12.90, p.48.
 - (d) OJ No. L211, 23.8.93, p.1.
 - (e) OJ No. L189, 23.7.94, p.67.
 - (f) OJ No. L197, 22.8.95, p.29.
 - (g) OJ No. L144, 18.6.96, p.35.
 - (h) OJ No. L184, 12.7.97, p.33.
 - (i) OJ No. L347, 18.12.97, p.42.
 - (j) OJ No. L290, 29.10.98, p.25.
 - (k) OJ No. L172, 8.7.99, p.40.
 - (l) OJ No. L194, 27.7.99, p.36.
 - (m) OJ No. L221, 7.8.86, p.43.
 - (n) OJ No. L350, 14.12.90, p.71.
 - (o) OJ No. L211, 23.8.93, p.6.
 - (p) OJ No. L189, 23.7.94, p.70.
 - (q) OJ No. L197, 22.8.95, p.14.
 - (r) OJ No. L292, 7.12.95, p.27.
 - (s) OJ No. L144, 18.6.96, p.12.

(b) any composite food which includes any of the products named in that Part of that Schedule, and the reference in paragraph (1) to a product named in that Part of that Schedule shall be construed accordingly.

(3) Where—

(a) paragraph (1) above applies in relation to a dried or processed product or a composite food by virtue of paragraph (2) above, and

(b) no maximum permitted level has been expressly specified in Part 2 of Schedule 2 as the amount of pesticide residue which may be contained in that dried or processed product or composite food,

paragraph (1) applies by reference to the maximum permitted level of pesticide residue applicable under that Part of that Schedule as it has effect by virtue of regulation 6(d) or, as the case may be, (e).

(4) Any person who, without reasonable excuse, contravenes or causes or permits any other person to contravene any provision of this regulation shall be guilty of an offence, and shall be liable—

(a) on summary conviction, to a fine not exceeding the statutory maximum; and

(b) on conviction on indictment, to a fine.

(5) In any proceedings for an offence under this regulation, it is a defence for the person charged to prove that when the product in question (or, as appropriate, the dried or processed product or the composite food) was put into circulation—

(a) it was so put with the intention of its being exported to a country which is not an EEA State and the offence was caused by a treatment applied to that product being a treatment—

(i) required by the country of destination in order to prevent the introduction of harmful organisms into its territory; or

(ii) necessary to protect the product from harmful organisms during transport to the country of destination and storage there, or

(b) it was so put with the intention that—

(i) it be used in the manufacture of things other than foodstuffs and animal feed; or

(ii) it be used for sowing or planting.

(6) Sections 19 and 22 of, and Schedule 2 to, the Food and Environment Protection Act 1985 shall apply for the purposes of this regulation as they apply for the purposes of that Act taking references therein to that Act or any part of it to be references to this regulation.

Seizure or disposal of crops, food or feeding stuffs

5. If any product contains a level of pesticide residue above that permitted under either regulation 3(1) or 4(1), the Minister of Agriculture, Fisheries and Food and the National Assembly for Wales shall have the power—

(a) to seize or dispose of the consignment containing that product, or any part of it, or to require that some other person shall dispose of it, or

(b) to direct some other person to take such remedial action as appears to the said Minister or to the said Assembly, as the case may be, to be necessary.

Sampling and analysis

6. In determining for the purposes of regulation 3(1) or 4(1) whether the level of pesticide residue left or contained in any product exceeds the maximum permitted level—

(a) the whole or such part only of that product shall, so far as is practicable, be taken into account as specified in column 3 of schedule 3 opposite the name of that product in column 2 of that Schedule;

(b) the procedure laid down in the Codex Recommended Method of Sampling for the Determination of Pesticide Residues^(a) shall so far as is practicable be followed;

(a) Food and Agriculture Organisation of the United Nations and World Health Organisation Joint Food Standards Programme Codex Alimentarius Commission, Recommended Method of Sampling for the Determination of Pesticide Residues, Volume 2 Section 3 *Codex Alimentarius*, 1993.

- (c) in the case of any product named in paragraph 3, 4, or 5 of Part 1 of Schedule 2 which has been dried that Part of that Schedule shall have effect as if for the number of milligrams of each pesticide residue specified opposite the name of that product there were substituted that number of milligrams divided by the fraction of 1 kilogram to which 1 kilogram of the product is reduced by the drying process;
- (d) in the case of any product named in Part 2 of Schedule 2 which has been dried or processed, that Part of that Schedule shall have effect where no such maximum permitted level of pesticide residue is specified therein for the product in its dried or processed form as if the maximum permitted level of pesticide residue specified opposite the name of the product in that Part of that Schedule has been modified to take account of the concentration of the product caused by the drying process or, as the case may be, the dilution or concentration of the product caused by the processing; and
- (e) in a case where two or more products have been mixed to form a single composite food in relation to which no such maximum permitted levels are specified in Part 2 of Schedule 2, that Part of that Schedule shall have effect as if such maximum permitted levels had been specified in relation to that composite food for each of the pesticide residues which are specified therein opposite the names of each of the products which have been mixed to form the composite food, taking into account—
- (i) the relative concentrations of each of the constituent products in the mixture; and
- (ii) the provisions of paragraph (d) above.

Revocations

7. The Regulations specified in Schedule 4 are hereby revoked in so far as they apply to England and Wales.

13th December 1999 *Hayman*
Minister of State
Ministry of Agriculture Fisheries and Food

Signed by authority of the Secretary of State for Health

22nd December 1999 *Yvette Cooper*
Parliamentary Under-Secretary of State for Public Health
Department of Health

Signed on behalf of the National Assembly for Wales

17th December 1999 *Dafydd Elis-Thomas*
The Presiding Officer

SCHEDULE 1

Regulation 2(3)

Column 1 <i>Pesticide</i>	Column 2 <i>Residues</i>
Acephate	acephate
Aldrin & Dieldrin	singly or combined, expressed as dieldrin (HEOD)
2-Aminobutane	2-aminobutane
Aminotriazole	aminotriazole
Atrazine	atrazine
Azinphos-methyl	azinphos-methyl
Benalaxyl	benalaxyl
Benfuracarb	benfuracarb
Binapacryl	binapacryl
Biphentrin	biphentrin
Biertanol	biertanol
Bromophos-ethyl	bromophos-ethyl
Camphochlor (Toxaphene)	camphochlor (toxaphene)
Captafol	captafol
Captan	captan
Carbaryl	carbaryl
Carbendazim, Benomyl and Thiophanate-methyl	carbendazim, benomyl and thiophanate-methyl (expressed as carbendazim)
Carbon disulphide	carbon disulphide
Carbon Tetrachloride	carbon Tetrachloride
Carbofuran	sum of carbofuran and 3-hydroxy-carbofuran, expressed as carbofuran
Carbophenothion	sum of carbophenothion, its sulphoxide and its sulphone, expressed as carbophenothion
Carbosulfan	carbosulfan
Cartap	cartap
Chlordane	(1) for products of animal origin: sum of <i>cis</i> - and <i>trans</i> -isomers and oxychlordane expressed as chlordane; (2) for cereals, fruit and vegetables: sum of <i>cis</i> - and <i>trans</i> -isomers expressed as chlordane
Chlorfenvinphos	sum of E- and Z-isomers of chlorfenvinphos
Chlormequat	chlormequat
Chlorothalonil	chlorothalonil
Chlorobenzilate	chlorobenzilate
Chlorpyrifos	chlorpyrifos
Chlorpyrifos-methyl	chlorpyrifos-methyl
Cyfluthrin	cyfluthrin, including other mixed isomeric constituents (sum of isomers)
Cypermethrin	cypermethrin (sum of isomers)
Daminozide	sum of daminozide and 1,1-dimethyl-hydrazine expressed as daminozide
DDT	sum of pp'-DDT, op'-DDT, pp'-DDE and pp'-TDE (DDD) expressed as DDT
Delamethrin	delamethrin
Diazinon	diazinon
1,2-Dibromoethane	1,2-dibromoethane
Dichlofluamid	dichlofluamid
Dichlorvos	dichlorvos
Dichlorprop	dichlorprop (including dichlorprop P)
Dicofol	dicofol
Diflubenzuron	diflubenzuron
Dimethipin	dimethipin
Dimethoate	dimethoate
Dinoseb	dinoseb
Dioxathion	dioxathion
Disulfoton	sum of disulfoton, disulfoton sulphoxide and disulfoton sulphone expressed as disulfoton
Endosulfan	sum of alpha- and beta- isomers and of endosulfan sulphate, expressed as endosulfan

Column 1 <i>Pesticide</i>	Column 2 <i>Residues</i>
Endrin	endrin
Ethephon	ethephon
Ethion	ethion
Etrinfos	etrinfos
Fenarimol	fenarimol
Fenbutatin oxide	fenbutatin oxide
Fenchlorphos	fenchlorphos (sum of fenchlorphos and fenchlorphos oxon, expressed as fenchlorphos)
Fenitrothion	fenitrothion
Fentin	fentin expressed as triphenyltin cation
Fenvalerate	fenvalerate (sum of isomers)
Fluazifop	fluazifop and esters (including conjugates) of fluazifop, expressed as free acid
Flurochloridone	flurochloridone
Furathiocarb	furathiocarb
Glyphosate	glyphosate
Haloxifop	haloxifop and esters (including conjugates) of haloxifop, expressed as free acid
Hexachlorobenzene (HCB)	hexachlorobenzene
Hexachlorocyclohexane (HCH)	hexachlorocyclohexane (HCH) alpha, beta and gamma isomers individually or summed as in Schedule 2
Heptachlor	sum of heptachlor and heptachlor epoxide, expressed as heptachlor
Hydrogen cyanide	cyanides expressed as hydrogen cyanide
Hydrogen phosphide	phosphides expressed as hydrogen phosphide
Imazalil	imazalil
Inorganic bromide	determined and expressed as total bromine from all sources
Ioxynil	ioxynil
Iprodione	iprodione
Lambda-cyhalothrin	lambda-cyhalothrin
Malathion	sum of malathion and malaaxon, expressed as malathion
Maleic hydrazide	maleic hydrazide
Maneb, Mancozeb, Metiram	determined and expressed as carbon disulphide (CS ₂)
Propineb and Zineb	mecarbam
Mecarbam	determined as total mercury and expressed as mercury
Mercury compounds	metalaxyl
Metalaxyl	methacrifos
Methacrifos	methamidophos
Methamidophos	methyl bromide (bromomethane)
Methyl bromide (bromomethane)	sum of <i>cis</i> - and <i>trans</i> - mevinphos
Mevinphos	monocrotophos
Monocrotophos	omethoate (from use of formothion, dimethoate and omethoate)
Omethoate	paraquat
Paraquat	parathion
Parathion	parathion-methyl
Parathion-methyl	permethrin (and sum of isomers)
Permethrin	sum of phorate, its oxygen analogue and their sulfoxides and sulphones expressed as phorate
Phorate	phosalone
Phosalone	phosmet
Phosmet	sum of phosphamidon (E- and Z- isomers) and N-desethylphosphamidon (E- and Z- isomers) expressed as phosphamidon
Phosphamidon	pirimiphos-methyl
Pirimiphos-methyl	procyimidone
Procyimidone	propargite
Propargite	propiconazole
Propiconazole	propoxur
Propoxur	

Column 1 <i>Pesticide</i>	Column 2 <i>Residues</i>
Propyzamide	propryzamide
Pyrethrins	sum of pyrethrins I and II, cinerins I and II, jasmolins I and II
Quinalphos	quinalphos
Quintozene	sum of quintozene, pentachloroaniline and methyl pentachlorophenyl sulphide expressed as quintozene
Tecnazene	tecnazene
TEPP	TEPP
Thiabendazole	thiabendazole
Triazophos	triazophos
Trichlorfon	trichlorfon
Triforine	triforine
2, 4, 5-T	2, 4, 5-T
Vinclozolin	sum of vinclozolin and all metabolites containing 3, 5-dichloroaniline moiety, expressed as vinclozolin

SCHEDULE 2

Regulation 3(1)

PART 1

Group to which food belongs	Groups include the following products	Aldrin & Dieldrin	2-Aminobutane	Azinphos-methyl	Bitertanol	Captan	Carbaryl	Carbendazim	Carbophenothion	Chlordane	Chlorfenvinphos	Chlorobenzilate	Diazinon	Dichlofuanid	Dichlorvos
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts															
(i) CITRUS FRUIT															
	Grapefruit	0.05	5	2		0.1	7		2	0.02*	1	1		5	0.1
	Lemons	0.05	5	2		0.1	7		2	0.02*	1	1		5	0.1
	Limes	0.05	5	2		0.1	7		2	0.02*	1	1		5	0.1
	Mandarins (inc clementines & similar hybrids)	0.05	5	2		0.1	7		2	0.02*	1	1		5	0.1
	Oranges	0.05	5	2		0.1	7		2	0.02*	1	1		5	0.1
	Pomelos	0.05	5	2		0.1	7		2	0.02*	1	1		5	0.1
	Others	0.05	5	2		0.1	7		2	0.02*	1	1		5	0.1
(ii) TREE NUTS (shelled or unshelled)															
	Almonds														
	Brazil nuts														
	Cashew nuts														
	Chestnuts														
	Coconuts														
	Hazelnuts														
	Macadamia nuts														
	Pecans														
	Pine nuts														
	Pistachios														
	Walnuts														
	Others														
(iii) POME FRUIT															
	Apples	0.05		1	1	3	5		1	0.02*	0.05			5	0.1
	Pears	0.05		1	1	3	5		1	0.02*	0.05			5	0.1
	Quinces	0.05		1	1	3	5		1	0.02*	0.05			5	0.1
	Others	0.05		1	1	3	5		1	0.02*	0.05			5	0.1

8

Group to which food belongs	Groups include the following products	Aldrin & Dieldrin	2-Aminobutane	Azinphos-methyl	Bitertanol	Captan	Carbaryl	Carbendazim	Carbophenothion	Chlordane	Chlorfenvinphos	Chlorobenzilate	Diazinon	Dichlofluanid	Dichlorvos
(iv) STONE FRUIT	Apricots	0.05		4	1	2	10		1	0.02*	0.05			5	0.1
	Cherries														
	Peaches (inc nectarines & similar hybrids)	0.05		4	1	2	10		1	0.02*	0.05			5	0.1
	Plums	0.05		1	1	2	10		1	0.02*	0.05			5	0.1
	Others														
(v) BERRIES AND SMALL FRUIT															
	(a) Table & wine grapes														
	Table grapes	0.05		2		3	5			0.02*	0.05			15	0.1
	Wine grapes	0.05		2		3	5			0.02*	0.05			15	0.1
	(b) Strawberries (other than wild)	0.05		1		3	7	5		0.02*	0.05			10	0.1
	(c) Cane Fruit (other than wild)														
	Blackberries	0.05		1		3	10			0.02*	0.05			15	0.1
	Loganberries	0.05		1		3	10			0.02*	0.05			15	0.1
	Raspberries	0.05		1		3	10	5		0.02*	0.05			15	0.1
	Others	0.05		1		3	10			0.02*	0.05			15	0.1
	(d) Other small fruit & berries (other than wild)														
	Bilberries	0.05		1		3	10			0.02*	0.05			15	0.1
	Cranberries	0.05		1		3	10			0.02*	0.05			15	0.1
	Currants (red, black & white)	0.05		1		3	10			0.02*	0.05			15	0.1
	Gooseberries	0.05		1		3	10			0.02*	0.05			15	0.1
	Others	0.05		1		3	10			0.02*	0.05			15	0.1
	(e) Wild berries & wild fruit														

Group to which food belongs	Groups include the following products	Dicofol	Diflubenzuron	Dimethipin	Dimethoate	Endosulfan	Ethion	Fenitrothion	Fluazifop	Flurochloridone	Haloxypop	Hexachlorocyclohexane (HCH) γ	Inorganic bromide	Ioxynil
2. Vegetables, fresh or uncooked, frozen or dry														
(i) ROOT AND TUBER VEGETABLES														
	Beetroot													
	Carrots				1		0.1	0.5		0.01*		0.2		
	Celeriac													
	Horseradish				1		0.1	0.5		0.01*		0.2		
	Jerusalem artichokes													
	Parsnips				1		0.1	0.5		0.01*		0.2		
	Parsley root				1		0.1	0.5		0.01*		0.2		
	Radishes													
	Salsify				1		0.1	0.5		0.01*		0.2		
	Sweet potatoes													
	Swedes				1		0.1	0.5		0.01*		1		
	Turnips				1		0.1	0.5		0.01*		1		
	Yams													
	Others													
(ii) BULB VEGETABLES														
	Garlic	5			1		0.1	0.5		0.01*		1		0.1
	Onions				1		0.1	0.5		0.01*		1		0.1
	Shallots				1		0.1	0.5		0.01*		1		0.1
	Spring Onions													
	Others													
(iii) FRUITING VEGETABLES														
(a) Solanacea														
	Tomatoes		1		1		0.1	0.5				2	75	
	Peppers		1		1		0.1	0.5				2	75	
	Aubergines		1		1		0.1	0.5				2	75	
	Others		1		1		0.1	0.5				2	75	
(b) Cucurbits-edible peel														
	Cucumbers				2		0.1	0.5				1	50	
	Gherkins				2		0.1	0.5				1	50	
	Courgettes				2		0.1	0.5				1	50	
	Others				2		0.1	0.5				1	50	

Group to which food belongs	Groups include the following products	Dicofol	Diflubenzuron	Dimethipin	Dimethoate	Endosulfan	Ethion	Fenitrothion	Fluazifop	Flurochloridone	Haloxypop	Hexachlorocyclohexane (HCH) γ	Inorganic bromide	Ioxynil
5. POTATOES	Early potatoes			0.1*	0.05	0.2		0.05*	0.1	0.01*		0.05*		
	Ware potatoes			0.1*	0.05	0.2		0.05*	0.1	0.01*		0.05*		
6. TEA	(dried leaves and stalks, fermented or otherwise Camellia sinensis)													
7. HOPS (dried)	including hop pellets and unconcentrated powder													

Groups to which food belongs	Groups include the following products	Malathion	Mercury compounds	Metalaxyl	Mevinphos	Omethoate	Parathion	Parathion- methyl	Phosalone	Quintozene	Tecnazene	Thiabendazole
(v) BERRIES AND SMALL FRUIT												
	(a) Table and wine grapes											
	Table grapes	0.5			0.1	1						1
	Wine grapes	0.5			0.1	1						1
	(b) Strawberries (other than wild)	0.5			0.1	1						1
	(c) Cane Fruit (other than wild)											
	Blackberries	0.5			0.1	1						1
	Loganberries	0.5			0.1	1						1
	Raspberries	0.5			0.1	1						1
	Others	0.5			0.1	1						1
	(d) Other small fruit & berries (other than wild)											
	Bilberries	0.5			0.1	1						1
	Cranberries	0.5			0.1	1						1
	Currants (red, black & white)	0.5			0.1	1						1
	Gooseberries	0.5			0.1	1						1
	Others	0.5			0.1	1						1
	(e) Wild berries & wild fruit											
(vi) MISCELLANEOUS FRUIT												
	Avocados											
	Bananas	0.5					0.2			1		1
	Dates											
	Figs											
	Kiwi fruit											
	Kumquats											
	Litchis											
	Mangoes											
	Olives											
	Passion fruit											
	Pineapples											
	Pomegranates											
	Others											

Groups to which food belongs	Groups include the following products	Malathion	Mercury compounds	Metalaxyl	Mevinphos	Omethoate	Parathion	Parathion-methyl	Phosalone	Quintozene	Tecnazene	Thiabendazole
2. Vegetables, fresh or uncooked, frozen or dry												
(i) ROOT AND TUBER VEGETABLES												
	Beetroot											
	Carrots	0.5	0.02		0.1	0.2			0.1			
	Celeriac											
	Horseradish	0.5	0.02		0.1	0.2			0.1			
	Jerusalem artichokes											
	Parsnips	0.5	0.02		0.1	0.2			0.1			
	Parsley root	0.5	0.02		0.1	0.2			0.1			
	Radishes											
	Salsify	0.5	0.02		0.1	0.2			0.1			
	Sweet potatoes											
	Swedes	0.5	0.02		0.1	2			0.1			
	Turnips	0.5	0.02		0.1	0.2			0.1			
	Yams											
	Others											
(ii) BULB VEGETABLES												
	Garlic	3	0.02		0.1	0.1			1			
	Onions	3	0.02		0.1	0.1			1			
	Shallots	3	0.02		0.1	0.1			1			
	Spring onions											
	Others											
(iii) FRUITING VEGETABLES												
(a) Solanacea												
	Tomatoes	3	0.02		0.1	1			1	0.1		
	Peppers	3	0.02		0.1	1			1	0.1		
	Aubergines	3	0.02		0.1	1			1	0.1		
	Others	3	0.02		0.1	1			1	0.1		
(b) Cucurbits-edible peel												
	Cucumbers	3	0.02		0.1	0.2			1			
	Gherkins	3	0.02		0.1	0.2			1			
	Courgettes	3	0.02		0.1	0.2			1			
	Others	3	0.02		0.1	0.2			1			
(c) Cucurbits-inedible peel												
	Melons											
	Squashes											
	Watermelons											
	Others											
(d) Sweet corn												

Groups to which food belongs	Groups include the following products	Malathion	Mercury compounds	Metalaxyl	Mevinphos	Omethoate	Parathion	Parathion-methyl	Phosalone	Quintozene	Tecnazene	Thiabendazole
(iv) BRASSICA VEGETABLES												
	(a) Flowering Brassicas											
	Broccoli											
	Cauliflower	3	0.02		0.1	0.2			1	0.02		
	Others											
	(b) Head Brassicas											
	Brussels sprouts	3	0.02		0.1	0.2			1			
	Head cabbage	3	0.02		0.1	0.2			1	0.02		
	Others											
	(c) Leafy Brassicas											
	Chinese cabbage											
	Kale											
	Others											
	(d) Kohlrabi											
(v) LEAF VEGETABLES AND FRESH HERBS												
	(a) Lettuce & similar											
	Cress											
	Lamb's lettuce											
	Lettuce	3	0.02		0.5	0.2			1	3	2	
	Scarole											
	Others											
	(b) Spinach & similar											
	Beet leaves (chard)											
	(c) Watercress											
	(d) Witloof											
	(e) Herbs											
	Chervil											
	Chives											
	Parsley											
	Celery leaves											
	Others											

Groups to which food belongs	Groups include the following products	Malathion	Mercury compounds	Metalaxyl	Mevinphos	Omethoate	Parathion	Parathion-methyl	Phosalone	Quintozene	Tecnazene	Thiabendazole
5. POTATOES	Early potatoes	0.5	0.02		0.1	0.05			0.1*	0.2		5
	Ware potatoes	0.5	0.02		0.1	0.05			0.1*	0.2		
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)											
7. HOPS (dried)	including hop pellets & unconcentrated powder											

Groups to which food belongs	Groups include the following products	Triazophos	Vinclozolin
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts			
(i) CITRUS FRUIT	Grapefruit Lemons Limes Mandarins (including clementines & similar hybrids) Oranges Pomelos Others		
(ii) TREE NUTS (shelled or unshelled)	Almonds Brazil nuts Cashew nuts Chestnuts Coconuts Hazelnuts Macadamia nuts Pecans Pine nuts Pistachios Walnuts Others		
(iii) POME FRUIT	Apples Pears Quinces Others		
(iv) STONE FRUIT	Apricots Cherries Peaches (including nectarines & similar hybrids) Plums Others		

Groups to which food belongs	Groups include the following products	Triazophos	Vinclozolin
(v) BERRIES AND SMALL FRUIT	<ul style="list-style-type: none"> <li data-bbox="566 347 801 370">(a) Table and wine grapes <ul style="list-style-type: none"> <li data-bbox="600 373 712 395">Table grapes <li data-bbox="600 399 712 421">Wine grapes <li data-bbox="566 424 869 446">(b) Strawberries (other than wild) <li data-bbox="566 450 857 472">(c) Cane Fruit (other than wild) <ul style="list-style-type: none"> <li data-bbox="600 475 712 497">Blackberries <li data-bbox="600 501 723 523">Loganberries <li data-bbox="600 526 712 549">Raspberries <li data-bbox="600 552 667 574">Others <li data-bbox="566 577 920 756">(d) Other small fruit and berries (other than wild) <ul style="list-style-type: none"> <li data-bbox="600 632 689 654">Bilberries <li data-bbox="600 657 712 679">Cranberries <li data-bbox="600 683 887 705">Currants (red, black and white) <li data-bbox="600 708 723 730">Gooseberries <li data-bbox="600 734 667 756">Others <li data-bbox="566 759 842 782">(e) Wild berries and wild fruit 		
(vi) MISCELLANEOUS FRUIT	<ul style="list-style-type: none"> <li data-bbox="600 820 689 842">Avocados <li data-bbox="600 845 678 868">Bananas <li data-bbox="600 871 656 893">Dates <li data-bbox="600 896 645 919">Figs <li data-bbox="600 922 689 944">Kiwi fruit <li data-bbox="600 948 701 970">Kumquats <li data-bbox="600 973 667 995">Litchis <li data-bbox="600 999 689 1021">Mangoes <li data-bbox="600 1024 656 1046">Olives <li data-bbox="600 1050 719 1072">Passion fruit <li data-bbox="600 1075 701 1098">Pineapples <li data-bbox="600 1101 730 1123">Pomegranates <li data-bbox="600 1126 667 1149">Others 		

Groups to which food belongs	Groups include the following products	Triazophos	Vinclozolin
2. Vegetables, fresh or uncooked, frozen or dry			
(i) ROOT AND TUBER VEGETABLES	Beetroot Carrots Celeriac Horseradish Jerusalem artichokes Parsnips Parsley root Radishes Salsify Sweet potatoes Swedes Turnips Yams Others		
(ii) BULB VEGETABLES	Garlic Onions Shallots Spring onions Others	0.05* 0.05* 0.05*	
(iii) FRUITING VEGETABLES	(a) Solanacea Tomatoes Peppers Aubergines Others (b) Cucurbits-edible peel Cucumbers Gherkins Courgettes Others (c) Cucurbits-inedible peel Melons Squashes Watermelons Others (d) Sweet corn		

Groups to which food belongs	Groups include the following products	Triazophos	Vinclozolin
(iv) BRASSICA VEGETABLES			
	(a) Flowering Brassicas		
	Broccoli		
	Cauliflower		
	Others		
	(b) Head Brassicas		
	Brussels sprouts	0.1	
	Head cabbage	0.1	
	Others		
	(c) Leafy Brassicas		
	Chinese cabbage		
	Kale		
	Others		
	(d) Kohlrabi		
(v) LEAF VEGETABLES AND FRESH HERBS			
	(a) Lettuce & similar		
	Cress		
	Lamb's lettuce		
	Lettuce		
	Scarole		
	Others		
	(b) Spinach & similar		
	Beet leaves (chard)		
	(c) Watercress		
	(d) Witloof		
	(e) Herbs		
	Chervil		
	Chives		
	Parsley		
	Celery leaves		
	Others		
(vi) LEGUME VEGETABLES (fresh)			
	Beans (with pods)		
	Beans (without pods)		
	Peas (with pods)		
	Peas (without pods)		
	Others		

Groups to which food belongs	Groups include the following products	Triazophos	Vinclozolin
(vii) STEM VEGETABLES	Asparagus Cardoons Celery Fennel Globe artichokes Leeks Rhubarb Others		5
(viii) FUNGI	(a) Cultivated mushrooms (b) Wild mushrooms		
3. PULSES	Beans Lentils Peas Others		
4. OILSEEDS	Linseed Peanuts Poppy seed Sesame seed Sunflower seed Rape seed Soya bean Mustard seed Cotton seed Others		
5. POTATOES	Early potatoes Ware potatoes	0.05* 0.05*	
6. TEA	(dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)		
7. HOPS (dried)	including hop pellets and unconcentrated powder		

Group to which food belongs	Groups include the following products	Chlorfenvinphos	Diazinon	Dichlorvos	Diflubenzuron	Etrimfos	Fenitrothion	Mercury compounds	Methacrifos
8. CEREALS									
	Wheat					5	5	0.02	5
	Rye					5	5	0.02	5
	Barley					5	5	0.02	5
	Oats					5	5	0.02	5
	Triticale					5	5	0.02	5
	Maize					5	5	0.02	5
	Rice ⁽¹⁾								
	Other cereals ⁽²⁾					5	5	0.02	5
9. PRODUCTS OF ANIMAL ORIGIN									
	Meat, fat & preparations of meat ⁽³⁾	0.2	0.7	0.05	0.05*				
	Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.008	0.02	0.02	0.05*				
	Eggs ⁽⁶⁾			0.05*	0.05*				

FOOTNOTES

UNITS:

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

FOOTNOTES:

1. Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
2. Other cereals do not include rice.
3. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01mg/kg.
4. These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
5. For preserved, concentrated or sweetened cow's milk, for raw milk and whole cream milk of another animal origin: and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:
 - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
 - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
6. Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

SCHEDULE 2

Regulation 4(1)

PART 2

Groups to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Atrazine	Azoxystrobin	Benalaxyl	Benfuracarb	Binapacryl
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts											
(i) CITRUS FRUIT											
	Grapefruit	1	0.2		0.05*		0.1*	0.05*	0.05*		0.05*
	Lemons	1	0.2		0.05*		0.1*	0.05*	0.05*		0.05*
	Limes	1	0.2		0.05*		0.1*	0.05*	0.05*		0.05*
	Mandarins (inc clementines & similar hybrids)	1	0.2		0.05*		0.1*	0.05*	0.05*		0.05*
	Oranges	1	0.2		0.05*	1	0.1*	0.05*	0.05*		0.05*
	Pomelos	1	0.2		0.05*		0.1*	0.05*	0.05*		0.05*
	Others	1	0.2		0.05*		0.1*	0.05*	0.05*		0.05*
(ii) TREE NUTS (shelled or unshelled)											
	Almonds	0.02*	0.05*		0.05*	0.02*	0.1*	0.1*	0.05*	0.05*	0.05*
	Brazil nuts	0.02*	0.05*		0.05*	0.02*	0.1*	0.1*	0.05*	0.05*	0.05*
	Cashew nuts	0.02*	0.05*		0.05*	0.02*	0.1*	0.1*	0.05*	0.05*	0.05*
	Chestnuts	0.02*	0.05*		0.05*	0.02*	0.1*	0.1*	0.05*	0.05*	0.05*
	Coconuts	0.02*	0.05*		0.05*	0.02*	0.1*	0.1*	0.05*	0.05*	0.05*
	Hazelnuts	0.02*	0.05*		0.05*	0.02*	0.1*	0.1*	0.05*	0.05*	0.05*
	Macadamia nuts	0.02*	0.05*		0.05*	0.02*	0.1*	0.1*	0.05*	0.05*	0.05*
	Pecans	0.02*	0.2		0.05*	0.02*	0.1*	0.1*	0.05*	0.05*	0.05*
	Pine nuts	0.02*	0.05*		0.05*	0.02*	0.1*	0.1*	0.05*	0.05*	0.05*
	Pistachios	0.02*	0.05*		0.05*	0.02*	0.1*	0.1*	0.05*	0.05*	0.05*
	Walnuts	0.02*	0.05*		0.05*	0.02*	0.1*	0.1*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.1*	0.1*	0.05*	0.05*	0.05*
(iii) POME FRUIT											
	Apples	1	0.05*		0.05*	1	0.1*	0.05*	0.05*	0.05*	0.05*
	Pears	1	0.05*		0.05*	1	0.1*	0.05*	0.05*	0.05*	0.05*
	Quinces	1	0.05*		0.05*	1	0.1*	0.05*	0.05*	0.05*	0.05*
	Others	1	0.05*		0.05*	1	0.1*	0.05*	0.05*	0.05*	0.05*

Groups to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Atrazine	Azoxystrobin	Benalaxyl	Benfuracarb	Binapacryl
(iv) STONE FRUIT											
	Apricots	0.02*	0.05*		0.05*		0.1*	0.05*	0.05*	0.05*	0.05*
	Cherries	0.02*	0.05*		0.05*		0.1*	0.05*	0.05*	0.05*	0.05*
	Peaches (incl nectarines & similar hybrids)	0.2	0.05*		0.05*	1	0.1*	0.05*	0.05*	0.05*	0.05*
	Plums	2	0.05*		0.05*		0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*		0.05*		0.1*	0.05*	0.05*	0.05*	0.05*
(v) BERRIES AND SMALL FRUIT											
	(a) Table and wine grapes										
	Table grapes	0.02*	0.05*		0.05*		0.1*	2	0.2	0.05*	0.05*
	Wine grapes	0.02*	0.05*		0.05*		0.1*	2	0.2	0.05*	0.05*
	(b) Strawberries (other than wild)	0.02*			0.05*		0.1*	0.05*	0.05*	0.05*	0.05*
	(c) Cane Fruit (other than wild)										
	Blackberries	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Dewberries	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Loganberries	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Raspberries	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	(d) Other small fruit & berries (other than wild)										
	Bilberries	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Cranberries	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Currants (red, black & white)	0.02*	0.05*		0.05*		0.1*	0.05*	0.05*	0.05*	0.05*
	Gooseberries	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	(e) Wild berries and wild fruit	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*

Groups to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Atrazine	Azoxystrobin	Benalaxyl	Benfuracarb	Binapacryl
(vi) MISCELLANEOUS FRUIT											
	Avocados	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Bananas	0.02*			0.05*	0.02*	0.1*	0.1	0.05*	0.05*	0.05*
	Dates	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Figs	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Kiwi fruit	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Kumquats	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Litchis	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Mangoes	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Olives (table consumption)	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Olives (oil extract)	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Passion fruit	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Pineapples	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Pomegranates	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry											
(i) ROOT AND TUBER VEGETABLES											
	Beetroot	0.02*			0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Carrots	0.02*			0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Celeriac	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Horseradish	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Jerusalem artichokes	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Parsnips	0.02*			0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Parsley root	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Radishes	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Salsify	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Sweet potatoes	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Swedes	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Turnips	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Yams	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
(ii) BULB VEGETABLES											
	Garlic	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Onions	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.2	0.05*	0.05*
	Shallots	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Spring onions	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*

Groups to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Atrazine	Azoxystrobin	Benalaxyl	Benfuracarb	Binapacryl
(iii) FRUITING VEGETABLES											
	(a) Solanacea										
	Tomatoes	0.5			0.05*	0.5	0.1*	0.05*	0.2	0.05*	0.05*
	Peppers	0.02*			0.05*		0.1*	0.05*	0.2	0.05*	0.05*
	Aubergines	0.5	0.05*		0.05*		0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*		0.05*		0.1*	0.05*	0.05*	0.05*	0.05*
	(b) Cucurbits-edible peel										
	Cucumbers	0.02*	0.05*		0.05*		0.1*	0.05*	0.05*	0.05*	0.05*
	Gherkins	0.02*	0.05*		0.05*		0.1*	0.05*	0.05*	0.05*	0.05*
	Courgettes	0.02*	0.05*		0.05*		0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*		0.05*		0.1*	0.05*	0.05*	0.05*	0.05*
	(c) Cucurbits-inedible peel										
	Melons	0.02*	0.05*		0.05*		0.1*	0.05*			0.05*
	Squashes	0.02*	0.05*		0.05*		0.1*	0.05*	0.05*		0.05*
	Watermelons	0.02*	0.05*		0.05*		0.1*	0.05*			0.05*
	Others	0.02*	0.05*		0.05*		0.1*	0.05*	0.05*		0.05*
	(d) Sweet corn	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
(iv) BRASSICA VEGETABLES											
	(a) Flowering Brassicas										
	Broccoli	2			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*
	Cauliflower	2	0.2		0.05*	0.02*	0.1*	0.05*	0.05*		0.05*
	Others	2	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*		0.05*
	(b) Head Brassicas										
	Brussels sprouts	2	0.2		0.05*	0.02*	0.1*	0.05*	0.05*		0.05*
	Head cabbage	2			0.05*	0.02*	0.1*	0.05*	0.05*		0.05*
	Others	2	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*		0.05*
	(c) Leafy Brassicas										
	Chinese cabbage	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Kale	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	(d) Kohlrabi	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*

Groups to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Atrazine	Azoxystrobin	Benalaxyl	Benfuracarb	Binapacryl
(v) LEAF VEGETABLES AND FRESH HERBS											
	(a) Lettuce and similar										
	Cress	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Lamb's lettuce	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Lettuce	1	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Scarole	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	(b) Spinach and similar										
	Spinach	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Beet leaves (chard)	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	(c) Watercress	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	(d) Witloof	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	(e) Herbs										
	Chervil	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Chives	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Parsley	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Celery leaves	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
(vi) LEGUME VEGETABLES (fresh)											
	Beans (with pods)	3	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Beans (without pods)	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Peas (with pods)	3	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Peas (without pods)	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Others		0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
(vii) STEM VEGETABLES											
	Asparagus	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Cardoons	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Celery	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Fennel	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Globe artichokes	0.2	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Leeks	0.02*			0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Rhubarb	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
(viii) FUNGI											
	(a) Cultivated mushrooms	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	(b) Wild mushrooms	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*

Groups to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Atrazine	Azoxystrobin	Benalaxyl	Benfuracarb	Binapacryl
3. PULSES	Beans	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Lentils	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Peas	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
4. OILSEEDS	Linseed	0.02*			0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Peanuts	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Poppy seed	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Sesame seed	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Sunflower seed	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Rape seed	0.02*			0.05*	0.02*	0.1*	0.05*		0.05*	0.05*
	Soya bean	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*			0.05*
	Mustard seed	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Cotton seed	0.02*			0.05*		0.1*	0.05*	0.05*		0.05*
	Others	0.02*	0.05*		0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
5. POTATOES	Early potatoes	0.02*			0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
	Ware potatoes	0.02*			0.05*	0.02*	0.1*	0.05*	0.05*	0.05*	0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.05*	0.02	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*			0.1*	50	0.1*	0.1*	0.1*	5	0.1*

Group to which food belongs	Groups include the following products	Biphenthrin	Bromophos-ethyl	Bromopro-pylate	Campheclor (Toxaphene)	Captafol	Carbendazim	Carbofuran	Carbosulfan	Cartap	Chlordane
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts											
(i) CITRUS FRUIT											
	Grapefruit		0.05*		0.1*	0.02*	5				
	Lemons		0.05*		0.1*	0.02*	5				
	Limes		0.05*		0.1*	0.02*	5				
	Mandarins (inc clementines & similar hybrids)		0.05*		0.1*	0.02*	5				
	Oranges		0.05*		0.1*	0.02*	5				
	Pomelos		0.05*		0.1*	0.02*	5				
	Others		0.05*		0.1*	0.02*	5				
(ii) TREE NUTS (shelled or unshelled)											
	Almonds		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Brazil nuts		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Cashew nuts		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Chestnuts		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Coconuts		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Hazelnuts		0.05*		0.1*	0.02*	0.1*		0.05*		
	Macadamia nuts		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Pecans		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Pine nuts		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Pistachios		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Walnuts		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Others		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
(iii) POME FRUIT											
	Apples		0.05*		0.1*	0.02*	2				
	Pears		0.05*		0.1*	0.02*	2				
	Quinces		0.05*		0.1*	0.02*	2				
	Others		0.05*		0.1*	0.02*	2				
(iv) STONE FRUIT											
	Apricots		0.05*		0.1*	0.02*	1				
	Cherries		0.05*		0.1*	0.02*	0.1*				
	Peaches (incl nectarines & similar hybrids)		0.05*		0.1*	0.02*	1				
	Plums		0.05*		0.1*	0.02*	0.5				
	Others		0.05*		0.1*	0.02*	0.1*				

Group to which food belongs	Groups include the following products	Biphenthrin	Bromophos-ethyl	Bromopro-pylate	Campheclor (Toxaphene)	Captafol	Carbendazim	Carbofuran	Carbosulfan	Cartap	Chlordane
(v) BERRIES AND SMALL FRUIT											
	(a) Table and wine grapes										
	Table grapes		0.05*		0.1*	0.02*	2	0.1*	0.05*		
	Wine grapes		0.05*		0.1*	0.02*	2	0.1*	0.05*		
	(b) Strawberries (other than wild)		0.05*		0.1*	0.02*			0.05*		
	(c) Cane Fruit (other than wild)										
	Blackberries		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Dewberries		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Loganberries		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Raspberries		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Others		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	(d) Other small fruit and berries (other than wild)										
	Bilberries		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Cranberries		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Currants (red, black and white)		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Gooseberries		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Others		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	(e) Wild berries and wild fruit		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
(vi) MISCELLANEOUS FRUIT											
	Avocados		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Bananas		0.05*		0.1*	0.02*	1	0.1*	0.05*		
	Dates		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Figs		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Kiwi fruit		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Kumquats		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Litchis		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Mangoes		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Olives (table consumption)		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Olives (oil extract)		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Passion fruit		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Pineapples		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Pomegranates		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Others		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		

Group to which food belongs	Groups include the following products	Biphenthrin	Bromophos-ethyl	Bromopro-pylate	Campheclor (Toxaphene)	Captafol	Carbendazim	Carbofuran	Carbosulfan	Cartap	Chlordane
2. Vegetables, fresh or uncooked, frozen or dry											
(i) ROOT AND TUBER VEGETABLES											
	Beetroot		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Carrots		0.05*		0.1*	0.02*	0.1*	0.3	0.1		
	Celeriac		0.05*		0.1*	0.02*	0.1*		0.05*		
	Horseradish		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Jerusalem artichokes		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Parsnips		0.05*		0.1*	0.02*	0.1*	0.3	0.1		
	Parsley root		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Radishes		0.05*		0.1*	0.02*	0.1*	0.5	0.05*		
	Salsify		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Sweet potatoes		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Swedes		0.05*		0.1*	0.02*	0.1*				
	Turnips		0.05*		0.1*	0.02*	0.1*				
	Yams		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Others		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
(ii) BULB VEGETABLES											
	Garlic		0.05*		0.1*	0.02*	0.1*	0.3	0.05*		
	Onions		0.05*		0.1*	0.02*	0.1*	0.3			
	Shallots		0.05*		0.1*	0.02*	0.1*	0.3	0.05*		
	Spring onions		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Others		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
(iii) FRUITING VEGETABLES											
(a) Solanacea											
	Tomatoes		0.05*		0.1*	0.02*	0.5	0.1*	0.05*		
	Peppers		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Aubergines		0.05*		0.1*	0.02*	0.5	0.1*	0.05*		
	Others		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
(b) Cucurbits-edible peel											
	Cucumbers		0.05*		0.1*	0.02*	0.5	0.1*	0.05*		
	Gherkins		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Courgettes		0.05*		0.1*	0.02*	0.3	0.1*	0.05*		
	Others		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
(c) Cucurbits-inedible peel											
	Melons		0.05*		0.1*	0.02*	0.5				
	Squashes		0.05*		0.1*	0.02*	0.5	0.1*			
	Watermelons		0.05*		0.1*	0.02*	0.1*	0.1*			
	Others		0.05*		0.1*	0.02*	0.1*	0.1*			
(d) Sweet corn											
			0.05*		0.1*	0.02*	0.1*		0.05*		

Group to which food belongs	Groups include the following products	Biphenthrin	Bromophos-ethyl	Bromopro-pylate	Campheclor (Toxaphene)	Captafol	Carbendazim	Carbofuran	Carbosulfan	Cartap	Chlordane
(iv) BRASSICA VEGETABLES											
	(a) Flowering Brassicas										
	Broccoli		0.05*		0.1*	0.02*	0.1*		0.2		
	Cauliflower		0.05*		0.1*	0.02*	0.1*		0.2		
	Others		0.05*		0.1*	0.02*	0.1*		0.2		
	(b) Head Brassicas										
	Brussels sprouts		0.05*		0.1*	0.02*	0.5				
	Head cabbage		0.05*		0.1*	0.02*	3				
	Others		0.05*		0.1*	0.02*	3				
	(c) Leafy brassicas										
	Chinese cabbage		0.05*		0.1*	0.02*	0.1*				
	Kale		0.05*		0.1*	0.02*	0.1*				
	Others		0.05*		0.1*	0.02*	0.1*				
	(d) Kohlrabi		0.05*		0.1*	0.02*	0.1*		0.2		
(v) LEAF VEGETABLES AND FRESH HERBS											
	(a) Lettuce and similar										
	Cress		0.05*		0.1*	0.02*	0.1*	0.1*		0.05*	
	Lamb's lettuce		0.05*		0.1*	0.02*	0.1*	0.1*		0.05*	
	Lettuce		0.05*		0.1*	0.02*	5	0.1*		0.05*	
	Scarole		0.05*		0.1*	0.02*	0.1*	0.1*		0.05*	
	Others		0.05*		0.1*	0.02*	0.1*	0.1*		0.05*	
	(b) Spinach and similar										
	Spinach		0.05*		0.1*	0.02*	0.1*	0.1*		0.05*	
	Beet leaves (chard)		0.05*		0.1*	0.02*	0.1*	0.1*		0.05*	
	Others		0.05*		0.1*	0.02*	0.1*	0.1*		0.05*	
	(c) Watercress		0.05*		0.1*	0.02*	0.1*	0.1*		0.05*	
	(d) Witloof		0.05*		0.1*	0.02*	0.1*	0.1*		0.05*	
	(e) Herbs										
	Chervil		0.05*		0.1*	0.02*	0.1*	0.1*		0.05*	
	Chives		0.05*		0.1*	0.02*	0.1*	0.1*		0.05*	
	Parsley		0.05*		0.1*	0.02*	0.1*	0.1*		0.05*	
	Celery leaves		0.05*		0.1*	0.02*	0.1*	0.1*		0.05*	
	Others		0.05*		0.1*	0.02*	0.1*	0.1*		0.05*	
(vi) LEGUME VEGETABLES (fresh)											
	Beans (with pods)		0.05*		0.1*	0.02*	0.1*				0.05*
	Beans (without pods)		0.05*		0.1*	0.02*	0.1*				0.05*
	Peas (with pods)		0.05*		0.1*	0.02*	0.1*	0.1*			0.05*
	Peas (without pods)		0.05*		0.1*	0.02*	0.1*	0.1*			0.05*
	Others		0.05*		0.1*	0.02*	0.1*	0.1*			0.05*

Group to which food belongs	Groups include the following products	Biphenthrin	Bromophos-ethyl	Bromopro-pylate	Campheclor (Toxaphene)	Captafol	Carbendazim	Carbofuran	Carbosulfan	Cartap	Chlordane
(vii) STEM VEGETABLES											
	Asparagus		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Cardoons		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Celery		0.05*		0.1*	0.02*	2				
	Fennel		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Globe artichokes		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Leeks		0.05*		0.1*	0.02*	0.1*				
	Rhubarb		0.05*		0.1*	0.02*	2	0.1*	0.05*		
	Others		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
(viii) FUNGI											
	(a) Cultivated mushrooms		0.05*		0.1*	0.02*	1	0.1*	0.05*		
	(b) Wild mushrooms		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
3. PULSES											
	Beans		0.05*		0.1*	0.02*	2		0.05*		
	Lentils		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Peas		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Others		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
4. OILSEEDS											
	Linseed		0.05*		0.1*	0.02*	0.1*		0.05*		
	Peanuts		0.05*		0.1*	0.02*	0.1*		0.05*		
	Poppy seed		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Sesame seed		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Sunflower seed		0.05*		0.1*	0.02*	0.1*				
	Rape seed		0.05*		0.1*	0.02*	0.1*		0.05*		
	Soya bean		0.05*		0.1*	0.02*	0.2		0.05*		
	Mustard seed		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
	Cotton seed		0.05*		0.1*	0.02*	0.1*				
	Others		0.05*		0.1*	0.02*	0.1*	0.1*	0.05*		
5. POTATOES											
	Early potatoes		0.05*		0.1*	0.02*	3		0.05*		
	Ware potatoes		0.05*		0.1*	0.02*	3		0.05*		
6. TEA											
	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	5	0.1*	0.1*	0.1*	0.1*	0.1*	0.2*	0.1*	20	0.02*
7. HOPS (dried)											
	including hop pellets & unconcentrated powder		0.1*		0.1*	0.1*	0.1*	10			

Group to which food belongs	Groups include the following products	Chloromequat	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cyfluthrin	Cypermethrin	Daminozide	DDT	Deltamethrin	Diazinon
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts											
(i) CITRUS FRUIT											
	Grapefruit	0.05*	0.01*	0.3	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.5
	Lemons	0.05*	0.01*	0.2	0.3	0.02*	2	0.02*	0.05*	0.05*	0.5
	Limes	0.05*	0.01*	0.3	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.5
	Mandarins (including clementines & similar hybrids)	0.05*	0.01*	2	1	0.02*	2	0.02*	0.05*	0.05*	0.5
	Oranges	0.05*	0.01*	0.3	0.5	0.02*	2	0.02*	0.05*	0.05*	0.5
	Pomelos	0.05*	0.01*	0.3	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.5
	Others	0.05*	0.01*	0.3	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.5
(ii) TREE NUTS (shelled or unshelled)											
	Almonds	0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
	Brazil nuts	0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
	Cashew nuts	0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
	Chestnuts	0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
	Coconuts	0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
	Hazelnuts	0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
	Macadamia nuts	0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pecans	0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pine nuts	0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
	Pistachios	0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
	Walnuts	0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
(iii) POME FRUIT											
	Apples		1	0.5	0.5	0.2	1	0.02*	0.05*	0.1	0.5
	Pears	3	1	0.5	0.5	0.2	1	0.02*	0.05*	0.1	0.5
	Quinces	0.05*	1	0.5	0.5	0.2	1	0.02*	0.05*	0.1	0.5
	Others	0.05*	1	0.5	0.5	0.2	1	0.02*	0.05*	0.1	0.5
(iv) STONE FRUIT											
	Apricots	0.05*	1	0.05*	0.05*		2	0.02*	0.05*	0.1	0.5
	Cherries	0.05*	0.01*	0.3	0.05*	0.2	1	0.02*	0.05*	0.1	0.5
	Peaches (including nectarines & similar hybrids)	0.05*	1	0.2	0.5		2	0.02*	0.05*	0.1	0.5
	Plums	0.05*	0.01*	0.2	0.05*	0.2	1	0.02*	0.05*	0.1	0.5
	Others	0.05*	0.01*	0.05*	0.05*		0.05*	0.02*	0.05*	0.1	0.5

Group to which food belongs	Groups include the following products	Chlormequat	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cyfluthrin	Cypermethrin	Daminozide	DDT	Deltamethrin	Diazinon
(v) BERRIES AND SMALL FRUIT											
	(a) Table and wine grapes										
	Table grapes	1	1	0.5	0.2	0.3	0.5	0.02*	0.05*	0.1	0.5
	Wine grapes	1	3	0.5	0.2	0.3	0.5	0.02*	0.05*	0.1	0.5
	(b) Strawberries (other than wild)		3	0.2	0.5		0.05*	0.02*	0.05*	0.05*	0.5
	(c) Cane Fruit (other than wild)										
	Blackberries	0.05*	10	0.5	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.5
	Dewberries	0.05*	10	0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.05*	0.5
	Loganberries	0.05*	10	0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.05*	0.5
	Raspberries	0.05*	10	0.5	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.5
	Others	0.05*	10	0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.05*	0.5
	(d) Other small fruit & berries (other than wild)										
	Bilberries	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.2
	Cranberries	0.05*	2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
	Currants (red, black & white)	0.05*	10	1	0.05*		0.05*	0.02*	0.05*	0.2	0.2
	Gooseberries	0.05*	10	1	0.05*		0.05*	0.02*	0.05*	0.2	0.2
	Others	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
	(e) Wild berries & wild fruit	0.05*	0.01*	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.05*	0.02*
(vi) MISCELLANEOUS FRUIT											
	Avocados	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
	Bananas	0.05*	0.2	3	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5
	Dates	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
	Figs	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
	Kiwi fruit	0.05*	0.01*	2	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5
	Kumquats	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
	Litchis	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
	Mangoes	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
	Olives (table consumption)	0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.1*	0.5
	Olives (oil extract)	0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.1*	0.5
	Passion fruit	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
	Pineapples	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
	Pomegranates	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
	Others	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Chloromequat	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cyfluthrin	Cypermethrin	Daminozide	DDT	Deltamethrin	Diazinon
2. Vegetables, fresh, or uncooked, frozen or dry											
(i) ROOT AND TUBER VEGETABLES											
	Beetroot	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5
	Carrots	0.05*	1	0.1	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5
	Celeriac	0.05*	0.5	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5
	Horseradish	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5
	Jerusalem artichokes	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
	Parsnips	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5
	Parsley root	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
	Radishes	0.05*	0.01*	0.2	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5
	Salsify	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
	Sweet potatoes	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
	Swedes	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5
	Turnips	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5
	Yams	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
	Others	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
(ii) BULB VEGETABLES											
	Garlic	0.05*	0.5		0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.5
	Onions	0.05*	0.5	0.2	0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.5
	Shallots	0.05*	0.5		0.05*	0.02*	0.1	0.02*	0.05*	0.1	0.5
	Spring onions	0.05*	5		0.05*	0.02*	0.05*	0.02*	0.05*	0.1	0.5
	Others	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5
(iii) FRUITING VEGETABLES											
(a) Solanacea											
	Tomatoes		2	0.5	0.5	0.05	0.5	0.02*	0.05*	0.2	0.5
	Peppers	0.05*	2	0.5	0.5		0.5	0.02*	0.05*	0.2	0.5
	Aubergines	0.05*	2	0.5	0.5	0.02*	0.5	0.02*	0.05*	0.2	0.5
	Others	0.05*	2	0.5	0.5	0.02*	0.5	0.02*	0.05*	0.2	0.5
(b) Cucurbits—edible peel											
	Cucumbers	0.05*	1	0.05*	0.05*		0.2	0.02*	0.05*	0.1	0.5
	Gherkins	0.05*	5	0.05*	0.05*		0.2	0.02*	0.05*	0.1	0.5
	Courgettes	0.05*	0.01*	0.05*	0.05*		0.2	0.02*	0.05*	0.1	0.5
	Others	0.05*	0.01*	0.05*	0.05*		0.2	0.02*	0.05*	0.1	0.5
(c) Curcubits—inedible peel											
	Melons	0.05*	1	0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.5
	Squashes	0.05*	1	0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.5
	Watermelons	0.05*	1	0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.5
	Others	0.05*	1	0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.5
	(d) Sweet corn	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5

Group to which food belongs	Groups include the following products	Chlormequat	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cyfluthrin	Cypermethrin	Daminozide	DDT	Deltamethrin	Diazinon
(iv) BRASSICA VEGETABLES											
	(a) Flowering Brassicas										
	Broccoli	0.05*	3	0.05*	0.05*		0.5	0.02*	0.05*	0.1	0.5
	Cauliflower	0.05*	3	0.05*	0.05*	0.05	0.5	0.02*	0.05*	0.1	0.5
	Others	0.05*	3	0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.1	0.5
	(b) Head Brassicas										
	Brussels sprouts	0.05*	0.5	0.05*	0.05*	0.2	0.5	0.02*	0.05*	0.1	0.5
	Head cabbage	0.05*	3	1	0.05*	0.2	0.5	0.02*	0.05*	0.1	0.5
	Others	0.05*	0.01*	0.05*	0.05*	0.2	0.5	0.02*	0.05*	0.1	0.5
	(c) Leafy Brassicas										
	Chinese cabbage	0.05*	0.01*	0.5	0.05*		1	0.02*	0.05*	0.5	0.5
	Kale	0.05*	0.01*	0.05*	0.05*		1	0.02*	0.05*	0.5	0.5
	Others	0.05*	0.01*	0.05*	0.05*		1	0.02*	0.05*	0.5	0.5
	(d) Kohlrabi	0.05*	0.01*	0.05*	0.05*	0.02*	0.2	0.02*	0.05*	0.05*	0.5
(v) LEAF VEGETABLES AND FRESH HERBS											
	(a) Lettuce and similar										
	Cress	0.05*	0.01*	0.05*	0.05*	0.5	2	0.02*	0.05*	0.5	0.5
	Lamb's lettuce	0.05*	0.01*	0.05*	0.05*	0.5	2	0.02*	0.05*	0.5	0.5
	Lettuce	0.05*	0.01*		0.05*	0.5	2	0.02*	0.05*	0.5	0.5
	Scarole	0.05*	0.01*	0.05*	0.05*	0.5	2	0.02*	0.05*	0.5	0.5
	Others	0.05*	0.01*	0.05*	0.05*	0.5	2	0.02*	0.05*	0.5	0.5
	(b) Spinach & similar										
	Spinach	0.05*	0.01*	0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.5
	Beet leaves (chard)	0.05*	0.01*	0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.5
	Others	0.05*	0.01*	0.05*	0.05*	0.02*	0.5	0.02*	0.05*	0.5	0.5
	(c) Watercress	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5
	(d) Witloof	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5
	(e) Herbs										
	Chervil	0.05*	5	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.5	0.5
	Chives	0.05*	5	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.5	0.5
	Parsley	0.05*	5	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.5	0.5
	Celery leaves	0.05*	5	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.5	0.5
	Others	0.05*	5	0.05*	0.05*	0.02*	2	0.02*	0.05*	0.5	0.5
(vi) LEGUME VEGETABLES (fresh)											
	Beans (with pods)		0.01*	0.05*	0.05*	0.05	0.5	0.02*	0.05*	0.2	0.5
	Beans (without pods)		0.05	0.05*	0.05*	0.05	0.05*	0.02*	0.05*	0.05*	0.5
	Peas (with pods)		2	0.05*	0.05*	0.05	0.5	0.02*	0.05*	0.1	0.5
	Peas (without pods)		0.01*	0.05*	0.05*	0.05	0.05*	0.02*	0.05*	0.05*	0.5
	Others	0.05*	0.01*	0.05*	0.05*	0.05	0.05*	0.02*	0.05*	0.05*	0.5

Group to which food belongs	Groups include the following products	Chloromequat	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cyfluthrin	Cypermethrin	Daminozide	DDT	Deltamethrin	Diazinon
(vii) STEM VEGETABLES											
	Asparagus	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5
	Cardoons	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
	Celery	0.05*	10	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5
	Fennel	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
	Globe artichokes	0.05*	0.01*	1	0.05*	0.02*	2	0.02*	0.05*	0.1	0.5
	Leeks	0.05*	10	0.05*	0.05*		0.5	0.02*	0.05*	0.2	0.5
	Rhubarb	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
	Others	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.02*
(viii) FUNGI											
	(a) Cultivated mushrooms		2	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	0.5
	(b) Wild mushrooms	0.05*	0.01*	0.05*	0.05*	0.02*	1	0.02*	0.05*	0.05*	0.02*
3. PULSES											
	Beans	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	1	
	Lentils	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	1	
	Peas	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	1	
	Others	0.05*	0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	1	
4. OILSEEDS											
	Linseed		0.01*	0.05*	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*
	Peanuts	0.1*	0.05	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	
	Poppy seed	0.1*	0.01*	0.05*	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*
	Sesame seed	0.1*	0.01*	0.05*	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	0.05*
	Sunflower seed	0.1*	0.01*	0.05*	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	
	Rape seed		0.01*	0.05*	0.05*	0.05	0.2	0.05*	0.05*	0.1	0.05*
	Soya bean	0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
	Mustard seed	0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
	Cotton seed		0.01*	0.05*	0.05*	0.02*	0.2	0.05*	0.05*	0.05*	
	Others	0.1*	0.01*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.05*
5. POTATOES											
	Early potatoes		0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.05*	
	Ware potatoes		0.01*	0.05*	0.05*	0.02*	0.05*	0.02*	0.05*	0.5	
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.1*	0.1*		0.5	0.1*	0.2	5	0.05*
7. HOPS (dried)	including hop pellets and unconcentrated powder	0.1*	50	0.1*	0.1*	20	30	0.1*	0.05*	5	

Group to which food belongs	Groups include the following products	1,2-Dibromoethane	Dichlorprop	Dichlorvos	Dicofol	Dimethoate	Dinoseb	Dioxathion	Disulfoton	Endosulfan	Endrin
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts											
(i) CITRUS FRUIT											
	Grapefruit	0.01*	0.05*		2		0.05*	0.05*	0.02*	1	0.01*
	Lemons	0.01*	0.05*		2		0.05*	0.05*	0.02*	1	0.01*
	Limes	0.01*	0.05*		2		0.05*	0.05*	0.02*	1	0.01*
	Mandarins (incl. clementines & similar hybrids)	0.01*	0.05*		2		0.05*	0.05*	0.02*	1	0.01*
	Oranges	0.01*	0.05*		2		0.05*	0.05*	0.02*	1	0.01*
	Pomelos	0.01*	0.05*		2		0.05*	0.05*	0.02*	1	0.01*
	Others	0.01*	0.05*		2		0.05*	0.05*	0.02*	1	0.01*
(ii) TREE NUTS (shell or unshelled)											
	Almonds	0.01*	0.05*		0.05*		0.05*	0.05*	0.02*	0.1*	0.01*
	Brazil nuts	0.01*	0.05*		0.05*		0.05*	0.05*	0.02*	0.1*	0.01*
	Cashew nuts	0.01*	0.05*		0.05*		0.05*	0.05*	0.02*	0.1*	0.01*
	Chestnuts	0.01*	0.05*		0.05*		0.05*	0.05*	0.02*	0.1*	0.01*
	Coconuts	0.01*	0.05*		0.05*		0.05*	0.05*	0.02*	0.1*	0.01*
	Hazelnuts	0.01*	0.05*		0.05*		0.05*	0.05*	0.02*	0.1*	0.01*
	Macadamia nuts	0.01*	0.05*		0.05*		0.05*	0.05*	0.02*	0.1*	0.01*
	Pecans	0.01*	0.05*		0.05*		0.05*	0.05*	0.02*	0.1*	0.01*
	Pine nuts	0.01*	0.05*		0.05*		0.05*	0.05*	0.02*	0.1*	0.01*
	Pistachios	0.01*	0.05*		0.05*		0.05*	0.05*	0.02*	0.1*	0.01*
	Walnuts	0.01*	0.05*		0.05*		0.05*	0.05*	0.02*	0.1*	0.01*
	Others	0.01*	0.05*		0.05*		0.05*	0.05*	0.02*	0.1*	0.01*
(iii) POME FRUIT											
	Apples	0.01*	0.05*		1		0.05*	0.05*	0.02*	1	0.01*
	Pears	0.01*	0.05*		1		0.05*	0.05*	0.02*	1	0.01*
	Quinces	0.01*	0.05*		1		0.05*	0.05*	0.02*	1	0.01*
	Others	0.01*	0.05*		1		0.05*	0.05*	0.02*	1	0.01*
(iv) STONE FRUIT											
	Apricots	0.01*	0.05*				0.05*	0.05*	0.02*	1	0.01*
	Cherries	0.01*	0.05*				0.05*	0.05*	0.02*	1	0.01*
	Peaches (incl. nectarines & similar hybrids)	0.01*	0.05*				0.05*	0.05*	0.02*	1	0.01*
	Plums	0.01*	0.05*				0.05*	0.05*	0.02*	1	0.01*
	Others	0.01*	0.05*				0.05*	0.05*	0.02*	1	0.01*

Group to which food belongs	Groups include the following products	1,2-Dibromoethane	Dichlorprop	Dichlorvos	Dicofol	Dimethoate	Dinoseb	Dioxathion	Disulfoton	Endosulfan	Endrin
(v) BERRIES AND SMALL FRUIT											
	(a) Table & wine grapes										
	Table grapes	0.01*	0.05*		1		0.05*	0.05*	0.02*	1	0.01*
	Wine grapes	0.01*	0.05*		1		0.05*	0.05*	0.02*	1	0.01*
	(b) Strawberries (other than wild)	0.01*	0.05*		2		0.05*	0.05*			0.01*
	(c) Cane Fruit (other than wild)										
	Blackberries	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*		0.01*
	Dewberries	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	Loganberries	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	Raspberries	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	1	0.01*
	Others	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	(d) Other small fruit & berries (other than wild)										
	Bilberries	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	Cranberries	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	Currants (red, black & white)	0.01*	0.05*				0.05*	0.05*	0.02*		0.01*
	Gooseberries	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*		0.01*
	Others	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	(e) Wild berries & wild fruit	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
(vi) MISCELLANEOUS FRUIT											
	Avocados	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	Bananas	0.01*	0.05*		2		0.05*	0.05*	0.02*		0.01*
	Dates	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	Figs	0.01*	0.05*				0.05*	0.05*	0.02*	0.05*	0.01*
	Kiwi fruit	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	1	0.01*
	Kumquats	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	Litchis	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	Mangoes	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	Olives (table consumption)	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	1	0.01*
	Olives (oil extract)	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	1	0.01*
	Passion fruit	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	Pineapples	0.01*	0.05*		0.02*		0.05*	0.05*		0.05*	0.01*
	Pomegranates	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	Others	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*

Group to which food belongs	Groups include the following products	1,2-Dibromoethane	Dichlorprop	Dichlorvos	Dicofol	Dimethoate	Dinoseb	Dioxathion	Disulfoton	Endosulfan	Endrin
2. Vegetables, fresh or uncooked, frozen or dry											
(i) ROOT AND TUBER VEGETABLES											
	Beetroot	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.2	0.01*
	Carrots	0.01*	0.05*		0.02*		0.05*	0.05*		0.2	0.01*
	Celeriac	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.2	0.01*
	Horseradish	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	Jerusalem artichokes	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	Parsnips	0.01*	0.05*		0.02*		0.05*	0.05*		0.05*	0.01*
	Parsley root	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.2	0.01*
	Radishes	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	Salsify	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	Sweet potatoes	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	Swedes	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.2	0.01*
	Turnips	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.2	0.01*
	Yams	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	Others	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
(ii) BULB VEGETABLES											
	Garlic	0.01*	0.05*				0.05*	0.05*	0.02*	0.05*	0.01*
	Onions	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	1	0.01*
	Shallots	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	Spring onions	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	Others	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
(iii) FRUITING VEGETABLES											
(a) Solanacea											
	Tomatoes	0.01*	0.05*		0.5		0.05*	0.05*	0.02*	1	0.01*
	Peppers	0.01*	0.05*		0.5		0.05*	0.05*	0.02*	1	0.01*
	Aubergines	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	1	0.01*
	Others	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	1	0.01*
(b) Cucurbits—edible peel											
	Cucumbers	0.01*	0.05*		0.5		0.05*	0.05*	0.02*	1	0.01*
	Gherkins	0.01*	0.05*		0.5		0.05*	0.05*	0.02*	1	0.01*
	Courgettes	0.01*	0.05*		0.5		0.05*	0.05*	0.02*	1	0.01*
	Others	0.01*	0.05*		0.5		0.05*	0.05*	0.02*	1	0.01*
(c) Cucurbits—inedible peel											
	Melons	0.01*	0.05*		0.5		0.05*	0.05*	0.02*	1	0.01*
	Squashes	0.01*	0.05*		0.5		0.05*	0.05*		1	0.01*
	Watermelons	0.01*	0.05*		0.5		0.05*	0.05*	0.02*	1	0.01*
	Others	0.01*	0.05*		0.5		0.05*	0.05*	0.02*	1	0.01*
(d) Sweet corn											
		0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*

Group to which food belongs	Groups include the following products	1,2-Dibromoethane	Dichlorprop	Dichlorvos	Dicofol	Dimethoate	Dinoseb	Dioxathion	Disulfoton	Endosulfan	Endrin
(iv) BRASSICA VEGETABLES											
	(a) Flowering Brassicas										
	Broccoli	0.01*	0.05*		0.02*		0.05*	0.05*		1	0.01*
	Cauliflower	0.01*	0.05*		0.02*		0.05*	0.05*		1	0.01*
	Others	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	1	0.01*
	(b) Head Brassicas										
	Brussels sprouts	0.01*	0.05*		0.02*		0.05*	0.05*		1	0.01*
	Head cabbage	0.01*	0.05*		0.02*		0.05*	0.05*		1	0.01*
	Others	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	1	0.01*
	(c) Leafy Brassicas										
	Chinese cabbage	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	1	0.01*
	Kale	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	1	0.01*
	Others	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	1	0.01*
	(d) Kohlrabi	0.01*	0.05*		0.02*		0.05*	0.05*		0.05*	0.01*
(v) LEAF VEGETABLES AND FRESH HERBS											
	(a) Lettuce & similar										
	Cress	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	1	0.01*
	Lamb's lettuce	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	1	0.01*
	Lettuce	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	1	0.01*
	Scarole	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	1	0.01*
	Others	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	1	0.01*
	(b) Spinach & similar										
	Spinach	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	1	0.01*
	Beet leaves (chard)	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	1	0.01*
	Others	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	1	0.01*
	(c) Watercress	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	(d) Witloof	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	(e) Herbs										
	Chervil	0.01*	0.05*		0.02*		0.05*	0.05*		0.05*	0.01*
	Chives	0.01*	0.05*		0.02*		0.05*	0.05*		0.05*	0.01*
	Parsley	0.01*	0.05*		0.02*		0.05*	0.05*		0.05*	0.01*
	Celery leaves	0.01*	0.05*		0.02*		0.05*	0.05*		0.05*	0.01*
	Others	0.01*	0.05*		0.02*		0.05*	0.05*		0.05*	0.01*

Group to which food belongs	Groups include the following products	1,2-Dibromoethane	Dichlorprop	Dichlorvos	Dicofol	Dimethoate	Dinoseb	Dioxathion	Disulfoton	Endosulfan	Endrin
(vi) LEGUME VEGETABLES (fresh)											
	Beans (with pods)	0.01*	0.05*		0.5		0.05*	0.05*		1	0.01*
	Beans (without pods)	0.01*	0.05*		0.5		0.05*	0.05*		1	0.01*
	Peas (with pods)	0.01*	0.05*		0.5		0.05*	0.05*		1	0.01*
	Peas (without pods)	0.01*	0.05*		0.5		0.05*	0.05*	0.02*	1	0.01*
	Others	0.01*	0.05*		0.02*		0.05*	0.05*		1	0.01*
(vii) STEM VEGETABLES											
	Asparagus	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	Cardoons	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	1	0.01*
	Celery	0.01*	0.05*		0.02*		0.05*	0.05*		1	0.01*
	Fennel	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	Globe artichokes	0.01*	0.05*				0.05*	0.05*	0.02*	1	0.01*
	Leeks	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	1	0.01*
	Rhubarb	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	Others	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
(viii) FUNGI											
	(a) Cultivated mushrooms	0.01*	0.05*				0.05*	0.05*	0.02*	1	0.01*
	(b) Wild mushrooms	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
3. PULSES											
	Beans	0.01*	0.05*				0.05*	0.05*		0.05*	0.01*
	Lentils	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	Peas	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
	Others	0.01*	0.05*		0.02*		0.05*	0.05*	0.02*	0.05*	0.01*
4. OILSEEDS											
	Linseed	0.01*	0.05*		0.05*		0.05*	0.05*	0.02*		0.01*
	Peanuts	0.01*	0.05*		0.05*		0.05*	0.05*	0.02*	0.1*	0.01*
	Poppy seed	0.01*	0.05*		0.05*		0.05*	0.05*	0.02*	0.1*	0.01*
	Sesame seed	0.01*	0.05*		0.05*		0.05*	0.05*	0.02*	0.1*	0.01*
	Sunflower seed	0.01*	0.05*		0.05*		0.05*	0.05*	0.02*		0.01*
	Rape seed	0.01*	0.05*		0.05*		0.05*	0.05*	0.02*		0.01*
	Soya bean	0.01*	0.05*		0.05*		0.05*	0.05*	0.02*		0.01*
	Mustard seed	0.01*	0.05*		0.05*		0.05*	0.05*	0.02*		0.01*
	Cotton seed	0.01*	0.05*		0.1		0.05*	0.05*	0.05	0.3	0.01*
	Others	0.01*	0.05*		0.05*		0.05*	0.05*	0.02*	0.1*	0.01*

Group to which food belongs	Groups include the following products	1,2-Dibromoethane	Dichlorprop	Dichlorvos	Dicofol	Dimethoate	Dinoseb	Dioxathion	Disulfoton	Endosulfan	Endrin
5. POTATOES	Early potatoes	0.01*	0.05*		0.02*		0.05*	0.05*			0.01*
	Ware potatoes	0.01*	0.05*		0.02*		0.05*	0.05*			0.01*
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.1*	20	0.2	0.1*	0.1*	0.05*	30	0.01*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.01*	0.1*		50		0.1*	0.1*			0.01*

Group to which food belongs	Groups include the following products	Ethephon	Ethion	Fenarimol	Fenbutatin Oxide	Fenclorphos	Fenitrothion	Fentin	Fenvalerate	Flucythrinate	Furathiocarb
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts											
(i) CITRUS FRUIT											
	Grapefruit			0.02*		0.01*		0.05*	0.05*		0.05*
	Lemons			0.02*		0.01*		0.05*	0.05*		0.05*
	Limes			0.02*		0.01*		0.05*	0.05*		0.05*
	Mandarins (incl clementines & similar hybrids)			0.02*		0.01*		0.05*	0.05*		0.05*
	Oranges			0.02*		0.01*		0.05*	0.05*		0.05*
	Pomelos			0.02*		0.01*		0.05*	0.05*		0.05*
	Others			0.02*		0.01*		0.05*	0.05*		0.05*
(ii) TREE NUTS (shelled or unshelled)											
	Almonds	0.1*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Brazil nuts	0.1*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Cashew nuts	0.1*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Chestnuts	0.1*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Coconuts	0.1*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Hazelnuts	0.1*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Macadamia nuts	0.1*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Pecans	0.1*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Pine nuts	0.1*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Pistachios	0.1*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Walnuts	0.1*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Others	0.1*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
(iii) POME FRUIT											
	Apples	3		0.3	2	0.01*		0.05*	1		0.05*
	Pears	3		0.3	2	0.01*		0.05*	1		0.05*
	Quinces	3		0.3	2	0.01*		0.05*	1		0.05*
	Others	3		0.3	2	0.01*		0.05*	1		0.05*
(iv) STONE FRUIT											
	Apricots	0.05*				0.01*		0.05*	0.05*		0.05*
	Cherries	3				0.01*		0.05*	0.05*		0.05*
	Peaches (incl nectarines & similar hybrids)	0.05*				0.01*		0.05*	0.05*		0.05*
	Plums	0.05*				0.01*		0.05*	0.05*		0.05*
	Others	0.05*				0.01*		0.05*	0.05*		0.05*

Group to which food belongs	Groups include the following products	Ethephon	Ethion	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fentin	Fenvalerate	Flucythrinate	Furathiocarb
(v) BERRIES AND SMALL FRUIT											
	(a) Table and wine grapes										
	Table grapes			0.3	2	0.01*		0.05*	1		0.05*
	Wine grapes			0.3	2	0.01*		0.05*	1		0.05*
	(b) Strawberries (other than wild)	0.05*		0.3		0.01*		0.05*	0.05*		0.05*
	(c) Cane fruit (other than wild)										
	Blackberries	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Dewberries	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Loganberries	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Raspberries	0.05*			0.05*	0.01*		0.05*	0.05*		0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	(d) Other small fruit and berries (other than wild)										
	Bilberries	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Cranberries	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Currants (red, black & white)	5		1	0.05*	0.01*		0.05*	0.05*		0.05*
	Gooseberries	0.05*		1	0.05*	0.01*		0.05*	0.05*		0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	(e) Wild berries & wild fruit	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
(vi) MISCELLANEOUS FRUIT											
	Avocados	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Bananas	0.05*		0.3		0.01*		0.05*	0.05*		0.05*
	Dates	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Figs			0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Kiwi fruit	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Kumquats	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Litchis	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Mangoes	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Olives (table consumption)			0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Olives (oil extract)			0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Passion fruit	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Pineapples			0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Pomegranates	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*

Group to which food belongs	Groups include the following products	Ethephon	Ethion	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fentin	Fenvalerate	Flucythrinate	Furathiocarb
2. Vegetables, fresh or uncooked, frozen or dry											
(i) ROOT AND TUBER VEGETABLES											
	Beetroot	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Carrots	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Celeriac	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Horseradish	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Jerusalem artichokes	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Parsnips	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Parsley root	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Radishes	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Salsify	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Sweet potatoes	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Swedes	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Turnips	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Yams	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
(ii) BULB VEGETABLES											
	Garlic	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Onions			0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Shallots	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Spring onions	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
(iii) FRUITING VEGETABLES											
	(a) Solanacea										
	Tomatoes	3				0.01*		0.05*	1		0.05*
	Peppers	3				0.01*		0.05*	0.2		0.05*
	Aubergines	0.05*				0.01*		0.05*	0.05*		0.05*
	Others	0.05*				0.01*		0.05*	0.05*		0.05*
	(b) Cucurbits—edible peel										
	Cucumbers	0.05*			0.5*	0.01*		0.05*	0.2		0.05*
	Gherkins	0.05*				0.01*		0.05*	0.05*		0.05*
	Courgettes	0.05*				0.01*		0.05*	0.05*		0.05*
	Others	0.05*				0.01*		0.05*	0.05*		0.05*
	(c) Cucurbits—inedible peel										
	Melons	0.05*				0.01*		0.05*	0.2		0.05*
	Squashes	0.05*				0.01*		0.05*	0.5		0.05*
	Watermelons	0.05*				0.01*		0.05*	0.5		0.05*
	Others	0.05*				0.01*		0.05*	0.05*		0.05*
	(d) Sweet corn			0.02*	0.05*	0.01*		0.05*	0.05*		0.05*

Group to which food belongs	Groups include the following products	Ethephon	Ethion	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fentin	Fenvalerate	Flucythrinate	Furathiocarb
(iv) BRASSICA VEGETABLES											
	(a) Flowering Brassicas										
	Broccoli	0.05*		0.02*	0.05*	0.01*		0.05*	1		0.1
	Cauliflower	0.05*		0.02*	0.05*	0.01*		0.05*	1		0.1
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	1		0.1
	(b) Head Brassicas										
	Brussels sprouts	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Head cabbage	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	(c) Leafy Brassicas										
	Chinese cabbage	0.05*		0.02*	0.05*	0.01*		0.05*	1		0.05*
	Kale	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	(d) Kohlrabi	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
(v) LEAF VEGETABLES AND FRESH HERBS											
	(a) Lettuce & similar										
	Cress	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Lamb's lettuce	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Lettuce	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Scarole	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	(b) Spinach & similar										
	Spinach	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Beet leaves (chard)	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	(c) Watercress	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	(d) Witloof	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	(e) Herbs										
	Chervil	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Chives	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Parsley	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Celery leaves	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
(vi) LEGUME VEGETABLES (fresh)											
	Beans (with pods)	0.05*		0.02*		0.01*		0.05*	0.05*		
	Beans (without pods)	0.05*		0.02*		0.01*		0.05*	0.05*		
	Peas (with pods)	0.05*			0.05*	0.01*		0.05*	0.05*		0.05*
	Peas (without pods)	0.05*			0.05*	0.01*		0.05*	0.05*		0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*

Group to which food belongs	Groups include the following products	Ethephon	Ethion	Fenarimol	Fenbutatin Oxide	Fenclorphos	Fenitrothion	Fentin	Fenvalerate	Flucythrinate	Furathiocarb
(vii) STEM VEGETABLES											
	Asparagus	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Cardoons	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Celery	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		
	Fennel	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Globe artichokes	0.05*			0.05*	0.01*		0.05*	0.05*		0.05*
	Leeks	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Rhubarb	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
(viii) FUNGI											
	(a) Cultivated mushrooms	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	(b) Wild mushrooms	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
3. PULSES											
	Beans	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		
	Lentils	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Peas	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*		0.05*
4. OILSEEDS											
	Linseed	0.05*		0.02*	0.05*	0.01*		0.05*	0.1		0.05*
	Peanuts	0.05*		0.02*	0.05*	0.01*		0.05*	0.1		0.05*
	Poppy seed	0.05*		0.02*	0.05*	0.01*		0.05*	0.1		0.05*
	Sesame seed	0.05*		0.02*	0.05*	0.01*		0.05*	0.1		0.05*
	Sunflower seed	0.05*		0.02*	0.05*	0.01*		0.05*	0.1		0.05*
	Rape seed	0.05*		0.02*	0.05*	0.01*		0.05*	0.1		
	Soya bean	0.05*		0.02*	0.05*	0.01*		0.05*	0.1		
	Mustard seed	0.05*		0.02*	0.05*	0.01*		0.05*	0.1		0.05*
	Cotton seed	0.05*		0.02*		0.01*		0.05*	0.1		
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.1		0.05*
5. POTATOES											
	Early potatoes	0.05*		0.02*	0.05*	0.01*		0.1	0.05*		0.05*
	Ware potatoes	0.05*		0.02*	0.05*	0.01*		0.1	0.05*		0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	2	0.05*	0.1*	0.1*	0.5	0.1*	10	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*		5		0.1*		0.5	5		5

Group to which food belongs	Groups include the following products	Glyphosate	Heptachlor	Hexachloro-benzene (HCB)	Hexachloro-cyclohexane (HCH) α	Hexachloro-cyclohexane (HCH) β	Hexachloro-cyclohexane (HCH) γ	Imazalil	Iprodione	Lambda-cyhalothrin	Malathion
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts											
(i) CITRUS FRUIT											
	Grapefruit	0.1*	0.01*					5	0.02*		
	Lemons	0.1*	0.01*					5	5		
	Limes	0.1*	0.01*					5	0.02*		
	Mandarins (inc clementines & similar hybrids)	0.1*	0.01*					5	2		
	Oranges	0.1*	0.01*					5	0.02*		
	Pomelos	0.1*	0.01*					5	0.02*		
	Others	0.1*	0.01*					5	0.02*		
(ii) TREE NUTS (shelled or unshelled)											
	Almonds	0.1*	0.01*					0.02*	0.02*	0.05*	
	Brazil nuts	0.1*	0.01*					0.02*	0.02*	0.05*	
	Cashew nuts	0.1*	0.01*					0.02*	0.02*	0.05*	
	Chestnuts	0.1*	0.01*					0.02*	0.02*	0.05*	
	Coconuts	0.1*	0.01*					0.02*	0.02*	0.05*	
	Hazelnuts	0.1*	0.01*					0.02*	0.2	0.05*	
	Macadamia nuts	0.1*	0.01*					0.02*	0.02*	0.05*	
	Pecans	0.1*	0.01*					0.02*	0.02*	0.05*	
	Pine nuts	0.1*	0.01*					0.02*	0.02*	0.05*	
	Pistachios	0.1*	0.01*					0.02*	0.02*	0.05*	
	Walnuts	0.1*	0.01*					0.02*	0.02*	0.05*	
	Others	0.1*	0.01*					0.02*	0.02*	0.05*	
(iii) POME FRUIT											
	Apples	0.1*	0.01*					5	10	0.1	
	Pears	0.1*	0.01*					5	10	0.1	
	Quinces	0.1*	0.01*					5	10	0.1	
	Others	0.1*	0.01*					5	10	0.1	
(iv) STONE FRUIT											
	Apricots	0.1*	0.01*					0.02*	5	0.2	
	Cherries	0.1*	0.01*					0.02*	5	0.1	
	Peaches (inc nectarines & similar hybrids)	0.1*	0.01*					0.02*	5	0.2	
	Plums	0.1*	0.01*					0.02*	5	0.1	
	Others	0.1*	0.01*					0.02*	5	0.1	

Group to which food belongs	Groups include the following products	Glyphosate	Heptachlor	Hexachloro- benzene (HCB)	Hexachloro- cyclohexane (HCH) α	Hexachloro- cyclohexane (HCH) β	Hexachloro- cyclohexane (HCH) γ	Imazalil	Iprodione	Lambda- cyhalothrin	Malathion
(v) BERRIES AND SMALL FRUIT											
	(a) Table and wine grapes										
	Table grapes	0.1*	0.01*					0.02*	10	0.2	
	Wine grapes	0.1*	0.01*					0.02*	10	0.2	
	(b) Strawberries (other than wild)	0.1*	0.01*					0.02*	10		
	(c) Cane Fruit (other than wild)										
	Blackberries	0.1*	0.01*					0.02*	5	0.02*	
	Dewberries	0.1*	0.01*					0.02*	5	0.02*	
	Loganberries	0.1*	0.01*					0.02*	5	0.02*	
	Raspberries	0.1*	0.01*					0.02*	5	0.02*	
	Others	0.1*	0.01*					0.02*	5	0.02*	
	(d) Other small fruit & berries (other than wild)										
	Bilberries	0.1*	0.01*					0.02*	10	0.02*	
	Cranberries	0.1*	0.01*					0.02*	0.02*	0.02*	
	Currants (red, black & white)	0.1*	0.01*					0.02*	10	0.1	
	Gooseberries	0.1*	0.01*					0.02*	10	0.1	
	Others	0.1*	0.01*					0.02*	0.02*	0.02*	
	(e) Wild berries & wild fruit	0.1*	0.01*					0.02*	0.02*	0.02*	
(vi) MISCELLANEOUS FRUIT											
	Avocados	0.1*	0.01*					0.02*	0.02*	0.02*	
	Bananas	0.1*	0.01*					2	3	0.02*	
	Dates	0.1*	0.01*					0.02*	0.02*	0.02*	
	Figs	0.1*	0.01*					0.02*	0.02*	0.02*	
	Kiwi fruit	0.1*	0.01*					0.02*	5	0.02*	
	Kumquats	0.1*	0.01*					0.02*	0.02*	0.02*	
	Litchis	0.1*	0.01*					0.02*	0.02*	0.02*	
	Mangoes	0.1*	0.01*					0.02*	0.02*	0.02*	
	Olives (table consumption)	0.1*	0.01*					0.02*	0.02*	0.02*	
	Olives (oil extract)	2	0.01*					0.02*	0.02*	0.02*	
	Passion fruit	0.1*	0.01*					0.02*	0.02*	0.02*	
	Pineapples	0.1*	0.01*					0.02*	0.02*	0.02*	
	Pomegranates	0.1*	0.01*					0.02*	0.02*	0.02*	
	Others	0.1*	0.01*					0.02*	0.02*	0.02*	

Group to which food belongs	Groups include the following products	Glyphosate	Heptachlor	Hexachloro-benzene (HCB)	Hexachloro-cyclohexane (HCH) α	Hexachloro-cyclohexane (HCH) β	Hexachloro-cyclohexane (HCH) γ	Imazalil	Iprodione	Lambda-cyhalothrin	Malathion
2. Vegetables, fresh or uncooked, frozen or dry											
(i) ROOT AND TUBER VEGETABLES											
	Beetroot	0.1*	0.01*					0.02*	0.5	0.02*	
	Carrots	0.1*	0.01*					0.02*	0.3	0.02*	
	Celeriac	0.1*	0.01*					0.02*	0.02*	0.02*	
	Horseradish	0.1*	0.01*					0.02*	0.1	0.02*	
	Jerusalem artichokes	0.1*	0.01*					0.02*	0.02*	0.02*	
	Parsnips	0.1*	0.01*					0.02*	0.1	0.02*	
	Parsley root	0.1*	0.01*					0.02*	0.02*	0.02*	
	Radishes	0.1*	0.01*					0.02*	0.3	0.02*	
	Salsify	0.1*	0.01*					0.02*	0.02*	0.02*	
	Sweet potatoes	0.1*	0.01*					0.02*	0.02*	0.02*	
	Swedes	0.1*	0.01*					0.02*	0.02*	0.02*	
	Turnips	0.1*	0.01*					0.02*	0.02*	0.02*	
	Yams	0.1*	0.01*					0.02*	0.02*	0.02*	
	Others	0.1*	0.01*					0.02*	0.02*	0.02*	
(ii) BULB VEGETABLES											
	Garlic	0.1*	0.01*					0.02*	5	0.02*	
	Onions	0.1*	0.01*					0.02*	5	0.02*	
	Shallots	0.1*	0.01*					0.02*	5	0.02*	
	Spring onions	0.1*	0.01*					0.02*	3		
	Others	0.1*	0.01*					0.02*	0.02*	0.02*	
(iii) FRUITING VEGETABLES											
(a) Solanacea											
	Tomatoes	0.1*	0.01*					0.5	5		
	Peppers	0.1*	0.01*					0.02*	5		
	Aubergines	0.1*	0.01*					0.02*	5		
	Others	0.1*	0.01*					0.02*	5		
(b) Cucurbits-edible peel											
	Cucumbers	0.1*	0.01*					0.2	2	0.1	
	Gherkins	0.1*	0.01*					0.2	2	0.1	
	Courgettes	0.1*	0.01*					0.2	2	0.1	
	Others	0.1*	0.01*					0.2	2	0.1	
(c) Cucurbits-inedible peel											
	Melons	0.1*	0.01*					2	0.3		
	Squashes	0.1*	0.01*					0.02*	0.02*		
	Watermelons	0.1*	0.01*					0.02*	0.02*		

Group to which food belongs	Groups include the following products	Glyphosate	Heptachlor	Hexachloro- benzene (HCB)	Hexachloro- cyclohexane (HCH) α	Hexachloro- cyclohexane (HCH) β	Hexachloro- cyclohexane (HCH) γ	Imazalil	Iprodione	Lambda- cyhalothrin	Malathion
	Others	0.1*	0.01*					0.02*	0.02*		
	(d) Sweet corn	0.1*	0.01*					0.02*	0.02*	0.02*	
(iv) BRASSICA VEGETABLES											
	(a) Flowering Brassicas										
	Broccoli	0.1*	0.01*					0.02*	0.05		
	Cauliflower	0.1*	0.01*					0.02*	0.05		
	Others	0.1*	0.01*					0.02*	0.05		
	(b) Head Brassicas										
	Brussels sprouts	0.1*	0.01*					0.02*	0.5	0.05	
	Head cabbage	0.1*	0.01*					0.02*	5	0.2	
	Others	0.1*	0.01*					0.02*	0.02*	0.02*	
	(c) Leafy Brassicas										
	Chinese cabbage	0.1*	0.01*					0.02*	5		
	Kale	0.1*	0.01*					0.02*	0.02*		
	Others	0.1*	0.01*					0.02*	0.02*		
	(d) Kohlrabi	0.1*	0.01*					0.02*	0.1		
(v) LEAF VEGETABLES AND FRESH HERBS											
	(a) Lettuce & similar										
	Cress	0.1*	0.01*					0.02*	10	1	
	Lamb's lettuce	0.1*	0.01*					0.02*	10	1	
	Lettuce	0.1*	0.01*					0.02*	10	1	
	Scarole	0.1*	0.01*					0.02*	10	1	
	Others	0.1*	0.01*					0.02*	10	1	
	(b) Spinach & similar										
	Spinach	0.1*	0.01*					0.02*	0.02*		
	Beet leaves (chard)	0.1*	0.01*					0.02*	0.02*		
	Others	0.1*	0.01*					0.02*	0.02*		
	(c) Watercress	0.1*	0.01*					0.02*	0.02*	0.02*	
	(d) Witloof	0.1*	0.01*					0.02*	2		
	(e) Herbs										
	Chervil	0.1*	0.01*					0.02*	10	1	
	Chives	0.1*	0.01*					0.02*	10	1	
	Parsley	0.1*	0.01*					0.02*	10	1	
	Celery leaves	0.1*	0.01*					0.02*	10	1	
	Others	0.1*	0.01*					0.02*	10	1	

Group to which food belongs	Groups include the following products	Glyphosate	Heptachlor	Hexachlorobenzene (HCB)	Hexachlorocyclohexane (HCH) α	Hexachlorocyclohexane (HCH) β	Hexachlorocyclohexane (HCH) γ	Imazalil	Iprodione	Lambda-cyhalothrin	Malathion
(vi) LEGUME VEGETABLES (fresh)											
	Beans (with pods)	0.1*	0.01*					0.02*	5	0.2	
	Beans (without pods)	0.1*	0.01*					0.02*		0.02*	
	Peas (with pods)	0.1*	0.01*					0.02*	1	0.2	
	Peas (without pods)	0.1*	0.01*					0.02*	0.2	0.02*	
	Others	0.1*	0.01*					0.02*	0.02*	0.02*	
(vii) STEM VEGETABLES											
	Asparagus	0.1*	0.01*					0.02*	0.02*	0.02*	
	Cardoons	0.1*	0.01*					0.02*	0.02*		
	Celery	0.1*	0.01*					0.02*	0.02*		
	Fennel	0.1*	0.01*					0.02*	0.02*		
	Globe artichokes	0.1*	0.01*					0.02*	0.02*		
	Leeks	0.1*	0.01*					0.02*	0.02*		
	Rhubarb	0.1*	0.01*					0.02*	0.2		
	Others	0.1*	0.01*					0.02*	0.02*		
(viii) FUNGI											
	(a) Cultivated mushrooms	0.1*	0.01*					0.02*	0.02*		
	(b) Wild mushrooms	50	0.01*					0.02*	0.02*	0.02*	
3. PULSES											
	Beans	2	0.01*					0.02*	0.2	0.02*	
	Lentils	0.1*	0.01*					0.02*	0.2	0.02*	
	Peas	3	0.01*					0.02*	0.2	0.02*	
	Others	0.1*	0.01*					0.02*	0.2	0.02*	
4. OILSEEDS											
	Linseed	10	0.01*					0.02*	0.1	0.02*	
	Peanuts	0.1*	0.01*					0.02*	0.02*	0.02*	
	Poppy seed	0.1*	0.01*					0.02*	0.02*	0.02*	
	Sesame seed	0.1*	0.01*					0.02*	0.02*	0.02*	
	Sunflower seed	0.1*	0.01*					0.02*	0.02*	0.02*	
	Rape seed	10	0.01*					0.02*	0.5	0.02*	
	Soya bean	20	0.01*					0.02*	0.02*	0.02*	
	Mustard seed	10	0.01*					0.02*	0.02*	0.02*	
	Cotton seed	0.1*	0.01*					0.02*	0.02*	0.02*	
	Others	0.1*	0.01*					0.02*	0.02*	0.02*	

Group to which food belongs	Groups include the following products	Glyphosate	Heptachlor	Hexachloro- benzene (HCB)	Hexachloro- cyclohexane (HCH) α	Hexachloro- cyclohexane (HCH) β	Hexachloro- cyclohexane (HCH) γ	Imazalil	Iprodione	Lambda- cyhalothrin	Malathion
5. POTATOES	Early potatoes	0.1*	0.01*					0.02*	0.02*	0.02*	
	Ware potatoes	0.1*	0.01*					5	0.02*	0.02*	
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.02*	0.01*	0.2	} sum of alpha and beta	0.2	0.1*	0.1*	1	0.5
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.01*					0.1*	0.1*	10	

Group to which food belongs	Groups include the following products	Maleic-Hydrazide	Maneb Mancozeb Metiram Propineb Zineb	Mecarbam	Metalaxyl	Methamidophos	Methidathion	Methomyl thiodicarb	Methyl bromide	Monocrotophos	Omethoate
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts											
(i) CITRUS FRUIT											
	Grapefruit	1*	5	2		0.2	2		0.05*		
	Lemons	1*	5	2		0.2	2		0.05*		
	Limes	1*	5	2		0.2	2		0.05*		
	Mandarins (inc clementines & similar hybrids)	1*	5	2		0.2	2		0.05*		
	Oranges	1*	5	2		0.2	2		0.05*		
	Pomelos	1*	5	2		0.2	2		0.05*		
	Others	1*	5	2		0.2	2		0.05*		
(ii) TREE NUTS (shelled or unshelled)											
	Almonds	1*	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*			
	Brazil nuts	1*	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*			
	Cashew nuts	1*	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*			
	Chestnuts	1*	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*			
	Coconuts	1*	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*			
	Hazelnuts	1*	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*			
	Macadamia nuts	1*	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*			
	Pecans	1*	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*			
	Pine nuts	1*	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*			
	Pistachios	1*	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*			
	Walnuts	1*	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*			
	Others	1*	0.1*	0.05*	0.05*	0.01*	0.05*	0.05*			
(iii) POME FRUIT											
	Apples	1*	3	0.05*	1	0.05	0.3	1	0.05*		
	Pears	1*	3	0.05*	1	0.05	0.3		0.05*		
	Quinces	1*	3	0.05*	1	0.05	0.3	0.05*	0.05*		
	Others	1*	3	0.05*	1	0.05	0.3	0.05*	0.05*		
(iv) STONE FRUIT											
	Apricots	1*	2	0.05*	0.05*	0.1	0.2				
	Cherries	1*	1	0.05*							
	Peaches (incl nectarines & similar hybrids)	1*	2	0.05*		0.05	0.2				
	Plums	1*	1	0.05*	0.05*	0.3	0.2				
	Others	1*	0.05*	0.05*	0.05*	0.01*	0.2				

Group to which food belongs	Groups include the following products	Maleic-Hydrazide	Maneb Mancozeb Metiram Propineb Zineb	Mecarbam	Metalaxyl	Methamid-ophos	Methidathion	Methomyl thiodicarb	Methyl bromide	Monocrotophos	Omethoate
(v) BERRIES AND SMALL FRUIT											
	(a) Table & wine grapes										
	Table grapes	1*	2	0.05*	2	0.01*	0.5	3			
	Wine grapes	1*	2	0.05*	1	0.01*	0.5	3			
	(b) Strawberries (other than wild)	1*	2	0.05*	0.5	0.01*	0.02*	0.05*	0.05*		
	(c) Cane Fruit (other than wild)										
	Blackberries	1*	0.05*	0.05*		0.01*	0.02*	0.05*	0.05*		
	Dewberries	1*	0.05*	0.05*		0.01*	0.02*	0.05*	0.05*		
	Loganberries	1*	0.05*	0.05*		0.01*	0.02*	0.05*	0.05*		
	Raspberries	1*		0.05*		0.01*	0.02*	0.05*	0.05*		
	Others	1*	0.05*	0.05*		0.01*	0.02*	0.05*	0.05*		
	(d) Other small fruit & berries (other than wild)										
	Bilberries	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Cranberries	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Currants (red, black & white)	1*	5	0.05*	0.05*	0.01*	0.02*		0.05*		
	Gooseberries	1*	5	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Others	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	(e) Wild berries & wild fruit	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
(vi) MISCELLANEOUS FRUIT											
	Avocados	1*	0.05*	0.05*		0.01*	0.02*	0.05*	0.05*		
	Bananas	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Dates	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Figs	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*			
	Kiwi fruit	1*	0.05*	0.05*		0.01*	0.02*	0.05*	0.05*		
	Kumquats	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Litchis	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Mangoes	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Olives (table consumption)	1*	0.05*	0.05*	0.05*	0.01*	1		0.05*		
	Olives (oil extract)	1*	0.05*	0.05*	0.05*	0.01*	1		0.05*		
	Passion fruit	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Pineapples	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Pomegranates	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Others	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		

Group to which food belongs	Groups include the following products	Maleic-Hydrazide	Maneb Mancozeb Metiram Propineb Zineb	Mecarbam	Metalaxyl	Methamidophos	Methidathion	Methomyl thiodicarb	Methyl bromide	Monocrotophos	Omethoate
2. Vegetables, fresh or uncooked, frozen or dry											
(i) ROOT AND TUBER VEGETABLES											
	Beetroot	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Carrots	1*	0.2	0.05*	0.1	0.01*	0.02*	0.05*	0.05*		
	Celeriac	1*	0.2	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Horseradish	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Jerusalem artichokes	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Parsnips	1*	0.05*	0.05*	0.1	0.01*	0.02*	0.05*	0.05*		
	Parsley root	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Radishes	1*	0.2	0.05*	0.05*	0.01*	0.02*	0.5	0.05*		
	Salsify	1*	0.2	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Sweet potatoes	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Swedes	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Turnips	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Yams	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Others	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
(ii) BULB VEGETABLES											
	Garlic	10	0.5	0.05*		0.01*	0.02*	0.05*	0.05*		
	Onions	10	0.5	0.05*		0.01*		0.05*	0.05*		
	Shallots	10	0.5	0.05*		0.01*		0.05*	0.05*		
	Spring onions	1*	0.05*	0.05*		0.01*	0.02*	0.05*	0.05*		
	Others	10	0.05*	0.05*		0.01*	0.02*	0.05*	0.05*		
(iii) FRUITING VEGETABLES											
(a) Solanacea											
	Tomatoes	1*	3	0.05*		0.5	0.02*		0.05*		
	Peppers	1*	2	0.05*		0.01*	0.02*		0.05*		
	Aubergines	1*	2	0.05*	0.05*	0.2	0.02*		0.05*		
	Others	1*	2	0.05*	0.05*	0.01*	0.02*		0.05*		
(b) Cucurbits-edible peel											
	Cucumbers	1*	0.5	0.05*		1	0.02*		0.05*		
	Gherkins	1*	2	0.05*		0.01*	0.02*	0.05*	0.05*		
	Courgettes	1*	2	0.05*		0.01*	0.02*		0.05*		
	Others	1*	0.05*	0.05*		0.01*	0.02*	0.05*	0.05*		
(c) Cucurbits-inedible peel											
	Melons	1*	0.5	0.05*		0.01*	0.02*	0.2	0.05*		
	Squashes	1*	0.5	0.05*	0.05*	0.01*	0.02*	0.2	0.05*		
	Watermelons	1*	0.5	0.05*		0.01*	0.02*	0.2	0.05*		

Group to which food belongs	Groups include the following products	Maleic-Hydrazide	Maneb Mancozeb Metiram Propineb Zineb	Mecarbam	Metalaxyl	Methamid-ophos	Methidathion	Methomyl thiodicarb	Methyl bromide	Monocrotophos	Omethoate
	Others	1*	0.5	0.05*	0.05*	0.01*	0.02*	0.2	0.05*		
	(d) Sweet corn	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
(iv) BRASSICA VEGETABLES											
	(a) Flowering Brassicas										
	Broccoli	1*	1	0.05*		0.5	0.02*		0.05*		
	Cauliflower	1*	1	0.05*		0.5	0.02*		0.05*		
	Others	1*	1	0.05*		0.5	0.02*		0.05*		
	(b) Head Brassicas										
	Brussels sprouts	1*	1	0.05*	0.05*	0.5	0.02*		0.05*		
	Head cabbage	1*	1	0.05*	1	0.5	0.02*		0.05*		
	Others	1*	1	0.05*	0.05*	0.5	0.02*		0.05*		
	(c) Leafy Brassicas										
	Chinese cabbage	1*	0.5	0.05*		0.01*	0.02*		0.05*		
	Kale	1*	0.5	0.05*		0.01*	0.02*		0.05*		
	Others	1*	0.5	0.05*	0.05*	0.01*	0.02*		0.05*		
	(d) Kohlrabi	1*	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
(v) LEAF VEGETABLES AND FRESH HERBS											
	(a) Lettuce & similar										
	Cress	1*	5	0.05*		0.01*	0.02*		0.05*		
	Lamb's lettuce	1*	5	0.05*		0.01*	0.02*		0.05*		
	Lettuce	1*	5	0.05*		0.2	0.02*		0.05*		
	Scarole	1*	5	0.05*		0.01*	0.02*		0.05*		
	Others	1*	5	0.05*		0.01*	0.02*		0.05*		
	(b) Spinach & similar										
	Spinach	1*	0.05*	0.05*		0.01*	0.02*	2	0.05*		
	Beet leaves (chard)	1*	0.05*	0.05*		0.01*	0.02*	2	0.05*		
	Others	1*	0.05*	0.05*		0.01*	0.02*	2	0.05*		
	(c) Watercress	1*	0.3	0.05*		0.01*	0.02*	0.05*	0.05*		
	(d) Witloof	1*	0.2	0.05*		0.01*	0.02*	0.05*	0.05*		
	(e) Herbs										
	Chervil	1*	5	0.05*		0.01*	0.02*		0.05*		
	Chives	1*	5	0.05*		0.01*	0.02*		0.05*		
	Parsley	1*	5	0.05*		0.01*	0.02*		0.05*		
	Celery leaves	1*	5	0.05*		0.01*	0.02*		0.05*		
	Others	1*	5	0.05*		0.01*	0.02*		0.05*		

Group to which food belongs	Groups include the following products	Maleic-Hydrazide	Maneb Mancozeb Metiram Propineb Zineb	Mecarbam	Metalaxyl	Methamid-ophos	Methidathion	Methomyl thiodicarb	Methyl bromide	Monocrotophos	Omethoate
(vi) LEGUME VEGETABLES (fresh)											
	Beans (with pods)	1*	1	0.05*	0.05*	0.5	0.02*		0.05*		
	Beans (without pods)	1*	0.1	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Peas (with pods)	1*	1	0.05*	0.05*	0.5	0.02*		0.05*		
	Peas (without pods)	1*	0.1	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Others	1*	0.05*	0.05*	0.05*		0.02*	0.05*	0.05*		
(vii) STEM VEGETABLES											
	Asparagus	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Cardoons	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Celery	1*	0.5	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Fennel	1*	0.05*	0.05*	0.05*	0.01*	0.02*		0.05*		
	Globe artichokes	1*	0.05*	0.05*		0.1	0.02*				
	Leeks	1*	3	0.05*		0.01*		0.05*	0.05*		
	Rhubarb	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Others	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
(viii) FUNGI											
	(a) Cultivated mushrooms	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	(b) Wild mushrooms	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
3. PULSES											
	Beans	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*			
	Lentils	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*			
	Peas	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*			
	Others	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*			
4. OILSEEDS											
	Linseed	1*	0.1*	0.05*		0.01*	0.02*	0.05*	0.1*		
	Peanuts	1*	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1*		
	Poppy seed	1*	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1*		
	Sesame seed	1*	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1*		
	Sunflower seed	1*	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1*		
	Rape seed	1*	0.5	0.05*	0.05*	0.01*	0.05	0.05*	0.1*		
	Soya bean	1*	0.1*	0.05*	0.05*	0.01*	0.02*	0.2	0.1*		
	Mustard seed	1*	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1*		
	Cotton seed	1*	0.1*	0.05*	0.05*	0.1		0.5	0.1*		
	Others	1*	0.1*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1*		

Group to which food belongs	Groups include the following products	Maleic-Hydrazide	Maneb Mancozeb Metiram Propineb Zineb	Mecarbam	Metalaxyl	Methamid-ophos	Methidathion	Methomyl thiodicarb	Methyl bromide	Monocrotophos	Omethoate
5. POTATOES	Early potatoes	1*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
	Ware potatoes	50	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*		
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	1*	0.1*	0.05*	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1
7. HOPS (dried)	including hop pellets & unconcentrated powder	1*	25	0.1*	10	2	3	10	0.05*		

Group to which food belongs	Groups include the following products	Paraquat	Permethrin	Phorate	Phosmet	Phoxim	Pirimiphos-methyl	Procymidone	Profenophos	Propargite	Propiconazole	Propoxur
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts												
(i) CITRUS FRUIT												
	Grapefruit	0.05*	0.5	0.05*			1	0.02*			0.05*	3
	Lemons	0.05*	0.5	0.05*			1	0.02*			0.05*	3
	Limes	0.05*	0.5	0.05*			1	0.02*			0.05*	3
	Mandarins (inc. clementines & similar hybrids)	0.05*	0.5	0.05*			2	0.02*			0.05*	3
	Oranges	0.05*	0.5	0.05*			1	0.02*			0.05*	3
	Pomelos	0.05*	0.5	0.05*			1	0.02*			0.05*	3
	Others	0.05*	0.5	0.05*			1	0.02*			0.05*	3
(ii) TREE NUTS (shelled or unshelled)												
	Almonds	0.05*	0.1	0.05*				0.05*			0.05*	0.05*
	Brazil nuts	0.05*	0.05*	0.05*			0.05*	0.05*			0.05*	0.05*
	Cashew nuts	0.05*	0.05*	0.05*			0.05*	0.05*			0.05*	0.05*
	Chestnuts	0.05*	0.05*	0.05*			0.05*	0.05*			0.05*	0.05*
	Coconuts	0.05*	0.05*	0.05*			0.05*	0.05*			0.05*	0.05*
	Hazelnuts	0.05*	0.05*	0.05*				0.05*			0.05*	0.05*
	Macadamia nuts	0.05*	0.05*	0.05*			0.05*	0.05*			0.05*	0.05*
	Pecans	0.05*	0.05*	0.05*			0.05*	0.05*			0.05*	0.05*
	Pine nuts	0.05*	0.05*	0.05*			0.05*	0.05*			0.05*	0.05*
	Pistachios	0.05*	0.05*	0.05*				0.05*			0.05*	0.05*
	Walnuts	0.05*	0.05*	0.05*				0.05*			0.05*	0.05*
	Others	0.05*	0.05*	0.05*			0.05*	0.05*			0.05*	0.05*
(iii) POME FRUIT												
	Apples	0.05*	1	0.05*				0.02*			0.05*	3
	Pears	0.05*	1	0.05*				1			0.05*	3
	Quinces	0.05*	1	0.05*				0.02*			0.05*	3
	Others	0.05*	1	0.05*				0.02*			0.05*	3
(iv) STONE FRUIT												
	Apricots	0.05*	1	0.05*				2			0.2	3
	Cherries	0.05*	1	0.05*				0.02*				3
	Peaches (inc. nectarines & similar hybrids)	0.05*	1	0.05*				2			0.2	3
	Plums	0.05*	1	0.05*				2				3
	Others	0.05*	1	0.05*				2			0.05*	3

Group to which food belongs	Groups include the following products	Paraquat	Permethrin	Phorate	Phosmet	Phoxim	Pirimiphos-methyl	Procymidone	Profenophos	Propargite	Propiconazole	Propoxur
(v) BERRIES AND SMALL FRUIT												
	(a) Table & wine grapes											
	Table grapes	0.05*	1	0.05*				5			0.5	3
	Wine grapes	0.05*	1	0.05*				5			0.5	3
	(b) Strawberries (other than wild)	0.05*	1					5			0.05*	3
	(c) Cane Fruit (other than wild)											
	Blackberries	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	3
	Dewberries	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
	Loganberries	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
	Raspberries	0.05*	0.05*	0.05*			0.05*	10			0.05*	3
	Others	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
	(d) Other small fruit & berries (other than wild)											
	Bilberries	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
	Cranberries	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
	Currants (red, black & white)	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.2
	Gooseberries	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.2
	Others	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
	(e) Wild berries & wild fruit	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
(vi) MISCELLANEOUS FRUIT												
	Avocados	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
	Bananas	0.05*	0.05*	0.05*			0.05*	0.02*			0.1	0.05*
	Dates	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
	Figs	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
	Kiwi fruit	0.05*	1	0.05*			2	5			0.05*	0.05*
	Kumquats	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
	Litchis	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
	Mangoes	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
	Olives (table consumption)	0.05*	0.05*	0.05*				0.02*			0.05*	3
	Olives (oil extract)	0.05*	0.05*	0.05*				0.02*			0.05*	3
	Passion Fruit	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
	Pineapples	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
	Pomegranates	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
	Others	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*

Group to which food belongs	Groups include the following products	Paraquat	Permethrin	Phorate	Phosmet	Phoxim	Pirimiphos-methyl	Procymidone	Profenophos	Propargite	Propiconazole	Propoxur
2. Vegetables, fresh or uncooked, frozen or dry												
(i) ROOT AND TUBER VEGETABLES												
	Beetroot	0.05*	0.05*				0.05*	0.02*			0.05*	3
	Carrots	0.05*	0.05*				1	0.02*			0.05*	0.05*
	Celeriac	0.05*	0.1	0.05*			0.05*	0.02*			0.05*	3
	Horseradish	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
	Jerusalem artichokes	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
	Parsnips	0.05*	0.05*				0.05*	0.02*			0.05*	0.05*
	Parsley root	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
	Radishes	0.05*	0.1	0.05*			0.05*	0.02*			0.05*	0.05*
	Salsify	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
	Sweet potatoes	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
	Swedes	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
	Turnips	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
	Yams	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
	Others	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
(ii) BULB VEGETABLES												
	Garlic	0.05*	0.05*	0.05*				0.2			0.05*	0.05*
	Onions	0.05*	0.05*	0.05*				0.2			0.05*	0.05*
	Shallots	0.05*	0.05*	0.05*				0.2			0.05*	0.05*
	Spring onions	0.05*	0.05*	0.05*				0.02*			0.05*	0.05*
	Others	0.05*	0.05*	0.05*				0.02*			0.05*	0.05*
(iii) FRUITING VEGETABLES												
(a) Solanacea												
	Tomatoes	0.05*	0.5					2			0.05*	
	Peppers	0.05*	0.5					2				3
	Aubergines	0.05*	0.5					2			0.05*	3
	Others	0.05*	0.5					2			0.05*	3
(b) Cucurbits-edible peel												
	Cucumbers	0.05*	0.1	0.05*				1				
	Gherkins	0.05*	0.1					1				3
	Courgettes	0.05*	0.1					1				
	Others	0.05*	0.1					1				3
(c) Cucurbits-inedible peel												
	Melons	0.05*	0.1	0.05*				1				3
	Squashes	0.05*	0.1	0.05*				1				3
	Watermelons	0.05*	0.1	0.05*				1				3

Group to which food belongs	Groups include the following products	Paraquat	Permethrin	Phorate	Phosmet	Phoxim	Pirimiphos-methyl	Procymidone	Profenophos	Propargite	Propiconazole	Propoxur
	Others	0.05*	0.1	0.05*				1				3
	(d) Sweet corn	0.05*	0.1				0.05*	0.02*			0.05*	0.05*
(iv)	BRASSICA VEGETABLES											
	(a) Flowering Brassicas											
	Broccoli	0.05*	0.05*					0.02*			0.05*	3
	Cauliflower	0.05*	0.1				1	0.02*			0.05*	3
	Others	0.05*	0.05*				1	0.02*			0.05*	3
	(b) Head Brassicas											
	Brussels sprouts	0.05*	0.05*				2	0.02*			0.05*	3
	Head cabbage	0.05*	1					0.02*			0.05*	3
	Others	0.05*	0.05*					0.02*			0.05*	3
	(c) Leafy Brassicas											
	Chinese cabbage	0.05*	1					0.02*			0.05*	3
	Kale	0.05*	1					0.02*			0.05*	3
	Others	0.05*	1					0.02*			0.05*	3
	(d) Kohlrabi	0.05*	0.05*	0.05*				0.02*			0.05*	3
(v)	LEAF VEGETABLES AND FRESH HERBS											
	(a) Lettuce & similar											
	Cress	0.05*	2					5			0.05*	0.05*
	Lamb's lettuce	0.05*	2					5			0.05*	3
	Lettuce	0.05*	2					5			0.05*	3
	Scarole	0.05*	2					5			0.05*	3
	Others	0.05*	2					5			0.05*	3
	(b) Spinach & similar											
	Spinach	0.05*	1	0.05*				0.02*			0.05*	3
	Beet leaves (chard)	0.05*	1	0.05*				0.02*			0.05*	3
	Others	0.05*	1	0.05*				0.02*			0.05*	3
	(c) Watercress	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
	(d) Witloof	0.05*	0.05*	0.05*			0.05*	2			0.05*	0.05*
	(e) Herbs											
	Chervil	0.05*	2					0.02*			0.05*	3
	Chives	0.05*	2					0.02*			0.05*	3
	Parsley	0.05*	2					0.02*			0.05*	3
	Celery leaves	0.05*	2					0.02*			0.05*	3
	Others	0.05*	2					0.02*			0.05*	3

Group to which food belongs	Groups include the following products	Paraquat	Permethrin	Phorate	Phosmet	Phoxim	Pirimiphos-methyl	Procymidone	Profenophos	Propargite	Propiconazole	Propoxur
(vi) LEGUME VEGETABLES (fresh)												
	Beans (with pods)	0.05*	0.5					2			0.05*	3
	Beans (without pods)	0.05*	0.05*					0.02*			0.05*	0.05*
	Peas (with pods)	0.05*	0.1					1			0.05*	3
	Peas (without pods)	0.05*	0.05*				0.05*	0.3			0.05*	0.05*
	Others	0.05*	0.05*					0.02*			0.05*	0.05*
(vii) STEM VEGETABLES												
	Asparagus	0.05*	0.05*	0.05*				0.02*			0.05*	0.05*
	Cardoons	0.05*	0.05*	0.05*				0.02*			0.05*	3
	Celery	0.05*	2					0.02*				3
	Fennel	0.05*	0.05*	0.05*				0.02*		0.05*		3
	Globe artichokes	0.05*	0.05*	0.05*				0.02*				3
	Leeks	0.05*	0.5	0.05*				0.02*		0.05*		1
	Rhubarb	0.05*	2	0.05*				0.02*		0.05*		0.05*
	Others	0.05*	0.05*	0.05*				0.02*		0.05*		0.05*
(viii) FUNGI												
	(a) Cultivated mushrooms	0.05*	0.05*	0.05*			2	0.02*			0.05*	0.05*
	(b) Wild mushrooms	0.05*	0.05*	0.05*			0.05*	0.02*			0.05*	0.05*
3. PULSES												
	Beans	0.05*	0.05*					0.02*			0.05*	0.05*
	Lentils	0.05*	0.05*	0.05*				0.02*			0.05*	0.05*
	Peas	0.05*	0.05*	0.05*				0.2			0.05*	0.05*
	Others	0.05*	0.05*	0.05*				0.02*			0.05*	0.05*
4. OILSEEDS												
	Linseed	0.05*	0.05*					0.05*				0.05*
	Peanuts	0.05*	0.1	0.1				0.05*			0.05*	0.05*
	Poppy seed	0.05*	0.05*	0.05*			0.05*	0.05*			0.05*	0.05*
	Sesame seed	0.05*	0.05*	0.05*			0.05*	0.05*			0.05*	0.05*
	Sunflower seed	0.05*	0.05*	0.05*				1/0.05*(14)			0.05*	0.05*
	Rape seed	0.05*	0.1					1				0.05*
	Soya bean	0.05*	0.05*	0.05*				1			0.05*	0.05*
	Mustard seed	0.05*	0.1	0.05*			0.05*	0.05*			0.05*	0.05*
	Cotton seed	0.05*	0.2	0.05*				0.05*			0.05*	0.05*
	Others	0.05*	0.05*	0.05*			0.05*	0.05*			0.05*	0.05*

Group to which food belongs	Groups include the following products	Paraquat	Permethrin	Phorate	Phosmet	Phoxim	Pirimiphos-methyl	Procymidone	Profenophos	Propargite	Propiconazole	Propoxur
5. POTATOES	Early potatoes	0.05*	0.05*				0.05*	0.02*			0.05*	0.05*
	Ware potatoes	0.05*	0.05*				0.05*	0.02*			0.05*	0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	2	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*	5	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.1*	0.1*			0.05*	0.1*			0.1*	0.1*

Group to which food belongs	Groups include the following products	Propyzamide	Quinalphos	TEPP	Thiabendazole	Triazophos	Triforine	2,4,5-T	Vinclozolin
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts									
(i) CITRUS FRUIT									
	Grapefruit	0.02*		0.01*	6		0.05*	0.05*	0.05*
	Lemons	0.02*		0.01*	6		0.05*	0.05*	0.05*
	Limes	0.02*		0.01*	6		0.05*	0.05*	0.05*
	Mandarins (inc clementines & similar hybrids)	0.02*		0.01*	6		0.05*	0.05*	0.05*
	Oranges	0.02*		0.01*	6		0.05*	0.05*	0.05*
	Pomelos	0.02*		0.01*	6		0.05*	0.05*	0.05*
	Others	0.02*		0.01*	6		0.05*	0.05*	0.05*
(ii) TREE NUTS (shelled or unshelled)									
	Almonds	0.02*		0.01*	0.1*			0.05*	0.05*
	Brazil nuts	0.02*		0.01*	0.1*	0.02*	0.05*	0.05*	0.05*
	Cashew nuts	0.02*		0.01*	0.1*	0.02*	0.05*	0.05*	0.05*
	Chestnuts	0.02*		0.01*	0.1*	0.02*	0.05*	0.05*	0.05*
	Coconuts	0.02*		0.01*	0.1*	0.02*	0.05*	0.05*	0.05*
	Hazelnuts	0.02*		0.01*	0.1*		0.05*	0.05*	0.05*
	Macadamia nuts	0.02*		0.01*	0.1*	0.02*	0.05*	0.05*	0.05*
	Pecans	0.02*		0.01*	0.1*	0.02*	0.05*	0.05*	0.05*
	Pine nuts	0.02*		0.01*	0.1*	0.02*	0.05*	0.05*	0.05*
	Pistachios	0.02*		0.01*	0.1*		0.05*	0.05*	0.05*
	Walnuts	0.02*		0.01*	0.1*	0.02*	0.05*	0.05*	0.05*
	Others	0.02*		0.01*	0.1*	0.02*	0.05*	0.05*	0.05*
(iii) POME FRUIT									
	Apples	0.02*		0.01*	5		2	0.05*	1
	Pears	0.02*		0.01*	5		2	0.05*	1
	Quinces	0.02*		0.01*	5		2	0.05*	1
	Others	0.02*		0.01*	5		2	0.05*	1
(iv) STONE FRUIT									
	Apricots	0.02*		0.01*	0.05*			0.05*	2
	Cherries	0.02*		0.01*		0.02*	2	0.05*	0.5
	Peaches (incl nectarines & similar hybrids)	0.02*		0.01*	0.05*			0.05*	2
	Plums	0.02*		0.01*	0.05*	0.02*	1	0.05*	2
	Others	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Propyzamide	Quinalphos	TEPP	Thiabendazole	Triazophos	Triforine	2,4,5-T	Vinclozolin
(v) BERRIES AND SMALL FRUIT									
	(a) Table & wine grapes								
	Table grapes	0.02*		0.01*		0.02*		0.05*	5
	Wine grapes	0.02*		0.01*		0.02*		0.05*	5
	(b) Strawberries (other than wild)			0.01*	5			0.05*	5
	(c) Cane Fruit (other than wild)								
	Blackberries	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	5
	Dewberries	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	5
	Loganberries	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	5
	Raspberries	0.02*		0.01*		0.02*	0.05*	0.05*	5
	Others	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	5
	(d) Other small fruit & berries (other than wild)								
	Bilberries	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Cranberries	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Currants (red, black & white)			0.01*		0.02*	2	0.05*	10
	Gooseberries			0.01*		0.02*	2	0.05*	0.05*
	Others	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	(e) Wild berries & wild fruit	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
(vi) MISCELLANEOUS FRUIT									
	Avocados	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Bananas	0.02*		0.01*	3	0.02*	0.05*	0.05	0.05*
	Dates	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Figs	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Kiwi fruit	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	10
	Kumquats	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Litchis	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Mangoes	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Olives (table consumption)	0.02*		0.01*	0.05*		0.05*	0.05*	0.05*
	Olives (oil extract)	0.02*		0.01*	0.05*		0.05*	0.05*	0.05*
	Passion fruit	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Pineapples	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Pomegranates	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Others	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Propyzamide	Quinalphos	TEPP	Thiabendazole	Triazophos	Triforine	2,4,5-T	Vinclozolin
2. Vegetables, fresh or uncooked, frozen or dry									
(i) ROOT AND TUBER VEGETABLES									
	Beetroot	0.02*		0.01*			0.05*	0.05*	0.05*
	Carrots	0.02*		0.01*	0.05*	1	0.05*	0.05*	0.5
	Celeriac	0.02*		0.01*	0.05*		0.05*	0.05*	0.05*
	Horseradish	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Jerusalem artichokes	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Parsnips	0.02*		0.01*	0.05*	1	0.05*	0.05*	0.05*
	Parsley root	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Radishes	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Salsify	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Sweet potatoes	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Swedes	0.02*		0.01*	0.05*	0.02*		0.05*	0.05*
	Turnips	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Yams	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Others	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
(ii) BULB VEGETABLES									
	Garlic	0.02*		0.01*				0.05*	1
	Onions	0.02*		0.01*				0.05*	1
	Shallots	0.02*		0.01*				0.05*	1
	Spring onions	0.02*		0.01*	0.05*	0.02*		0.05*	1
	Others	0.02*		0.01*	0.05*	0.02*		0.05*	1
(iii) FRUITING VEGETABLES									
(a) Solanacea									
	Tomatoes	0.02*		0.01*		0.02*		0.05*	3
	Peppers	0.02*		0.01*		0.02*		0.05*	3
	Aubergines	0.02*		0.01*	0.05*	0.02*		0.05*	3
	Others	0.02*		0.01*	0.05*	0.02*		0.05*	3
(b) Cucurbits-edible peel									
	Cucumbers	0.02*		0.01*			0.5	0.05*	1
	Gherkins	0.02*		0.01*	0.05*		0.5	0.05*	1
	Courgettes	0.02*		0.01*	0.05*		0.5	0.05*	1
	Others	0.02*		0.01*	0.05*		0.5	0.05*	1
(c) Cucurbits-inedible peel									
	Melons	0.02*		0.01*				0.05*	1
	Squashes	0.02*		0.01*	0.05*			0.05*	1
	Watermelons	0.02*		0.01*				0.05*	1

Group to which food belongs	Groups include the following products	Propyzamide	Quinalphos	TEPP	Thiabendazole	Triazophos	Triforine	2,4,5-T	Vinclozolin
	Others	0.02*		0.01*	0.05*			0.05*	1
	(d) Sweet corn	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
(iv)	BRASSICA VEGETABLES								
	(a) Flowering Brassicas								
	Broccoli	0.02*		0.01*	5			0.05*	0.05*
	Cauliflower	0.02*		0.01*	0.05*			0.05*	0.05*
	Others	0.02*		0.01*	0.05*			0.05*	0.05*
	(b) Head Brassicas								
	Brussels sprouts	0.02*		0.01*	0.05*			0.05*	0.05*
	Head cabbage			0.01*				0.05*	0.05*
	Others	0.02*		0.01*	0.05*			0.05*	0.05*
	(c) Leafy Brassicas								
	Chinese cabbage	0.02*		0.01*	0.05*			0.05*	2
	Kale	0.02*		0.01*	0.05*			0.05*	0.05*
	Others	0.02*		0.01*	0.05*			0.05*	0.05*
	(d) Kohlrabi	0.02*		0.01*	0.05*	0.02*		0.05*	0.05*
(v)	LEAF VEGETABLES AND FRESH HERBS								
	(a) Lettuce & similar								
	Cress			0.01*	0.05*	0.02*		0.05*	5
	Lamb's lettuce			0.01*	0.05*	0.02*	0.05*	0.05*	5
	Lettuce			0.01*		0.02*	0.05*	0.05*	5
	Scarole			0.01*	0.05*	0.02*	0.05*	0.05*	5
	Others			0.01*	0.05*	0.02*	0.05*	0.05*	5
	(b) Spinach & similar								
	Spinach	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Beet leaves (chard)	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Others	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	(c) Watercress	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	(d) Witloof	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	2
	(e) Herbs								
	Chervil			0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Chives			0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Parsley			0.01*	0.05*	0.02*		0.05*	0.05*
	Celery leaves			0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Others			0.01*	0.05*	0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Propyzamide	Quinalphos	TEPP	Thiabendazole	Triazophos	Triforine	2,4,5-T	Vinclozolin
(vi) LEGUME VEGETABLES (fresh)									
	Beans (with pods)			0.01*				0.05*	2
	Beans (without pods)			0.01*				0.05*	0.5
	Peas (with pods)	0.02*		0.01*	0.05*			0.05*	2
	Peas (without pods)	0.02*		0.01*	0.05*			0.05*	0.3
	Others	0.02*		0.01*	0.05*	0.02*		0.05*	0.05*
(vii) STEM VEGETABLES									
	Asparagus	0.02*		0.01*				0.05*	0.05*
	Cardoons	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Celery	0.02*		0.01*				0.05*	0.05*
	Fennel	0.02*		0.01*	0.05*		0.05*	0.05*	0.05*
	Globe artichokes			0.01*	0.05*			0.05*	0.05*
	Leeks	0.02*		0.01*				0.05*	0.05*
	Rhubarb	0.02*		0.01*	0.05*		0.05*	0.05*	0.05*
	Others	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
(viii) FUNGI									
	(a) Cultivated mushrooms	0.02*		0.01*		0.02*	0.05*	0.05*	0.05*
	(b) Wild mushrooms	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
3. PULSES									
	Beans	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.5
	Lentils	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Peas	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.5
	Others	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
4. OILSEEDS									
	Linseed	0.05*		0.01*	0.05*		0.05*	0.05*	0.05*
	Peanuts			0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Poppy Seed	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Seasame seed	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Sunflower seed	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Rape seed			0.01*	0.05*		0.05*	0.05*	1
	Soya bean	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*
	Mustard seed	0.02*		0.01*	0.05*		0.05*	0.05*	0.05*
	Cotton seed			0.01*	0.05*	0.1	0.05*	0.05*	0.05*
	Others	0.02*		0.01*	0.05*	0.02*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Propyzamide	Quinalphos	TEPP	Thiabendazole	Triazophos	Triforine	2,4,5-T	Vinclozolin
5. POTATOES	Early potatoes	0.02*		0.01*			0.05*	0.05*	0.05*
	Ware potatoes	0.02*		0.01*	5		0.05*	0.05*	0.05*
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.05*	2	0.02*	0.1*	0.05*	0.1*	0.05*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder			0.02*	0.1*	0.05*	30	0.05*	40

Group to which food belongs	Groups include the following products	Acephate	Aldicarb	Aldrin & Dieldrin	Amitraz	Azoxystrobin	Benalaxyl	Benfuracarb	Captafol	Carbaryl	Carbendazim	Carbofuran
8. CEREALS												
	Wheat	0.02*	0.05*	0.01	0.02*	0.3	0.05*	0.05*	0.05*	0.5	0.1*	0.1*
	Rye	0.02*	0.05*	0.01	0.02*	0.3	0.05*	0.05*	0.05*	0.5	0.1*	0.1*
	Barley	0.02*	0.05*	0.01	0.02*	0.3	0.05*	0.05*	0.05*	0.5	0.1*	0.1*
	Sorghum	0.02*	0.05*	0.01	0.02*	0.05*	0.05*	0.05*	0.05*	0.5	0.1*	0.1*
	Oats	0.02*	0.05*	0.01	0.02*	0.05*	0.05*	0.05*	0.05*	0.5	0.1*	
	Triticale	0.02*	0.05*	0.01	0.02*	0.3	0.05*	0.05*	0.05*	0.5	0.1*	0.1*
	Maize	0.02*	0.05*	0.01	0.02*	0.05*	0.05*		0.05*	0.5	0.1*	0.1*
	Buckwheat	0.02*	0.05*	0.01	0.02*	0.05*	0.05*	0.05*	0.05*	0.5	0.1*	0.1*
	Millet	0.02*	0.05*	0.01	0.02*	0.05*	0.05*	0.05*	0.05*	0.5	0.1*	0.1*
	Rice ⁽¹⁾	0.02*	0.05*	0.01	0.02*	0.05*	0.05*	0.05*	0.05*	1	0.1*	
	Other cereals ⁽²⁾	0.02*	0.05*	0.01	0.02*	0.05*	0.05*	0.05*	0.05*	0.5	0.1*	0.1*
9. PRODUCTS OF ANIMAL ORIGIN												
	Meat, fat & preparations of meat ⁽³⁾	0.02*	0.01*	0.2	0.02* ⁽⁸⁾	0.05*	0.05*	0.05*			0.1*	0.1*
	Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.02*	0.01*	0.006		0.01*	0.05*	0.05*			0.1*	0.1*
	Eggs ⁽⁶⁾	0.02*	0.01*	0.02	0.02*	0.05*	0.05*	0.05*			0.1*	0.1*

Group to which food belongs	Groups include the following products	Carbon disulphide	Carbon tetrachloride	Carbosulfan	Chlordane	Chlormequat	Chlorothalonil	Chlorpyrifos	Chlorpyrifos-methyl	Cyfluthrin
8. CEREALS										
	Wheat	0.1	0.1	0.05*	0.02	2	0.1	0.05*	3	0.02*
	Rye	0.1	0.1	0.05*	0.02	2	0.1	0.05*	3	0.02*
	Barley	0.1	0.1	0.05*	0.02	2	0.1	0.2	3	0.02*
	Sorghum	0.1	0.1	0.05*	0.02	0.05*	0.01*	0.05*	3	0.02*
	Oats	0.1	0.1	0.05*	0.02	5	0.1	0.05*	3	0.02*
	Triticale	0.1	0.1	0.05*	0.02	2	0.1	0.05*	3	0.02*
	Maize	0.1	0.1	0.05*	0.02		0.01*	0.05*	3	0.05*
	Buckwheat	0.1	0.1	0.05*	0.02	0.05*	0.01*	0.05*	3	0.02*
	Millet	0.1	0.1	0.05*	0.02	0.05*	0.01*	0.05*	3	0.02*
	Rice ⁽¹⁾	0.1	0.1	0.05*	0.02	0.05*	0.01*	0.05*	3	0.02*
	Other cereals ⁽²⁾	0.1	0.1	0.05*	0.02	0.05*	0.01*	0.05*	3	0.02*
9. PRODUCTS OF ANIMAL ORIGIN										
	Meat, fat & preparations of meat ⁽³⁾			0.05*	0.05		0.01*	0.05 ⁽⁸⁾	0.05*	0.05
	Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾			0.05*	0.002		0.01*	0.01*	0.01*	0.02*
	Eggs ⁽⁶⁾			0.05*	0.005		0.01*	0.01*	0.01*	0.02*

Group to which food belongs	Groups include the following products	Cypermethrin	Daminozide	DDT	Deltamethrin	Diazinon	1,2-Dibromoethane	Dichlorvos	Dicofol	Disulfoton	Endosulfan
8. CEREALS											
	Wheat	0.05*	0.02*	0.05	1	0.05	0.01*	2	0.02*	0.1	0.1
	Rye	0.05*	0.02*	0.05	1	0.05	0.01*	2	0.02*	0.02*	0.1
	Barley	0.2	0.02*	0.05	1	0.05	0.01*	2	0.02*	0.2	0.1
	Sorghum	0.05*	0.02*	0.05	1	0.05	0.01*	2	0.02*	0.2	0.05*
	Oats	0.2	0.02*	0.05	1	0.05	0.01*	2	0.02*	0.02*	0.1
	Triticale	0.05*	0.02*	0.05	1	0.05	0.01*	2	0.02*	0.02*	0.1
	Maize	0.05*	0.02*	0.05	1	0.05	0.01*	2	0.02*	0.02*	0.2
	Buckwheat	0.05*	0.02*	0.05	1	0.02*	0.01*	2	0.02*	0.02*	0.05*
	Millet	0.05*	0.02*	0.05	1	0.02*	0.01*	2	0.02*	0.02*	0.05*
	Rice ⁽¹⁾	0.05*	0.02*	0.05	1	0.05	0.01*	2	0.02*	0.02*	0.05*
	Other cereals ⁽²⁾	0.05*	0.02*	0.05	1	0.05	0.01*	2	0.02*	0.02*	0.05*
9. PRODUCTS OF ANIMAL ORIGIN											
	Meat, fat and preparations of meat ⁽³⁾	0.05* ⁽⁸⁾ 0.2 ⁽¹⁰⁾	0.05*	1	0.05* ⁽⁸⁾				0.5 ⁽²¹⁾ 0.1 ⁽⁸⁾ 0.05* ⁽²²⁾ 1 ⁽²³⁾	0.02*	0.1 ⁽¹¹⁾
	Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.02	0.05*	0.04					0.02	0.02	0.004
	Eggs ⁽⁶⁾	0.05*	0.05*	0.1	0.05*				0.05*	0.02*	

Group to which food belongs	Groups include the following products	Endrin	Ethephon	Fenarimol	Fenbutatin oxide	Fentin	Fenvalerate	Furathiocarb	Glyphosate	Heptachlor	Hexachloro benzene (HCB)
8. CEREALS											
	Wheat	0.01	0.2		0.05*	0.05*	0.05*	0.05*	5	0.01	0.01
	Rye	0.01	0.5	0.02*	0.05*	0.05*	0.05*	0.05*	5	0.01	0.01
	Barley	0.01	0.5		0.05*	0.05*	0.2	0.05*	20	0.01	0.01
	Sorghum	0.01	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	20	0.01	0.01
	Oats	0.01	0.05*	0.02*	0.05*	0.05*	0.2	0.05*	20	0.01	0.01
	Triticale	0.01	0.2	0.02*	0.05*	0.05*	0.05*	0.05*	5	0.01	0.01
	Maize	0.01		0.02*	0.05*	0.05*	0.05*	0.05*	0.1*	0.01	0.01
	Buckwheat	0.01	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.1*	0.01	0.01
	Millet	0.01	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.1*	0.01	0.01
	Rice ⁽¹⁾	0.01	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.1*	0.01	0.01
	Other cereals ⁽²⁾	0.01	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.1*	0.01	0.01
9. PRODUCTS OF ANIMAL ORIGIN											
	Meat, fat & preparations of meat ⁽³⁾	0.05	0.05*	0.02* ⁽¹⁵⁾	0.05*	0.05*	0.5 ⁽¹⁰⁾ 0.05* ⁽⁸⁾	0.05*	0.5 ⁽¹²⁾ 2 ⁽¹³⁾ 0.1* ⁽¹⁰⁾	0.2	0.2
	Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.0008	0.05*	0.02*	0.05*	0.05*	0.05	0.05*	0.1*	0.004	0.01
	Eggs ⁽⁶⁾	0.005	0.05*	0.02*	0.05*	0.05*	0.05*	0.05*	0.1*	0.02	0.02

Group to which food belongs	Groups include the following products	Hexachloro cyclohexane (HCH) α	Hexachloro cyclohexane (HCH) β	Hexachloro cyclohexane (HCH) γ	Hydrogen cyanide	Hydrogen phosphide	Imazalil	Inorganic bromide	Iprodione	Lambda-cyhalothrin (18)	Malathion
8. CEREALS											
	Wheat	0.02	} sum of alpha & beta	0.1	15	0.1	0.02*	50	0.5	0.02*	8
	Rye	0.02		0.1	15	0.1	0.02*	50	0.02*	0.02*	8
	Barley	0.02		0.1	15	0.1	0.02*	50	1	0.05	8
	Sorghum	0.02		0.1	15	0.1	0.02*	50	0.02*	0.02*	8
	Oats	0.02		0.1	15	0.1	0.02*	50	0.02*	0.02*	8
	Triticale	0.02		0.1	15	0.1	0.02*	50	0.02*	0.02*	8
	Maize	0.02		0.1	15	0.1	0.02*	50	0.02*	0.02*	8
	Buckwheat	0.02		0.1	15	0.1	0.02*	50	0.02*	0.02*	8
	Millet	0.02		0.1	15	0.1	0.02*	50	0.02*	0.02*	8
	Rice ⁽¹⁾	0.02		0.1	15	0.1	0.02*	50	3	0.02*	8
	Other cereals ⁽²⁾	0.02		0.1	15	0.1	0.02*	50	0.02*	0.02*	8
9. PRODUCTS OF ANIMAL ORIGIN											
	Meat, fat & preparations of meat ⁽³⁾	0.2	0.1	2 ⁽⁷⁾ 1 ⁽⁹⁾			0.02*		0.05*	0.5 ⁽¹¹⁾ 0.02* ⁽⁸⁾	
	Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.004	0.003	0.008			0.02*		0.05*	0.05	
	Eggs ⁽⁶⁾	0.02	0.01	0.1			0.02*		0.05*	0.02*	

Group to which food belongs	Groups include the following products	Maneb Mancozeb Metiram Propineb Zineb	Mecarbam	Metalaxyl	Methamidophos	Methidathion	Methomyl thiodicarb	Methyl bromide	Permethrin	Phorate
8. CEREALS										
	Wheat	1	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	2	0.05*
	Rye	1	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	2	0.05*
	Barley	2	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	2	0.05*
	Sorghum	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	2	0.05*
	Oats	2	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	2	0.05*
	Triticale	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	2	0.05*
	Maize	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	0.2	
	Buckwheat	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	2	0.05*
	Millet	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	2	0.05*
	Rice ⁽¹⁾	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	2	0.05*
	Other cereals ⁽²⁾	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.1	2	0.05*
9. PRODUCTS OF ANIMAL ORIGIN										
	Meat, fat & preparations of meat ⁽³⁾	0.05*		0.05*	0.01*	0.02*	0.02*		0.5	0.05*
	Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾	0.05*		0.05*	0.01*	0.02*	0.02*		0.05	0.02*
	Eggs ⁽⁶⁾	0.05*		0.05*	0.01*	0.02*	0.02*		0.05	0.05*

Group to which food belongs	Groups include the following products	Phosphamidon	Pirimiphos-methyl	Procymidone	Propiconazole	Propoxur	Propyzamide	Pyrethrins	Thiabendazole	Triazophos
8. CEREALS										
	Wheat	0.05	5	0.02*	0.05*	0.05*	0.02*	3		
	Rye	0.05	5	0.02*	0.05*	0.05*	0.02*	3	0.05*	
	Barley	0.05	5	0.02*	0.05*	0.05*	0.02*	3	0.05*	
	Sorghum	0.05	5	0.02*	0.05*	0.05*	0.02*	3	0.05*	0.02*
	Oats	0.05	5	0.02*	0.05*	0.05*	0.02*	3	0.05*	
	Triticale	0.05	5	0.02*	0.05*	0.05*	0.02*	3	0.05*	
	Maize	0.05	5	0.02*	0.05*	0.05*	0.02*	3	0.05*	
	Buckwheat	0.05	5	0.02*	0.05*	0.05*	0.02*	3	0.05*	0.02*
	Millet	0.05	5	0.02*	0.05*	0.05*	0.02*	3	0.05*	0.02*
	Rice ⁽¹⁾	0.05	5	0.02*	0.05*	0.05*	0.02*	3	0.05*	0.02*
	Other cereals ⁽²⁾	0.05	5	0.02*	0.05*	0.05*	0.02*	3	0.05*	0.02*
9. PRODUCTS OF ANIMAL ORIGIN										
	Meat, fat & preparations of meat ⁽³⁾		0.05*	0.05*	0.1 ⁽¹⁶⁾ 0.05 ⁽¹⁷⁾	0.05*	0.05 ⁽²⁴⁾⁽²⁶⁾ 0.02 ⁽²⁵⁾⁽²⁶⁾		0.1 ⁽¹⁹⁾	0.01 ⁽¹¹⁾
	Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾		0.05*	0.05*	0.01*	0.05*	0.01 ⁽²⁶⁾			0.01*
	Eggs ⁽⁶⁾		0.05*	0.05*	0.05*	0.05*	0.02 ⁽²⁶⁾		0.1*	

Group to which food belongs	Groups include the following products	Trichlorfon	Triforine	Vinclozolin
8. CEREALS				
	Wheat	0.1	0.1	0.05*
	Rye	0.1	0.1	0.05*
	Barley	0.1	0.1	0.05*
	Sorghum	0.1	0.05*	0.05*
	Oats	0.1	0.1	0.05*
	Triticale	0.1	0.1	0.05*
	Maize	0.1	0.05*	0.05*
	Buckwheat	0.1	0.05*	0.05*
	Millet	0.1	0.05*	0.05*
	Rice ⁽¹⁾	0.1	0.05*	0.05*
	Other cereals ⁽²⁾	0.1	0.05*	0.05*
9. PRODUCTS OF ANIMAL ORIGIN				
	Meat, fat & preparations of meat ⁽³⁾		0.05*	0.05*
	Milk ⁽⁴⁾ & Dairy produce ⁽⁵⁾		0.05*	0.05*
	Eggs ⁽⁶⁾		0.05*	0.05*

FOOTNOTES**UNITS:**

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:

* Level at or about the limit of determination.

FOOTNOTES:

1. Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
2. Other cereals do not include rice.
3. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight.
In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01mg/kg.
4. These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
5. For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk of a combination, the following levels apply:
 - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk.
 - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk
6. Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
7. Sheepmeat only.
8. Poultrymeat only.
9. All meat except sheepmeat.
10. Other meat products.
11. All meat except poultrymeat.
12. Pig kidney.
13. Cattle, goat and sheep kidney.
14. Procymidone: 1 mg/kg applies to whole seed;
0.05 mg/kg applies to seed without shell.
15. All meat except liver and kidney.
16. Ruminant liver.
17. All meat except ruminant liver.
18. For animal products MRLs relate to cyhalothrin (sum of isomers).
19. With the exception of meat and other ovine, bovine and caprine products.
20. Footnotes 3, 5 and 6 do not apply in cases where the lower limit of analytical determination is indicated.
21. Meat of cattle, sheep and goats.
22. Other than meat or liver of cattle, sheep and goats, and poultry meat.
23. Liver of cattle, sheep and goats. The residue definition for this MRL is: 1,1-bis-(parachlorophenol)-2,2-dichloroethanol (PP'-FW152), expressed as dicofol.
24. Fat, liver and kidney.
25. Other than fat, liver and kidney.
26. The residues definition for these MRLs is: sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyzamide.

SCHEDULE 3

Regulation 6(a)

Note: The word ‘fresh’ is taken to extend to products which have been chilled.

Column 1 <i>Group of products</i>	Column 2 <i>Products included in the groups</i>	Column 3 <i>Part of product to which maximum residue levels apply</i>
1. Fruit, fresh, dried or uncooked, preserved by freezing, not containing added sugar: nuts		
(i) CITRUS FRUIT	Grapefruit Lemons Limes Mandarins (including clementines and similar hybrids) Oranges Pomelos Others	Whole Product
(ii) TREE NUTS (shelled or unshelled)	Almonds Brazil nuts Cashew nuts Chestnuts Coconuts Hazelnuts Macadamia nuts Pecans Pine nuts Pistachios Walnuts Others	Whole product after removal of shell
(iii) POME FRUIT	Apples Pears Quinces Others	Whole product after removal of stems
(iv) STONE FRUIT	Apricots Cherries Peaches (including nectarines and similar hybrids) Plums Others	Whole product after removal of stems
(v) BERRIES AND SMALL FRUIT	(a) <i>Table and wine grapes</i> Table grapes Wine grapes (b) <i>Strawberries</i> (other than wild) (c) <i>Cane fruit</i> (other than wild) Blackberries Dewberries Loganberries Raspberries Others (d) <i>Other small fruit and berries</i> (other than wild) Bilberries Cranberries Currants (red, black and white) Gooseberries Others (e) <i>Wild berries and wild fruit</i>	Whole product after removal of caps and stems (if any) and, in the case of currants, fruits with stems.

Column 1 <i>Group of products</i>	Column 2 <i>Products included in the groups</i>	Column 3 <i>Part of product to which maximum residue levels apply</i>
(vi) MISCELLANEOUS FRUIT	Avocados Bananas Dates Figs Kiwi fruit Kumquats Litchis Mangoes Olives (table consumption)† Olives (oil extract) Passion fruit Pineapples Pomegranates Others	Whole fruit after removal of stems (if any) and in the case of pineapple, after removal of the crown † Whole fruit after removal of stems (if any) after removal of soil (if any) by rinsing in running water
2. Vegetables, fresh or uncooked, frozen or dry		
(i) ROOT AND TUBER VEGETABLES	Beetroot Carrots Celeriac Horseradish Jerusalem artichokes Parsnips Parsley root Radishes Salsify Sweet potatoes Swedes Turnips Yams Others	Whole product after removal of tops and adhering soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)
(ii) BULB VEGETABLES	Garlic Onions Shallots Spring onions Others	For dry onions, shallots and garlic: whole product after removal of easily detachable skin and soil (if any) Onions, shallots and garlic other than dry, spring onions: whole product after removal of roots and soil (if any)
(iii) FRUITING VEGETABLES	(a) <i>Solanacea</i> Tomatoes Peppers Aubergines Others (b) <i>Cucurbitis—edible peel</i> Cucumbers Gherkin Courgettes Others (c) <i>Cucurbitis—inedible peel</i> Melons Squashes Watermelons Others (d) <i>Sweet corn</i>	Whole product after removal of stems Kernels or cobs without husks

Column 1 <i>Group of products</i>	Column 2 <i>Products included in the groups</i>	Column 3 <i>Part of product to which maximum residue levels apply</i>	
(iv) BRASSICA VEGETABLES	(a) <i>Flowering brassicas</i> Broccoli Cauliflower Others	Cauliflower and broccoli curd only	
	(b) <i>Head brassicas</i> Brussels sprouts Head cabbage Others	Product after removal of decayed leaves (if any)	
	(c) <i>Leafy brassicas</i> Chinese cabbage Kale Others		
	(d) <i>Kohlrabi</i>	Whole product after removal of tops and adhering soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)	
(v) LEAF VEGETABLES AND FRESH HERBS	(a) <i>Lettuce and similar</i> Cress Lamb's lettuce Lettuce Scarole Others	Whole product after removal of decayed outer leaves, root and soil (if any)	
	(b) <i>Spinach and similar</i> Spinach Beet leaves (chard) Others		
	(c) <i>Watercress</i>		
	(d) <i>Witloof</i>		
	(e) <i>Herbs</i> Chervil Chives Parsley		
	Celery Leaves Others		
(vi) LEGUME VEGETABLES (FRESH)	Beans (with pods) Beans (without pods) Peas (with pods) Peas (without pods) Others	Whole product after removal of pods or with pods if they are intended to be eaten	
	(vii) STEM VEGETABLES Asparagus Cardoons Celery Fennel Globe artichokes Leeks Rhubarb Others		Whole product after removal of decayed tissue and soil (if any); leeks and fennel: whole product after removal of roots and soil (if any)
	(viii) FUNGI Mushrooms (other than wild) Wild Mushrooms		
3. Pulses	Beans Lentils Peas Others	Whole product	

Column 1 <i>Group of products</i>	Column 2 <i>Products included in the groups</i>	Column 3 <i>Part of product to which maximum residue levels apply</i>
4. Oil seeds	Linseed Peanuts Poppy seed Rape seed Sesame seed Sunflower seed* Soya bean Others	Whole seed or kernel after removal of shell and husk, when possible * Whole seed including shell, when present, and whole seed without shell, when shell is absent
5. Potatoes	Early potatoes Ware potatoes	Whole product after removal of soil (if any) (removal of soil by rinsing in running water or by gentle brushing of the dry product)
6. Tea (dried leaves and stalks, fermented or otherwise, <i>Camellia sinensis</i>)		} Whole product
7. Hops (dried), including hop pellets and unconcentrated powder		} Whole product
8. Cereal grains	Wheat Rye Barley Sorghum Oats Triticale Maize Buckwheat Millet Rice Other cereals	} Whole commodity without husk
9. Products of animal origin	Meat, fat and preparations of meat Milk Eggs	} Whole commodity (For fat soluble pesticides a portion of carcass fat is analysed and MRLs apply to carcass fat) } Whole commodity } Whole egg whites and yolks combined after removal of shells
10. Spices	Cumin seed Juniper berries Nutmeg Pepper, black and white Vanilla pods Others	} Whole product

**SCHEDULE 4
REVOCATIONS**

Regulation 7

<i>Title</i>	<i>Number</i>
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) Regulations 1994	S.I. 1994/1985
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Amendment) Regulations 1995	S.I. 1995/1483
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Amendment) Regulations 1996	S.I. 1996/1487
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Amendment) Regulations 1997	S.I. 1997/567
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Amendment) Regulations 1998	S.I. 1998/2922
The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuff) (Amendment) Regulations 1999	S.I. 1999/1109

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations, which extend to England and Wales only, are made under section 2(2) of the European Communities Act 1972 and Part III of the Food and Environment Protection Act 1985 and consolidate and replace the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations 1994 (S.I. 1994/1985) and the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1995 to 1999 (S.I. 1995/1483, 1996/1487, 1997/567, 1998/2922 and 1999/1109).

To the extent that the Regulations are made under the European Communities Act 1972, regulation 4 and Schedule 2 Part 2 specify maximum levels of pesticide residues which crops, food and feeding stuffs may contain in implementation of Council Directive 86/362/EEC (OJ No. L221, 7.8.86, p. 37) and Council Directive 86/363/EEC (OJ No. L221, 7.8.86, p. 37) and Council Directive 90/642/EEC (OJ No. L350, 14.12.90, p. 71) as regards certain products of plant origin (including fruit and vegetables), each as last amended by Commission Directive 1999/71/EC (OJ No. L194, 27.7.99, p. 36) (these Directives as so amended being referred to in these Regulations as “the Residues Directives”). In particular, these Regulations specify for the first time maximum residue levels for the pesticide Azoxystrobin in implementation of Commission Directive 1999/71/EC. Regulation 4 also creates offences, specifies penalties, provides defences and confers enforcement powers where these maximum residue levels have been exceeded in respect of products put into circulation.

To the extent that these Regulations are made under the Food and Environment Protection Act 1985, they specify maximum levels of pesticide residues which may be left in crops, food and feeding stuffs which are not the subject of the Residues Directives. Since they are made under section 16(2)(k) of that Act, regulation 3 and Schedule 2 Part 1 do no more than specify the maximum residue level which may be left in a particular product. Offences and penalties for contravention of regulation 3 are prescribed respectively by sections 16(12) and 21(3) of that Act.

The Regulations also confer powers to seize and dispose of products where maximum residue levels have been exceeded (regulation 5) and prescribe how much of a particular product is to be taken into account in determining whether a maximum residue level has been exceeded in accordance with Council Directive 90/642/EEC (regulation 6 and Schedule 3). Provision is also made with regard to the manner for determining whether maximum residue levels have been exceeded when found in dried or processed products or composite foods, so far as these are the subject of the Residues Directives (regulation 6).

The Regulations include certain drafting improvements to the preceding legislation, in particular omitting reference to the means by which a pesticide residue may come to be in any product (see regulations 2(3), 3(1) and 4(1)) and clarifying the provisions setting maximum residue levels in their application to dried or processed products or composite foods (see regulations 3(2), 4(2) and (3)).

These Regulations revoke the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) Regulations 1994 (S.I. 1994/1985) and the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Amendment) Regulations 1995 to 1999 (S.I. 1995/1483, 1996/1487, 1997/567, 1998/2922 and 1999/1109) in so far as they apply to England and Wales (regulation 7 and Schedule 4).

A copy of the Codex Recommendations is available for inspection at the library of the Ministry of Agriculture, Fisheries and Food, Whitehall Place, London SW1A 2EY.

A regulatory impact assessment has been prepared in respect of these Regulations. Copies of this assessment can be obtained from the Pesticides Safety Directorate of the Ministry of Agriculture, Fisheries and Food, Room 313, Mallard House, Kings Pool, 3 Peasholme Green, York YO1 7PX. A copy has been placed in the library of each House of Parliament.

© Crown copyright 2000

Printed and published in the UK by The Stationery Office Limited
under the authority and superintendence of Carol Tully, Controller of
Her Majesty's Stationery Office and Queen's Printer of Acts of Parliament.
E 218 03/00 471275 19585