STATUTORY INSTRUMENTS

2001 No. 561

ROAD TRAFFIC

The Road Vehicles (Display of Registration Marks) Regulations 2001

Made - - - - 26th February 2001

Laid before Parliament 28th February 2001

Coming into force
for the purposes of

for the purposes of regulations I(1)(a) and

77 21st March 2001

for all other purposes 1st September 2001

THE ROAD VEHICLES (DISPLAY OF REGISTRATION MARKS) REGULATIONS 2001

PART I

PRELIMINARY

- 1. Citation, commencement and revocation
- 2. Interpretation: general
- 3. Exempt vehicles

PART II

REGISTRATION PLATES

- 4. Interpretation of Part II
- 5. Fixing of rear registration plates: vehicles registered on or after the relevant date
- 6. Fixing of front registration plates: vehicles registered on or after the relevant date
- 7. Fixing of registration plates: vehicles registered before the relevant date
- 8. Fixing of registration plates: works trucks, road rollers and agricultural machines
- 9. Lighting of rear registration plates
- 10. Specifications for registration plates

11. Further requirements for registration plates

PART III

REGISTRATION MARKS

- 12. Interpretation of Part III
- 13. Layout of marks
- 14. Size and spacing of characters
- 15. Style of characters

PART IV

MISCELLANEOUS

- 16. International distinguishing signs and other material
- 17. Optional early use of new-specification plates and prescribed font
- 18. Saving for vehicles constructed before 1st January 1973
- 19. Offences under section 59 of the Act Signature

SCHEDULE 1 — REGULATIONS REVOKED

SCHEDULE 2 — REQUIREMENTS FOR REGISTRATION PLATES

PART 1 — VEHICLES REGISTERED AND NEW REGISTRATION PLATES FITTED ON OR AFTER 1ST SEPTEMBER 2001 (MANDATORY SPECIFICATION)

- 1. The plate must be made of retroreflecting material which, as...
- 2. Where the registration mark is displayed on the front of...
- 3. Where the registration mark is displayed on the back of...

PART 2 — VEHICLES REGISTERED ON OR AFTER 1ST JANUARY 1973 AND BEFORE 1ST SEPTEMBER 2001 (OPTIONAL SPECIFICATION)

- 1. The plate must be made of reflex-reflecting material which, as...
- 2. Where the registration mark is displayed on the front of...
- 3. Where the registration mark is displayed on the back of...

PART 3 — VEHICLES REGISTERED BEFORE 1ST JANUARY 1973 (OPTIONAL SPECIFICATIONS)

A

Requirements where the vehicle carries a registration plate which is constructed so that the mark may be illuminated from behind by virtue of the translucency of its characters.

- 1. The registration mark must be formed of white translucent characters...
- 2. When the registration mark is illuminated during the hours of...

В

Requirements where the vehicle carries a registration plate which is not so constructed.

SCHEDULE 3 — LAYOUT OF REGISTRATION MARKS

Status: This is the original version (as it was originally made).

- PART 1 TABLE APERMITTED LAYOUTS FOR REGISTRATION MARKS
- PART 2 DIAGRAMS SHOWING PERMITTED LAYOUTS
- PART 3 TABLE BSTROKE AND CHARACTER WIDTH, SPACING AND MARGINS
- SCHEDULE 4 PRESCRIBED FONT
 - PART 1 FONT DESCRIBED FOR CHARACTERS 79 MILIMETRES IN HEIGHT
 - PART 2 FONT PRESCRIBED FOR CHARACTERS 64 MILIMETRES IN HEIGHT

Explanatory Note