STATUTORY INSTRUMENTS

2003 No. 2454

WEIGHTS AND MEASURES

The Weighing Equipment (Automatic Rail-weighbridges) Regulations 2003

Made - - - - 2003

Laid before Parliament 26th September 2003

Coming into force 1st February 2004

THE WEIGHING EQUIPMENT (AUTOMATIC RAIL-WEIGHBRIDGES) REGULATIONS 2003

PART I

GENERAL

- 1. Citation, commencement and consequential amendment
- 2. Interpretation
- 3. Application
- 4. Transitional exclusion

PART II

GENERAL REQUIREMENTS FOR USE FOR TRADE

- 5. General Duties for use for trade
- 6. Requirements to be satisfied for passing as fit for use for trade
- 7. Supplementary requirements
- 8. Automatic Rail-weighbridges imported from an EEA State

PART III

TESTING AND STAMPING

- 9. Passing as fit for use for trade
- 10. Stamping
- 11. Manner of obliteration of stamps
- 12. Obliteration of stamps
- 13. (1) An inspector shall obliterate the stamp on any automatic...
- 14. An inspector may obliterate the stamp on any automatic rail-weighbridge...

15. (1) For the purposes of these Regulations, the obliteration of... Signature

SCHEDULE 1 — (Composition of automatic rail-weighbridge – components)

One or more load receptors

Aprons being the parts of the weigh zone that are...

Vehicle-type identification devices which identify the axle configuration(s) of the...

Indicating device being the part of the automatic rail-weighbridge that...

Printer being a device to print the weight values of...

Control unit being the device which controls the weighing operation...

SCHEDULE 2 — (Manner of erection and installation)

Cleaning and testing

Installation (Clause 3.5 of Part 1 of OIML R 106)

- 3.5.1 The automatic rail-weighbridge shall be accessible to vehicles for moving...
- 3.5.2 If the weighing mechanism is contained in a pit, there...

Extract from Clause 5.2.1 of Part 1 of OIML R 106

SCHEDULE 3 — (Requirements relating to use)

Single axle or bogie weights (Clause 2.6 of Part 1 of OIML R 106) Static temperatures (Clause 2.9.1 of Part 1 of OIML R 106)

Scale interval for stationary load (Clause 2.10.2 of Part 1 of OIML R 106) Suitability for use (Clause 3.2 of Part 1 of OIML R 106)

Security of operation (Extract from Clause 3.3 of Part 1 of OIML R 106)

- 3.3.2 Interlocks shall prevent the use of any control device that...
- 3.3.3 Automatic rail-weighbridges used for uncoupled wagon weighing shall recognise and...

Indicating and printing devices (Extract from Clause 3.4 of Part 1 of OIML R 106)

- 3.4.1 The weight indication shall be the self-indicating type. Indicating and...
- 3.4.2 The minimum printout resulting from each normal weighing operation shall...
- 3.4.4 The printer shall not print the weight of any wagon...
- 3.4.5 The weight indication and printout shall not be altered due...

Switch-on procedure (Clause 4.3.2 of Part 1 of OIML R 106)

Weight range

Minimum capacity (Clause 2.4 of Part 1 of OIML R 106)

Minimum wagon weight (Clause 2.5 of Part 1 of OIML R 106)

SCHEDULE 4 — (Descriptive markings and verification markings: Extract from Part 1 of OIML R 106 and additional marking)

- 3.6 Automatic rail-weighbridges shall bear the following basic markings at each...
- identification mark of the manufacturer identification mark...
- 3.6.2
- pattern approval sign in accordance with national requirements...

Changes to legislation: There are currently no known outstanding effects for the The Weighing Equipment (Automatic Rail-weighbridges) Regulations 2003. (See end of Document for details)

- 3.6.2.2 Markings required for each weighing method applicable: maximum number...
 - 3.6.3 Depending upon the particular use of the automatic rail-weighbridge, one...
 - 3.6.4 The designation of the liquid(s) which the automatic rail-weighbridge is...
 - 3.6.5 Descriptive markings shall be indelible and of a size, shape...

3.7

- 3.7.1 Automatic rail-weighbridges shall have a place for the application of...
- 3.7.2 Automatic rail-weighbridges required to bear verification marks shall have a...

Additional descriptive marking

SCHEDULE 5 — (Requirements relating to control instruments)

Separate control instrument (Clause 2.8.3.1 of Part 1 of OIML R 106) An automatic rail-weighbridge constructed only for partial weighing of two-axle...

Integral control instrument (Clause 2.8.3.2 of Part 1 of OIML R 106) An automatic rail-weighbridge constructed only for partial weighing of two-axle...

In the case of both a separate control instrument and...

SCHEDULE 6 — (Prescribed limits of error)

The maximum permissible errors for weighing-in-motion shall be as specified...

On initial verification of an automatic rail-weighbridge weighing coupled wagons,...

Application of maximum permissible errors (weighing-in-motion)

The maximum permissible error for coupled or uncoupled wagon weighing,...

Train weighing (Clause 2.8.2.2 of Part 1 of OIML R...

The maximum permissible error for train weighing shall be one...

The maximum permissible errors on static weighing for increasing or...

Scale interval (d) (Clause 2.3 of Part 1 of OIML R 106)

The relationship between the accuracy class, the scale interval and...

The scale intervals of the indicating or printing devices shall...

Explanatory Note

Changes to legislation:There are currently no known outstanding effects for the The Weighing Equipment (Automatic Rail-weighbridges) Regulations 2003.