

---

STATUTORY INSTRUMENTS

---

**2006 No. 1679**

**WEIGHTS AND MEASURES**

**The Measuring Instruments (Active  
Electrical Energy Meters) Regulations 2006**

<i>Made</i>	- - - - -	<i>21st June 2006</i>
<i>Laid before Parliament</i>		<i>27th June 2006</i>
<i>Coming into force</i>		
<i>Regulations 1, 2, 7, 9 and 10 and Part 1 of Schedule 2</i>		<i>31st July 2006</i>
<i>Remaining regulations</i>		<i>30th October 2006</i>

**THE MEASURING INSTRUMENTS (ACTIVE  
ELECTRICAL ENERGY METERS) REGULATIONS 2006**

PART 1

PRELIMINARY

1. Citation and commencement
2. Interpretation
3. Relevant instrument

PART 2

PLACING ON THE MARKET AND PUTTING INTO  
USE OF ACTIVE ELECTRICAL ENERGY METERS

4. Requirements for placing on the market and putting into use
5. Compliance with the essential requirements
6. Conformity assessment procedures
7. Designation of United Kingdom notified bodies
8. Functions of notified bodies
9. Provisions supplemental to regulation 7
10. Variation and termination of designation
11. Fees
12. Marking and identification requirements

*Status: This is the original version (as it was originally made).*

13. Conformity with other directives

PART 3

ENFORCEMENT

14. Enforcement authority
15. Unauthorised application of authorised marks
16. Compliance notice procedures
17. Immediate enforcement action
18. Powers of entry and inspection
19. Obstruction of enforcement officer
20. Review of decisions of enforcement authority
21. Penalties for offences
22. Defence of due diligence
23. Liability of persons other than the principal offender

PART 4

MISCELLANEOUS AND SUPPLEMENTAL

24. Adaptation for Northern Ireland
25. GEMA's power to act on behalf of Northern Ireland Regulator
26. Service of documents
27. Savings for certain privileges
28. Consequential modifications of enactments: Great Britain
29. Consequential modifications of enactments: Northern Ireland  
Signature

---

SCHEDULE 1 —

PART 1 — ESSENTIAL REQUIREMENTS

1. The essential requirements are the relevant requirements relating to relevant...
2. Definitions
3. Allowable Errors
4. Reproducibility
5. Repeatability
6. Discrimination and Sensitivity
7. Durability
8. Reliability
9. Protection against corruption
10. Information to be borne by and to accompany the relevant instrument
11. Indication of result
12. Conformity evaluation
13. Accuracy
14. Rated operating conditions
15. Maximum permissible error (MPE)
16. Permissible effect of disturbances — Electromagnetic environment
17. Suitability
18. Units

PART 2 — PUTTING INTO USE REQUIREMENTS

19. (1) Subject to sub-paragraph (2), measurements may be performed by...

## SCHEDULE 2 — NOTIFIED BODIES

### PART 1 — NOTIFIED BODY CRITERIA

1. The body, its director and staff involved in conformity assessment...
2. The body, its director and staff involved in conformity assessment...
3. The conformity assessment shall be carried out with the highest...
4. The body shall be capable of carrying out all the...
5. The body's staff shall have— (a) sound technical and vocational...
6. The impartiality of the body, its director and staff shall...
7. The body shall satisfy GEMA (or NIAER, where that authority...
8. The body's director and staff shall be bound to observe...

### PART 2 — FUNCTIONS

9. Assessment of applications for certificates or notifications
10. Limitations on duties to exercise functions
11. Contractors
12. Form of certificates and notifications
13. Conditions in certificates or notifications
14. Withdrawal of certificates or notifications
15. Procedure where a notified body is minded to refuse to give, or to vary or withdraw a certificate or notification

## SCHEDULE 3 — TECHNICAL DOCUMENTATION

1. The technical documentation shall render the design, manufacture and operation...
2. The technical documentation shall be sufficiently detailed to ensure—
3. The technical documentation shall include insofar as relevant for assessment...
4. The manufacturer shall specify where seals and markings have been...
5. The manufacturer shall indicate the conditions for compatibility with interfaces...

## SCHEDULE 4 — MARKING AND INSCRIPTIONS

1. The CE marking consists of the symbol “CE” according to...
2. The M marking consists of the capital letter “M” and...
3. The identification number of the notified body concerned shall follow...
4. When a relevant instrument consists of a set of devices...
5. The CE marking and the M marking shall be indelible....

## SCHEDULE 5 — ADAPTATIONS FOR NORTHERN IRELAND

1. In regulation 14, for paragraph (2) there shall be substituted...
2. In regulation 18— (a) the reference in paragraph (3) to...
3. In regulation 27(3), the reference to subsection (1) of section...

Explanatory Note