

---

STATUTORY INSTRUMENTS

---

**2007 No. 2998**

**AGRICULTURE, ENGLAND AND WALES  
PESTICIDES, ENGLAND AND WALES**

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 3) Regulations 2007

*Made - - - - - 17th October 2007*

*Laid before Parliament 23rd October 2007*

*Laid before the National Assembly for Wales - - - 23rd October 2007*

*Coming into force in accordance with regulation 1(2)*

The Secretary of State and the Welsh Ministers are designated(1) for the purposes of section 2(2) of the European Communities Act 1972(2) in relation to the common agricultural policy.

Acting jointly, the Secretary of State and the Welsh Ministers (the Welsh Ministers acting in relation to Wales only), in exercise of the powers conferred on them by that section make the following Regulations:

**Citation and commencement**

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 3) Regulations 2007.

- (2) These Regulations come into force on 17th November 2007, except for—  
(a) regulation 5, which comes into force on 27th November 2007;  
(b) regulation 6, which comes into force on 28th December 2007; and  
(c) regulation 7, which comes into force on 21st January 2008.

---

(1) In relation to England by S.I. 1972/1811 and in relation to Wales by S.I. 2005/2766. By virtue of sections 59(1) and 162 of, and paragraphs 28 and 30 of Schedule 11 to, the Government of Wales Act 2006 (c. 32), functions conferred on the National Assembly for Wales are exercisable by the Welsh Ministers.  
(2) 1972 c. 68.

## **Revocation**

**2.** Regulation 10 of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment No. 2) Regulations 2007<sup>(3)</sup> is revoked.

## **Amendments**

**3.** The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) Regulations 2005<sup>(4)</sup> are amended in accordance with these Regulations.

### **Amendments coming into force on 17th November 2007**

**4.—(1)** In Schedule 1 (pesticide residues), in the appropriate place in the alphabetical sequence, insert the entries for the pesticides 1-methylcyclopropene, Etoxazole, Indoxacarb, MCPA and MCPB, Mesosulfuron-methyl, Tolyfluanid and Triticonazole set out in Schedule 1 to these Regulations.

**(2)** In Schedule 2 (maximum residue levels)—

- (a)** in the appropriate place in the alphabetical sequence, insert the columns and corresponding entries relating to the pesticides 1-methylcyclopropene, Etoxazole, Indoxacarb, MCPA and MCPB, Mesosulfuron-methyl, Tolyfluanid and Triticonazole set out in Schedule 2 to these Regulations;
- (b)** at the end, add as footnotes 50, 51 and 52 the footnotes numbered (50), (51) and (52) set out in Schedule 2 to these Regulations;
- (c)** for the entries in the column relating to the pesticide Penconazole, substitute the entries in the column relating to that pesticide in Schedule 2 to these Regulations.

**(3)** In Schedule 3, in paragraph 2(v)(a) (lettuce and similar) in column 2, after the words “Leaves and stems of brassica”, insert “, including turnip greens”.

### **Amendments coming into force on 27th November 2007**

**5.—(1)** In Schedule 1 (pesticide residues), for the entry for the pesticide Maleic hydrazide, substitute the entry for Maleic hydrazide set out in Schedule 1 to these Regulations.

**(2)** In Schedule 2 (maximum residue levels)—

- (a)** for the columns headed “Maleic-hydrazide (until 4 December 2006)” and “Maleic-hydrazide (from 4 December 2006)” and the corresponding entries in those columns, substitute the column in Schedule 2 to these Regulations headed “Maleic hydrazide” and the corresponding entries in that column;
- (b)** for the entries in the columns related to the pesticides Azoxystrobin, Chlorfenapyr, Folpet, Iprodione, Lambda-cyhalothrin, Metalaxyl and Trifloxystrobin, substitute the entries in the columns relating to those pesticides in Schedule 2 to these Regulations.

### **Amendment coming into force on 28th December 2007**

**6.** In Schedule 2 (maximum residue levels), for the entries in the column relating to the pesticide Diazinon, substitute the entries for that pesticide in Schedule 2 to these Regulations.

---

(3) S.I. 2007/2083.

(4) S.I. 2005/3286 as amended by S.I. 2006/985, 2006/1742, 2006/2922, 2007/971 and 2007/2083.

**Amendment coming into force on 21st January 2008**

7. In Schedule 2 (maximum residue levels), for the column headed “Phenmedipham: Applying from 16 August 2007”, substitute the column headed “Phenmedipham” set out in Schedule 2 to these Regulations.

16th October 2007

17th October 2007

*Phil Woolas*  
Minister of State  
Department for Environment, Food and Rural  
Affairs  
*Elin Jones*  
Minister for Rural Affairs one of the Welsh  
Ministers

## SCHEDULE 1

Regulations 4(1) and 5(1)

## Entries inserted or substituted in Schedule 1

<i>Column 1</i>	<i>Column 2</i>
<i>Pesticide</i>	<i>Residue</i>
1-methylcyclopropene	1-methylcyclopropene
Etoxazole	Etoxazole
Indoxacarb	Indoxacarb as sum of the isomers S and R
Maleic hydrazide	<ul style="list-style-type: none"> <li>(1) for products of plant origin and foodstuffs of animal origin other than milk and milk products: maleic hydrazide</li> <li>(2) for milk and milk products: maleic hydrazide and its conjugates expressed as maleic hydrazide</li> </ul>
MCPA and MCPB	<ul style="list-style-type: none"> <li>(1) for products of plant origin: MCPA, MCPB including their salts, esters and conjugates expressed as MCPA</li> <li>(2) for foodstuffs of animal origin: MCPA, MCPB and MCPA thioethyl expressed as MCPA</li> </ul>
Mesosulfuron-methyl	Mesosulfuron-methyl expressed as mesosulfuron
Tolylfluanid	<ul style="list-style-type: none"> <li>(a) for products of plant origin: sum of Tolylfluanid and dimethylaminosulfotoluidide expressed as Tolylfluanid</li> <li>(b) for foodstuffs of animal origin: Tolylfluanid analysed as dimethylaminosulfotoluidide and expressed as Tolylfluanid</li> </ul>
Triticonazole	Triticonazole

## SCHEDULE 2

Regulations 4(2), 5(2), 6 and 7

## Entries substituted or inserted in Schedule 2

**1-Methylcyclopropene to Indoxacarb**

*Group to Groups which include the food following I- belongs products Methylcyclopropene DiarylEtoxaEolpeIndoxacarb*

**1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS**

<i>Group to which the food belongs</i>	<i>Groups which include the following products</i>	<i>I- MethylcyclopropanedioneDiaphorinEopolpeIndoxacarb</i>
i) CITRUS FRUIT		
Grapefruit	0.01*	1 0.05* 0.01*0.1 0.02*0.02*
Lemons	0.01*	1 0.05* 0.01*0.1 0.02*0.02*
Limes	0.01*	1 0.05* 0.01*0.1 0.02*0.02*
Mandarins (inc clementines & similar hybrids)	0.01*	1 0.05* 0.01*0.1 0.02*0.02*
Oranges	0.01*	1 0.05* 0.01*0.1 0.02*0.02*
Pomelos	0.01*	1 0.05* 0.01*0.1 0.02*0.02*
Others	0.01*	1 0.05* 0.01*0.1 0.02*0.02*
ii) TREE NUTS (shelled or unshelled)		
Almonds	0.01*	0.1* 0.05* 0.05 0.02*0.02*0.05
Brazil nuts	0.01*	0.1* 0.05* 0.01*0.02*0.02*0.05
Cashew nuts	0.01*	0.1* 0.05* 0.01*0.02*0.02*0.05
Chestnuts	0.01*	0.1* 0.05* 0.01*0.02*0.02*0.05
Coconuts	0.01*	0.1* 0.05* 0.01*0.02*0.02*0.05
Hazelnuts	0.01*	0.1* 0.05* 0.01*0.02*0.02*0.05
Macadamia nuts	0.01*	0.1* 0.05* 0.01*0.02*0.02*0.05
Pecans	0.01*	0.1* 0.05* 0.01*0.02*0.02*0.05
Pine nuts	0.01*	0.1* 0.05* 0.01*0.02*0.02*0.05
Pistachios	0.01*	0.1* 0.05* 0.01*0.02*0.02*0.05
Walnuts	0.01*	0.1* 0.05* 0.01*0.02*0.02*0.05
Others	0.01*	0.1* 0.05* 0.01*0.02*0.02*0.05
iii) POME FRUIT		
Apples	0.01*	0.05* 0.05* 0.01*0.02*3 <sup>(48)</sup> 0.5
Pears	0.01*	0.05* 0.05* 0.01*0.02*3 <sup>(48)</sup> 0.3
Quinces	0.01*	0.05* 0.05* 0.01*0.02*3 <sup>(48)</sup> 0.3
Others	0.01*	0.05* 0.05* 0.01*0.02*3 <sup>(48)</sup> 0.3
iv) STONE FRUIT		

<i>Group to which food belongs</i>	<i>Groups following</i>	<i>I-Methylcyclopentadienylpropenyl Diaphorin</i>	<i>Eopolpe</i>	<i>Indoxacarb</i>
Apricots	0.01*	0.05*	0.05*	0.01*0.1 0.02*0.3
Cherries	0.01*	0.05*	0.05*	0.01*0.02*2 0.02*
Peaches (inc nectarines & similar hybrids)	0.01*	0.05*	0.05*	0.01*0.1 0.02*0.3
Plums	0.01*	0.05*	0.05*	0.01*0.02*0.02*0.02*
Others	0.01*	0.05*	0.05*	0.01*0.02*0.02*0.02*

v) BERRIES AND SMALL FRUIT

Table & wine  
a) grapes

Table grapes	0.01*	2	0.05*	0.01*0.02*0.02*2
Wine grapes	0.01*	2	0.05*	0.01*0.02*5 2

Strawberries (other than wild)	0.01*	2	0.05*	0.01*0.2 3 <sup>(48)</sup> 0.02*
--------------------------------	-------	---	-------	----------------------------------

c) Cane fruit (other than wild)	Blackberries	0.01*	3	0.05* 0.01*0.02*3 <sup>(48)</sup> 0.02*
	Dewberries	0.01*	0.05*	0.05* 0.01*0.02*0.02*0.02*
	Loganberries	0.01*	0.05*	0.05* 0.01*0.02*0.02*0.02*
	Raspberries	0.01*	3	0.05* 0.01*0.02*3 <sup>(48)</sup> 0.02*
	Others	0.01*	0.05*	0.05* 0.01*0.02*0.02*0.02*

d) Other small fruit & berries (other than wild)	Blackberries	0.01*	3	0.05* 0.01*0.02*3 <sup>(48)</sup> 0.02*
	Dewberries	0.01*	0.05*	0.05* 0.01*0.02*0.02*0.02*
	Loganberries	0.01*	0.05*	0.05* 0.01*0.02*0.02*0.02*
	Raspberries	0.01*	3	0.05* 0.01*0.02*3 <sup>(48)</sup> 0.02*
	Others	0.01*	0.05*	0.05* 0.01*0.02*0.02*0.02*

	Bilberries	0.01*	0.05*	0.05* 0.01*0.02*0.02*0.02*
	Cranberries	0.01*	0.05*	0.05* 0.05* 0.2 0.02*0.02*0.02*
	Currants (red, black & white)	0.01*	0.05*	0.05* 0.05* 0.01*0.02*3 <sup>(48)</sup> 1
	Gooseberries	0.01*	0.05*	0.05* 0.05* 0.01*0.02*3 <sup>(48)</sup> 1
	Others	0.01*	0.05*	0.05* 0.05* 0.01*0.02*0.02*0.02*

<i>Group to which the food following belongs</i>	<i>Groups which include the following products</i>	<i>I- MethylcyclopropaneDiaphorinEopolpeIndoxacarb</i>
Wild berries &		
e) wild fruit	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
vi)		
MISCELLANEOUS		
FRUIT		
Avocados	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Bananas	0.01*	2 0.05* 0.01*0.02*0.02*0.02*
Dates	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Figs	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Kiwi fruit	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Kumquats	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Litchis	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Mangoes	0.01*	0.2 0.05* 0.01*0.02*0.02*0.02*
Olives (Table Consumption)	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Olives (Oil Extract)	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Papaya	0.01*	0.2 0.05* 0.01*0.02*0.02*0.02*
Passion fruit	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Pineapples	0.01*	0.05* 0.05* 0.3 0.02*0.02*0.02*
Pomegranates	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Others	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>		
i) ROOT AND TUBER		
VEGETABLES		
Beetroot	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Carrots	0.01*	0.2 0.05* 0.01*0.02*0.02*0.02*
Cassava	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Celeriac	0.01*	0.3 0.05* 0.01*0.02*0.02*0.02*
Horseradish	0.01*	0.2 0.05* 0.01*0.02*0.02*0.02*
Jerusalem artichokes	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Parsnips	0.01*	0.2 0.05* 0.01*0.02*0.02*0.02*
Parsley root	0.01*	0.2 0.05* 0.01*0.02*0.02*0.02*

<i>Group to which food belongs</i>	<i>Groups following</i>	<i>I-Methylcyclopentadienylpropenyl DiaphoroneaEopolpeIndoxacarb</i>
Radishes	0.01*	0.2 0.05* 0.1 0.02*0.02*0.02*
Salsify	0.01*	0.2 0.05* 0.01*0.02*0.02*0.02*
Sweet potatoes	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Swedes	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Turnips	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Yams	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Others	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
ii) BULB VEGETABLES		
Garlic	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Onions	0.01*	0.05* 0.05* 0.05 0.02*0.1 0.02*
Shallots	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
Spring onions	0.01*	2 0.05* 0.01*0.02*0.02*0.02*
Others	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
iii) FRUITING VEGETABLES		
a) Solanaceae		
Tomatoes	0.01*	2 0.05* 0.01*0.1 2 <sup>(48)</sup> 0.5
Peppers	0.01*	2 0.05* 0.05 0.02*0.02*0.3
Chili Peppers	0.01*	2 0.05* 0.05 0.02*0.02*0.3
Aubergines	0.01*	2 0.05* 0.01*0.1 0.02*0.5
Okra	0.01*	2 0.05* 0.01*0.02*0.02*0.02*
Others	0.01*	2 0.05* 0.01*0.02*0.02*0.02*
b) Cucurbits-edible peel		
Cucumbers	0.01*	1 0.05* 0.01*0.02*0.02*0.2
Gherkins	0.01*	1 0.05* 0.01*0.02*0.02*0.2
Courgettes	0.01*	1 0.05* 0.01*0.02*0.02*0.2
Others	0.01*	1 0.05* 0.01*0.02*0.02*0.2
c) Cucurbits-inedible peel		
Melons	0.01*	0.5 0.05* 0.01*0.05 1 0.1

<i>Group to which the food belongs</i>	<i>Groups including the following products</i>	<i>I- Methylcyclopropanediyl</i>	<i>Propylene</i>	<i>Dipropylene</i>	<i>Epoxy</i>	<i>Indoxacarb</i>
Squashes	0.01*	0.5	0.05*	0.01*0.05	1	0.1
Watermelons	0.01*	0.5	0.05*	0.01*0.05	1	0.1
Others	0.01*	0.5	0.05*	0.01*0.05	1	0.1
d) Sweet corn	0.01*	0.05*	0.05*	0.02	0.02*0.02*	0.02*
iv) BRASSICA VEGETABLES						
Flowering a) Brassicas						
Broccoli	0.01*(13)	0.5 <sup>(13)</sup>	0.05*(13)	0.01*0.02*0.3	0.02*0.3 <sup>(13)</sup>	
Cauliflower	0.01*	0.5	0.05*	0.01*0.02*0.02*	0.3	
Others	0.01*	0.5	0.05*	0.01*0.02*0.02*	0.3	
Head b) Brassicas						
Brussels sprouts	0.01*	0.3	0.05*	0.01*0.02*0.02*	0.02*	
Head cabbage	0.01*	0.3	0.05*	0.5	0.02*0.02*	3
Others	0.01*	0.3	0.05*	0.01*0.02*0.02*	0.02*	
Leafy c) Brassicas						
Chinese cabbage	0.01*	5	0.05*	0.05	0.02*0.02*	0.2
Kale	0.01*	5	0.05*	0.01*0.02*0.02*	0.2	
Others	0.01*	5	0.05*	0.01*0.02*0.02*	0.02*	
d) Kohlrabi	0.01*	0.2	0.05*	0.2	0.02*0.05	0.02*
v) LEAF VEGETABLES AND FRESH HERBS						
Lettuce & a) similar						
Cress	0.01*	3	0.05*	0.01*0.02*0.02*	0.02*	
Lamb's lettuce	0.01*	3	0.05*	0.01*0.02*0.02*	0.02*	
Lettuce	0.01*	3	0.05*	0.01*0.02*2	2	
Scarole	0.01*(6)	3 <sup>(6)</sup>	0.05*(6)	0.01*0.02*0.02*	0.02*2 <sup>(6)</sup>	
Ruccola	0.01*	3	0.05*	0.01*0.02*0.02*	0.02*	

<i>Group to which food belongs</i>	<i>Groups following</i>	<i>I-Methylcyclopropanediyl</i>	<i>EpoxydihydroIndoxacarb</i>
	Leaves and stems of brassica, including turnip greens	0.01*	3 0.05* 0.01*0.02*0.02*0.02*
	Others	0.01*	3 0.05* 0.01*0.02*0.02*0.02*
b)	Spinach & similar		
	Spinach	0.01*	0.05* 0.05* 0.01*0.02*10 0.02*
	Beet leaves (chard)	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
	Others	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
c)	Watercress	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
d)	Witloof	0.01*	0.2 0.05* 0.01*0.02*0.02*0.02*
e)	Herbs		
	Chervil	0.01*	3 0.05* 0.01*0.02*0.02*2
	Chives	0.01*	3 0.05* 0.01*0.02*0.02*2
	Parsley	0.01*	3 0.05* 0.01*0.02*0.02*2
	Celery leaves	0.01*	3 0.05* 0.01*0.02*0.02*2
	Others	0.01*	3 0.05* 0.01*0.02*0.02*2
vi)	LEGUME VEGETABLES (fresh)		
	Beans (with pods)	0.01*	1 0.05* 0.01*0.02*2 <sup>(48)</sup> 0.02*
	Beans (without pods)	0.01*	0.2 0.05* 0.01*0.02*2 <sup>(48)</sup> 0.02*
	Peas (with pods)	0.01*	0.5 0.05* 0.01*0.02*0.02*0.02*
	Peas (without pods)	0.01*	0.2 0.05* 0.01*0.02*0.02*0.02*
	Others	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
vii)	STEM VEGETABLES		
	Asparagus	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
	Cardoons	0.01*	0.05* 0.05* 0.01*0.02*0.02*0.02*
	Celery	0.01*	5 0.05* 0.01*0.02*0.02*0.02*

<i>Group to which the food belongs</i>	<i>Groups including the following products</i>	<i>I- Methylcyclopropanedione Diazepinoxadole Indoxacarb</i>	<i>Propiconazole Flutriafol</i>	<i>Diacon</i>	<i>Efolpe</i>	<i>Indoxacarb</i>
Fennel		0.01*	0.05*	0.05*	0.01*0.02*	0.02*0.02*
Globe artichokes		0.01*	1	0.05*	0.01*0.02*	0.02*0.1
Leeks		0.01*	2	0.05*	0.01*0.02*	0.02*0.02*
Rhubarb		0.01*		0.05*	0.05*	0.01*0.02*
Others		0.01*		0.05*	0.05*	0.01*0.02*
viii) FUNGI						
Cultivated						
a) mushrooms		0.01*		0.05*	0.05*	0.01*0.02*
Wild						
b) mushrooms		0.01*		0.05*	0.05*	0.01*0.02*
<b>3. PULSES</b>						
Beans		0.01*	0.1	0.05*	0.01*0.02*	0.02*0.02*
Lentils		0.01*	0.1	0.05*	0.01*0.02*	0.02*0.02*
Peas		0.01*	0.1	0.05*	0.01*0.02*	0.02*0.02*
Lupins		0.01*	0.1	0.05*	0.01*0.02*	0.02*0.02*
Others		0.01*	0.1	0.05*	0.01*0.02*	0.02*0.02*
<b>4. OILSEEDS</b>						
Linseed		0.02*	0.05*	0.1*	0.02*0.05*	0.05*0.05*
Peanuts		0.02*	0.05*	0.1*	0.02*0.05*	0.05*0.05*
Poppy seed		0.02*	0.05*	0.1*	0.02*0.05*	0.05*0.05*
Sesame seed		0.02*	0.05*	0.1*	0.02*0.05*	0.05*0.05*
Sunflower seed (with shell)		0.02*	0.05*	0.1*	0.02*0.05*	0.05*0.05*
Rape seed		0.02*	0.5	0.1*	0.02*0.05*	0.05*0.05*
Soya bean		0.02*	0.5	0.1*	0.02*0.05*	0.05*0.5
Mustard seed		0.02*	0.05*	0.1*	0.02*0.05*	0.05*0.05*
Cotton seed		0.02*	0.05*	0.1*	0.02*0.05*	0.05*0.05*
Hemp seed		0.02*	0.05*	0.1*	0.02*0.05*	0.05*0.05*
Others		0.02*	0.05*	0.1*	0.02*0.05*	0.05*0.05*
<b>5. POTATOES</b>						
Early potatoes		0.01*	0.05*	0.05*	0.01*0.02*	0.1 0.02*

<i>Group to which the food following belongs</i>	<i>Groups which include the products</i>	<i>I- Methylcyclopropanedione Diisopropylidene Folate Indoxacarb</i>
Ware potatoes		0.01* 0.05* 0.05* 0.01*0.02*0.1 0.02*

**6. TEA**

Tea (dried leaves & stalks, fermented or otherwise, Camellia sinensis)	0.02*	0.1*	50	0.02*	0.05*	0.05*	0.05*
--	-------	------	----	-------	-------	-------	-------

**7. HOPS (dried)**

including hop pellets & unconcentrated powder	0.02*	20	0.1*	0.5	0.05*	150	0.05*
---	-------	----	------	-----	-------	-----	-------

**8. CEREALS**

Wheat	0.01*	0.3	0.05*	0.02*	0.02*	2	0.02*
Rye	0.01*	0.3	0.05*	0.02*	0.02*	0.02*	0.02*
Barley	0.01*	0.3	0.05*	0.02*	0.02*	2	0.02*
Sorghum	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*
Oats	0.01*	0.3	0.05*	0.02*	0.02*	0.02*	0.02*
Triticale	0.01*	0.3	0.05*	0.02*	0.02*	0.02*	0.02*
Maize	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*
Buckwheat	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*
Millet	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*
Rice <sup>(1)</sup>	0.01*	5	0.05*	0.02*	0.02*	0.02*	0.02*
Others	0.01*	0.05*	0.05*	0.02*	0.02*	0.02*	0.02*

**9. PRODUCTS OF ANIMAL ORIGIN**

Meat, edible offal, fat & preparations of meat & edible offal <sup>(2)</sup>	0.05*	0.3	(49)
		0.01*	(50)
Milk <sup>(3)</sup> and dairy produce <sup>(4)</sup>	0.01*	0.01*	0.02 <sup>(51)</sup>
			0.3 (52)
Eggs <sup>(5)</sup>	0.05*	0.01*	

**10. SPICES**

<i>Group to which food belongs</i>	<i>Groups include the following products</i>
Cumin seed	<i>Methylcyclopropanediylbenzodioxacarbonylpropionyl Diapylbenzoxadole</i>
Juniper seed	
Nutmeg	
Pepper, black and white	
Vanilla pods	
Spices - others	

---

**UNITS:**

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

**KEY:**

\* Level at or about the limit of determination.

**FOOTNOTES:**

(1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.

(2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.

(3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

(4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd. Whether made from cow's milk or other milk or a combination, the following levels apply:  
-if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;  
-if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.

(5) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).

(6) Scarole includes broad-leaf endive.

(13) Broccoli includes calabrese.

(48) Sum of captan and folpet.

(49) All fat.

(50) All other meat, edible offal and preparations of meat or edible offal.

(51) Milk except cream of milk.

(52) Cream of milk.

## Iprodione to Metalaxyl

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Iprodione</i>	<i>lambda-Maleic hydrazide</i>	<i>MCPA</i>	<i>halothiuron-MCPB</i>	<i>Mesosulfuron-methyl</i>	<i>Metalaxyl</i>
<b>1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS</b>							
i) CITRUS FRUIT							
Grapefruit		0.02*	0.1	0.2*	0.05*	0.01*	0.5
Lemons	5	0.2	0.2*	0.05*		0.01*	0.5
Limes	0.02*	0.2	0.2*	0.05*		0.01*	0.5
Mandarins (inc clementines & similar hybrids)	1	0.2	0.2*	0.05*		0.01*	0.5
Oranges	0.02*	0.1	0.2*	0.05*		0.01*	0.5
Pomelos	0.02*	0.1	0.2*	0.05*		0.01*	0.5
Others	0.02*	0.02*	0.2*	0.05*		0.01*	0.5
ii) TREE NUTS (shelled or unshelled)							
Almonds	0.02*	0.05*	0.2*	0.05*		0.01*	0.05*
Brazil nuts	0.02*	0.05*	0.2*	0.05*		0.01*	0.05*
Cashew nuts	0.02*	0.05*	0.2*	0.05*		0.01*	0.05*
Chestnuts	0.02*	0.05*	0.2*	0.05*		0.01*	0.05*
Coconuts	0.02*	0.05*	0.2*	0.05*		0.01*	0.05*
Hazelnuts	0.2	0.05*	0.2*	0.05*		0.01*	0.05*
Macadamia nuts	0.02*	0.05*	0.2*	0.05*		0.01*	0.05*
Pecans	0.02*	0.05*	0.2*	0.05*		0.01*	0.05*
Pine nuts	0.02*	0.05*	0.2*	0.05*		0.01*	0.05*
Pistachios	0.02*	0.05*	0.2*	0.05*		0.01*	0.05*
Walnuts	0.02*	0.05*	0.2*	0.05*		0.01*	0.05*
Others	0.02*	0.05*	0.2*	0.05*		0.01*	0.05*
iii) POME FRUIT							
Apples	5	0.1	0.2*	0.05*		0.01*	1
Pears	5	0.1	0.2*	0.05*		0.01*	1
Quinces	5	0.1	0.2*	0.05*		0.01*	1
Others	5	0.1	0.2*	0.05*		0.01*	1
iv) STONE FRUIT							

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Iprodione</i>	<i>Beta-haloethoxyhydrazide</i>	<i>Lambda-Maleic MCPA and MCPB</i>	<i>Mesosulfuron-methyl</i>	<i>Metalaxylyl</i>
	Apricots	3	0.2	0.2*	0.05*	0.01*
	Cherries	3	0.1	0.2*	0.05*	0.01*
	Peaches (inc nectarines & similar hybrids)	3	0.2	0.2*	0.05*	0.01*
	Plums	3	0.1	0.2*	0.05*	0.01*
	Others	3	0.1	0.2*	0.05*	0.01*
v) BERRIES AND SMALL FRUIT						
a) Table & wine grapes						
	Table grapes	10	0.2	0.2*	0.05*	0.01*
	Wine grapes	10	0.2	0.2*	0.05*	0.01*
b) Strawberries (other than wild)		15	0.5	0.2*	0.05*	0.01*
c) Cane fruit (other than wild)						
	Blackberries	10	0.02*	0.2*	0.05*	0.01*
	Dewberries	10	0.02*	0.2*	0.05*	0.01*
	Loganberries	10	0.02*	0.2*	0.05*	0.01*
	Raspberries	10	0.2	0.2*	0.05*	0.01*
	Others	10	0.02*	0.2*	0.05*	0.01*
d) Other small fruit & berries (other than wild)						
	Bilberries	10	0.02*	0.2*	0.05*	0.01*
	Cranberries	10	0.02*	0.2*	0.05*	0.01*
	Currants (red, black & white)	10	0.1	0.2*	0.05*	0.01*
	Gooseberries	10	0.1	0.2*	0.05*	0.01*
	Others	10	0.02*	0.2*	0.05*	0.01*
e) Wild berries & wild fruit		0.02*	0.2	0.2*	0.05*	0.01*
vi) MISCELLANEOUS FRUIT						
	Avocados	0.02*	0.02*	0.2*	0.05*	0.01*
	Bananas	0.02*	0.02*	0.2*	0.05*	0.01*
	Dates	0.02*	0.02*	0.2*	0.05*	0.01*
	Figs	0.02*	0.02*	0.2*	0.05*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Iprodione</i>	<i>Beta-haloethoxyhydrazide</i>	<i>Lambda-Maleic MCPA and MCPB</i>	<i>Mesosulfuron-methyl</i>	<i>Metalexyl</i>
Kiwi fruit	5	0.02*	0.2*	0.05*	0.01*	0.05*
Kumquats	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Litchis	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Mangoes	0.02*	0.1	0.2*	0.05*	0.01*	0.05*
Olives (Table Consumption)	0.02*	0.5	0.2*	0.05*	0.01*	0.05*
Olives (Oil Extract)	0.02*	0.5	0.2*	0.05*	0.01*	0.05*
Papaya	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Passion fruit	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Pineapples	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Pomegranates	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Others	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*

**2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY**

## i) ROOT AND TUBER VEGETABLES

Beetroot	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Carrots	0.5	0.02*	30	0.05*	0.01*	0.1
Cassava	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Celeriac	0.02*	0.1	0.2*	0.05*	0.01*	0.05*
Horseradish	0.5	0.02*	0.2*	0.05*	0.01*	0.1
Jerusalem artichokes	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Parsnips	0.5	0.02*	30	0.05*	0.01*	0.1
Parsley root	0.5	0.02*	0.2*	0.05*	0.01*	0.05*
Radishes	0.3	0.1	0.2*	0.05*	0.01*	0.1
Salsify	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Sweet potatoes	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Swedes	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Turnips	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Yams	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Others	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*

## ii) BULB VEGETABLES

Garlic	0.2	0.02*	15	0.05*	0.01*	0.5
Onions	0.2	0.02*	15	0.05*	0.01*	0.5
Shallots	0.2	0.02*	15	0.05*	0.01*	0.5
Spring onions	3	0.05	0.2*	0.05*	0.01*	0.2

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Lambda-Maleic hydrazide</i>	<i>Iprodione</i>	<i>Chlorothalonil</i>	<i>MCPA and MCPB</i>	<i>Mesosulfuron-methyl</i>	<i>Metalaxylyl</i>
	Others	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*

## iii) FRUITING VEGETABLES

## a) Solanaceae

Tomatoes	5	0.1	0.2*	0.05*	0.01*	0.2
Peppers	5	0.1	0.2*	0.05*	0.01*	0.5
Chili Peppers	5	0.1	0.2*	0.05*	0.01*	0.5
Aubergines	5	0.5	0.2*	0.05*	0.01*	0.05*
Okra	5	0.1	0.2*	0.05*	0.01*	0.05*
Others	5	0.02*	0.2*	0.05*	0.01*	0.05*

## b) Cucurbits-edible peel

Cucumbers	2	0.1	0.2*	0.05*	0.01*	0.5
Gherkins	2	0.1	0.2*	0.05*	0.01*	0.05*
Courgettes	2	0.1	0.2*	0.05*	0.01*	0.05*
Others	2	0.1	0.2*	0.05*	0.01*	0.05*

c) Cucurbits-inedible  
peel

Melons	1	0.05	0.2*	0.05*	0.01*	0.2
Squashes	1	0.05	0.2*	0.05*	0.01*	0.05*
Watermelons	1	0.05	0.2*	0.05*	0.01*	0.2
Others	1	0.05	0.2*	0.05*	0.01*	0.05*

## d) Sweet corn

	0.02*	0.05	0.2*	0.05*	0.01*	0.05*
--	-------	------	------	-------	-------	-------

## iv) BRASSICA VEGETABLES

## a) Flowering Brassicas

Broccoli	0.1 <sup>(13)</sup>	0.1 <sup>(13)</sup>	0.2* <sup>(13)</sup>	0.05* <sup>(13)</sup>	0.01* <sup>(13)</sup>	0.2 <sup>(13)</sup>
Cauliflower	0.1	0.1	0.2*	0.05*	0.01*	0.2
Others	0.1	0.1	0.2*	0.05*	0.01*	0.2

## b) Head Brassicas

Brussels sprouts	0.5	0.05	0.2*	0.05*	0.01*	0.05*
Head cabbage	5	0.2	0.2*	0.05*	0.01*	1
Others	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*

## c) Leafy Brassicas

Chinese cabbage	5	1	0.2*	0.05*	0.01*	0.05*
Kale	0.02*	1	0.2*	0.05*	0.01*	0.2

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Iprodione</i>	<i>Bentazon</i>	<i>Lambda-Maleic hydrazide</i>	<i>MCPA and MCPB</i>	<i>Mesosulfuron-methyl</i>	<i>Metolachlor</i>
Others		0.02*	1	0.2*	0.05*	0.01*	0.05*
d) Kohlrabi		0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
<b>v) LEAF VEGETABLES AND FRESH HERBS</b>							
a) Lettuce & similar							
Cress	10	1	0.2*	0.05*	0.01*	0.05*	
Lamb's lettuce	10	1	0.2*	0.05*	0.01*	0.2	
Lettuce	10	0.5	0.2*	0.05*	0.01*	2	
Scarole	10 <sup>(6)</sup>	1 <sup>(6)</sup>	0.2* <sup>(6)</sup>	0.05* <sup>(6)</sup>	0.01* <sup>(6)</sup>	1 <sup>(6)</sup>	
Ruccola	10	1	0.2*	0.05*	0.01*	0.05*	
Leaves and stems of brassica, including turnip greens	10	1	0.2*	0.05*	0.01*	0.05*	
Others	10	1	0.2*	0.05*	0.01*	0.05*	
b) Spinach & similar							
Spinach	0.02*	0.5	0.2*	0.05*	0.01*	0.05*	
Beet leaves (chard)	0.02*	0.5	0.2*	0.05*	0.01*	0.05*	
Others	0.02*	0.5	0.2*	0.05*	0.01*	0.05*	
c) Watercress	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*	
d) Witloof	2	0.02*	0.2*	0.05*	0.01*	0.3	
e) Herbs							
Chervil	10	1	0.2*	0.05*	0.01*	2	
Chives	10	1	0.2*	0.05*	0.01*	2	
Parsley	10	1	0.2*	0.05*	0.01*	2	
Celery leaves	10	1	0.2*	0.05*	0.01*	2	
Others	10	1	0.2*	0.05*	0.01*	2	
<b>vi) LEGUME VEGETABLES (fresh)</b>							
Beans (with pods)	5	0.2	0.2*	0.05*	0.01*	0.05*	
Beans (without pods)	0.02*	0.02*	0.2*	0.1	0.01*	0.05*	
Peas (with pods)	2	0.2	0.2*	0.1	0.01*	0.05*	
Peas (without pods)	0.3	0.2	0.2*	0.1	0.01*	0.05*	
Others	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*	
<b>vii) STEM VEGETABLES</b>							
Asparagus	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Iprodione</i>	<i>Benthothalothrin</i>	<i>Hydrazide</i>	<i>MCPA and MCPB</i>	<i>Mesosulfuron-methyl</i>	<i>Metalexyl</i>
	Cardoons	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Celery	0.02*	0.3	0.2*	0.05*	0.01*	0.05*
	Fennel	0.02*	0.3	0.2*	0.05*	0.01*	0.05*
	Globe artichokes	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
	Leeks	0.02*	0.3	0.2*	0.05*	0.01*	0.2
	Rhubarb	0.2	0.02*	0.2*	0.05*	0.01*	0.05*
	Others	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
<b>viii) FUNGI</b>							
a)	Cultivated mushrooms	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
b)	Wild mushrooms	0.02*	0.5	0.2*	0.05*	0.01*	0.05*
<b>3. PULSES</b>							
	Beans	0.2	0.02*	0.2*	0.1	0.01*	0.05*
	Lentils	0.2	0.02*	0.2*	0.05*	0.01*	0.05*
	Peas	0.2	0.02*	0.2*	0.1	0.01*	0.05*
	Lupins	0.2	0.02*	0.2*	0.05*	0.01*	0.05*
	Others	0.2	0.02*	0.2*	0.05*	0.01*	0.05*
<b>4. OILSEEDS</b>							
	Linseed	0.5	0.05*	0.5*	0.1*	0.02*	0.1*
	Peanuts	0.02*	0.05*	0.5*	0.1*	0.02*	0.1*
	Poppy seed	0.02*	0.05*	0.5*	0.1*	0.02*	0.1*
	Sesame seed	0.02*	0.05*	0.5*	0.1*	0.02*	0.1*
	Sunflower seed (with shell)	0.5	0.05*	0.5*	0.1*	0.02*	0.1*
	Rape seed	0.5	0.05*	0.5*	0.1*	0.02*	0.1*
	Soya bean	0.02*	0.05*	0.5*	0.1*	0.02*	0.1*
	Mustard seed	0.02*	0.05*	0.5*	0.1*	0.02*	0.1*
	Cotton seed	0.02*	0.05*	0.5*	0.1*	0.02*	0.1*
	Hemp seed	0.02*	0.05*	0.5*	0.1*	0.02*	0.1*
	Others	0.02*	0.05*	0.5*	0.1*	0.02*	0.1*
<b>5. POTATOES</b>							
	Early potatoes	0.02*	0.02*	50	0.05*	0.01*	0.05*
	Ware potatoes	0.02*	0.02*	50	0.05*	0.01*	0.05*
<b>6. TEA</b>							

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Lambda-Maleic MCPA and Iprodione</i>	<i>Chlorothalonil</i>	<i>Hydrazide MCPB</i>	<i>Mesosulfuron-methyl</i>	<i>Metalexyl</i>
	Tea (dried leaves & stalks, fermented or otherwise, Camellia sinensis)	0.1*	1	0.5* 0.1*	0.02*	0.1*
<b>7. HOPS (dried)</b>	including hop pellets & unconcentrated powder	0.1*	10	0.5* 0.1*	0.02*	10
<b>8. CEREALS</b>						
Wheat	0.5	0.02*	0.2*	0.05*	0.01*	0.05*
Rye	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Barley	0.5	0.05	0.2*	0.05*	0.01*	0.05*
Sorghum	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Oats	0.5	0.02*	0.2*	0.05*	0.01*	0.05*
Triticale	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Maize	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Buckwheat	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Millet	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
Rice <sup>(1)</sup>	3	0.02*	0.2*	0.05*	0.01*	0.05*
Others	0.02*	0.02*	0.2*	0.05*	0.01*	0.05*
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>						
Meat, edible offal, fat & preparations of meat & edible offal <sup>(2)</sup>	0.05*	0.5 <sup>(17)</sup> 0.02* <sup>(14)</sup>	0.05 <sup>(26)(28)</sup> 0.5 <sup>(8)</sup>	0.5* <sup>(39)</sup> 0.1* <sup>(40)</sup>		0.05*
			0.02* <sup>(9)</sup>			
Milk <sup>(3)</sup> and dairy produce <sup>(4)</sup>	0.05*	0.05	0.2	0.05*		0.05*
Eggs <sup>(5)</sup>	0.05*	0.02*	0.1	0.05*		0.05*
<b>10. SPICES</b>						
Cumin seed						
Juniper seed						
Nutmeg						
Pepper, black and white						
Vanilla pods						
Spices - others						

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Lambda-Maleic MCPA and Iprodione</i>	<i>mesosulfuron-methyl</i>	<i>halothiylhydrazide</i>	<i>MCPB</i>	<i>trifloxystrobin</i>	<i>triticonazole</i>
<b>UNITS:</b>							

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

**KEY:**

\* Level at or about the limit of determination.

**FOOTNOTES:**

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd. Whether made from cow's milk or other milk or a combination, the following levels apply:
  - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
  - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (5) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (6) Scarole includes broad-leaf endive.
- (8) Kidney except of poultry.
- (9) All other meat, edible offal, fat and preparations of meat and edible offal.
- (13) Broccoli includes calabrese.
- (14) Meat of poultry.
- (17) Except poultry.
- (26) Liver of bovine animals, sheep, goats and swine.
- (29) Meat of bovine animals, sheep, goats and swine.
- (39) Offals only.
- (40) All meat except offal.

### **Penconazole to Triticonazole**

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Penconazole</i>	<i>phenmediphthate</i>	<i>diphenyliuanil</i>	<i>trifloxystrobin</i>	<i>triticonazole</i>
------------------------------------	--	--------------------	------------------------	-----------------------	------------------------	----------------------

**1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS**

- i) CITRUS  
FRUIT

Grapefruit	0.05*	0.05*	0.05*	0.3	0.01*
------------	-------	-------	-------	-----	-------

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Penconazole</i>	<i>Phenmediphtholylfluani trifloxystrobuticonazole</i>	<i>Dymex</i>	<i>Flutriafol</i>
Lemons		0.05*	0.05*	0.05*	0.3
Limes		0.05*	0.05*	0.05*	0.3
Mandarins (inc clementines & similar hybrids)		0.05*	0.05*	0.05*	0.3
Oranges		0.05*	0.05*	0.05*	0.3
Pomelos		0.05*	0.05*	0.05*	0.3
Others		0.05*	0.05*	0.05*	0.3
ii) TREE NUTS (shelled or unshelled)					
Almonds		0.05*	0.05*	0.05*	0.02*
Brazil nuts		0.05*	0.05*	0.05*	0.02*
Cashew nuts		0.05*	0.05*	0.05*	0.02*
Chestnuts		0.05*	0.05*	0.05*	0.02*
Coconuts		0.05*	0.05*	0.05*	0.02*
Hazelnuts		0.05*	0.05*	0.05*	0.02*
Macadamia nuts		0.05*	0.05*	0.05*	0.02*
Pecans		0.05*	0.05*	0.05*	0.02*
Pine nuts		0.05*	0.05*	0.05*	0.02*
Pistachios		0.05*	0.05*	0.05*	0.02*
Walnuts		0.05*	0.05*	0.05*	0.02*
Others		0.05*	0.05*	0.05*	0.02*
iii) POME FRUIT					
Apples	0.2	0.05*	3	0.5	0.01*
Pears	0.2	0.05*	3	0.5	0.01*
Quinces	0.2	0.05*	3	0.5	0.01*
Others	0.2	0.05*	3	0.5	0.01*
iv) STONE FRUIT					
Apricots	0.1	0.05*	0.05*	1	0.01*
Cherries	0.05*	0.05*	1	1	0.01*
Peaches (inc nectarines & similar hybrids)	0.1	0.05*	0.05*	1	0.01*
Plums	0.05*	0.05*	0.5	0.2	0.01*
Others	0.05*	0.05*	0.05*	0.02*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Penconazole</i>	<i>Phenmediphtholin</i>	<del><i>Diflufenicanil</i></del>	<i>Trifloxystrobin</i>	<i>Triadiconazole</i>
v) BERRIES AND SMALL FRUIT						
a) Table & wine grapes						
Table grapes	0.2	0.05*	5	5	0.01*	
Wine grapes	0.2	0.05*	5	5	0.01*	
Strawberries (other than wild)	0.5	0.1	5	0.5	0.01*	
c) Cane fruit (other than wild)						
Blackberries	0.05*	0.05*	5	0.02*	0.01*	
Dewberries	0.05*	0.05*	5	0.02*	0.01*	
Loganberries	0.05*	0.05*	5	0.02*	0.01*	
Raspberries	0.05*	0.05*	5	0.02*	0.01*	
Others	0.05*	0.05*	5	0.02*	0.01*	
d) Other small fruit & berries (other than wild)						
Bilberries	0.05*	0.05*	5	0.02*	0.01*	
Cranberries	0.05*	0.05*	5	0.02*	0.01*	
Currants (red, black & white)	0.5	0.05*	5	1	0.01*	
Gooseberries	0.05*	0.05*	5	1	0.01*	
Others	0.05*	0.05*	5	0.02*	0.01*	
e) Wild berries & wild fruit	0.05*	0.05*	0.05*	0.02*	0.01*	
vi) MISCELLANEOUS FRUIT						
Avocados	0.05*	0.05*	0.05*	0.02*	0.01*	
Bananas	0.05*	0.05*	0.05*	0.05	0.01*	
Dates	0.05*	0.05*	0.05*	0.02*	0.01*	
Figs	0.05*	0.05*	0.05*	0.02*	0.01*	
Kiwi fruit	0.05*	0.05*	0.05*	0.02*	0.01*	
Kumquats	0.05*	0.05*	0.05*	0.02*	0.01*	
Litchis	0.05*	0.05*	0.05*	0.02*	0.01*	
Mangoes	0.05*	0.05*	0.05*	0.02*	0.01*	
Olives (Table Consumption)	0.05*	0.05*	0.05*	0.02*	0.01*	
Olives (Oil Extract)	0.05*	0.05*	0.05*	0.02*	0.01*	
Papaya	0.05*	0.05*	0.05*	1	0.01*	

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Penconazole</i>	<i>Phenmedipham</i>	<del><i>Dicyfluanil</i></del>	<i>Trifloxystrobin</i>	<i>Fluticonazole</i>
	Passion fruit	0.05*	0.05*	0.05*	0.02*	0.01*
	Pineapples	0.05*	0.05*	0.05*	0.02*	0.01*
	Pomegranates	0.05*	0.05*	0.05*	0.02*	0.01*
	Others	0.05*	0.05*	0.05*	0.02*	0.01*
<b>2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY</b>						
i) ROOT AND TUBER VEGETABLES						
	Beetroot	0.05*	0.1	0.05*	0.02*	0.01*
	Carrots	0.05*	0.05*	0.05*	0.05	0.01*
	Cassava	0.05*	0.05*	0.05*	0.02*	0.01*
	Celeriac	0.05*	0.05*	0.05*	0.02*	0.01*
	Horseradish	0.05*	0.05*	0.05*	0.02*	0.01*
	Jerusalem artichokes	0.05*	0.05*	0.05*	0.02*	0.01*
	Parsnips	0.05*	0.05*	0.05*	0.02*	0.01*
	Parsley root	0.05*	0.05*	0.05*	0.02*	0.01*
	Radishes	0.05*	0.05*	0.05*	0.02*	0.01*
	Salsify	0.05*	0.05*	0.05*	0.02*	0.01*
	Sweet potatoes	0.05*	0.05*	0.05*	0.02*	0.01*
	Swedes	0.05*	0.05*	0.05*	0.02*	0.01*
	Turnips	0.05*	0.05*	0.05*	0.02*	0.01*
	Yams	0.05*	0.05*	0.05*	0.02*	0.01*
	Others	0.05*	0.05*	0.05*	0.02*	0.01*
ii) BULB VEGETABLES						
	Garlic	0.05*	0.05*	0.5	0.02*	0.01*
	Onions	0.05*	0.05*	0.5	0.02*	0.01*
	Shallots	0.05*	0.05*	0.5	0.02*	0.01*
	Spring onions	0.05*	0.05*	0.05*	0.02*	0.01*
	Others	0.05*	0.05*	0.05*	0.02*	0.01*
iii) FRUITING VEGETABLES						
a) Solanaceae						
	Tomatoes	0.1	0.05*	3	0.5	0.01*
	Peppers	0.2	0.05*	2	0.02*	0.01*
	Chili Peppers	0.2	0.05*	2	0.02*	0.01*
	Aubergines	0.1	0.05*	3	0.02*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Penconazole</i>	<i>Phenmedipham</i>	<del><i>Diquat</i></del>	<i>Fluani</i>	<i>Trifloxystrobin</i>	<i>Triadimenol</i>	<i>Initiconazole</i>
	Okra	0.05*	0.05*	0.05*	0.02*	0.01*		
	Others	0.05*	0.05*	0.05*	0.02*	0.01*		
b) Cucurbits-edible peel								
	Cucumbers	0.1	0.05*	2	0.2	0.01*		
	Gherkins	0.1	0.05*	2	0.2	0.01*		
	Courgettes	0.1	0.05*	2	0.2	0.01*		
	Others	0.1	0.05*	2	0.2	0.01*		
c) Cucurbits-inedible peel								
	Melons	0.1	0.05*	0.3	0.3	0.01*		
	Squashes	0.1	0.05*	0.3	0.02*	0.01*		
	Watermelons	0.1	0.05*	0.3	0.2	0.01*		
	Others	0.1	0.05*	0.3	0.02*	0.01*		
d) Sweet corn		0.05*	0.05*	0.05*	0.02*	0.01*		
iv) BRASSICA VEGETABLES								
a) Flowering Brassicas								
	Broccoli	0.05*(13)	0.05*(13)	1 <sup>(13)</sup>	0.02*(13)	0.01*(13)		
	Cauliflower	0.05*	0.05*	0.05*	0.02*	0.01*		
	Others	0.05*	0.05*	0.05*	0.02*	0.01*		
b) Head Brassicas								
	Brussels sprouts	0.05*	0.05*	0.05*	0.02*	0.01*		
	Head cabbage	0.05*	0.05*	0.05*	0.02*	0.01*		
	Others	0.05*	0.05*	0.05*	0.02*	0.01*		
c) Leafy Brassicas								
	Chinese cabbage	0.05*	0.05*	0.05*	0.02*	0.01*		
	Kale	0.05*	0.05*	0.05*	0.02*	0.01*		
	Others	0.05*	0.05*	0.05*	0.02*	0.01*		
d) Kohlrabi		0.05*	0.05*	0.05*	0.02*	0.01*		
v) LEAF VEGETABLES AND FRESH HERBS								
a) Lettuce & similar								
	Cress	0.05*	0.05*	20	0.02*	0.01*		
	Lamb's lettuce	0.05*	0.05*	20	0.02*	0.01*		
	Lettuce	0.05*	0.05*	20	0.02*	0.01*		
	Scarole	0.05*(6)	0.05*(6)	20 <sup>(6)</sup>	0.02*(6)	0.01*(6)		

Group to which food belongs	Groups include the following products	Penconazole Phenmediphtholylfluanil trifloxystrobutniticonazole				
		0.05*	0.05*	20	0.02*	0.01*
	Ruccola	0.05*	0.05*	20	0.02*	0.01*
	Leaves and stems of brassica, including turnip greens	0.05*	0.05*	20	0.02*	0.01*
	Others	0.05*	0.05*	20	0.02*	0.01*
b)	Spinach & similar					
	Spinach	0.05*	0.5	0.05*	0.02*	0.01*
	Beet leaves (chard)	0.05*	0.5	0.05*	0.02*	0.01*
	Others	0.05*	0.5	0.05*	0.02*	0.01*
c)	Watercress	0.05*	0.05*	0.05*	0.02*	0.01*
d)	Witloof	0.05*	0.05*	0.05*	0.02*	0.01*
e)	Herbs					
	Chervil	0.05*	7	0.05*	0.02*	0.01*
	Chives	0.05*	7	0.05*	0.02*	0.01*
	Parsley	0.05*	7	0.05*	0.02*	0.01*
	Celery leaves	0.05*	7	0.05*	0.02*	0.01*
	Others	0.05*	7	0.05*	0.02*	0.01*
vi)	LEGUME VEGETABLES (fresh)					
	Beans (with pods)	0.05*	0.05*	3	0.5	0.01*
	Beans (without pods)	0.05*	0.05*	0.05*	0.02*	0.01*
	Peas (with pods)	0.05*	0.05*	3	0.02*	0.01*
	Peas (without pods)	0.05*	0.05*	0.05*	0.02*	0.01*
	Others	0.05*	0.05*	0.05*	0.02*	0.01*
vii)	STEM VEGETABLES					
	Asparagus	0.05*	0.05*	0.05*	0.02*	0.01*
	Cardoons	0.05*	0.05*	0.05*	0.02*	0.01*
	Celery	0.05*	0.05*	0.05*	0.02*	0.01*
	Fennel	0.05*	0.05*	0.05*	0.02*	0.01*
	Globe artichokes	0.2	0.2	0.05*	0.02*	0.01*
	Leeks	0.05*	0.05*	3	0.02*	0.01*
	Rhubarb	0.05*	0.05*	0.05*	0.02*	0.01*
	Others	0.05*	0.05*	0.05*	0.02*	0.01*
viii)	FUNGI					
a)	Cultivated mushrooms	0.05*	0.05*	0.05*	0.02*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Penconazole</i>	<i>Phenmediphtholin</i>	<del><i>Diflufenicanil</i></del>	<i>Trifloxystrobin</i>	<i>Fluticonazole</i>
b) Wild mushrooms		0.05*	0.05*	0.05*	0.02*	0.01*
<b>3. PULSES</b>						
Beans		0.05*	0.05*	0.05*	0.02*	0.01*
Lentils		0.05*	0.05*	0.05*	0.02*	0.01*
Peas		0.05*	0.05*	0.05*	0.02*	0.01*
Lupins		0.05*	0.05*	0.05*	0.02*	0.01*
Others		0.05*	0.05*	0.05*	0.02*	0.01*
<b>4. OILSEEDS</b>						
Linseed		0.05*	0.1*	0.1*	0.05*	0.02*
Peanuts		0.05*	0.1*	0.1*	0.05*	0.02*
Poppy seed		0.05*	0.1*	0.1*	0.05*	0.02*
Sesame seed		0.05*	0.1*	0.1*	0.05*	0.02*
Sunflower seed (with shell)		0.05*	0.1*	0.1*	0.05*	0.02*
Rape seed		0.05*	0.1*	0.1*	0.05*	0.02*
Soya bean		0.05*	0.1*	0.1*	0.05*	0.02*
Mustard seed		0.05*	0.1*	0.1*	0.05*	0.02*
Cotton seed		0.05*	0.1*	0.1*	0.05*	0.02*
Hemp seed		0.05*	0.1*	0.1*	0.05*	0.02*
Others		0.05*	0.1*	0.1*	0.05*	0.02*
<b>5. POTATOES</b>						
Early potatoes		0.05*	0.05*	0.05*	0.02*	0.01*
Ware potatoes		0.05*	0.05*	0.05*	0.02*	0.01*
<b>6. TEA</b>						
Tea (dried leaves & stalks, fermented or otherwise, Camellia sinensis)		0.1*	0.1*	0.1*	0.05*	0.02*
<b>7. HOPS (dried)</b>						
including hop pellets & unconcentrated powder	0.5	0.1*	50	30	0.02*	
<b>8. CEREALS</b>						
Wheat		0.05*	0.05*	0.05*	0.05	0.01*
Rye		0.05*	0.05*	0.05*	0.05	0.01*
Barley		0.05*	0.05*	0.05*	0.3	0.01*
Sorghum		0.05*	0.05*	0.05*	0.02*	0.01*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Penconazole</i>	<i>Phenmediphos</i>	<del><i>Diflufenican</i></del>	<i>Trifloxystrobin</i>	<i>Propiconazole</i>	<i>Flutriafol</i>	<i>Triadimenol</i>
Oats		0.05*	0.05*	0.05*	0.02*	0.01*		
Triticale		0.05*	0.05*	0.05*	0.05	0.01*		
Maize		0.05*	0.05*	0.05*	0.02*	0.01*		
Buckwheat		0.05*	0.05*	0.05*	0.02*	0.01*		
Millet		0.05*	0.05*	0.05*	0.02*	0.01*		
Rice <sup>(1)</sup>		0.05*	0.05*	0.05*	0.02*	0.01*		
Others		0.05*	0.05*	0.05*	0.02*	0.01*		
<b>9. PRODUCTS OF ANIMAL ORIGIN</b>								
Meat, edible offal, fat & preparations of meat & edible offal <sup>(2)</sup>		0.05*	0.05*		0.1*			
Milk <sup>(3)</sup> and dairy produce <sup>(4)</sup>	0.01 0.05		0.05*		0.02*			
Eggs <sup>(5)</sup>		0.05*	0.05*		0.1*			
<b>10. SPICES</b>								
Cumin seed								
Juniper seed								
Nutmeg								
Pepper, black and white								
Vanilla pods								
Spices - others								

**UNITS:**

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

**KEY:**

\* Level at or about the limit of determination.

**FOOTNOTES:**

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd. Whether made from cow's milk or other milk or a combination, the following levels apply:

- if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
  - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
- (5) Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
- (6) Scarole includes broad-leaf endive.
- (13) Broccoli includes calabrese.
- 

## EXPLANATORY NOTE

*(This note is not part of these Regulations)*

These Regulations amend the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) Regulations 2005 ([S.I. 2005/3286](#)) ("the 2005 Regulations") in order to transpose—

- (a) Commission Directive [2007/27/EC](#) amending certain Annexes to Council Directives [86/362/EEC](#), [86/363/EEC](#) and [90/642/EEC](#) as regards maximum residue levels for etoxazole, indoxacarb, mesosulfuron, 1-methylcyclopropene, MCPA and MCPB, tolylfluanid and triticonazole (OJ No L 128, 16.5.2007, p. 31);
- (b) Commission Directive [2007/28/EC](#) amending certain Annexes to Council Directives [86/363/EEC](#) and [90/642/EEC](#) as regards maximum residue levels for azoxystrobin, chlorfenapyr, folpet, iprodione, lambda-cyhalothrin, maleic hydrazide, metalaxy-M and trifloxystrobin (OJ No L 135, 26.5.2007, p. 6); and
- (c) Commission Directive [2007/39/EC](#) amending Annex II to Council Directive [90/642/EEC](#) as regards maximum residue levels for diazinon (OJ No L 165, 27.6.2007, p. 25).

These Regulations substitute or insert—

- (a) residue definitions for certain pesticides in Schedule 1 to the 2005 Regulations which identify the pesticide residues that are taken into account in the measuring of residue levels for each pesticide; and
- (b) maximum residue levels for certain pesticides in Schedule 2 to the 2005 Regulations.

Regulations [4\(2\)\(c\)](#) and [7](#) correct errors in the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) (No. 2) Regulations 2007 ([S.I. 2007/2083](#)).

A Regulatory Impact Assessment (RIA) was prepared for the 2005 Regulations and provides a basis for establishing the impact of amendments of the kind made by these Regulations. A consultation in 2003 indicated that compliance costs were virtually unchanged from those quoted in an RIA prepared in 1999. Copies of the RIA prepared in 2005 can be obtained from the Pesticides Safety Directorate, Room 308, Mallard House, Kings Pool, 3 Peasholme Green, York, YO1 7PX or via the website [www.pesticides.gov.uk](http://www.pesticides.gov.uk). Copies have been placed in the library of each House of Parliament.