
STATUTORY INSTRUMENTS

2007 No. 971

**AGRICULTURE, ENGLAND AND WALES
PESTICIDES, ENGLAND AND WALES**

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) Regulations 2007

Made - - - - - 21st March 2007

Laid before Parliament 27th March 2007

Coming into force in accordance with regulation 1(3)

The Secretary of State for Environment, Food and Rural Affairs and the National Assembly for Wales, are designated(1) for the purposes of section 2(2) of the European Communities Act 1972(2) in relation to the common agricultural policy of the European Community.

Acting jointly (the National Assembly for Wales acting in relation to Wales only), in exercise of the powers conferred on them by that section, they make the following Regulations:

Citation, interpretation and commencement

1.—(1) These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) (Amendment) Regulations 2007.

(2) In these Regulations “the principal Regulations” means the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) Regulations 2005(3).

(3) These Regulations shall come into force—

- (a) for the purposes of regulation 4, on 21st January 2008; and
- (b) for all other purposes on 11th May 2007.

Amendments to the principal Regulations

2. The principal Regulations are amended in accordance with regulations 3 and 4.

(1) [S.I. 1972/1811](#) and, in the case of the National Assembly for Wales, [S.I. 2005/2766](#).

(2) [1972 c.68](#).

(3) [S.I. 2005/3286](#), as amended by [S.I. 2006/985](#), [S.I. 2006/1742](#) and [S.I. 2006/2922](#).

Amendments coming into force on 11th May 2007

3.—(1) In regulation 2(1) (interpretation), for the definition of “the Residues Directives” substitute the following definition—

““the Residues Directives” means Directive 76/895, Directive 86/362, Directive 86/363 and Directive 90/642”(4).

(2) In Schedule 1 (pesticide residues), in the appropriate place in the alphabetical sequence, insert the entry for the pesticide Captan set out in Schedule 1 to these Regulations.

(3) In Schedule 2 (maximum residue levels)—

(i) in the appropriate place in the alphabetical sequence, insert the entries in the column relating to the pesticide Captan set out in Schedule 2 to these Regulations;

(ii) for the entries in the columns relating to the pesticides Ethion, Folpet and Dichlorvos, substitute the entries in the columns relating to those pesticides set out in Schedule 2 to these Regulations;

(iii) in the column relating to the pesticide Azinphos-ethyl, for the entry for the food group 1(vi) Pomegranates, substitute “0.02*”.

(iv) at the end, insert as footnote 48 the footnote numbered (48) set out at the end of Schedule 2 to these Regulations.

Amendments coming into force on 21st January 2008

4. Schedules 1 and 2 of the principal Regulations are amended as follows—

(a) in Schedule 1, in the appropriate places in the alphabetical sequence, insert the entries for the pesticides Desmedipham and Phenmedipham set out in Schedule 1 to these Regulations.

(b) in Schedule 2—

(i) in the appropriate place in the alphabetical sequence, insert the entries in the columns relating to the pesticides Desmedipham and Phenmedipham set out in Schedule 2 to these Regulations; and

(ii) for the entries in the column relating to the pesticide Chlorfenvinphos, substitute the entries in the column relating to that pesticide set out in Schedule 2 to these Regulations.

20th March 2007

21st March 2007

Dafydd Elis-Thomas
Presiding Officer
National Assembly for Wales
Jeff Rooker
Minister of State
Department for Environment, Food and Rural
Affairs

(4) Directives 76/895, 86/362 and 90/642 were last amended by Commission Directive 2006/92/EC (OJ No. L311, 10.11.2006, p.31), Directive 86/363 was last amended by Commission Directive 2006/62/EC (OJ No. L206, 27.7.2006, p.27).

SCHEDELE 1

Regulations 3 and 4

ENTRIES INSERTED IN SCHEDELE 1 TO THE PRINCIPAL REGULATIONS

Column 1	Column 2
<i>Pesticide</i>	<i>Residue</i>
Captan	Captan
Desmedipham	Desmedipham
Phenmedipham	(1) for products of plant origin: phenmedipham (2) for foodstuffs of animal origin: phenmedipham (Methyl-N-(3-hydroxyphenyl) carbamate (MHPC) expressed as phenmedipham)

SCHEDELE 2

Regulations 3 and 4

ENTRIES SUBSTITUTED OR INSERTED IN
SCHEDELE 2 TO THE PRINCIPAL REGULATIONS

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvinphosmediphos</i>	<i>DichlorEpsilon</i>	<i>Folpet</i>	<i>Phenmedipham</i>
1. FRUIT, FRESH, DRIED OR UNCOOKED, PRESERVED BY FREEZING NOT CONTAINING ADDED SUGAR: NUTS						
i)						
CITRUS						
FRUIT						
Grapefruit	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*
Lemons	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*
Limes	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*
Mandarins (inc clementines & similar hybrids)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*
Oranges	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*
Pomelos	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*
Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*
ii) TREE NUTS (Shelled or Unshelled)						
Almonds	0.3	0.02*	0.05*	0.01*	0.01*	0.02*
Brazil nuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvincimezin</i>	<i>Dichlorprop</i>	<i>Diclorprop</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
	Cashew nuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Chestnuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Coconuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Hazelnuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Macadamia nuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Pecans	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Pine nuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Pistachios	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Walnuts	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
iii) POME FRUIT								
	Apples	3 ⁽⁴⁸⁾	0.02*	0.05*	0.01*	0.01*	3 ⁽⁴⁸⁾	0.05*
	Pears	3 ⁽⁴⁸⁾	0.02*	0.05*	0.01*	0.01*	3 ⁽⁴⁸⁾	0.05*
	Quinces	3 ⁽⁴⁸⁾	0.02*	0.05*	0.01*	0.01*	3 ⁽⁴⁸⁾	0.05*
	Others	3 ⁽⁴⁸⁾	0.02*	0.05*	0.01*	0.01*	3 ⁽⁴⁸⁾	0.05*
iv) STONE FRUIT								
	Apricots	3	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Cherries	5	0.02*	0.05*	0.01*	0.01*	2	0.05*
	Peaches (inc nectarines & similar hybrids)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Plums	1	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
v) BERRIES AND SMALL FRUIT								
a)	Table & wine grapes							
	Table grapes	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Wine grapes	0.02*	0.02*	0.05*	0.01*	0.01*	5	0.05*
b)	Strawberries (other than wild)	3 ⁽⁴⁸⁾	0.02*	0.05*	0.01*	0.01*	3 ⁽⁴⁸⁾	0.1*
c)	Cane fruit (other than wild)							
	Blackberries	3 ⁽⁴⁸⁾	0.02*	0.05*	0.01*	0.01*	3 ⁽⁴⁸⁾	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvincimezin</i>	<i>Dichlorprop</i>	<i>Dichlorprop-P</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
	Dewberries	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Loganberries	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Raspberries	3 ⁽⁴⁸⁾	0.02*	0.05*	0.01*	0.01*	3 ⁽⁴⁸⁾	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
d)	Other small fruit & berries (other than wild)							
	Bilberries	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Cranberries	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Currants (red, black & white)	3 ⁽⁴⁸⁾	0.02*	0.05*	0.01*	0.01*	3 ⁽⁴⁸⁾	0.05*
	Gooseberries	3 ⁽⁴⁸⁾	0.02*	0.05*	0.01*	0.01*	3 ⁽⁴⁸⁾	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
e)	Wild berries & wild fruit	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
vi) MISCELLANEOUS FRUIT								
	Avocados	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Bananas	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Dates	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Figs	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Kiwi fruit	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Kumquats	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Litchis	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Mangoes	2	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Olives (Table Consumption)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Olives (Oil Extract)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Papaya	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Passion fruit	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Pineapples	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Pomegranates	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*

2. VEGETABLES, FRESH OR UNCOOKED, FROZEN OR DRY

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvinphos</i>	<i>Dichlorodiphenyltrichloroethane</i>	<i>Folpet</i>	<i>Phenmedipham</i>
i) ROOT AND TUBER VEGETABLES						
Beetroot	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.1*
Carrots	0.1	0.5	0.05*	0.01*	0.01*	0.02* 0.05*
Cassava	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
Celeriac	0.1	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
Horseradish	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
Jerusalem artichokes	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
Parsnips	0.02*	0.5	0.05*	0.01*	0.01*	0.02* 0.05*
Parsley root	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
Radishes	0.02*	0.5	0.05*	0.01*	0.01*	0.02* 0.05*
Salsify	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
Sweet potatoes	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
Swedes	0.02*	0.5	0.05*	0.01*	0.01*	0.02* 0.05*
Turnips	0.02*	0.5	0.05*	0.01*	0.01*	0.02* 0.05*
Yams	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
ii) BULB VEGETABLES						
Garlic	0.02*	0.5	0.05*	0.01*	0.01*	0.02* 0.05*
Onions	0.02*	0.02*	0.05*	0.01*	0.01*	0.1 0.05*
Shallots	0.02*	0.5	0.05*	0.01*	0.01*	0.02* 0.05*
Spring onions	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
iii) FRUITING VEGETABLES						
a) Solanaceae						
Tomatoes	2 ⁽⁴⁸⁾	0.02*	0.05*	0.01*	0.01*	2 ⁽⁴⁸⁾ 0.05*
Peppers	0.1	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
Chilli Peppers	0.1	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
Aubergines	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
Okra	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*
b) Cucurbits-edible peel						
Cucumbers	0.02*	0.02*	0.05*	0.01*	0.01*	0.02* 0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvincimezin</i>	<i>Dichlorprop</i>	<i>Diclorprop</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
c)	Gherkins	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Courgettes	0.02*	0.1	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
c)	Cucurbits-inedible peel							
	Melons	0.1	0.02*	0.05*	0.01*	0.01*	1	0.05*
	Squashes	0.02*	0.02*	0.05*	0.01*	0.01*	1	0.05*
	Watermelons	0.02*	0.02*	0.05*	0.01*	0.01*	1	0.05*
d)	Others	0.02*	0.02*	0.05*	0.01*	0.01*	1	0.05*
	Sweet corn	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
iv) BRASSICA VEGETABLES								
a)	Flowering Brassicas							
	Broccoli	0.02*	0.02*(13)	0.05*(13)	0.01*	0.01*	0.02*	0.05*(13)
	Cauliflower	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
b)	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Head Brassicas							
	Brussels sprouts	0.02*	0.1	0.05*	0.01*	0.01*	0.02*	0.05*
c)	Head cabbage	0.02*	0.5	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Leafy Brassicas							
c)	Chinese cabbage	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Kale	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
d)	Kohlrabi	0.02*	0.3	0.05*	0.01*	0.01*	0.05	0.05*
v) LEAF VEGETABLES AND FRESH HERBS								
a)	Lettuce & similar							
	Cress	0.02*	0.1	0.05*	0.01*	0.01*	0.02*	0.05*
	Lamb's lettuce	0.02*	0.1	0.05*	0.01*	0.01*	0.02*	0.05*
	Lettuce	0.02*	0.02*	0.05*	0.01*	0.01*	2	0.05*
	Scarole	2	0.02*(6)	0.05*(6)	0.01*	0.01*	0.02*	0.05*(6)
	Ruccola	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvincimezin</i>	<i>Dichlorprop</i>	<i>Dichlorprop</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
	Leaves and stems of brassica	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
b)	Spinach & similar							
	Spinach	0.1	0.1	0.05*	0.01*	0.01*	0.02*	0.5
	Beet leaves (chard)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.5
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.5
c)	Watercress	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
d)	Witloof	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
e)	Herbs							
	Chervil	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Chives	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Parsley	0.1	0.5	0.05*	0.01*	2	0.02*	0.05*
	Celery leaves	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
vi)	LEGUME VEGETABLES (Fresh)							
	Beans (with pods)	2 ⁽⁴⁸⁾	0.02*	0.05*	0.01*	0.01*	2 ⁽⁴⁸⁾	0.05*
	Beans (without pods)	2 ⁽⁴⁸⁾	0.02*	0.05*	0.01*	0.01*	2 ⁽⁴⁸⁾	0.05*
	Peas (with pods)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Peas (without pods)	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
vii)	STEM VEGETABLES							
	Asparagus	0.02*	0.1	0.05*	0.01*	0.01*	0.02*	0.05*
	Cardoons	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Celery	0.1	0.5	0.05*	0.01*	0.1	0.02*	0.05*
	Fennel	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Globe artichokes	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.2
	Leeks	2	0.1	0.05*	0.01*	0.01*	0.02*	0.05*
	Rhubarb	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
viii)	FUNGI							

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvincimezin</i>	<i>Dichlorprop</i>	<i>Diclorprop</i>	<i>Ethion</i>	<i>Folpet</i>	<i>Phenmedipham</i>
a)	Cultivated mushrooms	0.02*	0.05	0.05*	0.01*	0.01*	0.02*	0.05*
b)	Wild mushrooms	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
3. PULSES								
	Beans	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Lentils	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Peas	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Lupins	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
	Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
4. OILSEEDS								
	Linseed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Peanuts	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Poppy seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Sesame seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Sunflower seed (with shell)	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Rape seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Soya bean	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Mustard seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Cotton seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Hemp seed	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
	Others	0.02*	0.02*	0.1*	0.01*	0.02*	0.02*	0.1*
5. POTATOES								
	Early potatoes	0.05	0.02*	0.05*	0.01*	0.01*	0.1	0.05*
	Ware potatoes	0.05	0.02*	0.05*	0.01*	0.01*	0.1	0.05*
6. TEA								
	Tea (dried leaves & stalks, fermented or otherwise, Camellia sinensis)	0.05*	0.05*	0.1*	0.02*	3	0.05*	0.1*
7. HOPS (Dried)								
	Hops (dried (including hop pellets & unconcentrated powder))	0.05*	0.05*	0.1*	0.02*	0.02*	150	0.1*
8. CEREALS								
	Wheat	0.02*	0.02*	0.05*	0.01*	0.01*	2	0.05*

<i>Group to which food belongs</i>	<i>Groups include the following products</i>	<i>Captan</i>	<i>Chlorfenvinphos</i>	<i>Diphenmediphos</i>	<i>Echchlorofos</i>	<i>Folpet</i>	<i>Phenmediphos</i>
Rye	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Barley	0.02*	0.02*	0.05*	0.01*	0.01*	2	0.05*
Sorghum	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Oats	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Triticale	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Maize	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Buckwheat	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Millet	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Rice ⁽¹⁾	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*
Others	0.02*	0.02*	0.05*	0.01*	0.01*	0.02*	0.05*

9. PRODUCTS OF ANIMAL ORIGIN

Meat, edible offal, fat & preparations of meat & edible offal ⁽²⁾	0.01*	0.05	0.05*
Milk ⁽³⁾ & Dairy produce ⁽⁴⁾	0.01*	0.02	0.05*
Eggs ⁽⁵⁾	0.01*	0.05*	0.05*

10. SPICES

- Cumin seed
- Juniper seed
- Nutmeg
- Pepper, black and white
- Vanilla pods
- Spices - others

Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

Key:

* Level at or about the limit of determination.

FOOTNOTES:

- (1) Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
- (2) Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight. In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table, but must be no less than 0.01 mg/kg.
- (3) These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.

- (4) For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd whether made from cow's milk or other milk or a combination, the following levels apply: -if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk; -if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk.
 - (5) Bird's eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared).
 - (6) Scarole includes broad—
leaf endive.
 - (13) Broccoli includes calabrese.
 - (48) Sum of captan and folpet.
-

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations amend the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (England and Wales) Regulations 2005 ([S.I. 2005/3286](#)) ("the principal Regulations").

The Regulations implement Commission Directives [2006/62/EC](#) (OJNo. L206, 27.7.2006, p.27) and [2006/92/EC](#) (OJ No. L311, 10.11.2006, p.31).

The Regulations come into force on 11 May 2007 and 21st January 2008.

The Regulations substitute or insert:

- (a) new residue definition for certain pesticides in Schedule 1 to the principal Regulations which identifies the pesticide residues that are taken into account in the measuring of residue levels for each pesticide; and
- (b) new maximum residue levels for certain pesticides in Schedule 2 to the principal Regulations.

A Regulatory Impact Assessment (RIA) was prepared in 2005 when the principal Regulations were previously consolidated and provides a basis for establishing the impact of amendments to the principal Regulations of the kind made by these Regulations. A consultation in 2003 indicated that compliance costs were virtually unchanged from those quoted in the 1999 RIA. Copies of the assessment can be obtained from the Pesticides Safety Directorate, Room 308, Mallard House, Kings Pool, 3 Peasholme Green, York Y01 7PX or via the website www.pesticides.gov.uk. Copies have been placed in the library of each House of Parliament.