



CYNULLIAD CENEDLAETHOL CYMRU

NATIONAL ASSEMBLY FOR WALES

OFFERYNNAU STATUDOL

STATUTORY INSTRUMENTS

2001 Rhif 3762 (Cy.311)

2001 No. 3762 (W.311)

AER GLÂN, CYMRU

CLEAN AIR, WALES

**Rheoliadau Ardaloedd Rheoli Mwg
(Tanwyddau Awdurdodedig)
(Cymru) 2001**

**The Smoke Control Areas
(Authorised Fuels)(Wales)
Regulations 2001**

NODYN ESBONIADOL

EXPLANATORY NOTE

(Nid yw'r nodyn hwn yn rhan o'r Rheoliadau)

(This note is not part of the Regulations)

Pan fydd mwg yn cael ei ollwng o simnai mewn ardal rheoli mwg a bod y simnai honno naill ai -

Section 20 of the Clean Air Act 1993 provides that where smoke is emitted from a chimney in a smoke control area and that chimney is either -

- (a) yn simnai adeilad; neu
- (b) yn simnai sy'n gwasanaethu ffwrnais bwyler sefydlog neu beiriannau diwydiannol (heb fod yn simnai adeilad),

- (a) a chimney of a building; or
- (b) a chimney serving the furnace of a fixed boiler or industrial plant (not being a chimney of a building),

mae adran 20 o Ddeddf Aer Glân 1993 yn darparu bod meddiannydd yr adeilad, neu yn ôl fel y digwydd, y person sy'n meddu ar y bwyler neu'r peiriannau, yn euog o dramgwydd. Mae'n amddiffyniad os gellir dangos mai drwy ddefnyddio tanwydd awdurdodedig yn unig yr achoswyd y gollyngiad honedig.

the occupier of the building, or as the case may be, the person having possession of the boiler or plant, is guilty of an offence. It is a defence to show that the alleged emission was caused solely by the use of an authorised fuel.

Mae'r Rheoliadau hyn yn diwygio'r holl Reoliadau blaenorol ar danwyddau awdurdodedig ac yn pennu'r holl danwyddau sy'n danwyddau awdurdodedig ar hyn o bryd at ddibenion Deddf 1993. Mae'r tanwyddau a bennir wedi'u hawdurdodi i gael eu defnyddio yng Nghymru. Er bod y rhan fwyaf o'r tanwyddau yn y rheoliadau hyn wedi bod yn danwyddau awdurdodedig o'r blaen, mae disgrifiad llawer ohonynt wedi'i ddiwygio i adlewyrchu newidiadau wrth eu gweithgynhyrchu neu yn y lle gweithgynhyrchu. Mae nifer o danwyddau awdurdodedig blaenorol na chredir eu bod yn cael eu gweithgynhyrchu neu eu marchnata yn y Deyrnas Unedig wedi'u tynnu oddi ar y rhestr o danwyddau awdurdodedig.

These Regulations revoke all previous authorised fuel Regulations and specify all fuels which are currently authorised fuels for the purposes of the 1993 Act. The specified fuels are authorised for use in Wales. Although most of the fuels in these Regulations have previously been authorised fuels, the description of many fuels has been revised to reflect changes in their manufacture or place of manufacture. A number of previously authorised fuels which are no longer believed to be manufactured or to be marketed in the United Kingdom have been removed from the list of authorised fuels.

Mae Bord na Móna Firelogs, Bryant and May Firelogs, a bricks glo Charglow wedi'u hawdurdodi i gael eu defnyddio am y tro cyntaf.

Bord na Móna Firelogs, Bryant and May Firelogs, and Charglow briquettes are authorised for use for the first time.

Mae'r Rheoliadau hyn yn cydgrynhai ac yn disodli Rheoliadau Ardaloedd Rheoli Mwg (Tanwyddau Awdurdodedig) 1991 (O.S 1991/1282), Rheoliadau Ardaloedd Rheoli Mwg (Tanwyddau Awdurdodedig) (Diwygio) 1992 (O.S 1992/72), Rheoliadau Ardaloedd Rheoli Mwg (Tanwyddau Awdurdodedig) (Diwygio) (Rhif 2) 1992 (O.S 1992/3148), Rheoliadau Ardaloedd Rheoli Mwg (Tanwyddau Awdurdodedig) (Diwygio) 1993 (O.S 1993/2499), Rheoliadau Ardaloedd Rheoli Mwg (Tanwyddau Awdurdodedig) (Diwygio) 1996 (O.S 1996/1145), Rheoliadau Ardaloedd Rheoli Mwg (Tanwyddau Awdurdodedig) (Diwygio) 1997 (O.S 1997/2658), Rheoliadau Ardaloedd Rheoli Mwg (Tanwyddau Awdurdodedig) (Diwygio) 1998 (O.S 1998/2154), Rheoliadau Ardaloedd Rheoli Mwg (Tanwyddau Awdurdodedig) (Diwygio Rhif 2) 1998 (O.S 1998/3096) a Rheoliadau Ardaloedd Rheoli Mwg (Tanwyddau Awdurdodedig) (Diwygio) (Cymru) 2000 (O.S 2000/3156 (Cy. 2000/205)).

Gall tanwydd a weithgynhyrchwyd cyn 17 Rhagfyr 2001 ac a awdurdodwyd gan y Rheoliadau a ddiddymir gan y Rheoliadau hyn gael ei ddefnyddio er gwaethaf y diddymu.

These regulations consolidate and replace the Smoke Control Areas (Authorised Fuels) Regulations 1991 (S.I. 1991/1282), Smoke Control Areas (Authorised Fuels) (Amendment) Regulations 1992 (S.I. 1992/72), Smoke Control Areas (Authorised Fuels) (Amendment) (No.2) Regulations 1992 (S.I. 1992/3148), Smoke Control Areas (Authorised Fuels) (Amendment) Regulations 1993 (S.I. 1993/2499), Smoke Control Areas (Authorised Fuels) (Amendment) Regulations 1996 (S.I. 1996/1145), Smoke Control Areas (Authorised Fuels) (Amendment) Regulations 1997 (S.I. 1997/2658), Smoke Control Areas (Authorised Fuels) (Amendment) Regulations 1998 (S.I. 1998/2154), Smoke Control Areas (Authorised Fuels) (Amendment No.2) Regulations 1998 (S.I. 1998/3096) and Smoke Control Areas (Authorised Fuels) (Amendment) (Wales) Regulations 2000 (S.I. 2000/3156 (W. 2000/205)).

Fuel which was manufactured before 17th December 2001 and which was authorised by Regulations revoked by these Regulations may be used notwithstanding the revocation.

2001 Rhif 3762 (Cy.311)**2001 No. 3762 (W.311)****AER GLÂN, CYMRU****CLEAN AIR, WALES****Rheoliadau Ardaloedd Rheoli Mwg
(Tanwyddau Awdurdodedig)
(Cymru) 2001****The Smoke Control Areas
(Authorised Fuels)(Wales)
Regulations 2001***Wedi'i gwneud* 20 Tachwedd 2001*Made* 20 November 2001*Yn dod i rym* 17 Rhagfyr 2001*Coming into force* 17 December 2001

Mae Cynulliad Cenedlaethol Cymru, drwy arfer y pwerau a roddwyd i'r Ysgrifennydd Gwladol gan adran 20(6) a 63(1) o Ddeddf Aer Glân 1993(a) ac sydd bellach wedi'u breinio yng Nghynulliad Cenedlaethol Cymru(b), drwy hyn yn gwneud y Rheoliadau canlynol:

The National Assembly for Wales, in exercise of the powers conferred on the Secretary for State by section 20(6) and 63(1) of the Clean Air Act 1993(a) and now vested in it(b), hereby makes the following Regulations:

Enwi, cychwyn a chymhwyso

1.- (1) Enw'r Rheoliadau hyn yw Rheoliadau Ardaloedd Rheoli Mwg (Tanwyddau Awdurdodedig) (Cymru) 2001.

(2) Daw'r Rheoliadau hyn i rym ar 17 Rhagfyr 2001.

(3) Mae'r Rheoliadau hyn yn gymwys i Gymru.

Citation, commencement, and application

1.- (1) These Regulations may be cited as the Smoke Control Areas (Authorised Fuels)(Wales) Regulations 2001.

(2) These Regulations shall come into force on 17 December 2001.

(3) These Regulations apply to Wales.

Tanwyddau awdurdodedig at ddibenion Deddf Aer Glân 1993

2. Datgenir bod glo caled, glo lled-galed, trydan, nwy, gloeau stêm anweddolrwydd isel a'r tanwyddau a ddisgrifir yn Atodlen 1 yn danwyddau awdurdodedig at ddibenion Deddf Aer Glân 1993.

Authorised fuels for the purposes of the Clean Air Act 1993

2. Anthracite, semi-anthracite, electricity, gas, low volatile steam coals and the fuels described in Schedule 1 are declared to be authorised fuels for the purposes of the Clean Air Act 1993.

Diddymu ac eithrio

3.- (1) Mae'r Rheoliadau a restrir yn Atodlen 2 wedi'u diddymu.

(2) Bydd unrhyw danwydd a weithgynhyrchwyd cyn 17 Rhagfyr 2001 a oedd yn union cyn y dyddiad hwnnw yn danwydd awdurdodedig yn parhau yn danwydd awdurdodedig er bod y Rheoliadau a restrir yn Atodlen 2 wedi'u diddymu.

Revocations and savings

3.- (1) The Regulations listed in Schedule 2 are revoked.

(2) Any fuel manufactured before 17th December 2001 which immediately before that date was an authorised fuel shall continue to be an authorised fuel notwithstanding the revocation of the Regulations listed in Schedule 2.

(a) 1993 p.11

(b) Trosglwyddwyd swyddogaethau'r Ysgrifennydd Gwladol i'r graddau y maent yn arferadwy mewn perthynas â Chymru i Gynulliad Cenedlaethol Cymru: gweler Erthygl 2 o Orchymyn Cynulliad Cenedlaethol Cymru (Trosglwyddo Swyddogaethau) 1999 (O.S 1999/672) ac Atodlen 1 iddo.

(a) 1993 c.11

(b) The powers of the Secretary of State in so far as exercisable in relation to Wales have been transferred to the National Assembly of Wales: see Article 2 of and Schedule 1 to the National Assembly for Wales (Transfer of Functions) Order 1999 (S.I. 1999/672)

20 Tachwedd 2001

20 November 2001

D. Elis-Thomas

Llywydd y Cynulliad Cenedlaethol

The Presiding Officer of the National Assembly

ATODLEN 1

SCHEDULE 1

Rheoliad 2

Regulation 2

TANWYDDAU AWDURDODEDIG

AUTHORISED FUELS

1 Brics glo Aimcor Excel, a weithgynhyrchir gan Applied Industrial Materials UK Limited yn Newfield, County Durham -

1 Aimcor Excel briquettes, manufactured by Applied Industrial Materials UK Limited at Newfield, County Durham, which-

- (a) sy'n cynnwys golosg petrolewm (sef 60 i 75 y cant o'r cyfanswm pwysau), glo anweddolrwydd isel a golosg adweithiol (sef 20 i 25 y cant o'r cyfanswm pwysau) a rhwymwr resin sy'n caledu pan fo'n oer (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu;
- (c) sy'n frics glo heb eu marcio ar siâp gobennydd, yn pwyso 73 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

- (a) comprise petroleum coke (as to 60 to 75 per cent of the total weight), low volatile coal and reactive coke (as to 20 to 25 per cent of the total weight) and cold-setting resin binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing;
- (c) are unmarked pillow-shaped briquettes and have an average weight of 73 grammes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

2 Brics glo Aimcor Pureheat, a weithgynhyrchir gan Applied Industrial Materials UK Limited yn Immingham, North East Lincolnshire -

2 Aimcor Pureheat briquettes, manufactured by Applied Industrial Materials UK Limited at Immingham, North East Lincolnshire, which-

- (a) sy'n cynnwys glo caled (sef rhyw 60 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 25 y cant o'r cyfanswm pwysau) a rhwymwr (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu a thriniaeth wres ar ryw 250°C;
- (c) yn frics glo ar siâp gobennydd gydag un llinell wedi'i hindentio ar un ochr a dwy linell wedi'u hindentio ar yr ochr arall ac sy'n pwyso 75 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

- (a) comprise anthracite (as to approximately 60 per cent of the total weight), petroleum coke (as to approximately 25 per cent of the total weight) and binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 250°C;
- (c) are pillow-shaped briquettes with a single line indentation on one side and a double line indentation on the reverse side and have an average weight of 75 grammes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

3 Brics glo Ancit, a weithgynhyrchir gan Coal Products Limited yn Immingham Briquetting Works, Immingham, North East Lincolnshire -

3 Ancit briquettes, manufactured by Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire, which-

- (a) sy'n cynnwys glo caled (sef rhyw 60 i 85 y cant o'r cyfanswm pwysau), golosg petrolewm (hyd

- (a) comprise anthracite (as to approximately 60 to 85 per cent of the total weight), petroleum

at ryw 30 y cant o'r cyfanswm pwysau), glo meddal (hyd at ryw 15 y cant o'r cyfanswm pwysau) a rhwymwr triagl ac asid ffosfforig (sef gweddill y pwysau);

- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rholio-wasgu a thriniaeth wres ar ryw 300°C;
- (c) sy'n frics glos heb eu marcio ar siâp clustog sy'n pwyso 48 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 1.5 y cant o sylffwr o'r cyfanswm pwysau.

4 Brics glo Black Diamond Gem, a weithgynhyrchir gan Coal Products Limited yn Immingham Briquetting Works, Immingham, North East Lincolnshire -

- (a) sy'n cynnwys llwch glo caled (sef 20 i 30 y cant o'r cyfanswm pwysau), golosg petrolewm (sef 40 i 45 y cant o'r cyfanswm pwysau), glo meddal (sef 12 i 22 y cant o'r cyfanswm pwysau) a rhwymwr triagl ac asid fforsfforig (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rholio-wasgu a thriniaeth wres ar ryw 300°C,
- (c) sy'n frics glo ar siâp gobennydd wedi'u marcio â dwy linell gyfochrog sydd wedi'u hindentio ac yn rhedeg yn lledredol o amgylch y fricsen ac sy'n pwyso 160 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 1.5 y cant o sylffwr o'r cyfanswm pwysau.

5 Bord na Móna Firelogs, a weithgynhyrchir gan Bord na Móna Fuels Limited, Newbridge, County Kildare, Gweriniaeth Iwerddon -

- (a) sy'n cynnwys cwyr hydrin (sef rhyw 55 y cant o'r cyfanswm pwysau), blawd llif pren caled (sef rhyw 45 y cant o'r cyfanswm pwysau) a lleithder (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses triniaeth wres ac allwthio;
- (c) sy'n foncyffion tân, rhyw 255 milimetr eu hyd a 75 milimetr eu diamedr, a chyda rhigolau ar hyd un wyneb hydredol, yn pwyso 1.3 chilogram (net) ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 0.1 y cant o sylffwr o'r cyfanswm pwysau.

6 Bryant and May Firelogs a weithgynhyrchir gan Swedish Match yn Kostenetz, Bwlgaria -

- (a) sy'n cynnwys cwyr paraffin (sef rhyw 50 y cant o'r cyfanswm pwysau), pren poplys mál (sef rhyw 25 y cant o'r cyfanswm pwysau), blawd gwenith (sef rhyw 15 y cant o'r cyfanswm pwysau), solidau cyneuadwy ar wasgar mewn cwyr paraffin ar ffurf jel (sef rhyw 1 y cant o'r

coke (up to approximately 30 per cent of the total weight), bituminous coal (up to approximately 15 per cent of the total weight) and a molasses and phosphoric acid binder (as to the remaining weight);

- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 300°C;
- (c) are unmarked cushion-shaped briquettes with an average weight of 48 grammes; and
- (d) have a sulphur content not exceeding 1.5 per cent of the total weight.

4 Black Diamond Gem briquettes, manufactured by Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire, which-

- (a) comprise anthracite duff (as to 20 to 30 per cent of the total weight), petroleum coke (as to 40 to 45 per cent of the total weight), bituminous coal (as to 12 to 22 per cent of the total weight) and molasses and phosphoric acid binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 300°C,
- (c) are pillow-shaped briquettes marked with two parallel indented lines running latitudinally around the briquette and have an average weight of 160 grammes; and
- (d) have a sulphur content not exceeding 1.5 per cent of the total weight.

5 Bord na Móna Firelogs, manufactured by Bord na Móna Fuels Limited, Newbridge, County Kildare, Republic of Ireland, which-

- (a) comprise slack wax (as to approximately 55 per cent of the total weight), hardwood sawdust (as to approximately 45 per cent of the total weight) and moisture (as to the remaining weight);
- (b) were manufactured from those constituents by a process of heat treatment and extrusion;
- (c) are Firelogs, approximately 255 millimetres in length and 75 millimetres in diameter, and with grooves along one longitudinal face, and have an average weight of 1.3 kilogrammes (net); and
- (d) have a sulphur content not exceeding 0.1 per cent of the total weight.

6 Bryant and May Firelogs manufactured by Swedish Match at Kostenetz, Bulgaria, which -

- (a) comprise paraffin wax (as to approximately 50 per cent of the total weight), ground poplar wood (as to approximately 25 per cent of the total weight), wheatflour (as to approximately 15 per cent of the total weight), ignitable solids dispersed in gelled paraffin wax (as to approximately 1 per cent of the total weight)

cyfanswm pwysau) a dŵr, cyfryngau chwyddo a chadwolyn (sef gweddill y pwysau);

- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys eu hallwthio;
- (c) y mae iddynt drawstoriad cwadrant o ryw 80 milimetr o radiws, ac sy'n rhyw 265 milimetr o hyd gyda sribyn cynnau ar hyd un ymyl, ac sy'n pwyso rhyw 1.15 cilogram; ac
- (ch) nad ydynt yn cynnwys mwy na 0.1 y cant o sylffwr o'r cyfanswm pwysau.

7 Brics glo Charglow, a weithgynhyrchir gan Polchar Spółka z ograniczoną odpowiedzialnością, Police, Zachodniopomorskie, Gwlad Pwyl -

- (a) sy'n cynnwys golosg glo meddal (sef rhyw 45 i 95 y cant o'r cyfanswm pwysau), glo caled (sef rhyw 0 i 20 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 0 i 20 y cant o'r cyfanswm pwysau), glo meddal (sef rhyw 0 i 10 y cant o'r cyfanswm pwysau) a rhwymwr organig (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu a thriniaeth wres ar ryw 110°C;
- (c) sy'n frics glo heb eu marcio ar siâp gobennydd, yn pwyso 100 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 1.5 y cant o sylffwr o'r cyfanswm pwysau.

8 Coalite a weithgynhyrchir gan Coalite Products Limited yn Bolsover, yn ymyl Chesterfield, Derbyshire ac yn Grimethorpe, South Yorkshire drwy ddefnyddio proses carboneiddio tymheredd isel.

9 Golosg a weithgynhyrchir gan-

- (a) Coal Products Limited yn Cwm Coking Works, Llanilltud Faerdre, Pontypridd, Rhondda Cynon Taf, a'i werthu fel "Sunbrite";
- (b) Monckton Coke & Chemical Company Limited yn Royston, yn ymyl Barnsley, South Yorkshire a'i werthu fel "Sunbrite" neu "Monckton Boiler Beans";
- (c) Corus UK Limited yn Teesside Works, Redcar & Cleveland a'i werthu fel "Redcar Coke Nuts (Doubles)"; ac
- (ch) Coal Products Limited yn Cwm Coking Works, Llanilltud Faerdre, Pontypridd, Rhondda Cynon Taf a'i werthu fel "Cwm Coke Doubles".

10 Cosycoke (sy'n cael ei farchnata hefyd fel Lionheart Crusader neu Sunbrite Plus) a weithgynhyrchir gan Monckton Coke & Chemical Company Limited yn Royston, yn ymyl Barnsley, South Yorkshire ac Aimcor Supercoke (sydd hefyd yn cael ei farchnata fel Supercoke), a weithgynhyrchir gan

and water, swelling agents and preservative (as to the remaining weight);

- (b) were manufactured from those constituents by a process involving extrusion;
- (c) are of quadrant cross sections with a radius of approximately 80 millimetres, and length approximately 265 millimetres with an ignition strip along one edge, and having an approximate weight of 1.15 kilogrammes; and
- (d) have a sulphur content not exceeding 0.1 per cent of the total weight.

7 Charglow briquettes, manufactured by Polchar Spółka z ograniczoną odpowiedzialnością, Police, Zachodniopomorskie, Poland, which -

- (a) comprise bituminous coal char (as to approximately 45 per cent to 95 per cent of the total weight), anthracite (as to approximately 0 per cent to 20 per cent of the total weight), petroleum coke (as to approximately 0 per cent to 20 per cent of the total weight), bituminous coal (as to approximately 0 per cent to 10 per cent of the total weight) and an organic binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll pressing and heat treatment at about 110°C;
- (c) are unmarked pillow-shaped briquettes and have an average weight of 100 grammes; and
- (d) have a sulphur content not exceeding 1.5 per cent of the total weight.

8 Coalite manufactured by Coalite Products Limited at Bolsover, near Chesterfield, Derbyshire and at Grimethorpe, South Yorkshire using a low temperature carbonisation process.

9 Coke manufactured by-

- (a) Coal Products Limited at Cwm Coking Works, Llantwit Fardre, Pontypridd, Rhondda Cynon Taff, and sold as "Sunbrite";
- (b) Monckton Coke & Chemical Company Limited at Royston, near Barnsley, South Yorkshire and sold as "Sunbrite" or "Monckton Boiler Beans";
- (c) Corus UK Limited at Teesside Works, Redcar & Cleveland and sold as "Redcar Coke Nuts (Doubles)"; and
- (d) Coal Products Limited at Cwm Coking Works, Llantwit Fardre, Pontypridd, Rhondda Cynon Taff and sold as "Cwm Coke Doubles".

10 Cosycoke (also marketed as Lionheart Crusader or Sunbrite Plus) manufactured by Monckton Coke & Chemical Company Limited at Royston, near Barnsley, South Yorkshire and Aimcor Supercoke (also marketed as Supercoke), manufactured by M & G Fuels Limited at Hartlepool Docks, Hartlepool, which in each case-

M & G Fuels Limited yn Hartlepool Docks, Hartlepool, sydd ym mhob achos-

- (a) yn cynnwys golosg caled o faint penodol (sef rhyw 45 i 65 y cant o'r cyfanswm pwysau) a golosg petrolewm o faint penodol (sef gweddill y pwysau);
- (b) wedi'i weithgynhyrchu o'r cyfansoddion hynny drwy eu cyfuno;
- (c) o hap-siapiau heb eu marcio; ac
- (ch) heb fod yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

11 Brics glo Ecobrite, a weithgynhyrchir gan Arigna Fuels Limited yn Arigna, Carrick-on-Shannon, County Roscommon, Gweriniaeth Iwerddon -

- (a) sy'n cynnwys gronynnau glo caled (sef rhyw 96 y cant o'r cyfanswm pwysau) a starts yn rhwymwr (sef gweddill y pwysau);
- (b) a weithgynhyrwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rholio-wasgu a thriniaeth wres ar ryw 250°C;
- (c) sy'n frics glo heb eu marcio ar siâp gobennydd mewn dau faint sydd, ar gyfartaledd yn pwyso 37 gram yn achos y maint lleiaf a 48 gram yn achos y maint mwyaf; ac
- (ch) nad ydynt yn cynnwys mwy na 1.5 y cant o sylffwr o'r cyfanswm pwysau.

12 Brics glo Extracite, a weithgynhyrchir gan Sophia-Jacoba Handelsgesellschaft mbH yn Hückelhoven, Yr Almaen -

- (a) sy'n cynnwys llwch glo caled (sef rhyw 95.5 y cant o'r cyfanswm pwysau) a lleisw *ammonium lignosulphonate* yn rhwymwr (sef gweddill y pwysau);
- (b) a weithgynhyrwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rholio-wasgu a thriniaeth wres ar ryw 260°C;
- (c) sy'n frics glo ariannaidd ar siâp clustog a'r llythrennau "S" a "J" wedi'u marcio arnynt ac sy'n pwyso 40 gram ar gyfartaledd; ac
- (ch) sy'n cynnwys rhyw 1.2 y cant o sylffwr o'r cyfanswm pwysau.

13 Brics glo Fireglo, a weithgynhyrchir gan Les Combustibles de Normandie yn Caen, Ffrainc, a chan La Société Rouennaise de Defumage yn Rouen, Ffrainc -

- (a) sy'n cynnwys llychau Cymreig wedi'u golchi (sef rhyw 92 y cant o'r cyfanswm pwysau) a rhwymwr pyg glo (sef gweddill y pwysau);
- (b) a weithgynhyrwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rholio-wasgu a thriniaeth wres ar ryw 330°C;
- (c) sy'n ofoidau â thair llinell ar un ochr a'r ochr

- (a) comprise sized hard coke (as to approximately 45 to 65 per cent of the total weight) and sized petroleum coke (as to the remaining weight);
- (b) were manufactured from those constituents by blending;
- (c) are unmarked random shapes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

11 Ecobrite briquettes, manufactured by Arigna Fuels Limited at Arigna, Carrick-on-Shannon, County Roscommon, Republic of Ireland, which-

- (a) comprise anthracite fines (as to approximately 96 per cent of the total weight) and starch as binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 250°C;
- (c) are unmarked pillow-shaped briquettes in two sizes having an average weight of 37 grammes for the smaller size and 48 grammes for the larger size; and
- (d) have a sulphur content not exceeding 1.5 per cent of the total weight.

12 Extracite briquettes, manufactured by Sophia-Jacoba Handelsgesellschaft mbH at Hückelhoven, Germany, which-

- (a) comprise anthracite duff (as to approximately 95.5 per cent of the total weight) and *ammonium lignosulphonate* lye as binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 260°C;
- (c) are cushion-shaped briquettes with a silvery appearance and are marked with the letters "S" and "J" and have an average weight of 40 grammes; and
- (d) have a sulphur content of approximately 1.2 per cent of the total weight.

13 Fireglo briquettes, manufactured by Les Combustibles de Normandie at Caen, France, and by La Société Rouennaise de Defumage at Rouen, France, which-

- (a) comprise washed Welsh duffs (as to approximately 92 per cent of the total weight) and coal pitch binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 330°C;
- (c) are ovoids with three lines on one side and are

arall yn llyfn ac sy'n pwyso 30 gram ar gyfartaledd; ac

(ch) nad ydynt yn cynnwys mwy na 0.8 y cant o sylffwr o'r cyfanswm pwysau.

14 Brics glo Homefire, a weithgynhyrchir gan Coal Products Limited yn Shildon, County Durham -

(a) sy'n cynnwys gronynnau glo caled (sef rhyw 40 i 70 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 20 i 45 y cant o'r cyfanswm pwysau), cols (sef rhyw 0 i 10 y cant o'r cyfanswm pwysau), glo meddal (sef rhyw 5 i 30 y cant o'r cyfanswm pwysau) a rhwymwr organig (sef gweddill y pwysau);

(b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu;

(c) sydd fel brics glo gorffenedig yn cynnwys nid llai na 9 y cant ac nid mwy na 15 y cant o fater anweddol o'r cyfanswm pwysau pan fyddant yn sych;

(ch) sy'n frics glo chweochrog heb eu marcio ac sy'n pwyso 140 gram ar gyfartaledd; a

(d) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

15 Homefire ovals, a weithgynhyrchir gan Coal Products Limited yn Immingham Briquetting Works, Immingham, North East Lincolnshire -

(a) sy'n cynnwys llwch glo caled (sef rhyw 57 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 17 y cant o'r cyfanswm pwysau), glo meddal (sef rhyw 13 y cant o'r cyfanswm pwysau) a thriagl ac asid ffosfforig yn rhwymwr (sef gweddill y pwysau);

(b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu a thriniaeth wres ar ryw 300°C;

(c) sy'n frics glo ar siâp gobennydd â dwy linell gyfochrog wedi'u hindentio yn rhedeg yn lledredol o amgylch y fricsen ac sy'n pwyso 135 gram ar gyfartaledd; ac

(ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

16 Homefire Ovals (R), a weithgynhyrchir gan Coal Products Limited yn Immingham Briquetting Works, Immingham, North East Lincolnshire -

(a) sy'n cynnwys gronynnau glo caled (sef rhyw 50 i 75 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 20 i 45 y cant o'r cyfanswm pwysau), glo meddal (sef rhyw 5 i 17 y cant o'r cyfanswm pwysau) a rhwymwr organig (sef gweddill y pwysau);

(b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu;

smooth on the other side and have an average weight of 30 grammes; and

(d) have a sulphur content not exceeding 0.8 per cent of the total weight.

14 Homefire briquettes, manufactured by Coal Products Limited at Shildon, County Durham, which-

(a) comprise anthracite fines (as to approximately 40 to 70 per cent of the total weight), petroleum coke (as to approximately 20 to 45 per cent of the total weight), char (as to approximately 0 to 10 per cent of the total weight), bituminous coal (as to approximately 5 to 30 per cent of the total weight) and an organic binder (as to the remaining weight);

(b) were manufactured from those constituents by a process involving roll-pressing;

(c) have a volatile matter content in the finished briquette of neither less than 9 nor more than 15 per cent of the total weight on a dry basis;

(d) are unmarked hexagonal briquettes and have an average weight of 140 grammes; and

(e) have a sulphur content not exceeding 2 per cent of the total weight.

15 Homefire ovals, manufactured by Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire, which-

(a) comprise anthracite duff (as to approximately 57 per cent of the total weight), petroleum coke (as to approximately 17 per cent of the total weight), bituminous coal (as to approximately 13 per cent of the total weight) and molasses and phosphoric acid as binder (as to the remaining weight);

(b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 300°C;

(c) are pillow-shaped briquettes with two parallel indented lines running latitudinally around the briquette and have an average weight of 135 grammes; and

(d) have a sulphur content not exceeding 2 per cent of the total weight.

16 Homefire Ovals (R), manufactured by Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire, which-

(a) comprise anthracite fines (as to approximately 50 to 75 per cent of the total weight), petroleum coke (as to approximately 20 to 45 per cent of the total weight), bituminous coal (as to approximately 5 to 17 per cent of the total weight) and an organic binder (as to the remaining weight);

(b) were manufactured from those constituents by a process involving roll-pressing;

- (c) sy'n frics glo ar siâp gobennydd â dwy linell gyfochrog wedi'u hindentio yn rhedeg yn lledredol o amgylch y fricsen ac sy'n pwysu 130 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

17 Island Lump ac Island Nuts, a weithgynhyrchir gan Unocal Refinery, California, Unol Daleithiau America -

- (a) sy'n cynnwys golosg petrolewm;
- (b) a weithgynhyrchwyd o'r golosg petrolewm drwy broses sy'n cynnwys triniaeth wres a chwistrellu stêm;
- (c) sy'n hap-siapiau heb eu marcio ac sy'n pwysu 80 gram ar gyfartaledd (Island Lump) neu 30 gram ar gyfartaledd (Island Nuts); ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

18 Brics glo Jewel, a weithgynhyrchir gan Eldon Colliery Limited yn Newfield Works, Bishop Auckland, County Durham -

- (a) sy'n cynnwys glo caled (sef rhyw 30 i 50 y cant o'r cyfanswm pwysau) a golosg petrolewm Long Beach (sef rhyw 50 i 70 y cant o'r cyfanswm pwysau) a rhwymwr carbohydrad (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu a thriniaeth wres ar ryw 150°C;
- (c) sy'n frics glo heb eu marcio ar siâp gobennydd ac sy'n pwysu 33 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy nag 1.5 y cant o sylffwr o'r cyfanswm pwysau.

19 Long Beach Lump nuts (sydd fel arall yn cael eu hadnabod fel LBL nuts), a weithgynhyrchir gan Aimcor Carbon Corporation yn Long Beach, California, Unol Daleithiau America -

- (a) sy'n cynnwys golosg petrolewm (sef rhyw 85 i 100 y cant o'r cyfanswm pwysau), calchfaen (sef rhyw 0 i 10 y cant o'r cyfanswm pwysau) a phyg tar glo (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys triniaeth wres a chwistrellu stêm;
- (c) sy'n hap-siapiau heb eu marcio; ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

20 Brics glo Maxibrite, a weithgynhyrchir gan Maxibrite Limited yn Llantrisant, Rhondda Cynon Taf -

- (a) sy'n cynnwys gronnau glo caled (sef rhyw 84 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 12 y cant o'r cyfanswm

- (c) are pillow-shaped briquettes with two parallel indented lines running latitudinally around the briquette and have an average weight of 130 grammes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

17 Island Lump and Island Nuts, manufactured by Unocal Refinery, California, the United States of America, which-

- (a) comprise petroleum coke;
- (b) were manufactured from the petroleum coke by a process involving heat treatment and steam injection;
- (c) are unmarked random shapes and have an average weight of 80 grammes (Island Lump) or 30 grammes (Island Nuts); and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

18 Jewel briquettes, manufactured by Eldon Colliery Limited at Newfield Works, Bishop Auckland, County Durham, which-

- (a) comprise anthracite (as to approximately 30 to 50 per cent of the total weight) and Long Beach petroleum coke (as to approximately 50 to 70 per cent of the total weight) and a carbohydrate binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 150°C;
- (c) are unmarked pillow-shaped briquettes and have an average weight of 33 grammes; and
- (d) have a sulphur content not exceeding 1.5 per cent of the total weight.

19 Long Beach Lump nuts (otherwise known as LBL nuts), manufactured by Aimcor Carbon Corporation at Long Beach, California, the United States of America, which-

- (a) comprise petroleum coke (as to approximately 85 to 100 per cent of the total weight), limestone (as to approximately 0 to 10 per cent of the total weight) and coal tar pitch (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving heat treatment and steam injection;
- (c) are unmarked random shapes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

20 Maxibrite briquettes, manufactured by Maxibrite Limited at Llantrisant, Rhondda Cynon Taf, which-

- (a) comprise anthracite fines (as to approximately 84 per cent of the total weight), petroleum coke (as to approximately 12 per cent of the

pwysau) a starts yn rhwymwr (sef gweddill y pwysau);

- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu a thriniaeth wres ar 250°C;
- (c) sy'n frics ar siâp clustog wedi'u marcio â'r llythyren "M" ac sy'n pwyso 35 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

21 Brics glo Newflame, a weithgynhyrchir gan Maxibrite Limited yn Llantrisant, Rhondda Cynon Taf -

- (a) sy'n cynnwys gronynnau glo caled (sef rhyw 84 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 12 y cant o'r cyfanswm pwysau) a starts yn rhwymwr (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu a thriniaeth wres ar ryw 260°C;
- (c) sy'n frics glo heb eu marcio ar siâp gobennydd ac sy'n pwyso 78 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

22 Brics glo Phurnacite, a weithgynhyrchir gan Coal Products Limited yn Immingham Briquetting Works, Immingham, North East Lincolnshire -

- (a) sy'n cynnwys llwch glo caled (sef rhyw 65 i 85 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 20 y cant o'r cyfanswm pwysau) a rhwymwr triagl ac asid ffosfforig (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu a thriniaeth wres ar ryw 300°C;
- (c) sy'n frics glo ar siâp ofoidau â dwy linell gyfochrog yn rhedeg yn hydredol o amgylch y fricsen ac sy'n pwyso 40 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 1.5 y cant o sylffwr o'r cyfanswm pwysau.

23 Safelight Firelogs, a weithgynhyrchir gan Advanced Natural Fuels Limited, yn Pocklington, East Riding of Yorkshire -

- (a) sy'n cynnwys sglodion pren (sef rhyw 40 i 55 y cant o'r cyfanswm pwysau) a rhwymwr Cwyr Palmwydden (sef rhyw 45 i 60 y cant o'r cyfanswm pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys gwasgu'r cynhwysion, ar ôl eu cymysgu, ar ryw 40°C i 50°C;
- (c) sy'n foncyffion tân petryal caled â dwy agen ddofn sy'n gorgyffwrdd yn yr wyneb uchaf, un

total weight) and starch as binder (as to the remaining weight);

- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at 250°C;
- (c) are cushion-shaped briquettes marked with the letter "M" and have an average weight of 35 grammes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

21 Newflame briquettes, manufactured by Maxibrite Limited at Llantrisant, Rhondda Cynon Taff, which-

- (a) comprise anthracite fines (as to approximately 84 per cent of the total weight), petroleum coke (as to approximately 12 per cent of the total weight) and starch as binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 260°C;
- (c) are unmarked pillow-shaped briquettes and have an average weight of 78 grammes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

22 Phurnacite briquettes, manufactured by Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire, which-

- (a) comprise anthracite duff (as to approximately 65 to 85 per cent of the total weight), petroleum coke (as to approximately 20 per cent of the total weight) and a molasses and phosphoric acid binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 300°C;
- (c) are ovoid-shaped briquettes with two parallel indented lines running longitudinally around the briquette and have an average weight of 40 grammes; and
- (d) have a sulphur content not exceeding 1.5 per cent of the total weight.

23 Safelight Firelogs, manufactured by Advanced Natural Fuels Limited, at Pocklington, East Riding of Yorkshire, which-

- (a) comprise woodchip (as to approximately 40 to 55 per cent of the total weight) and Palm Wax binder (as to approximately 45 to 60 per cent of the total weight);
- (b) were manufactured from those constituents by a process involving pressing of the mixed ingredients at about 40°C to 50°C;
- (c) are rectangular hard finish Firelogs with two deep overlapping slots in the top surface, a

agen ddi-dor yn yr wyneb isaf, ac sy'n pwyso 1.8 cilogram; ac

- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

24 Brics glo Sovereign, a weithgynhyrchir gan Monckton Coke & Chemical Company Limited yn Royston, yn ymyl Barnsley, South Yorkshire -

- (a) sy'n cynnwys glo caled (sef rhyw 75 y cant o'r cyfanswm pwysau), glo a golosg adweithiol (sef rhyw 21 y cant o'r cyfanswm pwysau) a rhwymwr resin sy'n caledu pan fo'n oer (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys eu hallwthio;
- (c) sy'n frics glo chweochrog heb eu marcio ac sy'n pwyso 130 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

25 Supabrite Coke Doubles, a weithgynhyrchir gan H.J. Banks and Company Limited yn Inkerman Road Depot, Tow Law, County Durham -

- (a) sy'n cynnwys golosg metelegol (sef rhyw 40 i 60 y cant o'r cyfanswm pwysau) a golosg petrolewm (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys eu cyfuno a'u sgrinio;
- (c) sy'n hap-siapiau heb eu marcio; ac
- (ch) nad ydynt yn cynnwys mwy na 1.95 y cant o sylffwr o'r cyfanswm pwysau.

26 Supacite briquettes, a weithgynhyrchir gan Maxibrite Limited yn Llantrisant, Rhondda Cynon Taf -

- (a) sy'n cynnwys gronynnau glo caled (sef rhyw 84 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 12 y cant o'r cyfanswm pwysau) a starts yn rhwymwr (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu a thriniaeth wres ar ryw 240°C;
- (c) sy'n ofoidau heb eu marcio ac sy'n pwyso 45 gram; ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

27 Brics glo Supertherm, a weithgynhyrchir gan Coal Products Limited yn Shildon, County Durham -

- (a) sy'n cynnwys cyfuniad (mewn cyfrannedd o 19:1) o lo caled a glo canolig ei anweddolrwydd (sef rhyw 93 y cant o'r cyfanswm pwysau) a rhwymwr organig sy'n caledu pan fo'n oer (sef gweddill y pwysau);

single continuous slot in the base surface, and have an average weight of 1.8 kilogrammes; and

- (d) have a sulphur content not exceeding 2 per cent of the total weight.

24 Sovereign briquettes, manufactured by Monckton Coke & Chemical Company Limited at Royston, near Barnsley, South Yorkshire which-

- (a) comprise anthracite (as to approximately 75 per cent of the total weight), coal and reactive coke (as to approximately 21 per cent of the total weight) and cold-setting resin binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving extrusion;
- (c) are unmarked hexagonal briquettes and have an average weight of 130 grammes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

25 Supabrite Coke Doubles, manufactured by H.J. Banks and Company Limited at Inkerman Road Depot, Tow Law, County Durham, which-

- (a) comprise metallurgical coke (as to approximately 40 to 60 per cent of the total weight) and petroleum coke (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving blending and screening;
- (c) are unmarked random shapes; and
- (d) have a sulphur content not exceeding 1.95 per cent of the total weight.

26 Supacite briquettes, manufactured by Maxibrite Limited at Llantrisant, Rhondda Cynon Taf, which-

- (a) comprise anthracite fines (as to approximately 84 per cent of the total weight), petroleum coke (as to approximately 12 per cent of the total weight) and starch as binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 240°C;
- (c) are unmarked ovoids and have an average weight of 45 grammes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

27 Supertherm briquettes, manufactured by Coal Products Limited at Shildon, County Durham, which-

- (a) comprise a blend (in the proportion of 19:1) of anthracite and medium volatile coal (as to approximately 93 per cent of the total weight) and cold-setting organic binder (as to the remaining weight);

- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu;
- (c) sy'n ofoidau heb eu marcio ac sy'n pwyso 160 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 1.5 y cant o sylffwr o'r cyfanswm pwysau.

28 Brics glo Supertherm II, a weithgynhyrchir gan Coal Products Limited yn Shildon, County Durham -

- (a) sy'n cynnwys glo caled (sef rhyw 36 i 51 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 40 i 55 y cant o'r cyfanswm pwysau) a rhwymwr organig (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu;
- (c) sy'n ofoidau heb eu marcio ac sy'n pwyso 140 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

29 Brics glo Taybrite (sydd fel arall yn cael eu hadnabod fel brics glo Surefire), a weithgynhyrchir gan Coal Products Limited yn Immingham Briquetting Works, Immingham, North East Lincolnshire -

- (a) sy'n cynnwys glo caled (sef rhyw 60 i 80 y cant o'r cyfanswm pwysau), golosg petrolewm (sef rhyw 10 i 30 y cant o'r cyfanswm pwysau) a rhwymwr triagl ac asid ffosfforig (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu a thriniaeth wres ar ryw 300°C;
- (c) sy'n frics glo ar siâp gobennydd sydd wedi'u marcio ag un llinell wedi'i hindentio yn rhedeg yn hydredol ar hyd pob wyneb, yn gorwedd 10 milimetr oddi wrth y llinell gyfatebol neu heb eu marcio, ac sydd yn y naill achos a'r llall yn pwyso 75 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 2 y cant o sylffwr o'r cyfanswm pwysau.

30 Brics glo Thermac, a weithgynhyrchir gan Coal Products Limited yn Shildon, County Durham -

- (a) sy'n cynnwys glo caled (sef rhyw 90 y cant o'r cyfanswm pwysau) a rhwymwr organig sy'n caledu pan fo'n oer (sef gweddill y pwysau);
- (b) a weithgynhyrchwyd o'r cyfansoddion hynny drwy broses sy'n cynnwys rhoio-wasgu;
- (c) sy'n frics glo heb eu marcio ar siâp gobennydd ac sy'n pwyso 48 gram ar gyfartaledd; ac
- (ch) nad ydynt yn cynnwys mwy na 1.5 y cant o sylffwr o'r cyfanswm pwysau.

- (b) were manufactured from those constituents by a process involving roll-pressing;
- (c) are unmarked ovoids and have an average weight of 160 grammes; and
- (d) have a sulphur content not exceeding 1.5 per cent of the total weight.

28 Supertherm II briquettes, manufactured by Coal Products Limited at Shildon, County Durham, which-

- (a) comprise anthracite (as to approximately 36 to 51 per cent of the total weight), petroleum coke (as to approximately 40 to 55 per cent of the total weight) and an organic binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing ;
- (c) are unmarked ovoids and have an average weight of 140 grammes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

29 Taybrite briquettes (otherwise known as Surefire briquettes), manufactured by Coal Products Limited at Immingham Briquetting Works, Immingham, North East Lincolnshire, which-

- (a) comprise anthracite (as to approximately 60 to 80 per cent of the total weight), petroleum coke (as to approximately 10 to 30 per cent of the total weight) and a molasses and phosphoric acid binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing and heat treatment at about 300°C;
- (c) are pillow-shaped briquettes marked with a single indented line running longitudinally along each face, offset from its counterpart by 10 millimetres or unmarked, and in either case have an average weight of 75 grammes; and
- (d) have a sulphur content not exceeding 2 per cent of the total weight.

30 Thermac briquettes, manufactured by Coal Products Limited at Shildon, County Durham, which-

- (a) comprise anthracite (as to approximately 90 per cent of the total weight) and cold-setting organic binder (as to the remaining weight);
- (b) were manufactured from those constituents by a process involving roll-pressing;
- (c) are unmarked pillow-shaped briquettes and have an average weight of 48 grammes; and
- (d) have a sulphur content not exceeding 1.5 per cent of the total weight.

ATODLEN 2

Rheoliad 3(1)

DIDDYMIADAU

Y Rheoliadau sydd wedi'i diddymu:-

Rheoliadau Ardaloedd Rheoli Mwg (Tanwyddau Awdurdodedig) 1991 (O.S. 1991/1282)

Rheoliadau Ardaloedd Rheoli Mwg (Tanwyddau Awdurdodedig) (Diwygio) 1992 (O.S. 1992/72)

Rheoliadau Ardaloedd Rheoli Mwg (Tanwyddau Awdurdodedig) (Diwygio) (Rhif 2) 1992 (O.S. 1992/3148)

Rheoliadau Ardaloedd Rheoli Mwg (Tanwyddau Awdurdodedig) (Diwygio) 1993 (O.S. 1993/2499)

Rheoliadau Ardaloedd Rheoli Mwg (Tanwyddau Awdurdodedig) (Diwygio) 1996 (O.S. 1996/1145)

Rheoliadau Ardaloedd Rheoli Mwg (Tanwyddau Awdurdodedig) (Diwygio) 1997 (O.S. 1997/2658)

Rheoliadau Ardaloedd Rheoli Mwg (Tanwyddau Awdurdodedig) (Diwygio) 1998 (O.S. 1998/2154)

Rheoliadau Ardaloedd Rheoli Mwg (Tanwyddau Awdurdodedig) (Diwygio Rhif 2) 1998 (O.S. 1998/3096)

Rheoliadau Ardaloedd Rheoli Mwg (Tanwyddau Awdurdodedig) (Diwygio) (Cymru) (O.S. 2000/3156 (Cy.205))

SCHEDULE 2

Regulation 3(1)

REVOCATIONS

Regulations revoked:-

The Smoke Control Areas (Authorised Fuels) Regulations 1991 (S.I. 1991/1282)

The Smoke Control Areas (Authorised Fuels) (Amendment) Regulations 1992 (S.I. 1992/72)

The Smoke Control Areas (Authorised Fuels) (Amendment) (No.2) Regulations 1992 (S.I. 1992/3148)

The Smoke Control Areas (Authorised Fuels) (Amendment) Regulations 1993 (S.I. 1993/2499)

The Smoke Control Areas (Authorised Fuels) (Amendment) Regulations 1996 (S.I. 1996/1145)

The Smoke Control Areas (Authorised Fuels) (Amendment) Regulations 1997 (S.I. 1997/2658)

The Smoke Control Areas (Authorised Fuels) (Amendment) Regulations 1998 (S.I. 1998/2154)

The Smoke Control Areas (Authorised Fuels) (Amendment No.2) Regulations 1998 (S.I. 1998/3096)

The Smoke Control Areas (Authorised Fuels) (Amendment) (Wales) Regulations 2000 (S.I. 2000/3156(W.205))

OFFERYNNAU STATUDOL

2001 Rhif 3762 (Cy.311)

AER GLÂN, CYMRU

Rheoliadau Ardaloedd Rheoli Mwg
(Tanwyddau Awdurdodedig)
(Cymru) 2001

STATUTORY INSTRUMENTS

2001 No. 3762 (W.311)

CLEAN AIR, WALES

The Smoke Control Areas
(Authorised Fuels)(Wales)
Regulations 2001

© Hawlfraint y Goron 2002

Argraffwyd a chyhoeddwyd yn y Deyrnas Unedig gan The Stationery Office Limited o dan awdurdod ac arolygiaeth Carol Tullo, Rheolwr Gwasg Ei Mawrhydi ac Argraffydd Deddfau Seneddol y Frenhines.

£3.00


W393/01/02

ON

© Crown copyright 2002

Printed and Published in the UK by the Stationery Office Limited under the authority and superintendence of Carol Tullo, Controller of Her Majesty's Stationery Office and Queen's Printer of Acts of Parliament.

ISBN 0-11-090406-0



9 780110 904061